



AES

AMATEUR ELECTRONIC SUPPLY

HAM RADIO CATALOG FALL/WINTER 2001

5710 W. Good Hope Rd.
Milwaukee, WI 53223
414-358-0333
1-800-558-0411
Fax 414-358-3337
Service 414-358-4087
milwaukee@aesham.com

28940 Euclid Ave.
Cleveland, OH 44092
440-585-7388
1-800-321-3594
Fax 440-585-1024
cleveland@aesham.com

421 Commonwealth Ave.
Orlando, FL 32803
407-894-3238
1-800-327-1917
Fax 407-894-7553
Service 407-894-1166
orlando@aesham.com

4640 South Polaris Ave.
Las Vegas, NV 89103
702-647-3114
1-800-634-6227
Fax 702-647-3412
lasvegas@aesham.com

Store Hours
Mon-Fri • 9am to 5:30pm
Saturday • 9am to 3pm

TAKE A CLOSER LOOK AT ICOM!

1-800-558-0411
www.aesham.com

IC-756PROII¹

The best just got better!

- 160-6M @ 100W
- 32 Bit IF-DSP
- Improved 3rd IMD Characteristics
- Digital IF Filter w/Selectable Shapes
- Enhanced 5" TFT Color Display
- SSB/CW Synchronous Tuning
- External Control for Voice Memory
- Adjustable RIT Clear
- 1/4 Tuning Steps in Digital Mode
- Dual Watch

NEW



- Multiple DSP Controlled AGC Loops
- 101 Alphanumeric Memories
- VOX
- Auto Antenna Tuner
- Many More Features

IC-PW1

Give your desktop station 1kW of power

- Remote Control Head
- 100% Duty Cycle
- Compact Size.

Can be used with almost any HF, 6M, or HF/6M rig - not just ICOM rigs.

Ask AES for details.



WORK THE MAGIC

IC-718

Perfect for beginners - advanced performance at a start-up price

- 160-10M @ 100W
- 12V Operation
- Simple Operation
- CW Keyer Built-in
- One Touch Band Switching
- Direct Frequency Input
- VOX Built-in
- 101 Alphanumeric Memories
- Built-in Keyer
- 500kHz - 30.0 MHz Rx
- IF Shift
- Optional DSP
- PC Programmable*



IC-746

Advanced HF performance w/6M & 2M

- 10-2M @ 100W
- IF-DSP
- Twin Passband Tuning (PBT)
- CTCSS Encode/Decode w/Tone Scan
- 102 Alphanumeric Memories
- Full Duty Cycle
- Front Panel Adjustable NR
- Audio Peak Filter
- Auto Notch Filter
- 3 Optional Filter Positions
- 4.9" LCD/Dot Matrix Display
- CW Memory Keyer
- VOX
- Auto Antenna Tuner
- PC Controllable*



IC-910H

More Power. Go Anywhere Size.

- 2M @ 100W/70CM @ 75W Variable Output
- Simultaneously Work Two Bands at Once
- 9600 bps High Speed PACKET Port
- All Mode
- .11 uV Sensitivity
- Main & Sub Band Functions for IF Shift, Sweep, NB, RF Attenuator
- Large LCD Display
- Four Versatile Scanning Functions
- CTCSS Encode/Decode/Tone Scan
- Built-in Keyer
- Memory Pad
- Normal/Reverse Satellite Functions
- Optional 1200 MHz Band Unit
- Optional DSP
- PC Controllable*



PS-125

DC Power Supply

- More Power - 25 AMPS Continuous
- Quieter RF Operation
- Smaller Footprint - Takes Up Less Space
- Matches Newer ICOM Rigs



NEW

IC-756PRO

Push digital to new levels!

- 160-6M @ 100W
- 32 Bit IF-DSP
- 5" TFT Color Display w/Spectrum Scope
- Digital IF Filter w/41 Passband Widths
- 121 Microphone Equalized Audio Settings
- Dual Watch
- Multiple DSP Controlled AGC Loops
- Advanced CW Functions
- 101 Alphanumeric Memories
- VOX
- Auto Antenna Tuner
- PC Controllable*




IC-775DSP

Pull out the weak signals!

- 160-10M @ 200W
- All Mode
- IF-DSP with Noise Reduction, Auto and Manual Notch, Audio Peak Filter, and Twin Passband Tuning
- Adjustable Noise Blanker
- Dual Watch
- Adjustable AGC
- CW Keyer
- Auto Antenna Tuner
- VOX
- CTCSS Encoder
- Internal Auto Antenna Tuner
- PC Controllable*

Most ICOM rigs are PC programmable with select ICOM options



IC-V8

Rugged, Easy to Use 2M

- CTCSS/DTCS Encode/Decode w/ Tone Scan
- 5.5 Watts Out of the Box
- Fits Great in Any Hand.
- Full Sized Keypad
- Accommodates Larger Fingers.
- New Acoustic Design - Excellent recovered Audio
- Military Grade Const.
- 100 Alphanumeric Memories
- Drop-in Charger Included



IC-W32A

Advanced dual bander

- 2M/70CM
- 5W@13.5V
- 200 Alphanumeric Memories
- Auto Repeater
- CTCSS Encode/Decode w/Tone Scan
- Tri & Dual Band - V/V, U/U, V/U
- Simple operation, Advanced Features



IC-Q7A

Super small size, big sound

- 2M/70CM
- Wide Band Rx¹ - 30 to 1300MHz
- 200 Memories
- Auto Repeater
- CTCSS Encode/Decode w/Tone Scan
- Includes "AA" Ni-Cds & Charger
- Work One Band at a Time



Most ICOM HTs meet

SHOCK
MIL STD
810 C/D/E
VIBRATION



IC-T22A

Shirt pocket small, big performance

- 2 Meters
- Alphanumeric Display
- Wide Band Rx, Air Band¹
- 5W@13.5V DC*
- 3W@9.6V DC Standard
- 40 Alphanumeric Memories
- Easy to Use

IC-T81A

World's First QUAD Band HT

- Easy to Use
- 6M/2M/440MHz/1.2GHz
- Wide Band Rx¹
- 5W@13.5VDC*, 1W/1.2 GHz
- Ni-Mh Battery
- Auto Repeater
- Water Resistant

IC-T7H

Powerful performance

- 2M/70CM
- 6W Output
- 70 Alphanumeric Memories
- Auto Repeater
- CTCSS Encode/Decode w/Tone Scan
- Air Band Receiver¹
- Easy to Use



IC-2100H

Rugged 2 Meter, large controls

- 50 Watts
- Backlit Remote Control Mic
- MIL SPEC 810 C/D/E
- 113 Alphanumeric Memories
- CTCSS Encode/Decode w/Tone Scan
- Auto Repeater
- Large Keys and Knobs

IC-706MKIIG

The most versatile series of compact, multi-band rigs ever made

- 160-10M/6M/2M/70CM
- HF/6M @ 100W, 2M @ 50W, 70CM @ 20W
- All Mode w/DSP
- 107 Alphanumeric Memories
- CTCSS Encode/Decode w/Tone Scan
- Auto Repeater
- Plug-n-Play Filters



IC-T2H

Police radio rugged

- 2 Meters
- 6W Output
- 40 Alphanumeric Memories
- Auto Repeater
- CTCSS Encode/Decode w/Tone Scan
- Includes "AA" Ni-Cds & Charger
- Our Most Affordable

IC-T2H SPORT ALSO AVAILABLE!

Grab-N-Go Convenience

- 2 Meters
- 40 Alphanumeric Memories
- Auto Repeater
- CTCSS Encode/Decode w/Tone Scan
- Alkaline Case Only
- All Accessories Available Separately
- Perfect Back-Up or Second HT



IC-2800H

Audio excellence and video excitement

- 2M/70CM
- Dual Band Scopes
- 3" Color TFT Display
- 232 Alphanumeric Memories
- CTCSS Encode/Decode w/Tone Scan
- Auto Repeater
- Selectable RF Attenuator
- NTSC Video Display
- Air Band Rx

IC-207H

Super compact, Detachable Control Panel*

- 45W VHF - 2M
- 35W UHF - 70CM
- AM Aircraft Rx
- 182 Memories
- CTCSS Encode/Decode w/Tone Scan
- Auto Repeater
- Remote Head Capable



WORK THE MAGIC

Want to know more?

www.icomamerica.com

ICOM®

¹This device has not been approved by the FCC. This device may not be sold or leased, or offered for sale or lease, until approval of the FCC has been obtained.
*Optional equipment required. ¹Reception guaranteed on US ham bands only. ¹MIL STD 810 C/D/E for shock/vibration. ©2001 ICOM America, Inc. 2380 116th Ave NE, Bellevue, WA 98004, 425-454-8155. The ICOM logo is a registered trademark of ICOM, Inc. All specifications are subject to change without notice or obligation. A4MSPREAD801

AES CLOSEOUTS	27, 28
AES INFO/ORDER BLANK	76, 151-155
AES MANUFACTURER INFO	156
AES PRICE GUIDE (by mfg. A-Z)	3-28
AES USED & DEMO EQUIPMENT	28, 29
ORLANDO HAMCATION	69

BY MANUFACTURER

ADI COMMUNICATIONS	44
AIM ELECTRONICS.....	78, 133
ALINCO	43, 44, 45, 46, 52
ALPHA DELTA	10, 102, 103
AMECO.....	76, 91, 92, 137
AMERITRON.....	81, 135, 137
ANTENNA SPECIALISTS	131
ANTENNA SUPERMARKET	130
ANTENNAS AMERICA.....	130
AOR.....	34, 148
ARRL (QST).....	90, 92, 92, 93, 94, 95
ARROW ANTENNA	131
ARTSCI.....	147
ASTATIC.....	86
ASTRON	78
B&W.....	132
BMI.....	96
BELDEN	133
BELMERIT.....	88
BENCHER	76, 91, 131
BOUNTY HUNTER	147
BUCKMASTER.....	93
BUSHNELL.....	97
BUTTERNUT.....	131
CQ	93, 94, 95
CABLE X-PERTS.....	133, 134
CASTLE RIDGE.....	133
CELESTRON	95, 99, 100
CENTAUR ELECTRONIC.....	134
COAX SEAL.....	137
COAXIAL DYNAMICS	88
COBRA.....	40
COMET	104, 106, 107
COMMUNICATIONS SPECIALISTS.....	77
CONNECT SYSTEMS INC (CSI).....	150
CREATIVE SERVICES SOFTWARE.....	94
CROSS DEVICES (CRS).....	137
CUSHCRAFT	108-118
CUTTING EDGE ENT	143
DAIWA.....	88, 136
DAVIS	42
DCI	91
DC SALES.....	136
DELORME.....	37
DIAMOND ANTENNAS.....	78, 88, 120, 121, 122, 123, 130
DRAKE	32
EASY-UP	137
EMERSON	43, 146, 150
FREEPLAY (BAYGEN)	43
GAP ANTENNAS.....	124
GARMIN	36, 94
GEOCHRON.....	95, 96
GLEN MARTIN ENGINEERING.....	140
GRACE, LL (KC TRACKER).....	139
GROTHER ELECTRONICS.....	146

GRUNDIG.....	30, 31, 34
HAL.....	75
HEIL	84, 85
HUSTLER ANTENNAS.....	40, 125-127
HY-GAIN	138
ICOM... CII, 1, 35, 36, 38, 39, 46-49, 51, 54, 55, 70, 74, 80, 136, C-IV	
IDIOM PRESS.....	76
INTERNATIONAL ANTENNA (IAC).....	130
ISOTRON.....	119
KC TRACKER (LL GRACE).....	139
K-COM	91
KANTRONICS.....	75, 94
KENWOOD 39, 48, 50, 55, 56, 57, 58, 70, 71, 74, 86	
KOSS	83
LDG ELECTRONICS	136
LAKEVIEW CO.....	105
LARSEN (RADIALL).....	40, 128, 129
LOGSAT.....	94
M2 ANTENNA SYSTEMS	100, 139
MFJ 34-35, 55, 61, 71, 75, 76, 79, 85, 87, 89, 90, 91, 96, 104, 134-136, 144-148, 149	
MAGELLAN.....	37
MAHA	80, 144, 145
MALDOL	104, 107, 131
MAXON	39, 42
MEADE.....	98
MIDLAND.....	42,
MIRAGE.....	80, 82, 90
MONITOR AMERICA.....	95
MOTOROLA	39, 86
NCG	144
NEW WAVE.....	137
NIGHT OWL OPTICS	98
NORCOMM	77
NYE VIKING.....	91, 136
OREGON SCIENTIFIC	41
OUTBACKER.....	102, 103
PACCOMM	75
PALOMAR ENGINEERS.....	135, 147
PAR ELECTRONICS	91, 119
PENETROX.....	137
PIPO	77
POLYPHASE.....	93, 132
POUCH, The.....	143
PREMIER.....	83, 105
RF APPLICATIONS.....	90
RF INQUIRY	91
RADIALL/LARSEN.....	128, 129
RADIO AMATEUR CALLBOOK.....	94
RANGER.....	61, 72
SGC.....	59, 60, 61, 80
SAMLEX.....	78
SANGEAN.....	32,
SEQUOIA.....	93, 94
SHAKESPEARE	105
SHURE	86
SMILEY ANTENNA	130
SOLARCON	40, 105
SONY	33, 41
SUPERIOR ACCESSORIES	146
SYNTHETIC TEXTILES.....	133

TE SYSTEMS.....	80
TERK	149
TIMEWAVE/AEA.....	75, 148
TRIPP LITE.....	78, 150
TV ALLOWANCE.....	150
TV GUARDIAN	150
US TOWER.....	141
UNIDEN	38, 40, 42, 74
UNIFIED MICROSYSTEMS.....	76, 148
UNIVERSAL TOWERS	142
VANCO	86, 90, 143
VAN GORDON.....	119, 134
VECTRONICS.....	82, 90, 91, 135, 148
VELLEMAN.....	88
VENTENNA (FORBES).....	119
VIBROPLEX	77
W2AU (UNADILLA).....	105, 134
WSYI/WEST.....	93
WA1FFL.....	136
WAHL	146
WALNUT CREEK.....	94
WELLER.....	146
WILSON.....	40
WINEGARD.....	133, 150
YAESU	32, 50, 52, 61, 62, 64, 65, 66, 67, 68, 72, 74, 80, 83, 139, 148, C-III
WEST MOUNTAIN RADIO	149
ZEISS	98

BY PRODUCT TYPE

AIRCRAFT RADIOS	74
AMPLIFIERS & ACC 59, 80, 81, 82, 129	
ANTENNAS 40, 100-122, 124- 132, 136	
ANTENNA ACCESSORIES 101, 102, 126, 127, 134, 136, 144	
ANTENNA TUNERS.....	43, 60, 81, 82, 135, 136
ANTENNA WIRE.....	133
BALUNS	134
BATTERIES	144
BINOCULARS.....	97, 98
BOOKS/SOFTWARE. 92, 93-95, 103, 139	
CB EQUIPMENT.....	40
CARRYING CASES	143, 144
CHARGERS	144, 145
CONTEST CARD	148
CIGARETTE LIGHTER ADAPTORS..	143
CLOCKS	96
COMPASS.....	43
CODE READER	76, 149
COAXIAL CABLE/LADDER LINE.....	133, 134
COAXIAL SWITCHES ..81, 86, 101, 122, 136, 137	
COMPARISON CHARTS	53, 63, 73
CONVERTERS/TRANSVERTERS	
DSP	148
DUMMY LOADS	81, 82, 90, 122
DUPLEXERS/TRIPLEXERS.....	122, 137
ENCODERS/DECODERS	77
FAMILY/PERSONAL RADIO ...	39, 40, 57
FILTERS	82, 91, 144
GPS UNITS/SOFTWARE	36, 37
HEADPHONES/EARPHONES .	83, 85, 86

HF RADIOS	45, 52, 54, 55, 57, 59, 61, 62, 64, 65, 66, C-III, C-IV
HT 2M	44, 45, 46, 48, 49, 50, 52, 57
HT 6M.....	44
HT 220MHz.....	44, 50
HT 440MHz.....	44
HT MULTI-BAND 44-46, 48, 50, 52, 56, 57, 67	
INTERCONNECTS.....	150
KEYERS/PADDLES/READERS	76, 77, 82, 103, 148
KITS	148
LICENSING MATERIAL.....	92, 93, 103
LOW FREQUENCY CONVERTER.....	147
MARINE RADIOS & ANTENNAS..	59, 74
METAL DETECTORS	147
MICROPHONES & ACC.....	83-86
MICROSCOPES	100
MOBILE 2M	45, 51, 57, 64, 70-72
MOBILE 6M	64, 71
MOBILE 10M (10/12M).....	71, 72
MOBILE 220MHZ.....	45, 57, 64, 70
MOBILE 440 MHZ	45, 57, 64, 70
MOBILE 1.2GHZ.....	57, 70
MOBILE MULTI-BAND	45, 51, 57, 64, 67, 70, 71, 72
MOBILE MOUNTS ..	106, 123, 127, 129, 131, 134, 136, 146
NIGHT VISION	97, 98
PACKET/HF MODEM	71, 75
PHONE PATCH	144, 150
POWER INVERTERS.....	78
POWER SUPPLIES	43, 77, 78, 82
POWER SUPPLY ACCS.	79, 148
PREAMPLIFIERS.....	82, 137
QRP	55, 59, 61, 66, 71
QSL CARD HOLDERS.....	147
REPEATERS	148
ROTORS	100, 138, 139
SCANNERS	38, 43, 47
SECURITY ITEMS.....	41, 150
SELF-POWERED PRODUCTS	41, 43
SHORTWAVE.....	30-35, 47
SIRENS.....	146
SOLAR CELLS.....	143
SOLDERING TOOLS	146
SOUND CARD INTERFACES.....	149
SURGE/LIGHTNING DEVICES... 78, 101, 132, 133, 136, 150	
SWR/WATTMETERS & ANALYZERS...81, 82, 86, 87-89, 90	
SSTV	50, 57
TV ACCESSORIES	133, 149, 150
TELEPHONES.....	40, 98
TELESCOPES/SPOTTING SCOPES	97, 99, 100
TEST EQUIPMENT.....	88-90, 148
TOOLS	133, 146
TOWERS/TRIPODS	137, 139, 140-142
VHF/UHF BASE.....	55
WEATHER INSTRUMENTS	41, 42
WEATHER PROOFING PROUCTS	137

CODES WITHIN THE PRICE LIST

(T) Item too large for UPS. Shipment by truck only. No COD, please send payment in advance or use charge card for merchandise. Freight charges will be collected upon delivery

Note: Charges for truck shipments from 1-99 lbs are running a minimum of \$80.00, plus local destination charges. It is advisable to contact a local freight office for a quotation.

(D) DISCONTINUED by Manufacturer but still available from stock in limited quantities when this price list was published.

(†) TEMPORARY LOW PRICE due to Special Purchase, over-stock, etc. Quantities may be limited at price shown.

(Δ) Item not discontinued by Manufacturer but probably will not be available from our stores when present stock is sold out.

All Prices and Specifications in this catalog are subject to change without notice.
• Due to foreign currency fluctuations, promotions, manufacturer's specials, etc., prices may vary, so please confirm prices with salesperson before ordering.

AMATEUR ELECTRONIC SUPPLY® is not responsible for typographical errors or omissions.

Copyright© 2001 AMATEUR ELECTRONIC SUPPLY®

ADI (ADI) AES Price

AT-201HP	5w 2m FM HT/batt/cgr/TTP	\$119.99
AT-401HP	5w 440 FM HT/batt/cgr/TTP	159.99
ARC-12	Smart charger	62.99
CHA-072	Wall charger for RBP-072 batt	12.99
CHA-120	Wall charger for RBP-120 batt	12.99
CHA-612	Wall charger for RBP-612 batt Δ	9.99
CHA-672/CHA-607	Wall cgr; RBP-607 batt Δ	6.99
CBP-262	Battery holder; 6 AA nicads	19.99
MQA-999/SD-911	Rapid charger	62.99
PCA-145	Cig lighter cable; not for AT-600	14.99
PCA-600	Cig lighter cable for AT-600 Δ	15.99
PROG-600	PC prog soft/cable for AT-600 Δ	39.99
RBP-072	7.2v 700ma nicad battery Δ	34.99
RBP-120NMH	12v 600ma NiMH	69.99
RBP-612NMH	13.2v 1000ma NiMH; 600 Δ	69.99
SLC-200/SLC200S	2.5w case; not AT-600 Δ	9.99
SLC-200-L	5w carrying case; not for AT-600	20.99
SLC-600-S	2.5w carrying case; AT-600 Δ	9.99
SLC-600-L	5w carrying case; AT-600HP Δ	20.99

See Premier for speaker/mics for ADI HTs

AR-147+	60w 2m FM Xcwr w/TTP mic	149.99
MTG BKT	Extra mobile bracket	10.99
PWR CORD	Extra DC cable	10.99
AR-247	30w 220 FM Xcwr w/TTP mic	209.99
MTG BKT	Extra mobile bracket	10.99
PWR CORD	Extra DC cable	10.99
AR-447	35w 440 FM Xcwr w/TTP mic	209.99
MTG BKT	Extra mobile bracket	10.99
PROG-47	PC prog soft/cable; AR-147/247/447	39.99
PWR CORD	Extra DC cable	10.99

See Premier for sun visor mic/cables for ADI mobiles

ADI/PRYME

PR-52	5w 6m FM HT/batt/cgr/TTP	\$159.99
PR-222	5w 220 FM HT/batt/cgr/TTP	169.99
CHA-120	Wall charger for RBP-22 batt	12.99
CBP-263	AA battery case	19.99
MQA-999/SD-911	Rapid charger	62.99
PTC-001	Mobile power pack	28.99
RBP-22	Extra 12v 600ma nicad battery Δ	34.99
RBP-22H	12v 1000ma NiMH battery	69.99

ADI - continued

SLC-22L	Leather case	14.99
See Premier for speaker/mics for ADI/Pryme HTs		
AOR (AOR)		
AR-3000AB	.1-2036MHz dlx w/SSB/cell blkd	1099.99
MM-1	Mobile mounting bkt; AR-3000AB	.D 19.99
SDU-5500	Spec disp; AR-3000AB/co base Rcvr	1099.99
AR-5000B	.01-2600MHz scan/cell blkd/spec ord	1899.99
AR-8600B	.53M-2.04G base rcvr AM/FM/SSB/cell blkd	869.99
AR-16B	.5-1300MHz hand scan/cell blkd	199.99
SC-2700	Soft case for AR-2700	12.99
AR-8200B	.5-2040MHz hand/SSB/cell blkd	D 479.99
AR-8200 Mk II-B	.5-2040 hand/SSB/cell blkd	549.99
LC-8200	Leather case	24.99
SC-8200P	Soft case	13.99
TDF-370	Multi-media terminal/DSP	329.99

AIM (AIM)

24-7735P	Coax stripper; RG-58/59/62	\$ 21.99
24-7736P	Coax stripper; RG-59/6/8281	21.99
24-7739P	Coax stripper; RG-8/11/213	28.99
38-305	500ma 3/4.5/6/7.5/9/12vdc adapter	9.99
38-312	1.2A 1.5/3/4.5/6/7.5/9/12vdc adapt	29.99
38-384	4A power supply, 5A surge	39.99
HT-332	Coax stripper; RG-58/59/62/6	Δ 9.99

ARRL (ARR)

096	2002 hardcover Radio Amateur's Handbook	\$ 49.95
100	2002 softcover Radio Amateur's Handbook	34.95
103	2002 Radio Amateur's HB CD-ROM	39.95
104	1990-94 QST on CD-ROM	39.95
105	1985-89 QST on CD-ROM	39.95
106	1980-84 QST on CD-ROM	39.95
107	1975-79 QST on CD-ROM	39.95
108	1970-74 QST on CD-ROM	39.95
109	1995-99 QST on CD-ROM	39.95
110	200 Meters and Down (early ham radio)	12.00
114	AM Radio Mail Order Catalog	14.95
116	APRS Tracks, Maps & Mobiles	14.95
126	Antenna Book w/IBM software	30.00
128	Antenna Book CD-ROM	39.95
130	Antenna Compendium 1	10.00
135	Antenna Compendium 2	14.00
137	Antenna Compendium 6 w/software	20.00
139	Antenna Compendium 5 w/software	20.00
142	Best of the New Ham Companion	12.00
143	Beyond Line of Sight	12.00
146	DXCC Companion	8.00
148	DXCC countries list	3.00
149	DXing on the Edge	29.95
155	Extra Class License Manual	19.00
161	FCC Rule Book	12.00
169	General Class License Manual	15.00
175	General Video Course/book/software	149.00
176	General Course book/software only	29.00
180	Grid Locator Atlas	5.00
185	HF Digital Handbook 2nd edition	17.95
187	Hints and Kinks 15th edition	12.00
192	Introduction to Morse Code CD's (2)	14.95
195	Introduction to Morse Code cassettes	14.95
198	Introduction to RF Design w/software	39.95
201	Log Book	5.00
205	Minilog	4.95
208	More Wire Antenna Classics	14.00
210	Morse Code The Essential Language	8.00
216	Morse Tutor Gold (3 1/2") software for IBM	30.00
235	Now You're Talking (new ham)	19.00
240	On the Air With Ham Radio	17.95
241	Operating Manual	25.00
242	Operating Manual CD-ROM	39.95
243	2002 Passport to Worldband Radio	19.95
252	Packet: Speed, More Speed & Applications	15.00
253	Practical Packet Radio	15.95
254	1995 ARRL Periodicals CD-ROM	19.95
256	QRP Power	12.00

AES Price

ARRL - continued

AES Price

257	1996 ARRL Periodicals CD-ROM	19.95
258	RF Exposure and You	15.00
259	1997 ARRL Periodicals CD-ROM	19.95
260	Radio Puzzle	7.95
261	Radio Frequency Interference	20.00
262	Radio Buyer's Sourcebook volume 2	15.00
263	1998 ARRL Periodicals CD-ROM	19.95
264	Satellite Handbook	22.00
266	1999 ARRL Periodicals CD-ROM	19.95
267	2000 ARRL Periodicals CD-ROM	19.95
270	2001/2002 Repeater Directory	9.00
277	Antenna Anthology 5th edition	15.00
285	Set 1 5-10 wpm code practice cassettes	12.00
290	Set 2 10-15 wpm code practice cassettes	12.00
295	Set 3 15-22 wpm code practice cassettes	12.00
301	10-15 wpm code practice audio CD	14.00
302	15-22 wpm code practice audio CD	14.00
303	5-10 wpm code practice audio CD	14.00
305	Solid State Design	15.00
308	Spread Spectrum Source Book	20.00
310	Stealth Amateur Radio	14.95
315	Tech Q & A License Manual	12.95
317	Technician Video Course/book/software	149.00
318	Technician Course book/software only	29.00
320	Transmitter Hunting	24.95
321	TravelPlus for Repeaters 01/02 CD-ROM	39.95
324	UHF/Microwave Project Manual vol 2	15.00
325	USA Map	8.00
328	Understanding Basic Electronics	20.00
329	Vertical Antenna Classics	12.00
332	VHF/UHF Radio Buyer's Source Book	12.00
340	W1FB's QRP Notebook	10.00
342	Weather Satellite Handbook	20.00
343	WX Satellite Handbook companion software	10.00
344	Wire Antenna Classics	14.00
346	World Azimuthal Map	12.00
347	Radio Amateurs World Atlas	9.95
350	Yagi Antenna Classics	17.95
354	Your Mobile Companion	12.00

ATOC (ATO)

IHTH-1	1/4-24 trailer hitch antenna mount	\$ 17.99
--------	------------------------------------	----------

ALINCO (ALI)

DJ-C5T	300mw cc size 2m/440 HT/lith ion/spkr	\$149.99
EDC-16B	Cigarette lighter cable w/filter	21.99
EDC-36	Angle plug power cable w/filter	24.99
EME-12	Headset w/earphone/mic/VOX	71.99
EME-13	Headset w/ear bud/mic/VOX	71.99
EME-15	Earphone/mic w/VOX	56.99
EME-16	Tie-pin mic & earphone	17.99
EME-17	Boom earphone mic	32.99
EME-18	Earphone	8.99
EDS-7	Mic adapt; EME-12/13/15/16/17/18	12.99
EMS-49	Miniature lapel spkr/mic	32.99
EMS-50	Speaker/mic	41.99
ESC-34	Soft case w/belt clip	13.99
DJ-280TH	5w 220 FM HT/batt/cgr/TTP	189.99
EB-3	Belt clip	4.99
EBP-24N	7.2v 1200ma batt; 180/580/582T	80.99
EBP-28N	12v 700ma batt; 180/582	70.99
EDC-16B	Cigarette lighter cable w/filter	21.99
EDC-36	Angle plug power cable w/filter	24.99
EDC-37	13.8v power cable	7.99
EDC-43	Cig lighter cable	10.99
EDC-45	Quick charger (not for F1)	84.99
EDC-49	Batt cgr; EBP-20/22/24/26/28N	22.99
EDH-11	AA alk pack; DJ-180/580/582T	12.99
EDH-12	DC jack adapter; DJ-180/280TH	12.99
EJ-14U	50 ch mem unit; DJ-180/280TH	21.99
EJ-15U	200 ch mem unit; DJ-180/280TH	30.99
EME-6	Earphone	10.99
EME-11	Ear/microphone w/PTT/VOX	Δ 29.99
EME-12	Headset w/earphone/mic/VOX	71.99
EME-13	Headset w/ear bud/mic/VOX	71.99

Alinco - continued**AES Price**

EME-15	Earphone/mic w/VOX	56.99
EME-16	Tie-pin mic & earphone	17.99
EME-17	Boom earphone mic	32.99
ESC-18	Soft case; 180TH/EBP-26N	14.99
ESC-19	Soft case; 180TH/EBP-28N	17.99
EBP-35N	7.2v 900ma nicad batt; DJ-G5TH Δ	59.99
EBP-36N	9.6v 650ma nicad batt; DJ-G5TH Δ	68.99
EDC-22	Wall charger for EBP-12NA	4.99
EDC-52	Quick charger; DJ-G1T	29.99
EDC-55	Drop-in cgr; EBP30/31/32N; G1T Δ	4.99
EJ-16U	Tone squelch unit; DJ-G1T	14.99
EJ-28U	CTCSS decoder unit; DJ-191TH	19.99
ESC-23	Soft case for EBP-30N; DJ-G1T	2.99
ESC-24	Soft case; EBP-31N/32N; G1T	2.99
DJ-196T	5w 2m FM HT/batt/cgr/TTP	139.99
DJ-496T	5w 440 FM HT/batt/cgr/TTP	149.99
DJ-596T	5w 2m/440 FM HT/NiMH/cgr/TTP	209.99
EBC-6	Mobile bracket	15.99
EBP-48N	9.6v 700ma 5w nicad battery	64.99
EBP-50N	9.6v 700ma 5w NiMH battery	23.99
EDC-16B	Cigarette lighter cable w/filter	21.99
EDC-36	Angle plug power cable w/filter	24.99
EDC-37	13.8v power cable	7.99
EDC-43	Cig lighter cable	10.99
EDC-88	Rapid charger	60.99
EDH-30	Dry cell battery case	15.99
EJ-43U	Digital board for DJ-596T only	109.99
EME-6	Earphone	10.99
EME-12	Headset w/earphone/mic/VOX	71.99
EME-13	Headset w/ear bud/mic/VOX	71.99
EME-15	Earphone/mic w/VOX	56.99
EME-16	Tie-pin mic & earphone	17.99
EME-17	Boom earphone mic	32.99
EMS-47	Spkr/mic w/volume control	24.99
ERW-4C	PC cable	39.99
ESC-36	Soft case for EBP-48N	13.99
DJ-V5TH	5w 2m/440 FM HT/batt/cgr/TTP	209.99
DJ-V5TDCH	5w 2m/440 clear HT/batt/cgr/TTP	229.99
EBP-45N	6v 700ma 2w nicad battery	34.99
EBP-46N	9.6v 600ma 5w nicad battery	64.99
EDC-16B	Cigarette lighter cable w/filter	21.99
EDC-36	Angle plug power cable w/filter	24.99
EDC-37	13.8v power cable	7.99
EDC-43	Cig lighter cable	10.99
EDC-91	Quick charger	60.99
EDH-29	Dry cell case for 4-AA's	12.99
EME-6	Earphone	10.99
EME-12	Headset w/earphone/mic/VOX	71.99
EME-13	Headset w/ear bud/mic/VOX	71.99
EME-15	Earphone/mic w/VOX	56.99
EME-16	Tie-pin mic & earphone	17.99
EME-17	Boom earphone mic	32.99
EMS-82	Remote speaker/mic	50.99
EMS-47	Spkr/mic w/volume control	24.99
ESC-35	Soft case for EBP-45N/46N	13.99
DJ-S11T	340mw 2m FM HT/battery holder	79.99
DJ-S41T	340mw 440 FM HT/battery holder	79.99
EBC-6	Mobile bracket	15.99
EDC-78	Wall charger; (not for alkalines) ...	7.99
EDH-18	12v to 5.5v DC/DC conv/cig plug ..	32.99
EME-6	Earphone	10.99
EME-12	Headset w/earphone/mic/VOX	71.99
EME-13	Headset w/ear bud/mic/VOX	71.99
EME-15	Earphone/mic w/VOX	56.99
EME-16	Tie-pin mic & earphone	17.99
EME-17	Boom earphone mic	32.99
EMS-47	Spkr/mic w/volume control	24.99
ESC-27	Soft case	16.99
DJ-X2T	522Khz-1GHz cc size Rcvr/lith ion/cell blkd ..	219.99
EDC-36	Angle plug power cable w/filter	24.99
EDC-37	13.8v power cable	7.99
EDC-43	Cig lighter cable	10.99
EDH-27	Dry cell case w/charger	38.99
EDH-28	DC/DC converter w/cig plug	35.99

Alinco - continued**AES Price**

ESC-34	Soft case w/belt clip	13.99
DJ-X10T	.1MHz-2GHz AM/FM/SB hand/cell blkd ...	309.99
EBP-33N	4.8v 650ma nicad battery	34.99
EBP-34N	4.8v 1200ma nicad battery	84.99
EBP-37N	4.8v 700ma nicad battery	34.99
EDC-16B	Cigarette lighter cable w/filter	21.99
EDC-36	Angle plug power cable w/filter	24.99
EDC-37	13.8v power cable	7.99
EDC-43	Cig lighter cable	10.99
EDC-60	Quick charger	80.99
EDH-16	Dry cell battery case	12.99
EME-6	Earphone	10.99
ERW-4C	PC cable	39.99
ESC-28	Soft case for EBP-33N	13.99
ESC-29	Soft case for EBP-37N	13.99
ESC-30	Soft case for EBP-34N	13.99
DJ-X2000T	.1-2149MHz receiver/cell blocked	499.99
EBP-33N	4.8v 650ma nicad battery	34.99
EBP-34N	4.8v 1200ma nicad battery	84.99
EBP-37N	4.8v 700ma nicad battery	34.99
EDC-16B	Cigarette lighter cable w/filter	21.99
EDC-36	Angle plug power cable w/filter	24.99
EDC-37	13.8v power cable	7.99
EDC-43	Cig lighter cable	10.99
EDC-60	Quick charger	80.99
EDH-16	Dry cell battery case	12.99
EME-6	Earphone	10.99
ERW-4C	PC cable	39.99
ESC-28	Soft case for EBP-33N	13.99
ESC-29	Soft case for EBP-37N	13.99
ESC-30	Soft case for EBP-34N	13.99
EMS-12A	TTP microphone; DR-M03SX	65.99
DR-M06TH	20w 6m FM Xcvr/TTP/encoder ...	259.99
MB-130	Extra mobile bracket	19.99
HK-130	Hardware kit for MB-130	4.99
PC-15B	Extra DC cable	10.99
DR-135T	Black 50w 2m FM Xcvr w/TTP mic ...	169.99
DR-235T	Black 25w 220 FM Xcvr w/TTP mic ..	249.99
DR-435T	Black 35w 440 FM Xcvr w/TTP mic ...	259.99
EDC-37	13.8v power cable; ignition on/off ..	7.99
EDC-43	Cig lighter cable; ignition on/off ...	10.99
EJ-40U	Digital board; DR-135T/TP/235T/435T ..	119.99
EJ-41U	1200/9600 TNC unit; 135/235/435T ..	139.99
MB-130	Extra mobile bracket	19.99
HK-130	Hardware kit for MB-130	4.99
PC-15B	Extra DC cable	10.99
DR-135TP	Black 50w 2m FM/TTP/1200/9600 TNC ...	269.99
EDC-37	13.8v power cable; ignition on/off ..	7.99
EDC-43	Cig lighter cable; ignition on/off ...	10.99
MB-130	Extra mobile bracket	19.99
HK-130	Hardware kit for MB-130	4.99
PC-15B	Extra DC cable	10.99
CC-150	Cloning cable for DR-150TQ	9.99
EJ-19U	Memory expansion unit; DR-430TQ Δ ..	9.99
DR-605TQ	50/35w 2m/440 FM/TTP/EJ24U tone sq ..	339.99
EMS-14	Desk top microphone	114.99
EDS-8	Adapter for EMS-14 w/DR-605TQ	28.99
MB-130	Extra mobile bracket	19.99
HK-130	Hardware kit for MB-130	4.99
PC-15B	Extra DC cable	10.99
EDS-1	Junc box w/ext spkr, mic jacks; 610TQ Δ ..	57.99
EDS-2	9' extension cable; EDS-1/610TQ Δ ..	23.99
EDS-3	15' extension cbl; EDS-1/610TQ Δ ..	40.99
EJ-23U	200 channel memory unit; 610TQ Δ ..	37.99
EMS-12A	Extra TTP microphone	64.99
DX-70TH	Comp HF Xcvr/100w 6m/mob bkt ..	749.99
DM-330MVT	30A switching ps/meter/32A surge ..	179.99
DM-340MVT	30A ps w/meters/35A surge ..	189.99
EBC-8	Front control head bracket	15.99
EBC-9	Extra mobile bracket	32.99
EDS-4	Rem mt acc kit w/5' cable, 2 covers ..	41.99
EDS-5	15' microphone extension cable	36.99
EDS-6	15' remote cable	68.99

Alinco - continued**AES Price**

EDX-1	Manual coax feed antenna tuner ..D	269.99
EDX-2	160-10m 200w auto wire ant tuner ..	319.99
EMS-14	Desk top microphone	114.99
MB-130	Extra mobile bracket	19.99
HK-130	Hardware kit for MB-130	4.99
PC-25	Extra DC cable	35.99
DX-77T	160-10m HF Xcvr	699.99
DM-330MVT	30A switching ps/meter/32A surge ..	179.99
DM-340MVT	30A ps w/meters/35A surge ..	189.99
EDS-5	5' microphone extension cable	36.99
EDX-1	Manual coax feed antenna tuner ..D	269.99
EDX-2	160-10m 200w auto wire ant tuner ..	319.99
EMS-14	Desk top microphone	114.99
ERW-4C	PC cable	39.99
MB-130	Extra mobile bracket	19.99
HK-130	Hardware kit for MB-130	4.99
PC-25	Extra DC cable	35.99

CONSUMER ELECTRONICS

DJ-S46	Family radio svc handheld/batt/cgr ...	\$ 89.99
EBC-6	Mobile bracket	15.99
EDC-78	Wall charger (not for alkalines)	7.99
EDH-18	12v to 5.5v DC/DC conv/cig plug ..	32.99
EME-6	Earphone	10.99
EME-13	Headset w/ear bud/mic/VOX	71.99
EME-15	Earphone/mic w/VOX	56.99
EME-16	Tie-pin mic & earphone	17.99
EMS-47	Spkr/mic w/volume control	24.99
ESC-27	Soft case	16.99

ALPHA DELTA (ALP)

R-T/N	200w 1 GHz type N protector	\$ 14.99
Extra arc-plug cartridge; R-T/N		8.99
Extra arc-plug cartridge for LT or LT/N ..		2.99
RT-N/2G	200w 1 GHz type N protector	14.99
Extra arc-plug cartridge for RT-N/2G ..		4.99
Extra arc-plug cartridge for HV-N/2G ..		4.99
ATT-3G50	200w 3GHz type N surge protector ..	59.99
ATT-3G50-HP	2kw 3GHz type N surge protector ..	59.99
ATT-3G50U	200w 500MHz surge protector	49.99
ATT-3G50U-HP	2kw 500MHz surge protector ..	49.99
ATT/3G50	Extra 200w arc-plug cartridge	14.99
ATT-HP/3G50HP	Extra 2kw arc-plug cart ...	14.99
Delta-2	500 MHz 2-pos coax switch/protector ..	49.99
Delta-2/N	1.3 GHz 2-pos type N switch/protector ..	64.99
Delta-4	500 MHz 4-pos coax switch/protector ..	79.99
Delta-4/N	1.3 GHz 4-pos type N switch/protector ..	89.99
D-4	Extra arc-plug; Delta-2/2N/4/4N	9.99
Delta-4C	4-pos coax switch/protector console ..	139.99
Delta-4CN	4-pos N coax switch/protector console ..	149.99
D-4	Extra arc-plug; Delta-4C/4CN	9.99
Delta-C	Kit w/ctr ins/2 end ins/static protect ..	29.99
SEP	Extra arc-plug cart; DX-Ultra/Delta-C ..	15.99
Delta-CIN	Antenna end insulator	each 1.99
DX-80	80m 134' complete dipole antenna	49.99
DX-40	40m 67' complete dipole antenna	39.99
DX-20	20m 34' complete dipole antenna	39.99
DX-A	160-80-40m twin sloper antenna	59.99
DX-B	160-80-40-30m 60' sloper ant	69.99
DX-CC	80-10m 5-band 82' no trap, no tuner dipole ..	119.99
DX-DD	80/40m 82' Delta Dipole antenna	89.99
DX-EE	40-10m 4-band 40' no trap, no tuner dipole ..	99.99
DX-LB	160-80-40m 100' shortened dipole	119.99
DX-LB Plus	160/80/40/20/15/10m 100' short dip ..	149.99
DX-SWL	AM broadcast-13m 60' SWL sloper ant ..	79.99
DX-Ultra	AM broadcast-30MHz 80' SWL dipole ..	119.99
SEP	Extra arc-plug cart; DX-Ultra/Delta-C ..	15.99
Outpost	Base tripod mtg sys for mobile ant ..	199.99
SK-1	Straight Kent key	129.99
SP-1	Single paddle Kent key	139.99
TP-1	Titanic replica straight Kent key	149.99
TP-1	Twin paddle iambic Kent key	149.99
Basic Technology	Amateur Radio video & book	39.99

Also see **OUTBACKER**

AES Price

AMECO PUBLICATIONS (AME)

4-01 Code Course Instruction Booklet	\$ 2.99
6-01 Mastering the Morse Code	3.00
CODE COURSES - CASSETTE TAPES	
100-T Junior code tape, 0-7 1/2 wpm	\$ 5.95
107-PC-2 IBM Morse Code Course, version 2.0	29.95
CODE PRACTICE OSCILLATORS & CODE KEYS	
K-1 Bakelite type key	\$ 10.95
K-4 Brass type key	16.95
OCM-2K Code oscillator & CW monitor kit	19.99
OCM-2W Wired oscillator & CW monitor	24.99

PREAMPLIFIERS

TPA HF receive preamp & indoor active ant ..	\$ 76.99
P-9T Power supply for TPA	9.99
PT-3 2-54 MHz transceiver preamp	124.99
P-12T Power supply for PT-3	9.99

FILTERS

HP-75T 75 ohm high-pass filter	\$ 12.99
HP-300T 300 ohm high-pass filter	12.99

AMERITRON (AMR)

AL-80B 1kw PEP out linear (3-500Z)	1199.99
AL-82 1.5kw PEP out linear (2 3-500Zs)	2069.99
AL-572 1.3kw PEP out linear (4 572Bs)	1299.99
AL-800 1250w PEP out linear (3CX800A7)	1569.99
AL-800H 1.5kw PEP out amp (2 3CX800A7) ..	2299.99
AL-811 600w PEP out linear (3 811As)	599.99
AL-811H 800w PEP out linear (4 811As)	749.99
AL-1200 1.5kw PEP out linear (3CX-1200A7) ..	2169.99
AL-1500 1.5kw out linear (8877)	2569.99
ALS-500M 600w PEP out solid state mob amp	699.99
ALS-600 700w PEP out solid state amp w/ps	1129.99
ARB-7021 Amplifier Xcvt interface; Icom	39.99
ARB-70212 Amp Xcvt interface; Ico 706&Mkl/G	39.99
ARB-702K Amplifier Xcvt interface; Kenwood	39.99
ARB-702Y Amplifier Xcvt interface; Yaesu	39.99
ATP-100 Amplifier tuning pulser	49.99
ATP-102 Deluxe amplifier tuning pulser	59.99
ATR-20 1.2kw PEP antenna tuner	419.99
ATR-30 3kw PEP antenna tuner	549.99
ADL-1500 1.5kw dummy load with oil	69.99
ADL-2500 2.5kw dummy load with fan	189.99
ICP-120 120v inrush protector	79.99
ICP-240 240v inrush protector	79.99
AWM-30 3kw PEP SWR/wattmeter/rem sens ..	139.99
QSK-5 Stand alone T/R switch	329.99
QSK-5PC PC board kit; T/R switch	229.99
CF-5 Cooling fan for QSK-5	39.99
RCS-4 4-pos wireless remote coax switch	129.99
RCS-8V 160-2m 5-pos remote coax switch	139.99
RCS-8VN 160-2m 5-pos N rem coax switch ...	149.99

Note: RCS-8V/VN require 8-wire control cable.

AMIDON (AMI)

1.5:1-HB75 W2FMI 1.5:1 dipole balun	\$ 29.99
4:1-HB50 W2FMI 4:1 direct connect beam balun	29.99
1.56:1-HDU50 W2FMI 50:32&18 ohm unun ..	29.99
1.78:1-HDU50 W2FMI 50:28&12.5 ohm unun ..	29.99
4:1-HCU50 W2FMI 50:12.5 ohm unun	29.99
9:1-HU50 W2FMI 50:5.56 ohm unun	24.99

Antenna Specialists (ASP)

AP-143 2m 23" on glass cell look-alike ant ..	\$ 69.99
APR151.3 2m 3db 33" on glass antenna	69.99
KAV-382 On glass replacement mtg kit	12.99
ASC-13 Chrome swivel base w/SO-239	14.99
MR431 Hatch/trunk groove mt CB ant	19.99

Antennas America (ANA)

HVA-146/CVA-146 75w 2m disguised decal ant	\$ 69.99
HVA-460/CVA-460 75w 440 disguised decal ant	69.99

AES Price

Antenna Supermarket (ANT)

Eavesdropper* 60-11m trap dipole SWL ant ..	\$ 89.99
*Specify SO-239 or twin-lead	

ANTENNA WORLD (ANW)

COM136-4500NP VHF/UHF port dipole/BNC ..	\$ 19.99
--	----------

ARROW Antenna (ARA)

146/437-10 3 el 2m/7 el 440 handheld beam	\$ 73.99
146/437-10BP 3el 2m/7el 440 HH split bm beam	79.99
10w duplexer (installs in boom)	59.99

ARTSCI (ART)

Amateur Handbook (Hambook)	\$ 14.95
Lost Users Manuals	19.95
US Repeater Mapbook 2000/2001 edition	9.99

ASTATIC (AST)

10DA-L Dynamic mic head (no stand or cable) ..	\$ 69.99
D-104-L Crystal mic head (no stand or cable) ..	42.99
T-UG9 Amplified desk stand	52.99
575M-6 Amp 6-wire mic w/tone control	39.99
Night Eagle Brass/black crystal desk mic ..D	99.99
T-UG9-D104 Amp mic, 6-wire w/stand	94.99
T-UP9-D104-SE Silver Eagle 6-wire amp	119.99
MC-320 Crystal mic cartridge for D-104	19.99

ASTRON (ASR)

RS-4L 3A ps, 4A surge, w/cig lighter socket ..	\$ 49.99
RS-7A 5A power supply, 7A surge	59.99
RS-10A 7.5A power supply, 10A surge	69.99
RS-12A 9A power supply, 12A surge	79.99
RS-12S 9A ps, 12A surge, w/speaker	89.99
RS-20A 16A power supply, 20A surge	99.99
RS-35A 25A power supply, 35A surge	149.99
RS-35A/220V 220v 25A ps, 35A surge	169.99
RS-50A 37A power supply, 50A surge	219.99
RS-70A 57A power supply, 70A surge	259.99
RS-20M 16A ps w/meters, 20A surge	119.99
RS-35M 25A ps w/meters, 35A surge	169.99
RS-50M 37A ps w/meters, 50A surge	239.99
RS-70M 57A ps w/meters, 70A surge	289.99
VS-20ML Variable 16A ps/meters, 20A surge ..	139.99
VS-35M Variable 25A ps/meters, 35A surge ..	189.99
VS-50M Variable 37A ps/meters, 50A surge ..	259.99
RM-35M 25A rack mt ps/meters, 35A surge ..	249.99
RM-50M 37A rack mt ps/meters, 50A surge ..	279.99
RM-60M 50A rack mt ps/meters, 55A surge ..	359.99
SS-25 20A switching ps, 25A surge	109.99
SS-25M 20A switching ps/meters, 25A surge	129.99
SS-30 25A switching ps, 30A surge	119.99
SS-30M 25A switching ps/meters, 30A surge	139.99
12/115 200w solid state 12vdc-115vac inverter	69.99
N2412-12 9A 22-32vdc to 13.8vdc converter	49.99
N2412-24 16A 22-32vdc to 13.8vdc converter	79.99

B & K (B&K)

541 Component comparator	D \$149.99
1646 0-16V, 0-10A power supply	D 169.99
2831A Digital bench multimeter	129.99

BMI (BMI)

972A 12" 12-hour wall clock	\$ 19.99
972AD 14" 12/24-hour wall clock	32.99
973A 12" 24-hour wall clock	49.99

B & W (B&W)

AP-10A 51" portable 40/20/15/10/6/2m ant	\$ 89.99
AT-55 40/20/15/10m 55' trap antenna	99.99
AT-110 80/40/20/15/10m 110' trap antenna	99.99
AS-160 160/80/40/20m 137' trap dipole	154.99
AS-80 80/40/20m 78' trap dipole	119.99
AS-40 40/20/15/10m 40' trap dipole	154.99
AS-20 20/15/10m 20' trap dipole	119.99

B & W - continued

AC-1.8-30 Continuous 1.8-30 MHz vee ant ...	209.99
ACS-1.8-30 Continuous 1.8-30MHz stainless vee	329.99
AC-5-30 Continuous 5-30 MHz 65' antenna ..	199.99
ACS-5-30 Continuous 5-30 Mhz 65' stainless ant	319.99
ASW-90 500KHz - 30MHz 90' receive only ant D	119.99
AXS-160 160/30m 96' trap dipole	99.99
AXS-80 80/40/15m 65' trap dipole	119.99
BWD-1.8-30 1.8-30 MHz 90' folded dipole ...	199.99
BWDS-1.8-30 1.8-30 stainless 90' folded dip	319.99

BELDEN (BEL)

52 OHM COAXIAL CABLE

8216 RG-174 (sub-miniature)	per ft. \$.30
8216	100 ft. Roll 28.99
8216	500 ft. Roll 104.99
8216	1000 ft. Roll 199.99
9201 RG-58 (solid center)	per ft. .24
9201	100 ft. cut 22.99
9201	500 ft. Roll 94.99
9201	1000 ft. Roll 169.99
8240 RG-58U (solid center)	per ft. .30
8240	100 ft. Roll 28.99
8240	500 ft. Roll 104.99
8240	1000 ft. Roll 199.99
8259 RG-58AU (stranded center)	per ft. .33
8259	100 ft. Roll 30.99
8259	500 ft. Roll 104.99
8259	1000 ft. Roll 199.99
8219 RG-58AU (stranded, foam)	per ft. .34
8219	100 ft. Roll 31.99
8219	500 ft. Roll 104.99
8219	1000 ft. Roll 199.99
8262 RG-58CU (non-contaminating)	per ft. .41
8262	100 ft. cut 37.99
8262	500 ft. Roll 139.99
8262	1000 ft. Roll 259.99
9258 RG-8X (stranded, foam)	per ft. .39
9258	100 ft. cut 34.99
9258	500 ft. Roll 129.99
9258	1000 ft. Roll 239.99
8237 RG-8U	per ft. .64
8237	100 ft. Roll 59.99
8237	500 ft. Roll 249.99
8214 RG-8U (foam)	per ft. .59
8214	100 ft. Roll 54.99
8214	500 ft. Roll 259.99
8214	1000 ft. Roll 489.99
9913 RG-8U (low loss)	100 ft. Roll 59.99
9913	250 ft. Roll 129.99
9913	500 ft. Roll 239.99
9913F7 RG-8U (low loss, flexible)	per ft. .87
9913F7	100 ft. Roll 79.99
9913F7	250 ft. Roll 159.99
9913F7	500 ft. Roll 299.99
9251 RG-8A (non-contaminating)	per ft. .99
9251	100 ft. Roll 94.99
9251	500 ft. Roll 359.99
8267 RG-213 (non-contaminating)	per ft. .87
8267	100 ft. cut 79.99
8267	500 ft. Roll 349.99
8242 RG-9U (double shielded)	per ft. 5.99
8242	100 ft. Roll 379.99
75 OHM COAXIAL CABLE	
8241 RG-59U (73 ohm, solid center)	per ft. \$.33
8241	100 ft. Roll 29.99
8241	500 ft. Roll 94.99
8241	1000 ft. Roll 179.99
8238 RG-11 (75 ohm, stranded center)	per ft. .94
8238	100 ft. cut 89.99
8238	500 ft. Roll 329.99

Belden - continued **AES Price**

8213 RG-11 (75 ohm, solid, foam)	per ft.	84
8213	100 ft. cut	74.99
8213	500 ft. Roll	279.99

ROTOR CABLE

8484 4-wire; 4-20 gauge	per ft.	\$.29
8484	100 ft. cut	25.99
8484	500 ft. Roll	94.99
8484	1000 ft. Roll	179.99
8448 8-wire; 2-18, 6-22 gauge	per ft.	.34
8448	100 ft. cut	29.99
8448	500 ft. Roll	129.99
8448	1000 ft. Roll	249.99
9405 8-wire; 2-16, 6-18 gauge	per ft.	.74
9405	100 ft. cut	69.99
9405	500 ft. Roll	319.99
9405	1000 ft. Roll	599.99

ANTENNA WIRE

8000 No. 14 stranded ant wire	per ft.	\$.24
8000	100 ft. Roll	20.99
8000	1000 ft. Roll	179.99

No. 8 ALUMINUM GROUND WIRE

8018 Multiples of 50 ft.	each	\$ 14.99
8018	500 ft. Roll	99.99

Note: All above roll pricing is for rolls as shown only; all other lengths, even if more than roll length shown or a multiple of roll length shown, are sold at the per ft. price.

FOAM COAX w/PL-259s ON BOTH ENDS

9349 3' RG-58AU foam		\$ 16.99
9350 15' RG-58AU foam	D	18.99
9352 50' RG-58AU foam		28.99
9354 50' RG-8U foam		52.99
9355 75' RG-8U foam		74.99
9356 100' RG-8U foam		89.99

BELMERIT (BLM)

DM-80 Credit card size multimeter w/case ...		\$ 34.99
DX-355 True RMS+20MHz freq multimeter .D		74.99
DX-405 10 func/39 range+20MHz freq multimeter		69.99

BENCHER (BEN)

BY-1 Iambic keyer paddle w/black base		\$ 99.99
BY-2 Iambic keyer paddle w/chrome base		119.99
BY-3 Iambic keyer paddle, gold plated		279.99
BY-4 Iambic paddle/blk base/gold components		169.99
170-82 Merc paddle ..drop ship; mfg will engrave call		449.99
ST-1 Single lever keyer paddle, black base ...		99.99
ST-2 Sgl lever kyr paddle, chrome base		119.99
RJ-1 Dlx hand key w/navy knob/black base ..		95.99
RJ-2 Dlx hand key w/navy knob/chrome base		120.99
XW-1 Low voltage DC fuse panel	Δ	29.99
XW-20 Fuse kit	Δ	2.99
XW-39/XW-30 Crimp terminal kit	Δ	1.99
XW-40 Screw terminal kit	Δ	2.99
YA-1 1kw low pass filter		75.99
ZA-1A 3.5-30 MHz 1:1 balun		42.99
HWK Hardware kit; ZA-1A for 2" boom		9.99

BIRD (BIR)

Elements (Table 1) 25-1000 MHz	Δ, each	\$ 59.99
Low-power elements (Table 2)	Δ, each	69.99
25-T-MN 25w dummy load w/type N male ..Δ		69.99

Bounty Hunter (BOU)

Fast Tracker Metal detector/2-tone target ID		\$ 99.99
Tracker IV Metal detector/3-mode		129.99
Quick Draw II Metal detector/full motion		224.99
Sharp Shooter II Metal detector/LCD readout		279.99
Land Star Metal detector/3-tone audio discrim		349.99
Land Ranger Metal detector/programmable ..		449.99
Time Ranger Metal detector/top-of-the-line ..		549.99
Carry Bag For Bounty Hunter metal detectors		29.99

Bounty Hunt - continued **AES Price**

10" Coil 10" magnum coil; adds depth		59.99
--	--	-------

BUCKMASTER (BUC)

HamCall CD-ROM ham listings		\$ 50.99
-----------------------------------	--	----------

BUSHNELL (BUS)

12-1025 10x25 compact Legacy binoculars ..		\$ 119.99
13-0430 4x30 LiteVision compact binoculars		18.99
13-0721 7x21 compact Falcon binoculars		39.99
13-1226 12x25 camo FRP compact binocs ...		29.99
13-1250 12x50 wide angle Powerview binocs		59.99
13-2514 8x21 black compact binoculars		24.99
13-3410 7x35 Falcon binoculars		29.99
17-7351 7x35 wide angle armored binoculars		49.99
20-0600 Compact laser rangefinder 600 ...Δ		249.99
26-3652 3.6x52 night vision scope w/illuminator		199.99
78-0040 90mm refractor telescope		439.99
78-0103 1.25" erecting prism		69.99
78-0200 4.5" reflector telescope		349.99
78-6000 6" Dobsonian reflector telescope		299.99
78-8000 8" Dobsonian reflector telescope		399.99
78-9440 60mm refractor telescope		89.99
78-9470 60mm refractor telescope w/zoom ..		129.99
78-9675 4.5" reflector telescope		229.99
78-0101 1.25" 9mm Kellner eyepc; 0040/6000/8000		29.99
78-0102 1.25" 25mm Kellner eyepiece		29.99
78-0105 1.25" 2x Barlow lens; 0040/0200/6000/8000		39.99
78-0106 CD/batt clock drive; 0040/0200/9675		89.99

BUTTERNUT (BUT)

Skyhawk 3X10 Triband 10 el, 24' beam w/bauln *		\$999.99
--	--	----------

*This item is drop-shipped (shipped direct to you from the Butternut factory). On factory drop-shipments we prefer payment in full with order, however, we will accept your credit card with the understanding that we will process the charge when we order the merchandise from the factory. This means that you may be billed before you receive your drop-shipped merchandise. Shipment is FOB Wood Dale, Illinois via UPS, COD for freight charges only. Freight charges will be collected upon delivery by the carrier. Please allow sufficient time for delivery on this special order item.

HF-6VX 80/40/30/20/15/10m 26' vert ant		329.99
HF-9VX 80/40/30/20/17/15/12/10/6m 26' vert		389.99
A17-12 17 & 12m kit for HF-6VX		60.99
CPK Counterpoise kit		129.99
MPS Mounting post sleeve		12.99
RMK-II Roof mounting kit w/radials		169.99
STR-II Radial kit only		124.99
TBR-160S 160m resonator		129.99
HF-2V 80/40m 32' vertical		249.99
30-MRK 30m resonator for HF-2V		110.99
TBR-160S 160m resonator		129.99
10/11 10/11m butterfly beam	Δ	169.99
P-5 1:1 balun	Δ	29.99
T-2 2' tripod tower	Δ	29.99

CES (CES)

SDI-50 Dlx splx/dplx autopatch/rptr controller D		\$399.99
--	--	----------

CQ (CQX)

33 Simple Weekend Projects	Δ	\$ 9.99
Building and Using Baluns and Ununs		19.99
Contest Video Getting Started in Contesting Δ		12.99
DXing Video Getting Started in DXing	Δ	12.99
Ham Sat Video Getting Started Ham Satellites Δ		12.99
Ham Video Getting Started in Ham Radio ..Δ		12.99
Lew McCoy on Antennas		15.99
Packet Video Getting Started Packet Radio Δ		12.99
Quad Antenna Book		15.99
Shortwave Propagation Handbook		19.99
Vertical Antenna Handbook	Δ	6.99
VHF Video Getting Started in VHF	Δ	12.99
W6SAI HF Antenna Handbook		19.99

CSS (CSS)

Log Windows Logging program		\$ 69.99
-----------------------------------	--	----------

CSS - continued **AES Price**

Pacterm 98 CSS Software; Kantronics TNCs		79.99
PK-Term 99 Terminal prog; PK-12/96/232 ...		79.99

CABLE X-PERTS (CAB)

9913FX 9913FX (low loss, flexible)	per ft.	\$.59
9913FX	500 ft. Roll	269.99
9913FC-50 50' 9913FX/silver teflon PL259s		43.99
9913FC-75 75' 9913FX/silver teflon PL259s		60.99
9913FC-100 100' 9913FX/silver teflon PL259s		76.99
9913FC-150 150' 9913FX/silver teflon PL259s		109.99
9913FCN-75 75' 9913FX/type N males		73.99
9913FCN-100 100' 9913FX/type N males		88.99
9913FCN-125 125' 9913FX/type N males		104.99
18214C-3 3' RG8 foam/silver teflon PL259s		11.99
18214C-6 6' RG8 foam/silver teflon PL259s		13.99
18214C-25 25' RG8 foam/silver teflon PL259s		20.99
18214C-50 50' RG8 foam/silver teflon PL259s		27.99
18214C-75 75' RG8 foam/silver teflon PL259s		38.99
18214C-100 100' RG8 foam/silver teflon PL259s		49.99
18214C-125 125' RG8 foam/silver teflon PL259s		60.99
18267C-6 6' RG213/silver teflon PL259s		13.99
18267C-15 15' RG213/silver teflon PL259s		20.99
18267C-25 25' RG213/silver teflon PL259s ..		22.99
18267C-50 50' RG213/silver teflon PL259s ..		33.99
18267C-75 75' RG213/silver teflon PL259s ..		44.99
18267C-100 100' RG213/silver teflon PL259s		55.99
19258CC-3 3' RG8X clear/silver teflon PL259s		10.99
19258C-25 25' RG8X/silver teflon PL259s		16.99
19258C-50 50' RG8X/silver teflon PL259s		22.99
19258C-75 75' RG8X/silver teflon PL259s		25.99
19258C-100 100' RG8X/silver teflon PL259s		29.99
18240RBS-3 3' RG58/BNC male- SO-239		15.99
183242SBJ-3 3' RG142/SMA male - BNC female		20.99
19258CB-3 3' RG8X/male BNCs		12.99
19258CB-6 6' RG8X/male BNCs		13.99
235 1" tinned copper ground braid	per ft.	.99
235	100 ft. Roll	92.99
2332 1/2" tinned copper ground braid	per ft.	.59
2332	100 ft. Roll	52.99

CASTLE RIDGE (CRO)**SOLID BASE COPPERWELD ANTENNA WIRE**

AN-122 100 feet No. 12		\$ 24.99
AN-123 150 feet No. 12		34.99
AN-124 250 feet No. 12		49.99
AN-126 500 feet No. 12		89.99
AN-128 1000 feet No. 12		149.99
AN-142 100 feet No. 14		19.99
AN-143 150 feet No. 14		24.99
AN-144 250 feet No. 14		34.99
AN-146 500 feet No. 14		59.99
AN-148 1000 feet No. 14		104.99
AN-181 250 feet No. 18		14.99
AN-182 500 feet No. 18		24.99

CELESTRON (CEL)

4020 40x dissecting microscope		\$ 79.99
4030 40-500x educational microscope		119.99
4050 40/100/400x biological microscope		199.99
11011 Nexstar 8 telescope		1499.99
11015 Celestar 8 telescope		1099.99
94162 Solar filter for Nexstar 8/Celestar 8		79.99
11032 Nexstar 5 telescope w/tripod		1149.99
93593 Deluxe tripod for 11032/Nexstar 5 ..		199.99
11051 G-5 w/motor drive telescope		749.99
11052 Nexstar 8 GPS telescope		2499.99
21072 Firstscope 80 EQ-WA refractor telescope D		249.99
94135 Solar filter for Firstscope 80EQ-WA		34.99
22062* Nexstar 60GT telescope		249.99
* \$10 consumer rebate from Celestron thru 1/10/02		
22082* Nexstar 80GT telescope		349.99
* \$15 consumer rebate from Celestron thru 1/10/02		

Celestron - continued AES Price

94135	Solar filter for Nexstar 60GT/80GT ..	34.99
31034	Tabletop 76 reflector telescope	99.99
31052	Firstscope 114 Premium reflector telescope D	299.99
31056	C150-HD reflector telescope	449.99
31142*	Nexstar 114GT telescope	439.99
* \$25 consumer rebate from Celestron thru 1/10/02		
50025	30mm mini spotting scope w/tripod ..	59.99
52200	60mm pro zoom spotting scope	199.99
52211	60mm wildlife zoom spotting scope/tripod	169.99

LENSES (not for 31034)

93213	1.25" 2x economy Barlow lens	D \$ 14.99
93308	1.25" 6mm ocular Plossl lens	49.99
93310	1.25" 10mm ocular Plossl lens	49.99
93312	1.25" 17mm ocular Plossl lens	49.99
93342	1.25" 17mm ocular Plossl lens	D 39.99
93507	1.25" 2x deluxe Barlow lens	59.99
51630	Star pointer finderscope	30.99
93590	Red Astro Lite flashlight	5.99
93700	CD-ROM "The Sky for Celestron"	19.99
93720-40	Planisphere & planet finder	9.99
93722	Sky Map	19.99
94118-S1	1.25" eyepc filt set; 21/80A/ND-13/polar	69.99
94119-A	1.25" moon filter	16.99
94126-A	Model A LPR filter; for 1 1/4" eyepieces	69.99

Sorry, no exports on Celestron products.

CENTAUR (CEN)

B11W10-50	1:1 3kw PEP balun for dipole	\$ 54.99
B11Y10-50	1:1 3kw PEP balun for yagi	54.99
B41Y10-50	4:1 3kw PEP balun for yagi	69.99
B41LW10-50	4:1 ladder line to coax balun ...	69.99

Channel Master (CHA)

9521A	Prog light duty rotor/IR rem cont/3-wire	\$ 99.99
-------	--	----------

CLOCKS

BMI 972A	12" 12-hour wall clock	Δ \$ 19.99
BMI 972AD	14" 12/24-hour wall clock	32.99
BMI 973A	12" 24-hour wall clock	49.99
MFJ 105C	24-hour quartz wall clock	19.99
MFJ 107B	24-hour digital clock	9.99
MFJ 108B	24/12-hour dual disp digital clock	19.99
MFJ 112B	Deluxe world map clock	24.99
MFJ 113	24/12-hr 1.8" LED clock/batt back-up	19.99
MFJ 114B	Giant LED desk/wall 12/24-hr clock D	49.99
MFJ 115	DX'er 24-hr analog world wall clock ..	24.99
MFJ 116DC	12-hour 12vdc LED clock	Δ 9.99
MFJ 118	Giant 24/12 hour LCD clock	24.99
MFJ 119	Giant 24/12 hr LCD/in temp clock ..D	24.99
MFJ 119B	Giant 24/12 hour LCD/in temp clock Δ	29.99
MFJ 123	Eternity solar atomic clock	79.99
MFJ 125	Calendar 24-hour analog wall clock	29.99
MFJ 126	Multi-color 12-hr quartz wall/24-hr trim Δ	19.99
MFJ 128	12/24-hr analog atomic wall clock ..	59.99
MFJ 132AT	12-hour LCD see-thru clock	Δ 19.99
MFJ 134AT	24-hour LCD see-thru clock	Δ 19.99
MFJ 152B	Thermo clock; in/out temp/12/24-hr	24.99
ORE BA-812E	The weather clock	49.99
ORE RM-116E	Exactset radio controlled clock	39.99

COAX SEAL (UNV)

104	1/2" x 60" coax seal	\$ 3.99
-----	----------------------------	---------

Coaxial Dynamics (COA)

81000-A	Wattmeter w/SO-239s	\$260.99
83000-A	Peak reading wattmeter w/SO-239s	393.99
82004	50w 2-30MHz element	87.99
82005	100w 2-30MHz element	87.99
82006	250w 2-30MHz element	87.99
82007	500w 2-30MHz element	87.99
82008	1000w 2-30MHz element	87.99
82009	2500w 2-30MHz element	125.99
82010	5000w 2-30MHz element	125.99
82013	10w 25-60MHz element	71.99
82014	25w 25-60MHz element	71.99

Coaxial Dyn - continued AES Price

82015	50w 25-60MHz element	71.99
82016	100w 25-60MHz element	71.99
82029	10w 100-250MHz element	71.99
82031	50w 100-250MHz element	71.99
82033	250w 100-250MHz element	71.99
82046	10w 400-1000MHz element	71.99
82048	50w 400-1000MHz element	71.99
82049	100w 400-1000MHz element	71.99
88000	N female quick match connector each	9.99
88800	Carrying case for meter	55.99

COBRA (COB)

10 Ultra AT	AM Mobile CB/magnet mt ant ..D	\$ 34.99
18WX ST	Sound Tracker AM Mobile CB w/WX D	69.99
25LTD ST	Sound Tracker AM Mobile CB	D 69.99
25NW ST	Night Watch Sound Tracker AM Mob CB D	89.99
29NW ST	Night Watch Sound Tracker AM Mob CB D	109.99
HH-36 ST	Sound Tracker handheld CB	D 44.99
19DX III	AM Mobile CB	49.99
19LTD II	AM Mobile CB	54.99
21LTD ST	Sound Tracker AM Mobile CB	74.99
25LTD (25LTD Classic)	AM Mobile CB	89.99
25WXNW ST	Night Watch Sound Tracker AM Mob CBWX	109.99
29LTD (29LTD Classic)	AM Mobile CB	99.99
29NW	Night Watch AM Mobile CB	119.99
29WXNW ST	Night Watch Sound Tracker AM Mob CBWX	129.99
75WX ST	Sound Tracker AM Mobile CB w/WX	99.99
HH-37 ST	Sound Tracker handheld CB	59.99
HH-38WX ST	Sound Tracker handheld CB w/WX	79.99
148NW ST	Night Watch Sound Tracker SB/AM Mob CB	179.99
AT-60	Trunk lip/roof mt CB antenna	D 12.99
CA-77	Noise canx/amplified mobile mic	D 24.99
HGA-1000	Magnet mt CB antenna	24.99
HGM-77	Noise canx/amplified mobile mic	27.99
CP-912	900MHz dig sp spec cordless ph ..D	39.99
FRS-200	Family radio service handheld	D 39.99

COMET (CMT)

MOBILE ANTENNAS

B-10	2m/440 2.15db 12" cell look-alike ant	\$ 39.99
B-10NMO	2m/440 2.15db 12" cell look-alike NMO	39.99
B-20	2m/440 2.15/5db 30" cell look-alike ant	49.99
B-20NMO	2m/440 2.15db/5db 30" cell look NMO	49.99
CA-2X4SR	2m/440 3.8/6.2db 40" mob ant ...	64.99
HA-050	6m 33" 1/4 wave mobile antenna	72.99
HP-32	2m/440 3/5.5db 34" 350/250w ant ...	89.99
M-24B	2m/440 1.7/4.1db mag mt ant w/BNC	39.99
M-24M	2m/440 1.7/4.1db mag ant w/PL259	39.99
SBB-1	2m/440 1.5/2.15db 16" flex mobile ...	39.99
SBB-1NMO	2m/440 1.5/2.15db 16" flex NMO	39.99
SBB-2	2m/440 2.15/3.8db 18" black mobile	39.99
SBB-2NMO	2m/440 2.15/3.8db 18" blk NMO	39.99
SBB-5	2m/440 3/5.5db 38" black mobile ant	54.99
SBB-5NMO	2m/440 3/5.5db 38" black NMO ..	54.99
SBB-7	2m/440 4.5/7.2db 4" 7" black mob ant	74.99
SBB-7NMO	2m/440 4.5/7.2db 4" 7" blk NMO .	74.99
SB-14	6m/2m/440 43" chrome mobile ant ...	64.99
SB-15	6m/2m/440 2.15/4.5/7.2db 5' chr mob	79.99
SBB-25	2m 4.1db black mobile antenna	44.99
SBB-25NMO	2m 4.1db black NMO mob ant ..	44.99
SB-94	2m/440/1.2 chr 2.15/5.1/7.2db 24" N	69.99
SB-97	2m/440/1.2 3/6.8/9.6db 39" type N ...	79.99
SB-123	1.2GHz 7.2db 24" type N mobile ant	49.99
SBB-224	2m/220/440 2.15/3.2/5.5 blk mob ..	74.99
SBB-224NMO	2m/220/440 2.15/3.2/5.5 blk NMO .	74.99
SF-245	2.4 GHz 7db 18" fg type N ant	61.99
UHV-6	40/15/10/6/2m/440 7" 2" mobile ant .	149.99
L-14	20m loading coil for UHV-6/CA-HV	29.99
L-18	17m loading coil for UHV-6/CA-HV	29.99
Z-750	2m/440 2.1/5.5db 39" theft resistant	62.99
Z-780	2m/440 4.5/7.2db 5" theft resistant ...	82.99

MOBILE MOUNTS

3D4M	Mobile mt, 13' coax w/UHF connectors	\$ 24.99
3D4N	Mobile mt, 13' coax w/type N	28.99

Comet - continued AES Price

3D5M	Mobile mt, 16.5' coax w/UHF connectors	27.99
5D4N	Roof mount, 13' coax w/type N	31.99
AD-10N	NMO mount to female N adapter	17.99
AD-15M	NMO mount to SO-239 adapter	17.99
AD-25M	SO-239 to NMO mount adapter	14.99
CK-3M	Dlx 2-step 10' cable w/UHF connectors	33.99
CK-3M5	Dlx 2-step 16.5' cable w/UHF connects	39.99
CK-5N	Dlx 13' cable assembly w/type N	47.99
CM-5M	Hvy duty mag mt, coax, max 4' ant ..	24.99
CQ-5M	Dlx black QD trunk lip mt w/17' coax	66.99
CK-5N	Dlx black QD tnk lip mt/17' coax/N ...	69.99
CR-5M	Std coax assy, 16.5' coax, UHF conn .	19.99
CT-5M	Trunk lip mount w/16.5' coax	39.99
GR-5M	Dlx tnk lip mt w/ coax; matches SB ...	67.99
GR-5N	Dlx N tnk lip mt w/ coax; matches SB	69.99
RS-9	Trunk lip mount, no coax	11.99
RS-520	Mini heavy duty trunk/hatch mount .	28.99
RS-560C	Luggage rack mount, no coax	35.99
RS-720	Hatch/rear door/tnk multi-adj mt	28.99
RS-720NMO	Hch/rear door/tnk multi-adj NMO mt	28.99
RS-730	HD rear van/SUV door/tnk lip mt, no coax	29.99
WS-1M	Window clip mt w/UHF connectors	59.99

BASE STATION ANTENNAS

CA-712EF	440 9db 10' 5" base antenna	\$109.99
CA-ABC22A	2m 6.5db 9' 5" base/rptr ant	69.99
CA-ABC23	2m 7.8 db 13' 4" base/rptr ant ...	99.99
CA-F72GF	440-470 6db 3' 6" tunable ant	109.99
CA-52HB4	6m 4 el 10.4db 7' 10" bm beam ...	119.99
CX-333	2m/220/440 6.5/7.8/9db 10.25' ant	179.99
CYA-240	2m/440 9.5/11.6 3/5el 5.25' boom ..D	69.99
CYA-1216E	1.2GHz 16el 16.6db 4' 5" bm N beam	139.99
CYA-2412	2.4GHz 12el 15.5db 2' 6" bm N beam	179.99
DS-15	6m/2m/440/900/1.2 discone antenna	99.99
GH-50	6m 2.15db 7' 10" fg base antenna	99.99
GP-3	2m/440 4.5/7.2db 5' 11" base/rptr ant	99.99
GP-6	2m/440 6.5/9db 10' 2" base/rptr ant ..	149.99
GP-9	2m/440 8.5/11.9db 17' 8" base/rptr	179.99
GP-9N	2m/440 8.5/11.9db 17' 8" N base/rptr	179.99
GP-15	6/2m/440 3/6/2.8db 7' 11" base	154.99
GP-21/CA-1221S	1.2 14.8db 8' N base/rptr ..	149.99
GP-24	2.4GHz 12.4db 5' 11" N base/rptr	199.99
GP-24S	2.4GHz 9.9db 3' 7" N base/rptr	139.99
GP-93	2m/440/1.2 4.5/7.2/10db 5' 7" type N	129.99
GP-98	2m/440/1.2 6.5/9/13.5db 9' 8" N ant .	189.99
KP-20	900 MHz 9.2db 7' 4" type N base/rptr	112.99
PYA-913	900MHz 13el 15.8db 4' 8" type N beam	159.99

DUPLEXERS AND TRIPLEXERS

CF-142	1.3-150/200-480 600/400w UHF/leads	\$ 69.99
CF-360A	1.3-30/50-470 600w UHF w/leads .	69.99
CF-360B	1.3-30/50-470 600w UHF/common lead	69.99
CF-416A	2m/440 800/500w UHF w/leads	46.99
CF-416C	2m/440 800/500w N/UHF/N leads ..	49.99
CF-416W	1.3-250/400-1400 400/200w N/leads ...	69.99
CF-530	1.3-90/125-470 600w UHF w/leads .	69.99
CF-706A	1.3-56/75-470 350w UHF w/leads .	69.99
CF-41601	2m/440 800/500w UHF/UHF/N, no leads	45.99
CF-4160J	2m/440 800/500w SO239, no leads .	53.99
CF-4160K	2m/440 800/500w all UHF, no leads	45.99
CFX-324A	2m/220/440 600w UHF w/leads	88.99
CFX-324B	2m/220/440 600w UHF, no leads ..	85.99
CFX-514	HF/2m/440 800/800/500w UHF w/leads	79.99
CFX-514J	HF/2m/440 800/800/500w UHF, no leads	74.99
CFX-514N	HF/2m/440 800/800/500w UHF/N w/leads	79.99
CFX-4310C	1.3-150/440/1.2 triplexer, no leads	79.99
CFX-5140	HF/6m/2m/440 800/800/500w UHF, no leads	74.99

HT AND HAND-HELD SCANNER ANTENNAS

BNC-24	2m/440 17" 2.15/5.3db BNC whip ...	\$ 22.99
CH-32	2m/440 1.75" BNC Miracle Baby ant .	29.99
CH-75	2m/440 0/3.2db 14.75" BNC ant	25.99
CHF-412	40/15/2m 28" BNC duck; FT-817	89.99
CHF-816	80/10/6m 28" BNC duck; FT-817 ...	94.99
SH-55	2m/440 1.5/3.2db 15" BNC ant	33.99
SH-95	2m/440/1.2 1.5/2.15/5.5db BNC ant .	34.99

Comet - continued AES Price

SMA-3 2m/440 1.2/1.7db 9.75" SMA ant	39.99
SMA-24 2m/440 17" 2.15/5.3db SMA whip ...	22.99
SMA-501 2m/440/900 1.5" SMA antenna	29.99
SMA-503 2m/440 8.75" SMA antenna	29.99
SMA-703 2m/440/1.2GHz 6.5" SMA ant	31.99

COMM SPEC (COM)

SS-64 64-tone mini prog CTCSS encoder	\$ 28.99
TE-32 32-tone CTCSS prog encoder box	49.99
TE-64 64-tone CTCSS/burst switch enc box Δ	49.99
TS-64DS 64-tone CTCSS prog encoder/decoder	57.99
DTD-1 DTMF decoder	49.99
ID-8 Automatic morse station identifier	69.99

CONNECTORS

AMPHENOL COAX CONNECTORS (AMP)

83-1SP-1050 Male coax plug (PL-259)	\$ 1.99
83-1SP Silver plated coax plug (PL-259)	2.99
Van Gorden (VAN) silver plated teflon PL-259	2.99
83-185 Reducer for RG-58 (UG-175)99
83-168 Reducer; RG-59/RG-8X (UG-176) ..	.99
83-1AP Right angle adaptor (UG-646)	6.99
83-1J Double female adaptor (PL-258)	4.99
83-1R Female chassis mt socket (SO-239) ...	2.99
83-1H Hood; in-line use w/83-1R (UG-106) ..	3.99
83-1T T-connector adaptor (M-358)	9.99
83-877 Double male adaptor	10.99
83-878 Single hole 3/8" chassis socket	2.99
31-002 BNC male connector for RG-58	4.99
31-012 BNC male connector; RG-59/RG-8X ..	5.99
31-221 BNC female chassis socket	2.99
82-24 Type N female chassis mt socket	5.99
82-61 Type N male connector for RG-8	7.99
82-64 Type N right angle adaptor	14.99
(VAN) N connector Type N connector for 9913 ..	4.99
82-202-1006 Type N male; 8214/9913/9913F ..	7.99
82-209 Type N female in-line for RG-8	7.99
34025 Type N male connector for RG-58	6.99

AMPHENOL COAX ADAPTORS (AMP)

2900 SO-239 to BNC male adaptor	\$ 9.99
4400 SO-239 to type N male adaptor	14.99
34125 Type N female - PL-259 adapt	20.99
31-28 BNC female to PL-259 adaptor	14.99
(HOU) SMA-872 SO-239 to SMA plug adaptor ..	5.99

AIM CONNECTORS, PLUGS & ADAPTORS (AIM)

19-1289 8-pin female mic plug	\$ 4.99
25-7351 Chassis mt SO-239 double female ..	3.99
25-7365 BNC female to SO-239	3.99
25-7420 BNC male to SO-239	2.99
26-8010 Type N double female	3.99
26-8011 Type N chassis mount	2.99
26-8015 N male to SO-239	4.99
26-8016 BNC female to N male	4.99
26-8017 BNC male to N female	4.99
26-8027 N male for RG-8X	4.99
27-8120 BNC female to PL-259	2.99
27-8130 BNC double male	3.99
27-8140 BNC T; 2 female, 1 male	2.99
27-8142 BNC T, 3 male	Δ .49
27-8450 BNC chassis mt, 4 screw holes	2.99
27-8460 3/8" hole BNC chassis mt	1.99
27-8470 Dual BNC chassis mount	3.99
29-3855 BNC female to SMA male	3.99
29-4140 SO-239 to mini PL-259	2.99

CONNECTORS UNLIMITED (CON)

1721 7-pin DIN plug	Δ \$.29
---------------------------	----------

Switchcraft 1/4" Plugs/Solder Terminals (SWI)

220 2-cond, plastic, screw terms, rt ang plug D	\$.99
250 2-conductor, plastic handle	Δ .99
280 2-conductor, metal handle	Δ 2.99

SWITCHCRAFT PHONO-TYPE CONNECTOR (SWI)

3501MC Phono plug with cable clamps	Δ \$.19
---	----------

VANCO MICROPHONE CONNECTORS (VCO)

Connectors - continued AES Price

CBC-2 2-pin female mic plug	Δ \$ 1.69
CBC-2P Panel mt 2-pin male	Δ .49
CBC-3 3-pin female mic plug	Δ 1.49
CBC-3P Panel mt 3-pin male	Δ .49
CBC-4 4-pin female mic plug	4.99
CBC-4P Panel mt 4-pin male	Δ .99
CBC-5 5-pin female mic plug	3.99
CBC-5P Panel mt 5-pin male	Δ .69
CBC-6 6-pin female mic plug	4.99
CBC-6P Panel mt 6-pin male	Δ .99
(AIM) 19-1289 8-pin female mic plug	4.99
CBC-8P Panel mt 8-pin male	5.99
P-5D 5-pin DIN plug	Δ .29

KENWOOD DIN PLUGS (KEN)

7-pin DIN plug	\$ 4.99
8-pin DIN plug	6.99
13-pin DIN plug	9.99

VANCO Mic Holders/Mini Plugs/Cig Plugs (VCO)

MH-1 Magnetic mic holder	\$ 1.99
MH-2 Regular mic holder	1.99
P-25 2.5mm sub-miniature phone plug	Δ .29
P-35 3.5mm miniature phone plug99
(HOU) AP-115 1/2" metal stereo plug	2.99
(HOU) AP-135 3.5mm stereo mini phone plug ..	.99
P-12R 2-contact cigarette plug	1.99
P-12V Cig lighter plug w/leads	1.99
P-212 2-outlet cigarette plug adapter	4.99
P-212B Dual cigarette lighter socket adapter ..	8.99

Connect Systems (CSY)

CS-800 Full duplex patch & repeater controller	\$369.99
CS-900 Simplex interconnect	369.99

COURIER (COU)

M-54 5w 4ch VHF HH/batt/cgr/151.625	\$169.99
M-510 5w 10ch synth VHF FM hand-held	Δ 199.99
MU-510 5w 10ch synth UHF FM hand-held	Δ 169.99
CCK-510 Cloning cable; M-510/MU-510	Δ 7.99
CPK-510 Prog kit for M-510/MU-510	Δ 89.99

CROSS DEVICE (CRS)

STUF Coax connector waterproofing filler	\$ 4.99
--	---------

CUSHCRAFT (CUS)

At Cushcraft's request, amateur radio dealers are not authorized warranty depots for Cushcraft Antennas. All warranty issues should be directed to the Technical Support Department/Warranty at Cushcraft (603) 627-7877.

VHF/UHF FM BEAMS* (Vertical polarization)

A148-3S 2m, 3 el wideband beam, 7.8db	\$ 62.99
A148-10S 2m, 10 el wideband beam, 13.2db ..	99.99
A449-6S 440 MHz, 6 el, 3' boom, 10 db	58.99
A449-11S 440 MHz, 11 el, 4.5' boom, 13 db ..	79.99

*Antennas can be mounted vertically or horizontally!

2M/440 FM BEAMS* (Vertical polarization)

A270-6S 2m/440, 3/3 el, 2.8' boom, 7.8 db ..	\$ 79.99
A270-10S 2m/440, 5/5 el, 6.17' boom, 10 db ..	99.99

*Antennas can be mounted vertically or horizontally!

TRI-BAND 6M/2M/440 BEAMS

A6270-13S 6m/2m/440, 3/5/5el, 8.66'bm, 8/10/10db	\$169.99
ASL-670 50-450MHz 14el 6.7' boom 6db LP ..	249.99

FM RINGOS - 1/2 Wave Verticals

AR-10 10m FM Ringo, 17.6', 3db, 1000w	\$ 79.99
AR-6 6m FM Ringo, 10.1', 3db, 1000w	69.99
AR-2 2m FM Ringo, 3.9', 3db, 1000w	49.99
AR-450 440MHz FM Ringo, 1.4', 3db, 500w ..	36.99

RINGO RANGERS - FM Verticals

ARX-2 2m FM Ringo Ranger	\$ 59.99
ARX-2B 2m FM Ringo Ranger II, 14', 7db, 1000w	69.99
ARX-220B 220 FM Ringo Ranger II, 9.3', 7db, 500w	69.99
ARX-450B 440FM Ringo Ranger II, 4.9', 7db, 500w	69.99

DUAL-BAND 2M/440 FM RINGOS

AR-270 2m/440MHz FM, 3.75', 3/5.5db, 250w	\$ 94.99
AR-270B 2m/440 MHz FM, 7.7', 5.5/7.5db, 250w	99.99

Cushcraft - continued AES Price

TWIST, OSCAR BEAMS (Horiz/Vert Polarization)

A148-20T 2m 20el 10.8'bm 11.1db twist	\$139.99
719B 432, 19 el, 13.5' boom, 15.5db	149.99

BOOMER ANTENNAS

124WB 2m Boomer, 4 el, 4' boom, 10.2 db ...	\$ 89.99
13B2 2m Boomer, 13 el, 15' boom, 15.8 db ..	139.99
17B2 2m Boomer, 17 el, 31' boom, 18 db	239.99
26B2 2 13B2s vertically stacked	Δ 329.99
224WB 220 Boomer, 4 el, 3' boom, 10.2db ...	74.99

BOOMER STACKING KITS*

617-SK Harness, pwr divider; 2 6176Bs	D \$ 29.99
22N-SK Harness, pwr divider; 2 17B2s	D 119.99
26B2-VPK Vertical polar kit; 2 13B2s	D 129.99
PD-2 Power divider for 2 13B2s	64.99
PD-4 Power divider for 4 13B2s	79.99

*Prices are for stacking kits only

VHF/UHF BEAMS* (Horizontal polarization)

A50-3S 6m, 3 el, 6' boom, 8 db, stainless hdwre	\$114.99
A50-5S 6m, 5 el, 12' boom, 10 db, stainless hdwre	179.99
A50-6S 6m, 6 el, 20' boom, 11db, stainless hdwre	289.99
A148-10S 2m, 10 el wideband beam	99.99
A430-11S 430 MHz, 11 el, 4' boom, 13 db	79.99

*Antennas can be mounted vertically or horizontally!

MOBILE ANTENNAS

CS-28M 10m magnet mt antenna	\$ 64.99
CS-50M 6m magnet mt 3 db antenna	64.99
CS-147M 2m magnet mt 3 db antenna	64.99
CS-147A 2m coil & whip only	46.99
CS-220M 220 magnet mt 3 db antenna	64.99
CS-450M 440 magnet mt 5 db antenna	64.99

DUAL-BAND 2M/440 MOBILE ANTENNAS

CS-270M 2m/440 3.7/6 db magnet mt ant ..	\$ 84.99
CS-270A 2m/440 coil & whip only	59.99

MOUNTS ONLY FOR MOBILE ANTENNAS

CS-MG Magnetic mount	\$ 30.99
CS-MGN Magnetic mount w/N connector	35.99
CS-TL Trunk lip mount	30.99

MULTIBAND HF VERTICAL ANTENNAS

MA-5V 20/17/15/12/10m 8.8' vertical ant	\$199.99
R-6000 20/17/15/12/10/6m 19' vertical	319.99
R-8 40/30/20/17/15/12/10/6m 28.5' vert	469.99
R-86K Guy kit for R-8	49.99

ROTATABLE HF DIPOLES

D-3 20/15/10m World Ranger dipole	\$229.99
D-3W 30/17/12m rotatable dipole	229.99
D-4 40/20/15/10m World Ranger dipole	339.99
D-40 40m World Ranger dipole	289.99

BIG THUNDER HF TRI-BAND BEAMS

X-940 40m 1 element add-on kit for X-9	D \$189.99
X-7 20/15/10m, 7 el, 18' boom, 12.5/13db ..	649.99
X-740 40m add-on kit for X-7	319.99

BIG THUNDER HF MONOBAND BEAMS

XM-240 40m, 2 el, 23' boom, 7 db	\$699.99
TEN-3 10m, 3 el, 8' boom, 8 db	199.99

MULTIBAND HF BEAM ANTENNAS

A-3S 20/15/10m, 3el, 14'bm, 8db, stainless hdwr	\$429.99
A-743 40m or 10 MHz add-on kit; A-3/A-3S ..	169.99
A-4S 20/15/10m, 4el, 18'bm, 8.9db, stainless hdwre	529.99
A-744 40m or 10 MHz add-on kit; A-4/A-4S ..	169.99
A-3WS 17 & 12m, 3 el, 14' boom, 8 db	349.99
A-103 30m add-on kit for A-3WS	169.99
ASL-2010 13.5-32MHz 8el 18' bm 6.4db LP ..	729.99
MA-5B 20/17/15/12/10m 7.3' boom mini beam	269.99

LIGHTNING ARRESTORS

LAC-4 200w SO-239 gas tube arrestor	\$ 40.99
LAC-4H 2kw SO-239 gas tube arrestor	45.99
LAC-4N 200w type N gas tube arrestor	52.99
LAC-4NH 2kw type N gas tube arrestor	56.99
LC-2 Extra 200w cartridge for LAC-4/4N	17.99
LC-2KW Extra 2kw cartridge for LAC-4H/4NH	20.99
5VB Vinyl connector boots	pack of 5 15.99

AES Price CUTTING EDGE (CUT)

HMP WorldPack backpack; mini HF Xcvr	\$ 57.99
HMP-II WorldPack II backpack; mini HF Xcvr	67.99
HPP-7A 7AH gel-cell w/overnight cgr	59.99
HPP-8A 8AH gel-cell w/overnight cgr	73.99
HP-7AF 7AH gel-cell w/2.5 hr fast cgr	99.99
HP-8AF 8AH gel-cell w/2.5 hr fast cgr	129.99
PPMDC Multi-tip/volt reg DC-DC adapt	22.99
PPSC-5 5w flexible solar cell	99.99
PPSC-32 32w flexible solar cell	299.99
PPSCA Solar cell cigarette adapter	10.99
HM-817 WorldPouch; Yaesu FT-817	73.99
HI-D1 Radio glove; Ali DJC5T/DJX2T/Yae VX1R	19.99
HI-5X Radio glove; Ico IC-Q7/R-2/Yae FT-11	19.99
HI-51 Radio glove; Yaesu VX-5R	19.99
HI-6 Radio glove; ADI PR52/Ali S11/V5co T81/Yae FT50	19.99
HI-61 Radio glove; ADI AT-201HP/Yae VX-150	19.99

DCI (DCI)

145-2H 2m 144-146MHz 200w bandpass filter	\$ 89.99
146-4H 2m 144-148MHz 200w bandpass filter	89.99
223.5-3H 222-225MHz 200w bandpass filter	89.99
2m/220 models w/N connectors add \$10 special order	
435-10C 430-440MHz 200w N bandpass filter	109.99
445-10C 440-450MHz 200w N bandpass filter	109.99

DC SALES (DCS)

Tenna Hitch 3/4-24 trailer hitch antenna mt ..	\$ 38.99
--	----------

DAIWA (DAI)

CN-101 1.8-150 15/150/1.5kw SWR/pwr meter/light	\$ 99.99
CN-103M 140-525 20/200w SWR/power meter	99.99
CN-410M 3.5-150 15/150w mobile meter	104.99
CN-460M 140-450 15/150w mobile meter	104.99
CN-801H 1.8-200 20/200/2kw SWR/pwr meter	149.99
CN-801V 140-525 20/200w SWR/power meter	154.99
CS-201 2-position 600 MHz coax switch	26.99
CS-401 4-position 800 MHz coax switch	149.99

DAVIS (DAV)

6150 Wireless Vantage Pro weather station ..	\$499.99
7400 Perception II indoor WX unit	129.99
7425 Wizard III weather station	169.99
7440 Monitor II weather station	269.99
7852 Rain Collector II, 0.01"	69.99
7977 Electronic rain counter, 0.01"	6.99
7859 External temp/humd Sensor II; 7440	109.99
7862 Weatherlink Win interface/software ..	139.99
7866 Weatherlink Mac interface/software ..	139.99
7870 Modem adapter for 7862/7866	3.99
7867 Weatherlink Mac to Win conv kit	19.99
7868 Weatherlink Win to Mac conv kit	19.99
7873 Cig lighter power cord	9.99
7876-040 4-conductor 40' extension cable	18.99
7878-040 6-conductor 40' extension cable	22.99
7880 8-conductor 25' junction box cable	8.99
7881 8-conductor 50' junction box cable ..	25.99
7882 8-conductor 100' junction box cable ..	45.99
7890 Mast mount for anemometer	16.99
0131 Weather forecasting quick reference card ..	9.99
0271 Turbo Meter handheld dig wind indicator ..	99.99
0281 Wind Wizard handheld wind indicator ..	46.99

DELOIRME (DEL)

Topo USA US topographical maps CD-ROM ..	\$ 99.99
Earthmate Laptop PC GPS/Street Atlas soft ..	139.99

DIAMOND (DIA)

SWR/POWER METERS

SX-20C HF/6m/2m 30/300w meter	\$ 89.99
SX-40C 144-470 (220 w/correction) 15/150w ..	79.99
SX-100 1.6-60 MHz 30/300/3kw PEP meter ..	134.99
SX-200 1.8-200 MHz 5/20/200w PEP meter ..	94.99
SX-400 140-525 MHz 5/20/200w PEP meter ..	114.99
SX-600 Dual band 1.8-160/140-525 200w PEP mtr ..	169.99

Diamond - continued

SX-1000 1.8-160/430-1300MHz 200w PEP meter ..	214.99
HT & HANDHELD SCANNER ANTENNAS	
RH-3 2m/440 1.75" BNC mini HT duck	\$ 24.99
RH-77CA 2m/440 15" BNC rubber gain ant ..	24.99
RH-205 2m 3/4 wave telescopic HT antenna ..	24.99
RH-519 2m/440 8.3" flexible BNC whip	27.99
RH-707 2m/440 8 3/4" tiltable BNC whip	33.99
RH-951S 2m/440/1.2GHz 15" BNC slim duck ..	44.99
SRH-519 2m/440 8.3" flexible SMA whip	32.99
SRH-805 2m/440/1.2GHz 1.75" SMA ant	27.99
SRH-815 2m/440/1.2GHz 6" flex SMA whip ..	36.99
SRH-999 6m/2m/440/1.2GHz 19.5" SMA whip ..	59.99

MONO-BAND MOBILE ANTENNAS

HF-6FX 6m 2db 40" mobile antenna	\$ 69.99
HF-50CX 6m 3.5db 75" mobile antenna	99.99
M-285 6m 3.4db 52.4" mobile antenna	31.99
M-685 2m 2db 52.4" mobile antenna	31.99
MG-200 2.4GHz 7db 23.6" N mobile ant	99.99
NR-2C 2m 4.1db 55.5" mobile antenna	39.99
NR-22L 2m 6db 96.8" mobile antenna	69.99
SG-2000HD 2m 5.2db 62.6" 250w mob ant ..	89.99
SG-6000NMO 52-54 2.15db 39" NMO mob ..D	59.99

DUAL-BAND MOBILE ANTENNAS

CR-224A 2m/220 5/6db 69" mobile ant	\$ 89.99
MR-77 2m/440 2.15/3.4db 20" magnetic ant ..	39.99
NR-72BNMO Black 2m/440 2.15db 14" NMO ..	41.99
NR-73BNMO Blk 2m/440 2.15/5.5db 34" NMO ..	57.99
NR-770HA 2m/440 3/5.5db 40" mobile ant ..	56.99
NR-770HB Black 2m/440 3/5.5db 40" mobile ..	59.99
NR-770HNM 2m/440 3/5.5db 40" NMO mobile ..	56.99
NR-770HBNMO Blk 2m/440 3/5.5db 40" NMO ..	59.99
NR-770RA 2m/440 3/5.5db 39" mobile ant ..	51.99
SG-M510 2m/440 2.15/5.5db 37" mob ant ...	59.99
SG-7000A 2m/440 2.15/3.8db 19" mobile	69.99
SG-7500A 2m/440 3.5/6db 41" mobile ant ...	79.99
SG-7500NMO 2m/440 3.5/6db 41" NMO ant ..	79.99
SG-7900A 2m/440 5/7.6db 62" mobile ant ...	114.99

TRI-BAND MOBILE ANTENNAS

CR-320A 2m/220/440 2.15/3.8/5.5db 36"	\$ 89.99
CR-627B 6m/2m/440 2.15/4.5/7.2db 60" ant ..	99.99
CR-627BNMO 6m/2m/440 2.15/4.5/7.2db 60" ..	99.99
HV-7A 10/6/2m/440 54" UHF mount mobile ant ..	109.99
HVC-7 40m loading coil for HV-7A/MV-3A ..	39.99
HVC-14 20m loading coil for HV-7A/MV-3A ..	37.99
HVC-18 17m loading coil for HV-7A/MV-3A ..	37.99
HVC-21 15m loading coil for HV-7A/MV-3A ..	27.99
NR-2000NA 2m/440/1.2 3.15/6.3/9.7db 39" N mob ..	89.99
SG-M911 6m/2m/440 2.15/3/5.8db 41" mob ..	69.99

MAGNET MOUNTS

DPK-4NM-M Hvy mag mt, Yae N, 45" max ..D	\$ 19.99
DPK-4NM-N Hvy dty mag mt, cbl, N, 45" max ..	45.99
K-702M Hvy dty mag mt, 6 3/4" dia, 50" max ..	49.99
SPM-35 Hvy duty mag mt, cable, 45" max	39.99
SPM-NMO Hvy dty NMO mag mt, cbl, 45" max ..	44.99

TRUNK LIP MOUNTING KITS

K-200 Folding hatch/tnk mt; NR/SG ants	\$ 19.99
K-200KM Folding hatch/tnk mt/coax; NR/SG ..	62.99
K-400 Hatch/trunk mt; NR/SG antennas	39.99
K-400C Hatch/trunk mt w/coax; UHF mount ..	69.99
K-400CNMO Hatch/trunk mt w/coax; NMO mt ..	69.99
K-400-3/8C Trunk mount w/6.5" cable; 3/4-24 ..	69.99
C-101-3/8C 6.5" replacement coax; K-400-3/8C ..	29.99
C-110 10' extension cable for K-400-3/8C ..	14.99
K-412C Light duty hatch/tnk mt w/coax; UHF mt ..	64.99
K-412CNMO Light duty hatch/tnk mt w/coax; NMO ..	64.99
K-600M Tilt angle trunk mt w/cable	57.99
K-600P Tilt angle trunk mt w/cable, Yae N ..D	29.99
K-601M SO-239 hideaway trunk mt, 6' coax ..	69.99
K-601NMO NMO hideaway trunk mt, 6' coax ..	69.99
C-110 10' extension cable for K-601 mts ..	14.99
K-604M Tilt angle trunk mt w/flexible cable ..	57.99
K-9000LRM Motorized luggage rack mount ..	109.99
K-9000TM Motorized trunk/hatchback mt	109.99

AES Price

Diamond - continued

GUTTER MOUNT

K-300 Folding gutter mt; NR/SG antennas ..D	\$ 24.99
---	----------

MIRROR & LUGGAGE RACK MOUNTS & KITS

K-540 Mirror/luggage rack mt; under 45"	\$ 35.99
K-540KM Mirror/luggage rack mt w/coax	59.99
K-550* Luggage mt; new mini vans (use GLP) ..	44.99
K-550KM* Luggage mt w/SO-239 base/coax	69.99
*K-550 series not recommended for Yaesu ATAS-100	

MOUNTING GROUP HARDWARE

C-101 SO-239 mt, 6.5' RG-316 low-loss coax ..	\$ 29.99
C-101NMO NMO mt, 6.5' RG-316 low-loss coax ..	29.99
C-104SMA 4' RG-58 ext cbl; SMA male & SO-239 ..	16.99
C-105SMA 5' RG-58 ext cable; C-101/SMA male ..	16.99
C-110 10' ext cable; C-101/K-601/K-400-3/8C ..	14.99
C-110BNC 10' extension cable to BNC male ..	22.99
C-110SMA 10' RG-58 ext cable; C-101/SMA male ..	16.99
C-211 SO-239 mt, 6.5' coax, 10' coax extend ..	39.99
C-213 SO-239 mt, 13.5' RG-316 low-loss coax ..	37.99
C-213NMO NMO mt, 13.5' RG-316 low-loss coax ..	37.99
GLP-5N UHF mtg grp hrdwr; mini coax, Yae N ..D	4.99

MULTIBAND HF BASE VERTICAL ANTENNA

CP-6A 75/40/20/15/10/6m 200w PEP 16' vert ..	\$299.99
--	----------

MONO-BAND BASE STATION ANTENNAS

A-144S5 2m 5 el 37.5" boom 9db beam	\$ 59.99
A-430S10 2m 10 el 43" boom 13db beam	69.99
A-502HB 6m 2 el 2.6' boom 6.3db beam	99.99
A-504HB 6m 4 el 10.7' boom 10.8db beam ...	149.99
CP-22E 2m 6.5db 9' base antenna	59.99
DP-GH62 6m 6db 21' base antenna	147.99
F-22A 2m 6.7db 10.5' base antenna	99.99
F-22J 143.5-146.5MHz 6.7db 10.5' base ant ..	79.99
F-23A 2m 7.8db 15' base antenna	127.99
F-23C1 148-154MHz 7.8db 15' comm base ..	173.99
F-23C2 150-160MHz 7.8db 15' comm base ..	173.99
F-718A 440 11.5db 15' type N base antenna ..	209.99
F-718L 420-430MHz 11.5db ATV N base ant ..	219.99
G-200 2.4GHz 11db 58" N base antenna	214.99

DUAL-BAND BASE STATION ANTENNAS

U-200 440/1.2GHz 8.3/11.7db 6' N base ant ..	\$129.99
X-50A 2m/440 4.5/7.2db 5.6' base antenna ..	99.99
X-50NA 2m/440 4.5/7.2db 5.6' base N ant ...	99.99
X-200A 2m/440 6/8db 8.3' base antenna	139.99
X-500HA Hvy duty 2m/440 8.3/11.7db 17.8' ant ..	239.99
X-500HNA Hvy duty 2m/440 8.3/11.7db 17.8' N ant ..	239.99
X-510MA 2m/440 8.3/11.7db 17.2' base ant ..	189.99
X-510NA 2m/440 8.3/11.7db 17.2' type N ant ..	189.99
X-700HA 2m/440 9.3/13db 24' type base ant ..	399.99
X-700HNA 2m/440 9.3/13db 24' type N ant ..	399.99
X-2200A 2m/220 6/7.8db 11.5' base ant	173.99

TRI-BAND BASE STATION ANTENNAS

D-130J 25-1300 MHz 200w discone ant	\$ 89.99
U-5000A 2m/440/1.2GHz 4.5/8.3/11.7db 6' N ..	139.99
V-2000A 52-54MHz/2m/440 2.1/6.2/8.4db 8.3' ..	162.99
X-3200A 2m/220/440 6/7.8/8db 10' base	209.99
X-6000A 2m/440/1.2 6.5/9/10db 10.5' N	199.99

DUPLEXERS & TRIPLEXERS

MX-62M HF-6m & 2m/440, 12" cables dplx ..	\$ 74.99
MX-72D HF-2m/440 400/150/100w duplexer ..	43.99
MX-72H HF-2m/440 duplexer w/12" cables ..	46.99
MX-72N HF-2m/440 dplx, 440 type N, 12" cables ..	49.99
MX-214D 2m/220 150/100w dplx, no cables ..	69.99
MX-324 2m/220/440 triplexer	99.99
MX-324D 2m/220/440 triplexer, no cables	99.99
MX-2000 HF-6m/2m/440 400/400/250w triplexer ..	84.99
MX-3000 HF-2m/440/1.2 400/200/100w triplexer ..	79.99
MX-3000N HF-2m/440/1.2 N triplexer, 12" cbls ..D	85.99

ACCESSORIES

CA-35R DC-500MHz 400w lightning protect ..	\$ 29.99
CX-210A 1.5kw DC-1000MHz coax switch	44.99
CX-210N 1.5kw DC-1500MHz N coax switch ..	74.99
CA-310A HF 3-pos DC-800MHz coax switch ..	83.99
DL-30A 15/100w peak 0-500MHz dummy load ..	27.99

Diamond - continued AES Price

DL-30N	15/100w peak 0-500MHz N dummy load	39.99
GZV-4000	Variable 40A switching ps/meter/spkr	179.99
HB-400	HT air vent dash mount	9.99
DRAKE (DRA)		
TNC-270	9600 bps controller; TR-270	\$199.99
R-8B	Shortwave receiver	1379.99
MS-8	1592 Speaker	49.99
1590	35-55, 108-174 MHz VHF converter	249.99
7852	R-8B technical manual	39.99
1334	Mobile mount kit for SW-1/SW-2	4.99
1591	Interface computer soft; original R-8	1.99

EASY-UP (UPS OK) (EAS)

EZ 29-24	Double strap chimney mount	\$ 12.99
EZ 48-3ABX	3' boxed tripod w/pitch pad kit	24.99
EZ 48-5ABX	5' boxed tripod w/pitch pad kit	34.99
EZ-516	5' 16 ga steel mast	pick-up only 7.99

EMERSON (EME)

ESR-220	Solar/dynamo AM/FM radio/flashlight	\$ 29.99
EVO-6500	900MHz wireless vid obs sys/5" mon	169.99
EVO-6550	2nd 900MHz camera; EVO-6500	99.99
EVS-5000	2.4GHz wireless video/audio system	79.99
PDC-803	Digital compass w/LCD backlight	29.99
RP-001	12-function mini stainless multi tool	6.99
RP-005	6-func flashing safety strobe/reflector	6.99
RP-103	12-function stainless multi tool	6.99

FREEPLAY (BAY)

FPR-1B	AM/FM/5.8-18SW 30min Freeplay radio	D \$ 49.99
SWL Antenna/FPA-7	Indoor SW antenna	14.99
FPR-2	AM/FM 60 minute Freeplay radio	39.99
FPR-2SC	AM/FM/solar clear case Freeplay	49.99
FPR-2SM	AM/FM/solar gray case Freeplay	39.99
FPR-2SGSW	AM/FM/SW/solar 60min Freeplay	69.99
AC Adapter/FPA-3	For FPR-2 series	6.99
Headphones/FPA-1	For FPR-2 series	7.99
SWL Antenna/FPA-7	Indoor SW ant; 2SGSW	14.99
S360-BL	AM/FM/solar trans blue 15 hr Freeplay	39.99
S360-C	AM/FM/solar clear case 15 hr Freeplay	39.99
FP-SL	Yellow self powered Freeplay lantern	39.99
FP-SL-C-BL	Translucent blue self powered lantern	39.99
Bulb/FPA-11	2-pack replacement bulbs	4.99
FPA-10	Patch cord for 3V output	2.99

GAP VERTICALS (GAP)

DX-VIII	Challenger 75*/40/20/15/12/10/6/2m 31.5'	\$299.99
*80m CW w/capacitor exchange from GAP		
Challenger Counterpoise		30.99
(SYN) 100'	3/4" black double braided rope	6.99
DX-VI	Eagle 40/20/17/15/12/10m 21.5' rigid	309.99
DX-IV	Voyager 160/80/40/20m 45'; use 350' guy	419.99
Voyager Counterpoise		55.99
(SYN) 350'	3/4" black double braided rope	39.99
Titan DX	75*/40/30/20/17/15/12/10m, 25'	339.99
*80m CW w/capacitor exchange from GAP		
100' Guy Kit with clamp		14.99
200' Guy Kit with clamp		22.99
Ground Mount	Quick tilt mt for vertical ant	79.99
Ladder Mount	Quick tilt mt; campers/RVs	79.99

GARMIN (GAR)

GPS-12CX	Color GPS receiver	\$269.99
GPS-12XL	GPS receiver	219.99
GPS-III Plus	Handheld/dash mt mapping GPS	299.99
GA-26C	Low prof rem ant/cbl; GPSIII/III Plus	89.99
GA-27C	Low prof rem ant/cbl; GPS-12CX/XL	89.99
010-10048-00	Mounting bracket; 12CX/XL	31.99
010-10082-00	Power/data cable	27.99
010-10085-00	Cig lighter adapter cable	23.99
010-10111-00	Mtg bkt; GPS-III Plus	31.99
010-10117-01	Carrying case	12.99
010-10121-00	MCX-BNC adapt cbl; 12CX/XL	25.99
010-10141-00	PC interface cable	38.99

Garmin - continued AES Price

010-10165-00	PC cable w/cig adapter	45.99
010-10215-00	MapSource US CD;GPS-III Plus	99.99
StreetPilot	12 ch dash mt mapping GPS	469.99
StreetPilot ColorMap	12 ch color mapping GPS	599.99
GA-26C	Low prof remote ant w/cable/BNC	89.99
010-10082-00	Power/data cable	27.99
010-10085-00	Cig lighter adapter	23.99
010-10141-00	PC interface cable	38.99
010-10165-00	PC cable w/cig adapter	45.99
010-10199-03	Carrying case	14.99
010-10215-00	MapSource US road&rec CD	99.99
010-10215-03	MapSource MetroGuide CD	149.99
010-10227-00	Blank 8MB memory cartridge	58.99
010-10232-00	Carrying case	24.99
eMAP Deluxe	GPS/mapping/8MB datacard/PC cbl	299.99
GA-27C	Low profile remote ant/cable/MCX	89.99
010-10121-00	MCX to BNC adapter cable	25.99
010-10215-00	MapSource US road&rec CD	99.99
010-10215-03	MapSource MetroGuide CD	149.99
eTrex	12 ch mini GPS receiver	119.99
eTrex Summit	12ch mini GPS/compass/barometric	249.99
010-10203-00	Cig lighter cbl; eMAP & eTrex	39.99
010-10205-00	Data cable; eMAP & eTrex	22.99
010-10206-00	PC interface cbl; eMAP & eTrex	38.99
NavTalk	Analog cellular phone/GPS combo	349.99
010-10215-00	MapSource US road&rec CD	99.99
GPS-V	Turn-by-turn navigation GPS/software	499.99
GA-26C	Low prof remote ant w/cable/BNC	89.99
010-10082-00	Power/data cable	27.99
010-10111-00	Mounting bracket	31.99
010-10117-01	Carrying case	12.99
010-10215-03	MapSource MetroGuide CD	149.99

GEOCHRON (GEO)

World Watch	Day/night Windows software	\$ 49.99
Std Blk/Gold*	Std black/gold trim world clock/map	999.99
Std Oak/Gold*	Std oak/gold trim world clock/map	999.99

*These items are drop-shipped (shipped direct to you from the Geochron factory). On factory drop-shippings we prefer payment in full with order, however, we will accept your credit card with the understanding that we will process the charge when we order the merchandise from the factory. This means that you may be billed before you receive your drop-shipped merchandise. Shipment is FOB Redwood City, California via UPS, COD for freight charges only. Freight charges will be collected upon delivery by the carrier. Please allow sufficient time for delivery on this special order item.

GLEN MARTIN (GME)

TOWERS

M-1330A	30' alum tower package w/Hazer	T 1609.99
M-1340A	40' alum tower package w/Hazer	T 1829.99
M-1350A	50' alum tower package w/Hazer	T 2069.99
M-1840A	40' alum tower package w/Hazer	T 2149.99
M-1850A	50' alum tower package w/Hazer	T 2409.99
M-1860A	60' alum twr pack w/Voyager Hazer	T 3356.99
M-1870A	70' alum twr pack w/Voyager Hazer	T 3659.99
ML-1800	Messenger line kit for GME towers	72.99
KB-1000	57" side arm; M-13 series	81.99
KB-1300	57" side arm; M-18 series	83.99
M-22	10' galv steel M-22 tower section	405.99
CHB-22	Footing assembly for M-22	261.99
B-22	Leveling base for M-22	379.99

ROOF-TOP TOWERS

RT-424	4.5' roof-top tower, anodized aluminum	\$163.99
RT-832	8' roof-top tower, anodized aluminum	242.99
RT-936	9' roof-top tower, anodized aluminum	396.99
RT-1832	17.5' roof-top tower, anodized aluminum	531.99
MC-10	Mast clamp; aluminum, 2 required	24.99
TB-25	Premium thrust bearing	79.99
LB-3755	Lag bolts, set of 8 3/4 x 5"	9.99
EL-3744	Concrete L-bolts, set of 8	14.99
RA-6024	24" side arm for roof towers	41.99
RA-6048	48" side arm for roof towers	53.99

Glen Martin - continued AES Price

HAZERS FOR ROHN TOWERS

H-2	Heavy duty aluminum Hazer system	\$361.99
H-3	Standard duty aluminum Hazer system	274.99
H-4	Heavy duty galv steel Hazer system	349.99
BW-8001	Brake winch for H-2/3/4	77.99
HR-2040	Roller bearing set for Hazers	64.99
HR-6010	TX plates for H-2/3/4/5	26.99
HS-1301	Side arm for Hazers	64.99
ML-2500	Messenger line kit for Rohn towers	76.99
VH8-60	Voyager Hazer for 60' Rohn 45G	1410.99
VH8-70	Voyager Hazer for 70' Rohn 45G	1545.99
VH9-50	Voyager Hazer for 50' Rohn 55G	1331.99
VH9-60	Voyager Hazer for 60' Rohn 55G	1455.99
VH9-70	Voyager Hazer for 70' Rohn 55G	1567.99

LIGHTNING PROTECTION

LR-8400	Premium lightning rod kit	\$ 89.99
GR-4400	Ground rod wire clamp	6.99
GR-5080	8' x 5/8" ground rod	20.99
TL-0470	Terminal lug	2.99
LR-8418	Lightning rod point, 18" long	28.99
LR-8452	Clamp for holding rod to 2" mast	26.99
LR-8451	Clamp for holding rod to 1 1/2" mast	24.99
CW-2540	25' #4 bare copper ground wire	19.99
CW-5040	50' #4 bare copper ground wire	39.99
CW-7540	75' #4 bare copper ground wire	58.99
CW-1040	100' #4 bare copper ground wire	66.99
CW-1240	125' #4 bare copper ground wire	97.99
CW-1540	150' #4 bare copper ground wire	117.99

GUYING

HP-3000	Kevlar guy cable, 3000# break strength per ft	\$.99
HP-4500	Kevlar guy cable, 4500# break strength per ft	1.49
HP-7500	Kevlar guy cable, 7500# break strength per ft	1.99
WR-125	1/4" galv 7 x 7 guy cable	per ft .49
WRS-156	1/2" stainless 7 x 19 guy cable per ft	.79
WRS-187	3/4" stainless 7 x 19 guy cable per ft	.89
WRS-250	1" stainless 7 x 19 guy cable per ft	.99
WR-1862	3/4" U-bolt clip (also for Kevlar 3000/4500)	1.69
WR-2565	1" U-bolt clip (also for Kevlar 7500)	1.69
WR-3164	1 1/2" U-bolt clip	1.99
PT-2500	1/4" heavy duty thimble (for all Kevlar)	2.69
PT-3100	1/2" heavy duty thimble	2.99
PT-3700	3/4" heavy duty thimble	3.39
H-165	1/4" end cap (for Kevlar 3000/4500)	.79
H-164	3/8" end cap (for Kevlar 7500)	.89
H-142	3/4" end cap	.99
RG-4010	1/2" link connecting earthscrew to turnbuckle	7.99
ES-40	4" dia x 30" earth screw	21.99
EG-40	4" dia x 30" galvanized earth screw	32.99
ES-60	6" dia x 48" earth screw	38.99
EG-60	6" dia x 48" galvanized earth screw	54.99
ES-80	8" dia x 66" earth screw	67.99
TB-3806	3/4" x 6" galvanized turnbuckle	17.99
TB-5009	1/2" x 9" galvanized turnbuckle	23.99
TB-6212	3/4" x 12" galvanized turnbuckle	40.99

MASTS

M-1049	9' x 2" OD heavy duty galv steel mast	\$ 76.99
M-1040*	10' x 2" OD heavy duty galv steel mast	118.99
MA-1040*	10' x 1.92" OD medium duty alum mast	122.99
*Truck, freight collect on M-1040 & MA-1040		
MA-1049	9' x 1.92" OD medium duty alum mast	90.99
MA-2069	9' x 2.375" OD heavy duty alum mast	121.99
MA-1050	5' x 1.92" OD medium duty alum mast	62.99
MA-5050	5' x 1.31" OD light duty alum mast	41.99
MP-1409	9' x 2" OD .250 wall xtra HD fg mast	120.99
MP-1809	9' x 2" OD .125 wall med dty fg mast	70.99

WINCHES

B-800	800 lb capacity w/4.5:1 gear ratio	\$ 71.99
W-1100	1100 lb capacity w/3.9:1 gear ratio	39.99
W-1300	1300 lb capacity w/17:1 gear ratio	57.99
B-2000	2000 lb capacity w/17:1 gear ratio	125.99

TOWER CLIMBING EQUIPMENT

FP-5600	2 d-ring full body climbing harness (S-M)	\$ 81.99
FP-5601	2 d-ring full body climbing harness (L-XL)	81.99

Glen Martin - continued AES Price

FP-5602	4 d-ring full body climbing harness (S-M)	99.99
FP-5603	4 d-ring full body climbing harness (L-XL)	99.99
FP-2902	1"x2" web lanyard, 3/4" throat, snaphooks	44.99
FP-2903	1"x3" web lanyard, 3/4" throat, snaphooks	45.99
FP-2904	1"x4" web lanyard, 3/4" throat, snaphooks	45.99
FP-2905	1"x5" web lanyard, 3/4" throat, snaphooks	46.99
FP-2906	1"x6" web lanyard, 3/4" throat, snaphooks	47.99
FP-2923	1"x3" web lanyard, 3/4" & 1 1/2" throat openings	90.99
FP-2924	1"x4" web lanyard, 3/4" & 1 1/2" throat openings	91.99
FP-2925	1"x5" web lanyard, 3/4" & 1 1/2" throat openings	92.99
FP-2926	1"x6" web lanyard, 3/4" & 1 1/2" throat openings	93.99

All \$25+ GLEN MARTIN orders are shipped PREPAID (except M-1040 & MA-1040) at Glen Martin's expense direct to you from the factory (48 states). There is a \$75 residential address delivery charge on M-13 & M-18 series towers. We prefer payment in full with order, however, we will accept your credit card with the understanding that we will process the charge when we order the merchandise from the factory. This means that you may be billed before you receive your order. Please allow sufficient delivery time. Most truck lines will not unload towers, so please be sure to have enough manpower and/or equipment on hand.

L.L. GRACE (GRA)

KCT	Kansas City Tracker satellite package .D	\$229.99
KCT/T	Kansas City Tracker package/KC Tuner	329.99

GROTHE (GRO)

VS-2	Emergency vehicle siren	\$ 89.99
VS-2LS/A	Window mt siren/amber halogen	299.99
VS-2LS/B	Window mt siren/blue halogen	299.99
VS-2LS/R	Window mt siren/red halogen	299.99
VS-3	Volunteer vehicle PA/horn w/spkr	129.99
VS-4	P/A emergency vehicle siren w/spkr	139.99

GRUNDIG (GRU)

eTraveller VII	Mini AM/FM/SW Rcvr	\$129.99
G-2000A	Porsche design AM/FM/SW receiver	99.99
MiniWorld 100PE	Mini AM/FM/SW receiver	29.99
Satellit 800	AM/FM/SW/LW/aircraft receiver	499.99
Traveller II PE	Portable AM/FM/SW receiver	49.99
Yacht Boy 300PE	Port AM/FM/SW/LW Rcvr	79.99
Yacht Boy 400PE	Port AM/FM/SW/LW Rcvr/ps	149.99

HAL (HAL)

DSP-4100	HF DSP modem	special order 1099.99
DXP-38	External DSP HF radio modem	395.99
RTTY-1	RTTY tuning indicator	99.99
ST-8000	HF modem	special order 3269.99

HARGER (HRG)

GBIS18114AE	3/4" copper entrance ground bar kit	\$ 27.99
GBIS18148AE	3/4" copper station ground bar kit	64.99
GEL3AE	Package of 5 HD grounding lugs	15.99
GP1868.78AE	3/4" copper single pt gnd panel kit	54.99
GBX976AE	NEMA-4x weatherproof enclosure	89.99

HEIL (HEI)

BM-5-4	Boom mic/single headset (HC-4)	\$ 69.99
BM-5-5	Boom mic/single headset (HC-5)	69.99
BM-5-IC	Boom mic/single headset/adaptor; lcom	86.99
BM-10-4	Boom mic/headset (HC-4)	89.99
BM-10-5	Boom mic/headset (HC-5)	89.99
BM-10-IC	Boom mic/headset/adaptor; lcom	106.99
HS-706	Boom mic/single headset; IC-706 series	59.99
PRO-SET-4	Deluxe boom mic/headset (HC-4)	130.99
PRO-SET-5	Deluxe boom mic/headset (HC-5)	130.99
PRO-SET-IC	Dlx boom mic/headset/adaptor; lcom	147.99
PRO-5-4	Boom mic/single headset (HC-4)	120.99
PRO-5-5	Boom mic/single headset (HC-5)	120.99
PRO-5-IC	Boom mic/single headset/adaptor; lcom	137.99
AD-1-I	Pro-Set 8-pin adaptor cord for lcom	17.99
AD-1-K	Pro-Set 8-pin adapt cord; Kenwood	17.99
AD-1-T	Pro-Set 4-pin adapt cord; Ten-Tec	17.99
AD-1-Y	Pro-Set 8-pin adaptor cord; Yaesu	17.99
AD-1-I-M	Pro-Set modular adapt cord; lco	17.99
AD-1-K-M	Pro-Set modular adapt cord; Ken	17.99
AD-1-Y-M	Pro-Set modular adapt cord; Yae	17.99

Heil - continued

FS-1	Foot switch	30.99
HS-1	Hand switch	25.99
HC-4	DX'ers 'dream machine' mic element ..	30.99
HC-5	Key microphone element	30.99
AD-100	Mic/boomset adapt; FT-100/AD-1Y/CC-1Y	25.99
ADM-Y817	Mic/boomset adapt; FT817/AD1Y/CC1Y	25.99
HMP	In-line microphone preamp; lcomD	55.99
HMP-M	In-line mic pre/mod plug; 706/MkII .D	39.99
GM-4	Goldline dual element studio mic w/HC-4	140.99
GM-5	Goldline dual element studio mic w/HC-5	140.99
GM-V	Goldline vintage studio mic/matching xfmr	155.99
HM-10-4	Microphone with HC-4 element	65.99
HM-10-5	Microphone with HC-5 element	65.99
HM-10-Dual	Mic w/HC-4 & HC-5 elements ...	115.99
HM-I	Studio condensor microphone; lcom	95.99
ADM-706	Adapter; HM-I - lcom 706/modular plug	25.99
CC-1-C	3/8" plug cable for Collins/Drake ...	33.99
CC-1-D	4-pin cable for Drake	30.99
CC-1-I	8-pin cable for lcom	30.99
CC-1-I-M	Modular cable for lcom	30.99
CC-1-K	8-pin cable for Kenwood	30.99
CC-1-K-M	Modular cable for Kenwood	30.99
CC-1-T	Cable for Ten-Tec	30.99
CC-1-Y	8-pin cable for Yaesu	30.99
CC-1-Y-M	Modular cable for Yaesu	30.99
LX-1	Balanced 41" Luxo boom	95.99
MA-1	Adjustable microphone boom	45.99
SB-1	Small adjustable mic boom w/C clamp	33.99
TB-1	Table base microphone stand	25.99
HMM-IC	Condensor hand mic/8-pin plug; lcom	58.99
HMM-K	Dual el hand mic/HC-4/8-pin plug; Ken	78.99
HMM-Y	Dual el hand mic/HC-4/8-pin plug; Yae	78.99
Boom Clip	for BM-series	5.99
Ear Pads	for BM-series.....pair	5.99
Ear Pads	for PRO-series.....pair	8.99
Ham Radio Handbook		12.95
HD-AT	6db headph attenuator, 1/2"m-1/2"f adapt	5.99
SM-1	Shock mount for any microphone boom	50.99
XT-1	Audio matching xfmr; lo-Z mic/tube Xcvr	15.99

HUSTLER (HUS)

RM-80	80m CW 400w PEP resonator	\$ 26.99
RM-75	75m phone 400w PEP resonator	26.99
RM-40	40m 400w PEP resonator	24.99
RM-30	30m 400w PEP resonator	24.99
RM-20	20m 400w PEP resonator	21.99
RM-17	17m 400w PEP resonator	21.99
RM-15	15m 400w PEP resonator	15.99
RM-12	12m 400w PEP resonator	15.99
RM-11	CB 400w PEP resonator	15.99
RM-10	10m 400w PEP resonator	15.99
RM-80S	80m CW 2kw PEP resonator	49.99
RM-75S	75m phone 2kw PEP resonator	49.99
RM-40S	40m 2kw PEP resonator	35.99
RM-20S	20m 2kw PEP resonator	28.99
RM-15S	15m 2kw PEP resonator	24.99
RM-11S	CB 2kw PEP resonator	23.99
RM-10S	10m 2kw PEP resonator	23.99
MO-1	54" mast for fender or deck mount	31.99
MO-2	54" mast for bumper mount	31.99
MO-3	54" no break-over mast	23.99
MO-4	22" mast for special applications	19.99
VP-1	Tri-band adapter	5.99
RSS-2	Resonator spring	9.99
QD-2	Stainless quick disconnect	19.99
L-14-144	12' RG-58, PL-259 to lugs	9.99
L-14-240	20' RG-58, PL-259 to lugs	12.99

STAINLESS 2" MOBILE BALL MOUNTS

SSM-1	Ball & spring, cadmium hardware	\$ 46.99
SSM-2	Ball, cadmium hardware	26.99
SSM-3	Stainless steel spring	24.99
1-1/2" MOBILE BALL MOUNTS		
C-32	Chrome plated ball	\$ 11.99

Hustler - continued

C-30	Chrome plated spring	11.99
C-29	Stainless steel spring	17.99
BM-1	Single strap bumper mt w/C-32	21.99
3/8-24 THREAD MOBILE MOUNTS		
HLM	Trunk lip mount w/swivel	\$ 22.99
HOT	Hustloff trunk lip mt w/swivel	23.99
MBM	Super magnet mount w/16' coax	19.99
RVM	Recreational vehicle mount	20.99
TLM	Trunk lip mount	21.99
HF ANTENNAS		
4-BTV	40/20/15/10m 21' trap vertical	\$119.99
5-BTV	80/40/20/15/10m 25' trap vertical	149.99
30-MTK	30m trap kit for 4-BTV/5-BTV	41.99
6-BTV	80/40/30/20/15/10m 24' trap vert	179.99
VHF/UHF BASE STATION ANTENNAS		
G3-144	2m 3db 7.5' vertical antenna	\$ 63.99
G6-144B	2m 6db 10' vertical antenna	114.99
G6-270R	2m/440 6db 7.6' base station ant ..	159.99
G7-144	2m 7db 15' vertical antenna	159.99
G7-220	220 MHz 7db 10' vertical antenna ...	149.99
G6-440	440 MHz 6db 7' vertical antenna	139.99
VHF/UHF MOBILE ANTENNAS		
BBG-144	2m 3.4db NMO coil/whip only	\$ 39.99
BBGT-144	2m 3.4db NMO trunk lip mt ant	49.99
BBG-440-5	440 5db NMO coil/whip only	39.99
BBGT-440-5	440 5db NMO trunk lip mt ant ..	49.99
BBL-144A	2m 3/4" hole mt antenna, 3.4db	39.99
BBLT-144A	2m trunk lip mt ant, 3.4db	47.99
CG-144	2m 3/4-24 ant, 7' high, 5.2db	31.99
CGT-144	2m trunk mt ant, 7' high, 5.2db	51.99
CG-220	220 MHz 3/4-24 ant, 5.2db	29.99
CGT-220	220 MHz 5.2db tnk mt ant	49.99
FX-220B	220 3.4db black mag mt ant	D 24.99
LMB-144	2m 3.4db black NMO coil/whip only ..	22.99
LMB-270	2m/440 2.4/4db black NMO coil/whip only	32.99
LMB-440-5	440 5db black NMO coil/whip only ..	19.99
LMC-144	2m 3.4db NMO coil/whip only	19.99
LMC-270	2m/440 2.4/4db NMO coil/whip only ..	31.99
LMC-440-5	440 5db NMO coil/whip only	19.99
LMG-144	2m 3.4db NMO pushpin coil/whip only ..	25.99
LMG-440-5	440 5db NMO pushpin coil/whip only ..	19.99
MKR-2	Radial kit for SF-2/CG-144	20.99
MX-2	2m 3db black & chrome NMO mag mt ant	34.99
MX-2B	2m 3db all black NMO mag mt ant ...	39.99
MX-220	220 3db blk & chrome NMO mag mt ant	34.99
MX-220B	220 3db all black NMO mag mt ant D	29.99
MX-440	440 5db blk & chrome NMO mag mt ant	36.99
MX-440B	440 5db all black NMO mag mt ant ..	36.99
RX-2	2m 3.4db magnetic mount ant	24.99
RX-220	220 3.4db magnetic mt antenna	24.99
RX-440	440 5db magnetic mt antenna	24.99
SF-2	2m 3/4-24 ant, 4' high, 3.4 db	14.99
SF-220	220 MHz 3/4-24 antenna, 3 db	14.99
THF	140-500 MHz 1/4 wave trunk mount ant ..	23.99
UGM	140-500 MHz 1/4 wave BNC mag mt ant ..	21.99
UHT-1	140-500 MHz 1/4 wave roof mt ant	14.99
CB & MONITOR ANTENNAS		
1C-11	White trunk mount CB antenna	\$ 13.99
1C-11B	Black trunk mt CB antenna	13.99
1C-100	White magnetic mount CB antenna ..	21.99
1C-100B	Black magnetic mt CB antenna	21.99
DTG	25" fg double-talk gutter mt CB ant	39.99
FG-27S	48" CB whip	11.99
HQ-27	Power Packer 3/4-24 CB whip	17.99
HQ-27M	Power Packer trunk mt CB antenna	36.99
HQD	Dual fg mirror mount CB antenna	49.99
HQT	Single fg mirror mount CB antenna	27.99
HTM-1	Twin Husky fg ant w/mirror mts	D 39.99
RQM	Magnetic mount CB antenna	19.99
RTG-27L	25" CB antenna w/rain gutter mt	26.99
RTM	25" magnetic mount CB antenna	16.99
RTS-27L	25" CB antenna w/roof mount	26.99
SCB/BLK	46" black fiberglass CB whip	34.99

AES Price

OPC-581	11.5' separation cable	60.99
OPC-587	16' separation cable	79.99
OPC-599	7+8-pin to 13-pin adapter	60.99
OPC-742	13-pin cable	59.99
RMK-706	Package; MB-62/MB-63/OPC-581	70.99
SM-6	Desk microphone	119.99
SM-8	2-connector desk mic/up/down scan	169.99
SM-20	Deluxe desk microphone	219.99
OPC-589	8-pin to jack adapt; SM-6/8/20	35.99
SP-7	Small external speaker	94.99
UT-102	Voice synthesizer	74.99

TE-222	1.5 kHz 455 kHz IF SSD filter	199.99
--------	-------------------------------	--------

Icom - continued

AES Price

FL-223	1.9 KHz 9 MHz IF SSB filter	99.99
FL-232	350 Hz 9 MHz IF CW/RTTY filter	99.99
FL-257	3.3 KHz 455 KHz IF SSB filter	189.99
MB-5	Mobile mount	59.99
MB-23	Side mount carrying handle	15.99
OPC-869	DC cable	13.99
RS-R75	PC control software w/RS-232 cable	80.99
SP-21	External speaker	119.99
UT-102	Voice synthesizer	74.99
UT-106	Plug-in DSP unit	149.99
R-8500-02	.1M - 2G receiver/cell blocked	1439.99
R-8500-04*	.1MHz - 2GHz receiver	1499.99
AH-7000	25-1000 MHz discone ant w/coax	179.99
CR-293	High stability xtal unit	329.99
FL-52A	500 Hz CW filter	189.99
MB-12	Mobile mount	59.99
MB-23	Side mount carrying handle	15.99
RS-R8500	PC control soft w/RS-232 cable	80.99
SP-7	Small external speaker	94.99
SP-21	External speaker	119.99
TV-R7100	TV/FM adapter; R-8500/7100	369.99
UT-102	Voice synthesizer	74.99
R-9000L*	.1-1.9998MHz Rcvr/LCD disp spec order	8299.99
AH-7000	25-1000 MHz discone ant w/coax	179.99
CT-17	CI-V level converter	139.99
SP-20	Speaker w/audio filter	249.99

*United States & state government agencies or a political subdivision thereof and communications utility companies and their legal agents **ONLY** may purchase unblocked models of R-1/R-2/R-3/R-10/PCR-100/PCR-1000/R-8500/R-9000L for official government or communications utility company use only. Mail or FAX purchase order to AES. Exports: inquire.

2m TRANSCEIVERS

UT-101	DTMF unit for IC-2000H	\$ 28.99
IC-2100H	50w 2m FM Xcvr/TTP mic	169.99
BC-96	Microphone holder	43.99
CP-13L	Cig cable w/filter for BC-96	40.99
CS-2100	DOS cloning software	13.99
OPC-478	PC to radio cloning cable	45.99
CSW-2100	Win prog soft/cable; IC-2100H	50.99
HM-90A	Wireless microphone	89.99
EX-1759	Infrared receiver	99.99
EX-1513	Infrared Rcvr range extender	28.99
HM-98S	Extra TTP mic for IC-2100H	90.99
HS-62	Flexible mobile mic	29.99
MB-17A	Quick release bracket	49.99
MB-28H	Extra mobile bracket	26.99
OPC-346	Extra 9.8' DC cable	46.99
OPC-347	23' DC cable	46.99
OPC-440	Mic extension cable	85.99
OPC-441	Speaker extension cable	33.99
OPC-474	Radio to radio cloning cable	18.99
OPC-589	8-pin to jack adapter	35.99
OPC-647	8.2' mic extension cable	54.99
IC-207H	50w 2m/35w 440 FM Xcvr/TTP	299.99
OPC-600	cable FREE from Icom w/IC-207H thru 12/31/01	
BC-96	Microphone holder	43.99
CP-13L	Cig cable w/filter for BC-96	40.99
CS-207	DOS prog software; IC-207H	13.99
CSW-207/2710	Win cloning soft; 207/2710	30.99
OPC-646	Prog cbl; CS-207/CSW-207/2710	89.99
HM-90A	Wireless microphone	89.99
EX-1759	Infrared receiver	99.99
EX-1513	Infrared Rcvr range extender	28.99
MB-17A	Quick release bracket	49.99
MB-28H	Extra mobile bracket	26.99
MB-58	Remote controller bracket	39.99
OPC-346	Extra 9.8' DC cable	46.99
OPC-347	23' DC cable	46.99
OPC-440	Mic extension cable	85.99
OPC-441	Speaker extension cable	33.99
OPC-589	8-pin to jack adapter	35.99

Icom - continued

AES Price

OPC-600	11.5' extension cable	45.99
OPC-601	23' extension cable	59.99
OPC-647	8.2' mic extension cable	54.99
RMK-3	Package; MB-58/OPC-600/OPC-647	84.99
MB-26	Mobile mount; IC-281H/2710H	19.99
UT-89	Tone scan/decode unit; IC-2350H	89.99
UT-104	Tone squelch unit; IC-2710H	39.99
IC-2800H	50w 2m/35w 440 FM Xcvr/9600	499.99
CS-2800	Windows cloning software	13.99
OPC-478	PC to radio cloning cable	45.99
HM-90A	Wireless microphone	89.99
EX-1759	Infrared receiver	99.99
EX-1513	Infrared Rcvr range extender	28.99
MB-17A	Quick release bracket	49.99
MB-28H	Extra mobile bracket	26.99
MB-65	Mounting base platform	35.99
MB-73	Controller bracket	26.99
OPC-346	Extra 9.8' DC cable	46.99
OPC-347	23' DC cable	46.99
OPC-440	Mic extension cable	85.99
OPC-589	8-pin to jack adapter	35.99
OPC-647	8.2' mic extension cable	54.99
OPC-872	Controller extension cable	27.99
SP-10	Slim-line external speaker	69.99
UT-49	DTMF decoder unit	74.99
UT-84	Tone squelch unit; IC-821H	99.99
IC-910H	100w 2m/75w 430 FM/SSB Xcvr	1299.99
PS-125	25A switching power supply	299.99
AG-25	2m mast mounted GaSFET preamp	189.99
AG-35	430 MHz mast mounted preamp	199.99
AG-1200	1.2 GHz mast mt preamp	159.99
CR-293	High stability xtal unit	329.99
CT-17	CI-V level converter	139.99
FL-132	500 Hz main Rcvr CW filter	119.99
FL-133	500 Hz sub band Rcvr CW filter	119.99
MB-5	Mobile mount	59.99
MB-23	Side mount carrying handle	15.99
SM-20	Deluxe desk microphone	219.99
SP-7	Small external speaker	94.99
UT-102	Voice synthesizer	74.99
UT-106	Plug-in DSP unit	149.99
UX-910	10w 1.2GHz module	499.99
OPC-333	23' sep kit; Delta100H	1.99

Accessories for IC-2AT

BC-25U	Extra wall cgr; BP-3 only	\$ 29.99
BM-112U/BC-16U	Wall cgr; 5A/7/8 only	26.99
BP-3	250ma 8.4v battery	49.99
BP-4	Alkaline battery case	35.99
BP-5	425ma 10.8v high power battery	89.99
BP-8	800ma 8.4v long life battery	99.99
CP-1	Cig cgr; BP-3/7/8/DC cord	26.99
CP-11	Cig cord w/noise filter	39.99
DC-1	DC operation module	39.99
IC-T2H Sport	6w 2m FM HT/battery holder	99.99
IC-T2H	6w 2m FM HT/8 AA nicads/cgr	139.99
AD-81	Adapter for BC-119-11	17.99
BC-110A/BC-74	Extra wall charger	40.99
BC-119-11	Desk charger (adapter required)	89.99
BC-133	Drop-in trickle charger	39.99
BC-122A	AC adapter for BC-133	16.99
BP-194	AA alkaline battery case	18.99
BP-195	9.6v 700ma nicad battery	42.99
BP-196	9.6v 1050ma nicad battery	53.99
CP-12L	Rt angle cig charge cable w/filter	36.99
CP-17L	Right angle cig cable for charger	24.99
CS-2	DOS prog software for IC-T2	13.99
OPC-474	Cloning cable (T2 to T2)	18.99
OPC-478	PC to radio cloning cable; T2	45.99
CSW-HH4	Windows prog soft w/cable; T2	50.99
HM-46	Slim-line speaker/mic	45.99
HM-54	Hvy duty spkr/mic	83.99
HM-75A	Remote control microphone	70.99
HM-128	Earphone+microphone	25.99

Icom - continued

AES Price

HS-51	Headset w/VOX	96.99
HS-94	Ear-piece style headset; use w/VS-1	24.99
VS-1	VOX-PTT unit for HS-94	42.99
LC-145	Carrying case for IC-T2	38.99
LCF3 Swivel	Leather case with swivel	50.99
MB-74	Spring loaded belt clip	12.99
OPC-254L	Right angle mini DC chg cable	14.99
SP-13	Earphone	4.99
IC-V8	5.5w 2m FM HT/batt/cgr/TTP	169.99
BC-144-01	Desk charger with adapter	89.99
BP-208	Battery case	18.99
BP-209	7.2v 1100ma 5.5w battery	53.99
BP-210	7.2v 1650ma 5.5w battery	80.99
BP-222	7.2v 600ma 5.5w battery	35.99
CP-17L	Right angle cig cable for charger	24.99
CS-V8	Cloning software for IC-V8	35.99
OPC-474	Cloning cable (V8 to V8)	18.99
OPC-478	PC to radio cloning cable; V8	45.99
HM-46L	Slim-line spkr/mic, rt angle plug	45.99
HM-54	Hvy duty spkr/mic	83.99
HM-75A	Remote control microphone	70.99
HS-51	Headset w/VOX	96.99
HS-94	Ear-piece style headset; use w/VS-1L	24.99
VS-1L	Right angle VOX-PTT unit for HS-94	42.99
LCF3G Swivel	Leather case with swivel	50.99
MB-74	Spring loaded belt clip	12.99
OPC-515L	Right angle DC cord for charger	20.99
SP-13	Earphone	4.99
UT-108	DTMF decoder unit	35.99
IC-T22A	5w 2m FM HT/batt/cgr/TTP	229.99
IC-T7H	6w 2m/440 HT/batt/cgr/TTP	199.99
IC-W32A	5w 2m/440 FM HT/batt/cgr/TTP	269.99
AD-51	Batt pack adapter; W32A	14.99
AD-56	Batt pack adapter; T22A/T7	18.99
BC-119-11	Desk charger (adapter required)	89.99
BP-170	Battery case	35.99
BP-172	4.8v 950ma battery	91.99
BP-173	9.6v 600ma battery	139.99
BP-180	7.2v 600ma battery	83.99
CP-12	Cig lighter cable w/filter	36.99
CP-12L	Right angle cig cable w/filter	36.99
CS-T7	DOS prog software for IC-T7	1.99
CSW-32	DOS prog software for IC-W32A	13.99
OPC-474	Cloning cbl (IC-32A to IC-32A)	18.99
OPC-478	PC to radio cloning cbl; T7/W32A	45.99
CSW-HH4	Windows prog soft/cbl; W32A/T7	50.99
FA-1443B	Extra 2m/440 dual band flex ant	29.99
HM-46	Slim-line speaker/mic	45.99
HM-46L	Slim-line spkr/mic, rt angle plug	45.99
HM-54	Heavy duty spkr/mic	83.99
HM-75A	Remote control microphone	70.99
HM-128	Earphone+microphone	25.99
HS-10	Boom mic/headset	69.99
HS-10SA	VOX unit	69.99
HS-10SB	PTT switchbox	69.99
HS-85	Headset w/VOX	89.99
LC-125	Vinyl case; T22A w/BP170/171/172	9.99
LC-126	Vinyl case; T22A w/BP173	38.99
LC-128	Vinyl case; IC-W32A	38.99
LC-136	Vinyl case; T7 w/BP170/171/172	38.99
LC-137	Vinyl case; T7 w/BP173/180	38.99
MB-30	Mobile/wall bracket	41.99
NCP-1	Nylon chest pack	39.99
OPC-254	Mini DC power cable	14.99
OPC-254L	Right angle mini DC pwr cable	14.99
SP-13	Earphone	4.99
UT-94	Tone squelch unit; IC-T22A	39.99
IC-Q7ABC	350mw 2m/440 HT/batts/cgr	129.99
AD-92SMA	SMA- BNC adapter	16.99
BC-127A	Extra nicad charger	20.99
HM-46	Slim-line speaker/mic	45.99
HM-128	Earphone+microphone	25.99
HS-85	Headset w/VOX	89.99
SP-13	Earphone	4.99

Icom - continued**AES Price**

OPC-782	Plug adapt cbl; HM46/HS85/SP13	16.99
LC-146	Carrying case	38.99
IC-T81A	5w 6m/2m/440/1w 1.2 HT/batt/cgr/TTP .†	279.99
AD-87	Batt pack adapter for rapid charger	8.99
AD-88	PCB board; orig BC-119-11	29.99
AD-92SMA	SMA- BNC adapter	16.99
BC-119-31	Desk charger (adapter required)	99.99
BP-197	3 AA battery case	24.99
BP-198	4.8v 700ma NiMH battery	59.99
BP-199	6v 700ma NiMH battery	70.99
BP-200	9.6v 680ma NiMH battery	85.99
BP-200L	9.6v 760ma NiMH battery	95.99
CP-12	Cig lighter cable w/filter	36.99
CP-12L	Right angle cig cable w/filter	36.99
CS-T81	Windows cloning software; IC-T81A	13.99
OPC-474	Cloning cable (radio to radio)	18.99
OPC-478	PC to radio cloning cable	45.99
HM-46	Slim-line speaker/mic	45.99
HM-54	Heavy duty spkr/mic	83.99
HM-75A	Remote control microphone	70.99
HM-128	Earphone+microphone	25.99
HS-51	Headset w/VOX	96.99
HS-85	Headset w/VOX	89.99
LC-148	Carrying case; IC-T81A	24.99
OPC-254	Mini DC power cable	14.99
OPC-254L	Right angle mini DC pwr cable	14.99
SP-13	Earphone	4.99
BP-131	900ma 7.2v batt/mic; W21AT	39.99
LC-147	Carrying case; IC-T8A/HP	14.99

Accessories for IC-2SAT/2SRA/24AT/W2A

AH-20	Replacement rcv ant; IC-2SRA	\$ 28.99
BP-83	7.2v 600ma battery	79.99
BP-84	7.2v 1000ma battery	99.99
BP-90	AA alkaline battery case	35.99

IC-2GXAT/HP	7w 2m HT/batt/cgr/TTP	249.99
AD-25	Battery charger adapter	49.99
AD-28	Batt pack adapter for rapid charger	18.99
BC-105A/BC-77	Extra wall charger	40.99
BC-119-11	Desk charger (adapter required)	89.99
BP-130A	Battery case	35.99
BP-157A	900ma 7.2v battery	85.99
BP-174	600ma 12v battery	98.99
CP-13	Cig cable w/filter	40.99
CP-13L	Right angle cig cable w/filter	40.99
HM-46L	Slim-line speaker/mic	45.99
HM-46L	Slim-line spkr/mic, rt angle plug	45.99
HM-54	Heavy duty spkr/mic	83.99
HM-128	Earphone+microphone	25.99
HS-51	Headset w/VOX	96.99
LC-116	Carrying case; BP-130A/157A/160 D	29.99
LC-117	Carrying case for BP-132A	19.99
MB-30	Mobile/wall bracket	41.99
OPC-288	Mini DC power cable	19.99
SP-13	Earphone	4.99
UT-49	DTMF decoder unit	74.99
AD-44	Batt adapter; rapid cgr; T21A	.99
LC-110	Vinyl case; BP-153; ICT21A	.99
LC-111	Vinyl case; BP-152; IC-T21A	4.99

ACCESSORIES

AG-25	2m mast mounted GaSFET preamp	\$189.99
AG-35	430 MHz mast mounted preamp	199.99
AG-1200	1.2 GHz mast mt preamp	159.99
CT-16	Satellite interface unit	119.99
CT-17	CI-V level converter	139.99
HM-12	Scan hand microphone	74.99
MB-23	Side mount carrying handle	15.99
PS-85	Power supply	269.99
SM-6	Electret desk microphone	119.99
SM-8	2-connector desk mic w/up/down scan	169.99
SM-20	Deluxe desk microphone	219.99
SP-5	Mobile speaker	54.99
SP-7	Small external speaker	94.99
SP-10	Slim-line external speaker	69.99

Icom - continued**AES Price**

SP-20	Speaker w/audio filter	249.99
SP-21	External speaker	119.99
CONSUMER ELECTRONICS		
A-22	5w compact Navicom air handheld	\$399.99
GP-270ML	Fixed mt marine GPS w/keypad	399.99
IC-M1V	Waterproof 5w VHF marine handheld	249.99
IC-M3A	5w VHF marine handheld w/AA nicads	159.99
IC-M45AW	White 25w VHF marine Xcvr	179.99
IC-M402W02	White waterproof 25w VHF marine	219.99
M-710	(21) 150w HF marine SSB .spec order	1399.99
M-710-05	(22) 150w 1.6-27.5 SSB .spec order	1599.99
M-710RT-21	150w HF marine SSB spec order	1699.99
M-710RT-22	150w 1.6-27.5 SSB .spec order	1899.99
AT-130	HF marine auto ant tuner spec order	449.99
IC-4008A	Family radio service black handheld	79.99
BC-127A	Charger for 2 or 4 AA nicads	20.99
BP-202	Nicad battery assembly	17.99
HM-46	Slim-line speaker/mic	45.99
HM-128	Earphone+microphone	25.99
HS-85	Headset w/VOX	89.99

IDIDIOM PRESS (IDI)

K-3	Logikey CW keyer	\$129.99
HK-3	Hook-up kit	10.99

International Ant (IAC)

160m double Bazooka	248' antenna	\$214.99
80m double Bazooka	121' antenna	150.99
40m double Bazooka	64' antenna	126.99
160m-S	160m half sloper 127' antenna	140.99
80m-S	80m half sloper 67' antenna	115.99
40m-S	40m half sloper 33' antenna	79.99

ISOTRON (ISO)

160C	160m 9.5' x 16" x 15" 100 KHz bandwidth ant	\$173.99
80	80m 32" x 16" x 15" 110 KHz bandwidth ant	98.99
40	40m 22" x 16" x 15" 250 KHz bandwidth ant	88.99
20	20m 21" x 8" x 4" 350 KHz bandwidth ant	78.99
15	15m 21" x 1.5" x 4" 450 KHz bandwidth ant	78.99
10	10m 16" x 1.5" x 4" 1 MHz bandwidth ant	78.99
6	6m 16.5" x 2" x 4" 1.25 MHz bandwidth ant	78.99
80/40 Combo*	80/40m 32" x 16" x 30" ant	169.99
20/15/10 Combo	20/15/20m combo ant	198.99

*Requires coaxial "T's" & jumpers - not included

JSC (JSC)

JRR-520	5-wire rotor cable	Δ, per ft. \$.14
JRR-520		Δ, 100 ft. Roll 12.99
JRR-520		Δ, 500 ft. Roll 44.99
JRR-520		Δ, 1000 ft. Roll 79.99

K-COM (KCO)

RF-1	Modular telephone 3-30 MHz RFI filter	\$ 16.99
RF-1/Low	Modular phone .5-3 MHz RFI filter	16.99
RF-1/2-line	2-line modular 3-30 MHz RFI filt	22.99
RF-1/coiled	Coiled cord modular 3-30MHz filt	22.99
RF-2	Hard-wired telephone 3-30 MHz RFI filt	10.99

KC Tracker (See GRACE)**KACHINA (KAC)**

505-MB	Mobile mount bracket	Δ \$ 6.99
505-SM	Rubber shock mts; 505-MB	Δ 2.99
970056	75' control head cable	Δ 29.99
970057	25' RS-232 cable	Δ 2.99
970058	75' RS-232 cable	Δ 4.99

KANTRONICS (KAN)

Data Engine	TNC w/no modems	D \$ 69.99
Data Engine	w/DE-1200 modem	D 99.99
KPC-3 Plus/128K	Small packet TNC/128K RAM	186.99
KPC-9612 Plus/128K	9600 controller/128K	369.99
12VDC Adaptor	300ma adaptor; KPC-3	12.99
Host Master II+	IBM software	89.99
Superfax II	WX FAX program for IBM	59.99

Kantronics - continued**AES Price**

128K	128K memory upgrade; KPC-3/9612	Δ 24.99
KAM 98	Single port multi-mode dig controller	399.99
12VDC Adaptor	300ma adaptor; KAM 98	12.99
KAM XL	All mode TNC w/DSP modems	399.99
12VDC Adaptor	300ma adaptor; KAM XL	12.99
APRS adapter cable;	GPS to Kantronics TNC	32.99

KENWOOD (KEN)

DRU-2	Dist recording unit; TS-950SDX	Δ \$139.99
SP-950	Ext spkr/audio filters; TS-950SDX	Δ 149.99

TS-B2000* PC cbl HF/6m/2m/430 Xcvr/tuner .† *\$1549.99

*Price w/instant coupon; coupon expires 10/31/01

Heil gold mic/stand/cable FREE w/TS-B2000 thru 10/31/01

TS-2000* HF/6m/2m/430 Xcvr/ant tuner .† *\$1949.99

*Price w/instant coupon; coupon expires 10/31/01

Heil gold mic/stand/cable FREE w/TS-2000 thru 10/31/01

*UT-20 1.2GHz module Kenwood install only

TS-2000X HF/6m/2m/430/1.2 Xcvr/tuner *\$2649.99

*Price w/instant coupon; coupon expires 10/31/01

Heil gold mic/stand/cable FREE w/TS-2000X thru 10/31/01

KPS-15	23A switching ps w/fan, 25A surge	149.99
PS-53	Heavy duty 22.5A power supply	249.99
ARCP-2000	PC control soft (inc w/TS-B2000)	82.99
DRU-3A	Digital recording unit	129.99
MB-430	Mobile mounting bracket	49.99
MC-43S	Extra 8-pin hand mic w/up-down	59.99
MC-52DM	Back-lit TTP hand mic	79.99
MC-60A	8-pin amp desk mic w/up-down	149.99
MC-80	8-pin electret desk mic w/up-down	109.99
MC-90	2-head DSP desk microphone	239.99
PG-2Y	13' DC cable	39.99
PG-22	6.5' heavy duty DC cable	37.99
RC-2000	Remote faceplate mobile kit	349.99
SP-23	External speaker	89.99
VS-3	Voice synthesizer	39.99
TS-870S	9-band Xcvr/Rcvr/FDSP/tuner	† 2149.99

Heil gold mic/stand/cable FREE w/TS-870S thru 10/31/01

KPS-15	23A switching ps w/fan, 25A surge	149.99
PS-52	Heavy duty power supply	269.99
DRU-3A	Digital recording unit	129.99
MC-43S	Extra 8-pin hand mic w/up-down	59.99
MC-60A	8-pin amp desk mic w/up-down	149.99
MC-80	8-pin electret desk mic w/up-down	109.99
MC-90	2-head DSP desk microphone	239.99
PG-2Y	13' DC cable	39.99
PG-22	6.5' heavy duty DC cable	37.99
SO-2	TCXO unit	179.99
SP-31	External speaker	99.99
VS-2	Voice synthesizer	69.99
TS-570D(G)	9-band Xcvr/Rcvr/AFDSP/tuner/mic	† 1099.99

Heil gold mic/stand/cable FREE w/TS-570D(G) thru 10/31/01

TS-570S(G) 9-band Xcvt/Gm/Rcvr/AFDSP/tune/mic † 1279.99

Heil gold mic/stand/cable FREE w/TS-570S(G) thru 10/31/01

KPS-15	23A switching ps w/fan, 25A surge	149.99
PS-53	Heavy duty 22.5A power supply	249.99
DRU-3A	Digital recording unit	129.99
MB-430	Mobile mounting bracket	49.99
MC-43S	8-pin hand mic w/up-down	59.99
MC-60A	8-pin amp desk mic w/up-down	149.99
MC-80	8-pin electret desk mic w/up-down	109.99
MC-90	2-head DSP desk microphone	239.99
PG-2Y	13' DC cable	39.99
PG-22	6.5' heavy duty DC cable	37.99
SO-2	TCXO unit	179.99
SP-23	External speaker	89.99
VS-3	Voice synthesizer	39.99
YK-88C-1	500 Hz CW filter	129.99
YK-88C-1	270 Hz CW filter	129.99
YK-88SN-1	1.8 KHz SSB filter	129.99
TS-50S	Compact HF Xcvt/SW Rcvr/mic/mt	† 699.99
KPS-15	23A switching ps w/fan, 25A surge	149.99
PS-53	Heavy duty 22.5A power supply	249.99
AT-50	External HF auto tuner	329.99
PG-4M	18' extension cable for AT-50	29.99

Kenwood - continued

AES Price

MB-13	Deluxe quick release mobile mt	55.99
MC-47	Extra multi-func 8-pin hand mic	59.99
MC-60A	8-pin amp desk mic w/up-down	149.99
MC-80	8-pin electret desk mic w/up-down	109.99
PG-2Y	13' DC cable	39.99
PG-2Z	6.5' heavy duty DC cable	37.99
SO-2	TCXO unit	179.99
SP-23	External speaker	89.99
TC-50/50Case	Travel case for TS-50S/60S	89.99
YK-107C	500 Hz CW filter	129.99
7-pin DIN plug		4.99
8-pin DIN plug		6.99
13-pin DIN plug		9.99
HS-5	Deluxe headphones	79.99
HS-6	Lightweight headphones	59.99
KPS-15	23A switching ps w/fan, 25A surge	149.99
LF-30A	1kw PEP low pass filter	64.99
SC-43S	8-pin hand mic w/up-down switch	59.99
MC-60A	8-pin amp desk mic w/up-down	149.99
MC-80	8-pin electret desk mic w/up-down	109.99
PG-3B	15A DC line noise filter	29.99
SP-50B	High quality external mobile speaker	55.99
TSU-5	Prog CTCSS decoder; TS-790A	64.99
TU-7	Prog encoder; 2550/751A/TW-4100A	54.99
TU-8	CTCSS tone unit; TS-450S/690S	54.99
UT-10	10w 1.2 GHz module; TS-790A	549.99
YG-455C-1	500 Hz CW filter; TS-450/690	149.99
TM-642AD	50w 2m/25w 220FM/backlit TTP mic	739.99
TM-742AD	50w 2m/35w 440 FM/backlit TTP	639.99
DFK-3	9' separate display cable kit	26.99
DFK-4	13' remote cable kit	59.99
DFK-7	Deluxe 22' remote cable kit	89.99
MJ-88	Modular to 8-pin mic adapter	30.99
PG-2N	Extra DC cable	17.99
TSU-7	CTCSS decoder unit	59.99
UT-50S	50w 6m unit	329.99
UT-220S	25w 220 MHz unit	329.99
UT-440S	35w 440 MHz unit	299.99
UT-1200	10w 1.2 GHz unit	399.99
DFK-4B	13' rem cable kit; TM-733A	29.99
DFK-7B	Dlx 22' rem cbl kit; TM-733A	49.99
TM-D700A	50w 2m/35w 440 FM/1200/9600	599.99
MB-201	Extra mobile bracket	25.99
MJ-88	Modular to 8-pin mic adapter	30.99
PG-2N	Extra DC cable	17.99
PG-4X	13' extension cable kit	69.99
PG-5A	Packet data cable	15.99
VS-3	Voice synthesizer	39.99
TM-G707A	50w 2m/35w 440 FM/TTP mic	299.99
TM-V7A	50w 2m/35w 440 FM Xcvr/TTP mic	419.99
DFK-3C	9' separate display cable kit	44.99
DFK-4C	13' remote cable kit	64.99
DFK-7C	Deluxe 23' remote cable kit	99.99
MB-201	Extra mobile bracket	25.99
MJ-88	Modular to 8-pin mic adapter	30.99
PG-2N	Extra DC cable	17.99
PG-4S	PC interface cable	32.99
PG-5A	Packet data cable	15.99
VS-3	Voice synthesizer	39.99
TM-331A	25w 220 FM Xcvr w/TTP mic	499.99
KQT-8/TSU-6	Prog CTCSS decoder	49.99
MB-201	Extra mobile bracket	25.99
PG-2N	Extra DC cable	17.99
TM-541A	10w 1.2 GHz FM Xcvr/TTP/encoder	449.99
DTU-2	Digital paging unit	14.99
KQT-8/TSU-6	Prog CTCSS decoder	49.99
MB-201	Extra mobile bracket	25.99
PG-2N	Extra DC cable	17.99
TM-261A	50w 2m FM Xcvr w/TTP mic	169.99
TM-461A	35w 440 FM Xcvr w/TTP mic	439.99
MB-201	Extra mobile bracket	25.99
PG-2N	Extra DC cable	17.99
TSU-8	CTCSS decoder	59.99

Kenwood - continued

AES Price

MC-52DM	Back-lit TTP mic; 241/331/441/541	79.99
MC-53DM	Back-lit TTP mic; 251/733/742/255/77A	79.99
Accessory for TH-75A/77A/25AT/26AT		
PG-3E	Cig cord w/filter for DC-1	\$ 9.99
Accessory for TH-28A/48A/78A		
ME-1	Memory expansion; also for TM-251A	D \$ 4.99
TH-22ATH	5w 2m FM HT/batt/cgr/TTP	219.99
TH-42AT	2.5w 440 FM HT/batt/cgr/TTP	229.99
TH-79AKSS	5w 2m/440 HT/batt/cgr/TTP	379.99
BT-9	4-AA battery holder	29.99
EMC-3	Lapel clip mic/ear piece	29.99
HMC-3	VOX/boom mic headset	59.99
KSC-8A	Drop-in cgr; 25/26/75/77/22/42/79	26.99
KSC-14	2-pack rapid charger	87.99
PB-33	1200ma 6v battery	89.99
PB-34	600ma 9.6v (5w) battery	89.99
PG-2W	DC cable w/fuse	17.99
PG-3J	Cig lighter cord w/filter	36.99
SC-41	Soft case; TH-79A(D) w/PB-32	D 4.99
SC-43	Soft case; TH-79A(D) w/PB-33/34	D 4.99
SMC-32	Mini water resist rt angle spkr/mic	52.99
SMC-33	Speaker/mic w/remote control	65.99
SMC-34	Spkr/mic w/vol cont/function keys	39.99
TSU-8	CTCSS decoder; TH-22/42AT	59.99
WR-2	Water resistant bag; TH-22/42AT	29.99
TH-G71A	5w 2m/440 FM HT/batt/cgr/TTP	269.99
TH-D7A(G)	5w 2m/440 FM HT/1200/9600 TNC	419.99
BT-19	Rapid charger	64.99
BC-11	4-AA battery holder	17.99
EMC-3	Lapel clip mic/ear piece	29.99
HMC-3	VOX/boom mic headset	59.99
J29-0631-13	Belt clip for batt; D7A/G71A	4.99
PB-38	650ma 6v battery	44.99
PB-39	600ma 9.6v (5w) battery	57.99
PG-2W	DC cable w/fuse	17.99
PG-3J	Cig lighter cord w/filter	36.99
PG-4P	Computer control cable; TH-G71A	32.99
PG-4V	VC-H1 connection cable TH-D7A(G)	49.99
PG-4W	PC software/cable; TH-D7A(G)	55.99
SC-45	Soft case for TH-G71A/PB-38/39	15.99
SC-47B	Black soft case for TH-D7A(G)	15.99
SC-470R	Orange soft case for TH-D7A(G)	15.99
SMC-32	Mini water resist rt angle spkr/mic	52.99
SMC-33	Speaker/mic w/remote control	65.99
SMC-34	Spkr/mic w/vol cont/function keys	39.99
WR-2	Water resistant bag; TH-G71A	29.99
TH-F6A	5w 2m/220/440 FM HT/lith ion batt	389.99
BT-13	AA battery case	25.99
EMC-3	Lapel clip mic/ear piece	29.99
HMC-3	VOX/boom mic headset	59.99
PB-42L	Extra lithium ion battery	79.99
PG-2W	DC cable w/fuse	17.99
PG-3J	Cig lighter cord w/filter	36.99
PG-4P	Computer control cable	32.99
SC-51	Soft case w/swivel belt clip	16.99
SMC-32	Mini water resist rt angle spkr/mic	52.99
SMC-33	Speaker/mic w/remote control	65.99
SMC-34	Spkr/mic w/vol cont/function keys	39.99
BT-10	6 AA alk batt case; TH-235A	D 2.99
PB-36	7.2v 950ma nicad batt; TH-235A	D 9.99
EZ-PASS WIN 95	No-code tech study package	D 9.99
VC-H1	Visual Communicator SSTV unit	399.99
E30-3352-08	16-pin DIN/underminated cbl	44.99
E59-0407-08	16-pin DIN plug only	29.99
KCT-24S	VCH-1 to PC software/cable	58.99
PG-4T	VC-H1 to Kenwood FM mobile cable	49.99
SC-46P	Protective case	18.99
EK-AMA1	Portable emergency kit special order	5399.99

CONSUMER ELECTRONICS

TKM-707	150w HF marine SSB Xcvr spec order	1249.99
KAT-1	HF marine auto ant tuner	569.99
UBZ-GM14	FRS black handheld/WX/vibrate	D 39.99
UBZ-LH14BK	Deluxe FRS black handheld	79.99

Kenwood - continued

AES Price

EMC-3	Label clip mic/ear piece	29.99
HMC-3	VOX/boom mic headset	59.99
SMC-34	Spkr/mic/vol cont/function keys	39.99
UBC-3	Nicad desk charger	D 16.99
UBC-4	Nicad desk charger	25.99
UPB-2	Nicad battery pack	24.99
USC-5B	Black nylon case; UBZ-LH14BK	15.99
UBZ-AL14BK	Family radio svc black handheld	D 29.99
UBZ-AM14BK	FRS black handheld	pair, D 59.99
USC-4B	Black nylon case; UBZ-LF14	4.99

KOSS (KOS)

HD/33	Computer stereo/vol control	4.99
HP/6	Port stereo/vol/adj headband	D 4.99
KTX/2	Portable stereo/adj headband	D 5.99
KTX/4	Collapsible stereo w/vol control	14.99
QZ/99	Noise reduction stereo w/mono sw	59.99
QZ/2000	Active noise reduction stereo	179.99
SP/5	Sideline yellow stereo	D 4.99

LDG (LDG)

AT-11MP-ASM	160-10m auto tuner, assembled	\$219.99
MP-AL-Cable	MP Alinco interface cable	5.99
MP-IC-Cable	MP Icom interface cable	5.99
RBA-1-ASM	Rem 4:1 balun; long/random/end fed	30.99
Z-11-ASM	30w QRP auto tuner, assembled	169.99

LAKEVIEW (LAK)

9175	75m 7' Hamstick antenna	\$ 24.99
9140	40m 7' Hamstick antenna	24.99
9130	30m 7' Hamstick antenna	24.99
9120	20m 7' Hamstick antenna	24.99
9117	17m 7' Hamstick antenna	24.99
9115	15m 7' Hamstick antenna	24.99
9112	12m 7' Hamstick antenna	24.99
9110	10m 7' Hamstick antenna	24.99
9106	6m 4.5' Hamstick antenna	24.99
901	Dipole mount for 2 Hamsticks	13.99
IM-1	Inducti-match for 75-12m mobile ant	17.99
TM-1	License plate mount, 3/4-24	44.99
TM-1-Plus	License plate mount, SO-239	44.99

LARSEN (LAR)

27-31 MHz ANTENNA

NMO-27B	10m black ant only (no mount)	\$ 36.99
NMO-27C	10m ant only (no mount)	33.99

47-54 MHz ANTENNA

NMO-50B	6m black ant only (no mount)	\$ 36.99
NMO-50C	6m ant only (no mount)	33.99

144-174 MHz ANTENNAS

NMO-150B	2m black ant only (no mt), 3 db	\$ 33.99
NMO-150C	2m ant only (no mount), 3 db	30.99

220-265 MHz ANTENNAS

NMO-220B	220 black ant only (no mt), 3 db	\$ 36.99
NMO-220C	220 ant only (no mount), 3 db	30.99

440-460 MHz ANTENNAS

NMO-440B	440 black ant only (no mt), 5 db	\$ 35.99
NMO-440C	440 ant only (no mount), 5 db	29.99

MM-2/70	2m/440 1/4 wave/2db mag mt ant	48.99
---------	--------------------------------	-------

NMO-2/70B	2m/440 blk ant only (no mt), 2/4db	64.99
-----------	------------------------------------	-------

NMO-2/70C	2m/440 ant (no mount), 2/4db	59.99
-----------	------------------------------	-------

NMO-2/70-SH	2m/440 ant (no mt), 1/4 ww/2db	38.99
-------------	--------------------------------	-------

NMO-012	135-160/148-173 2.5db (no mt)	D 19.99
---------	-------------------------------	---------

NMOQ-Spec	136-512 MHz 1/4 wave ant (no mt)	12.99
-----------	----------------------------------	-------

NMOQ-Spec-B	136-512 black 1/4 ww ant (no mt)	15.99
-------------	----------------------------------	-------

NMOQ-Spec-K	136-512MHz 1/4 ww 3/4" hole ant	27.99
-------------	---------------------------------	-------

NMOQ-2/70-B	2m/440 1/4 ww cell look ant (no mt)	D 34.99
-------------	-------------------------------------	---------

ON GLASS ANTENNAS

KG-144-UD-PL	2m 3 db on glass antenna	\$ 76.99
--------------	--------------------------	----------

KG-220-UD-PL	220 3 db on glass antenna	76.99
--------------	---------------------------	-------

KG-440-UD-PL	440 2.4 db on glass antenna	70.99
--------------	-----------------------------	-------

KG-2/70-CX-PL	2m/440 2.5/4.5db on glass	111.99
---------------	---------------------------	--------

KG-Reinstall	Reinstall kit for KG-ants	6.99
--------------	---------------------------	------

Larsen - continued

AES Price

KULDUCKIES - For Hand-helds

KD4-146 2m BNC Kulduckie	\$ 19.99
KD4-270 2m/440 BNC Kulduckie	33.99
KD4-222 220 BNC Kulduckie	19.99
KD14-445 440 1/4 wave BNC Kulduckie	18.99
KD4-146-HQ 2m part helical, part 1/4 wave BNC	24.99
KD14-2M-HW 2m 1/2 wave BNC antenna	37.99
KD14-440-HW 440 1/2 wave BNC antenna	37.99

ACCESSORIES

BSA-K Base mtg kit; NMO/UHF mt mobile ant	\$ 50.99
NMO-B38 NMO mt hdw/A-7 NLA adapter	13.99
NMO-CAP-B Black rain cap for NMO mount ..	4.99
NMO-K 3/4" hole mt w/coax for NMO ant	15.99
NMO-MM Magnet mt, coax for NMO ant	31.99
NMO-TLP Low profile tnl lid mt, coax; NMO ant	29.99
PO-K Roof mt, coax for SO-239 ant	27.99
PO-MM Magnet mt, coax for SO-239 ant	35.99
PO-TLM Trunk lip mt, coax for SO-239 ant ..	24.99
RG-SS Extra super seal NMO gaskets (3)	3.99
SPRING Shock spring	10.99
TMB-34 Trunk mtg bkt for NMO antenna	5.99
TMB-34B Black trunk mtg bkt for NMO ant ..	7.99
W-270B 2m/440 black replacement whip ...	24.99
W-490 49" replacement whip	9.99
W-490B Black 49" replacement whip	12.99

LOGSAT (LOG)

Logsat Professional Satellite tracking CDROM	\$ 69.99
--	----------

M² (MSQ)

KT-36XA 20/15/10m 6el 32' boom beam.....	1373.99
40M-1LXD 6.9-10 MHz rotatable dipole	494.99
20M-4DX 20m 7.4db 4el 34' boom beam	582.99
17M-3DX 17m 6.3db 3el 18' boom beam	439.99
17M-5DX 17m 8.6db 5el 36' boom beam	582.99
15M-4DX 15m 8.5db 4el 33' 8" boom beam ..	494.99
12M-4DX 12m 8.6db 4el 27' boom beam	439.99
10M-4DX 10m 8.7db 4el 23' boom beam	439.99
6M-3 6m 50-50.6 or 51-54 6.4db 3el 6'9" bm beam	138.99
6M-5X Upgrade Kit; 6M-5 to 6M-5X	49.99
6M-5X 6m 50-50.5 or 51-54 9.4db 5el 18' bm beam	230.99
6M-7JHV 6m 50-50.4 10.9db 7el 30'8"bm beam	287.99
6M-2WLE 6m 49.7-50.5 11.9db 9el 39' 6" boom T*	507.99
6M-9KHW 6m 50-50.4 12.7db 9el 49' 4" bm beam	549.99
6M-HO-LOOP 6m 50-50.3 4.4db horiz loop ant	103.99
6" x 1/2" 3/8-24 mobile mast for loop	9.99
16" x 1/2" 3/8-24 mobile mast for loop	11.99
18" x 5/8" 3/8-24 mobile mast for loop	15.99
36" x 1/2" 3/8-24 mobile mast for loop	25.99
50" x 1/2" 3/8-24 mobile mast for loop	28.99
MAST BKT KIT For 6M-HO-LOOP	17.99
2M-4 2m 7.5db 4el 4' boom beam	103.99
2M-7 2m 10.3db 7el 8'10" boom beam	127.99
2M-9FM 2m 145-148 12db 9el 14' 6" bm beam	138.99
2M-9SSB 2m 144-146 12db 9el 14' 6" bm beam	138.99
2M-12 2m 12.8db 12el 19'6" boom beam	184.99
2M-5WL 2m 14.8db 17el 33' boom beam	230.99
2M-18XXX 2m 144-146 15.3db 18el 36'3" bm beam	264.99
2M-8WLD 2m 144-144.7 17db 21el 55' bm beam	611.99
2M-CP14 2m 10.3db 7h/7v 10'6"bm circ beam	195.99
2M-CP22 2m 12.5db 11h/11v 18'6"bm circ beam	264.99
PS-2M 2m polarity switch; circ pol beam ..	161.99
FG X-Boom Kit For circular antennas, etc.	149.99
2M-XP20 144-146 13.3db 10h/10v 21.5' bm cross pol	230.99
2M-XP28 144-146 15.1db 14h/14v 34.5'bm cross pol	318.99
2M5-440XP 2m/440 9/12db 5/10el 5'8" bm beam	184.99
2M-HO-LOOP 2m 144-144.5 4.86db horiz loop	47.99
6" x 1/2" 3/8-24 mobile mast for loop	9.99
16" x 1/2" 3/8-24 mobile mast for loop	11.99
18" x 5/8" 3/8-24 mobile mast for loop	15.99
36" x 1/2" 3/8-24 mobile mast for loop	25.99
50" x 1/2" 3/8-24 mobile mast for loop	28.99
Big-Foot 4x-mag mt; 2M-HO-LOOP stack/etc	109.99
MAG-KIT Magnet mt kit; single 2m-HO-LOOP	22.99

M² - continued

AES Price

MAST BKT KIT For 2M-HO-LOOP	17.99
STACK-KIT Stack kit for 2 2m-HO-LOOP's	67.99
TOP BKT KIT For 2M-HO-LOOP	22.99
EB-144 2m Eggbeater omni/hor/rhc overhead	150.99
RK-2M 2m 6db overhead reflector kit/base mt	43.99
222-7EZ 220 9.8db 7el 5' 8" boom beam	103.99
222-10EZ 220 12db 10el 9' 9" boom beam ..	114.99
222-5WL 220 15.2db 15el 23'3" boom beam	184.99
222-7WL 220 16.4db 23el 32'5" boom beam	230.99
222-XP30 220 15.2db 15h/15v 24'3"bm cross pol	318.99
222-HO-LOOP 220-224 4.75db horiz loop ant ..	47.99
6" x 1/2" 3/8-24 mobile mast for loop	9.99
16" x 1/2" 3/8-24 mobile mast for loop	11.99
18" x 5/8" 3/8-24 mobile mast for loop	15.99
36" x 1/2" 3/8-24 mobile mast for loop	25.99
50" x 1/2" 3/8-24 mobile mast for loop	28.99
MAG-KIT Magnet mt kit; single 222-HO-LOOP	22.99
440-470-5W 440-470 7.8db 5el 2'2"bm beam	150.99
420-50-11 432 11.3db 11el 5' bm rear mt beam	103.99
440-18 432 14.5db 18el 11'4" boom beam ..	138.99
440-21ATV 432 15.9db 21el 14'6" bm ATV beam	161.99
436-CP30 432 14.5db 15h/15v 9'9"bm circ beam	264.99
436-CP42UG 432 16.8db 21h/21v 18'10"bm circ	310.99
PS-70CM 432 polarity switch; circ pol beam	161.99
FG X-Boom Kit For circular antennas, etc.	149.99
432-9WL 432 17.3db 28el 21' boom beam ...	195.99
432-13WLA 432 18.6db 38el 30'8" bm beam	264.99
432-HO-LOOP 430-436 5db horiz loop ant ...	47.99
6" x 1/2" 3/8-24 mobile mast for loop	9.99
16" x 1/2" 3/8-24 mobile mast for loop	11.99
18" x 5/8" 3/8-24 mobile mast for loop	15.99
36" x 1/2" 3/8-24 mobile mast for loop	25.99
50" x 1/2" 3/8-24 mobile mast for loop	28.99
Big-Foot 4x-mag mt; 432-HO-LOOP stack/etc	109.99
MAG-KIT Mag mt kit; single 432-HO-LOOP	22.99
STACK-KIT Stack kit; 2 432-HO-LOOP's	67.99
TOP BKT KIT For 432-HO-LOOP	22.99
EB-432 432 Eggbeater omni/hor/rhc overhead	138.99
RK-70CM 432 6db overhead reflector kit/base mt	43.99
902-6M 900MHz 10db 6el 2' boom beam	68.99
902-10EZ 900MHz 12.6db 10el 3'5"bm beam	103.99
902-18EZ 900MHz 14.8db 18el 5'4"bm beam	150.99
902-14WLA 900MHz 18.8db 40el 15'4" bm beam	230.99
23CM-2PZEA 1.2GHz 16db 22el 5'2" bm beam	138.99
23CM-35 1.2GHz 18.4db 35el 10' bm beam ..	172.99
2M-2-Port-PD 2m 2-port type N power divider	65.99
70CM-2-Port-PD 432 2-port N power divider	65.99
23CM-2-Port-PD 1.2GHz 2-port N power divider	65.99
FAST MAST 20' extended portable alum mast	183.99
OR-2800PDC 35 sq ft azimuth rotor/control/8-wire	1572.99
RC-2800PP Control box; prop pitch .spec order	549.99

*These items are drop-shipped (shipped direct to you from the M² factory). On these factory drop-shipments we prefer payment in full with order, however, we will accept your credit card with the understanding that we will process the charge when we order the merchandise from the factory. This means that you may be billed before you receive your drop-shipped merchandise. Shipment is FOB Fresno, California via truck, COD for freight charges only. Freight charges will be collected upon delivery by the carrier. Please allow sufficient time for delivery on these special order items.

MFJ ANTENNA TUNERS (MFJ)

989C Dlx 3kw PEP w/roller inductor	\$319.99
986 3kw PEP w/roller inductor	299.99
962D 1.5kw PEP/meter/switch/balun/roller ind	249.99
969 HF & 6m 300w roller inductor tuner	189.99
949E 300w/PEP meter/dummy/switch/balun	139.99
948 300w/meter/switch/balun	119.99
941E 300w tuner w/meter, switch, balun	109.99
945E 300w tuner w/meter plus 6m	99.99
20 Mobile bracket for 945E	4.99
901B Versa Tuner 200w ant tuner	79.99
910 80-10m mobile antenna matcher	19.99
16010 200w random wire tuner	49.99

MFJ - continued

AES Price

903 6m antenna tuner	49.99
906 6m antenna tuner w/wattmeter	79.99
914 Auto tuner extender	59.99
921 2m/220 300w PEP tuner/SWR/wattmeter	69.99
922 2m/440 150w tuner/SWR/wattmeter	79.99
924 440 MHz 300w PEP tuner/SWR/wattmeter	69.99
934 300w tuner w/artificial ground	169.99
940A 10m antenna tuner/SWR/wattmeter ..D	59.99

MEMORY KEYS

451 Dedicated CW keyboard w/memory	\$ 99.99
451X Morse keyboard interface only	64.99
452 CW keyboard/keyst w/disp/keyboard	129.99
452X CW keyboard/keyst w/disp, no keyboard	99.99
498 Dlx CW keyboard/keyst w/disp/keyboard	179.99
498X Dlx CW keyboard w/disp, no keyboard Δ	109.99
490 492 keyer/Bencher paddle combo	184.99
490X 492 keyer for use w/Bencher or 564	99.99
564 Deluxe iambic paddle for 490X	49.99
492 192 char menu driven memory keyer	89.99
80 8000 char memory expansion for 492 Δ	14.99
492X Memory keyer w/8000 char expansion Δ	89.99
78 Remote control for 492/492X	19.99
493 32K char menu driven mem keyer	129.99
79 Remote control for 493	29.99
551 IBM AT-101 keyboard for 493	39.99
5409 9-pin serial port 6' cable for 493	12.99
5425 25-pin serial port 6' cable for 493 ...	12.99

ELECTRONIC KEYS

407D Deluxe electronic keyer	\$ 69.99
401D Econo keyer	49.99

KEYER/PADDLES

422D Keyer/Bencher paddle combination	\$154.99
422DX Keyer only	79.99
441 SlimLine econo keyer	59.99
442 SlimLine keyer/Bencher paddle combo ...	149.99
442X SlimLine keyer only	69.99
447 SlimLine deluxe keyer	79.99
564 Deluxe iambic chrome paddle	49.99
564B Deluxe iambic black paddle	49.99

COMPUTER INTERFACES

1224 Interface	\$ 99.99
1265 Disk software for VIC/C64; 1224	9.99
1285 Software for IBM; 1224	19.99
1265B Disk software; VIC/C64; 1225	49.99
1270C Packet radio TNC2	119.99
47B Mailbox 128k memory; 1270/1274	39.99
47C Mailbox 512k memory; 1270/1274	69.99
1278B Multi-mode controller w/Pactor	279.99
1278B/DSP Controller w/Pactor & DSP	359.99
45A 32K RAM IC only	2.99
48 1278 upgrade	24.99
48B 1278B upgrade	19.99
52 TNC2 deviation meter board	29.99
52B FM dev/temp/volt meter for TNC	24.99
780 DSP data filter for 1278B	89.99
1282 C64 starter pack	9.99
1282B Multicom package; C64/128	19.99
1282BD Multicom 64 disk only	4.99
1284 5 1/4" IBM starter pack	19.99
1284D 1284 disk only	4.99
1284M 3 1/2" IBM starter pack	24.99
1284MD 1284M disk only	9.99
1284W MFJCOM for Windows	29.99
1287 Macintosh starter pack	9.99
1287B Mac multicom starter pack	29.99
1287BD 1287B disk only	4.99
1287D 1287 disk only	1.99
1288 Packet terminal program	1.99
1289 5 1/4" multicom software for IBM	19.99
1289D 1289 disks only	4.99
1289M 3 1/2" multicom software for IBM	59.99
1289MD 1289M disks only	29.99
1289W Multicom for Windows with cable ..	59.99

MFJ - continued**AES Price**

1289WD Multicom for Windows, less cable	49.99
1214PC Multimode interface for IBM	139.99
40B TNC2 upgrade 32K/RAM	D 1.99
40C TNC2 upgrade 32K	D 9.99
43 Real time clock for TNC	19.99
781 DSP filter for any TNC or controller	119.99
1271 Packet card for C64/128	D 14.99
1272B TNC to microphone interface	39.99
1272BYH TNC/mic switch; KAM HF	39.99
1272BYV TNC/mic switch; KAM VHF	39.99
1272M TNC/mic RJ-45 switch; MFJ/PK-900	39.99
1272MYH TNC/mic RJ-45 switch; KAM HF	Δ 29.99
1272MYV TNC/mic RJ-45 sw; KAM VHF; KPC3	39.99
1273 Packet tuning indicator	D 2.99

SSB/CW FILTERS

722 SSB/CW notch filter	Δ \$ 59.99
751B Super tunable CW audio filter	69.99
752C Dual tunable SSB/CW filter	89.99
784B Deluxe tuneable DSP filter	229.99
5184 Cable pack for 784B	7.99

PHONE PATCH

624D Phone patch w/audio VU meter	\$119.99
-----------------------------------	----------

DUMMY LOADS

250 2kw PEP dummy load w/oil	\$ 59.99
250X 2kw PEP dummy load, less oil	39.99
21 1 gal industrial xfmr oil for wet dummy	24.99
260C 300w 0-650 MHz dry dummy load	34.99
260CN 300w 0-650 MHz type N dry dummy	39.99
264 1.5kw 0-650 MHz dry dummy load	69.99
264N 1.5kw 0-650 MHz type N dry dummy	79.99

SWR/WATTMETERS

812B 144-220 MHz SWR/FS/wattmeter	\$ 34.99
815B 160-6m cross-needle SWR/wattmeter	79.99
816 1.8-30 MHz toroidal SWR/wattmeter	34.99
817 2m/440 cross needle meter	89.99
840 2m 5w wattmeter/dummy load for HT	Δ 12.99
841 2m 5w in-line HT wattmeter/SWR	39.99
844 Compact 2m/440 SWR/wattmeter	69.99
860 1.8-60 MHz cross-needle meter	44.99
862 2m/220/440 cross-needle meter	54.99
864 1.8-60MHz/2m/440 cross needle meter	84.99
870 1.6-60MHz Grandmaster SWR/wattmeter	124.99
872 1.8-200MHz Grandmaster SWR/wattmeter	94.99
873 125-525MHz Grandmaster SWR/wattmeter	104.99
874 1.8-525MHz Grandmaster SWR/wattmeter	159.99

SHORTWAVE ACCESSORIES

306 Car radio SWL converter	\$ 89.99
956 LW/MW/SW preselector/tuner	49.99
959B SW receiver ant tuner w/preamp	D 89.99
959C SW receiver ant tuner w/preamp	99.99
1020C .3-30 MHz indoor active receive ant	79.99
1022 300KHz-200MHz active rcv antenna	49.99
1024 .05-30 MHz outdoor active rcv ant	129.99
1040B Deluxe receiver preselector	99.99
1045C Receiver preselector	69.99

BOOKS

30 Golden Classics book	\$ 9.95
31 Oscar book	Δ 3.99
32 Packet Made Easy book	9.95
33 Mobile Handbook book	12.95
35 World of Ham Radio book	Δ 4.99
36 Shortwave Listeners Guide; Apts/Condos	9.95
37 Ham Communications Circuit Files book	9.95
38 Easy-up Antennas book	16.95
3036 The Packet Radio Operators book	12.95
3101 Fox Hunt Adventure book	7.95
3211 Technician license guide	9.95
3213 General license guide	9.95
3215 Extra license guide	9.95
3301 Troubleshooting Antenna & Feedlines book	12.95
3302 73 Dipole and Long-Wire Antennas	12.95
3303 73 Vertical, Beam, and Triangle Ants	12.95

MFJ - continued**AES Price**

3305 Antennas & Transmission Lines book	19.95
3400 Morse Code: Breaking the Barrier	19.95
3502 Solid State QRP Projects	12.95
3504 FET Principles, Experiments & Projects	16.95
3506 Ferromagnetic-Core Design book	19.95
3507 Practical RF Design Manual	19.95
3508 Radio Components Handbook	D 12.99
3509 Ladder Crystal Filters	19.95

CLOCKS

105C 24-hour quartz wall clock	\$ 19.99
107B 24-hour digital clock	9.99
108B 24/12-hour dual disp digital clock	19.99
112B Deluxe world map clock	24.99
114B Giant LED desk/wall 12/24-hr clock	D 49.99
113 24/12-hr 1.8" LED clock/batt back-up	19.99
115 DX'er 24-hour analog world wall clock	24.99
116DC 12-hour 12vdc LED clock	Δ 9.99
118 Giant 24/12 hour LCD clock	24.99
119 Giant 24/12 hour LCD/in temp clock	D 24.99
119B Giant 24/12 hour LCD/in temp clock	Δ 29.99
123 Eternity solar atomic clock	79.99
125 Calendar 24-hour analog wall clock	29.99
126 Multi-color 12-hr quartz wall/24-hr trim	Δ 19.99
128 12/24 hour analog atomic wall clock	59.99
132AT 12-hour LCD see-thru clock	Δ 19.99
134AT 24-hour LCD see-thru clock	Δ 19.99
152B Thermo clock; in/out temp/12/24-hr clock	24.99

ANTENNAS

343 1½" hole mount for 3/8-24 whip	\$ 9.99
1402 2m/440 3/5.5db 16.5" 100w ant only	34.99
1410 2m/440 3/5.5db 40" 200w ant only	49.99
1422 2m/440 3.2/5.7db 41.5" 150w ant only	49.99
1432 2m/440 5/7.6db 62.5" 150w ant only	69.99
1436 6m/2m/440 2.15/4.5/7.2db 59" ant only	79.99
333BM 3.5" HiFlux NMO mag mt; not 1436	14.99
333BS 3.5" HiFlux SO-239 magt mt not 1436	14.99
335BM 5" HiFlux NMO mag mt; not 1436	19.99
335BS 5" HiFlux SO-239 mag mt; not 1436	19.99
340 Mirror/luggage pipe clamp mount	34.99
345 Trunk/hatchback lip mount	34.99
1516 2m 15' vertical base antenna	94.99
1532N 2m/440/1.2GHz 8.2" N vert base ant	Δ 79.99
1621 40-10m 54" portable ant w/tuner	89.99
1710 2m ¾ wave telescopic antenna	9.99
1712 2m/440 telescopic antenna	14.99
1713 2m/440 SuperFlex Thin Duk HT ant	19.99
1713S 2m/440 SuperFlex SMA Thin Duk ant	19.99
1714 2m ¾ wave telescopic antenna	16.99
1715 2m/440 SuperFlex gain Thin Duk HT ant	24.99
1715S 2m/440 SuperFlex gain SMA Thin Duk	24.99
1716 2m/440 duck for HT	16.99
1716S 2m/440 SMA duck for HT	16.99
1717 2m/2.15db 440 duck for HT	21.99
1717PL 2m/440 foldover flexi-duck, PL-259	24.99
1717S 2m/2.15db 440 SMA duck for HT	21.99
1719 2m/440/1.2GHz Midget Duck	19.99
1719S 2m/440/1.2GHz SMA Midget Duck	19.99
1720S 6m/2m/440 SMA Duck	29.99
1721 2m HT UltraLite mag mt antenna	14.99
1722 2m/440 HT UltraLite mag mt antenna	18.99
1724B 2m/440 magnet mt antenna	16.99
1727 10m magnet mt antenna	39.99
1728B 6m ¼ wv/2m ¾ wv mag ant/PL259/BNC	29.99
1729 2m/440 magnet mt antenna	34.99
1730 2m pocket roll-up vertical antenna	19.99
1734 2m/440 2.6/6.3db glass mt antenna	39.99
1736 6m J-Pole travel antenna	29.99
1738 2m 2.6db glass mt antenna	29.99
94 Remount kit for 1734/1738	4.99
1740 2m ¾ wave ground plane ant	19.99
1750 2m ¾ wave ground plane ant	24.99
1752 220 ¾ wave ground plane ant	24.99
1754 2m/440 ground plane antenna	29.99

MFJ - continued**AES Price**

1756 6m DX vertical antenna	79.99
1762 6m 6db 3 el 6' boom beam	79.99
1763 2m 3el portable beam	44.99
1764 2 & 6m dual ¾ super gain base ant	49.99
1768 2m/440 4/7 el beam antenna	79.99
1778 G5RV 160-10m 102' ant (needs tuner)	39.99
1786 Super Hi-Q 10-30 MHz loop/dlx control	349.99
1312B 12vdc 300ma adapter; 1782/1786	14.99
1788 Super Hi-Q 40-15m loop/dlx controller	389.99
1796 40/20/15/10/6/2m 10' vertical ant	189.99
1798 80/40/30/20/17/15/12/10/6/2m 20' vert	269.99
1816 2m/440 8.5" flexible/telescopic duck	Δ 9.99
1817 2m/440 14.5" flexible/tele duck	D 24.99
1828B Magnet mt BNC scanner antenna	D 9.99
1828M Mag mt Motorola plug scan ant	D 4.99
1899T 80-6m telescopic antenna for FT-817	129.99
1910 33' telescoping fiberglass mast	79.99

CABLES

5020 MFJ TNC - Yae FT50R/compat	\$ 15.99
5020YV KAM VHF/KPC3 - Yae FT50R/compat	15.99
5022 MFJ TNC - Alinco/Standard HT cable	15.99
5022YV KAM VHF/KPC3 - Ali/Sta HT cable	15.99
5024 MFJ TNC - Ico/Yae/Alir/RS HT cable	15.99
5024B PK/PacComm/compat - Ico/Yae/RS	15.99
5024YV KAM VHF/KPC3 - Ico/Yae/Alir/RS HT	15.99
5026 MFJ TNC - Kenwood HT cable	15.99
5026X PK-232 - Kenwood HT cable	Δ 6.99
5026YV KAM VHF/KPC3 - Kenwood HT cable	15.99
5026Z PK-88 - Kenwood HT cable	Δ .99
5060 MFJ TNC - Ken/Yae acc 6-pin mini DIN	19.99
5060YQ KPC9612 - Ken/Yae acc 6pin mini DIN	19.99
5060YV KAM VHF/KPC3 - Ke/Ya acc 6pin mni DIN	19.99
5063 MFJ TNC - Icom HF acc 8-pin DIN	19.99
5063YH KAM HF - Icom HF acc 8-pin DIN	19.99
5064 MFJ TNC - Icom VHF acc 8-pin DIN	19.99
5064YQ KPC9612 - Icom VHF 8-pin DIN	Δ 9.99
5064YV KAM VHF/KPC3 - Ico VHF acc 8pin DIN	Δ 9.99
5065 MFJ TNC - Ico IC-706 acc 13-pin DIN	19.99
5065YH KAM HF - Ico IC-706 acc 13-pin DIN	19.99
5065YV KAM VHF - Ico IC706 acc 13-pin DIN	19.99
5066 MFJ TNC - Kenwood HF acc 13-pin DIN	19.99
5066YH KAM HF - Ken HF acc 13-pin DIN	19.99
5080 MFJ TNC - Yaesu 8-pin cable	15.99
5080M MFJ TNC - Yaesu 8-pin modular	15.99
5080MYV KAM VHF/KPC3 - Yae 2500M/7400H	15.99
5080MZ PK-88 - Yae 2500M/7400H	D .99
5080YH KAM HF port - Yaesu 8-pin cable	15.99
5080YV KAM VHF/KPC3 - Yaesu 8-pin cable	15.99
5082 Open end - 8-pin mic cable	9.99
5084 MFJ TNC - Icom 8-pin cable	15.99
5084M MFJ TNC - Icom 8-pin modular	15.99
5084MYV KAM VHF/KPC3 - Icom 8-pin mod	15.99
5084YH KAM HF port - Icom 8-pin cable	15.99
5084YV KAM VHF/KPC3 - Icom 8-pin cable	15.99
5086 MFJ TNC - Kenwood/Ainco 8-pin cable	15.99
5086M MFJ TNC - Kenwood 8-pin modular	15.99
5086MYV KAM VHF/KPC3 - Ken 8-pin mod	15.99
5086YH KAM HF port - Ken/Alir 8-pin cable	15.99
5086YV KAM VHF/KPC3 - Ken/Alir 8-pin cable	15.99
5088M MFJ TNC - Radio Shack 8-pin modular	15.99
5205 5-pin DIN open end cable	4.99
5208 Open end - Ico HF/VHF acc 8-pin DIN	9.99
5213 Open end - Kenwood acc 13-pin DIN	9.99
5220R/5220 Open end - Yae FT50R/compat	9.99
5222 Open end - Ali split HT cable	9.99
5224 Open end - Ico/Yae/Alir/RS HT cable	9.99
5226 Open end - Kenwood HT cable	Δ 7.99
5268 Open end - modular phone plug cable	9.99
5412 IBM printer cable	9.99
5413 RS-232 6' cable DB-25M-25F	Δ 4.99
5414 RS-232 6' cable DB-25M-9F	9.99
5803/10 3' coax jumper cable	5.99

MFJ - continued**AES Price****RADIOS/TRANSCIVERS**

8100K	Shortwave regenerative Rcvr kit	\$ 69.99
8100W	Shortwave regenerative Rcvr wired ...	89.99
8121	AM/FM/shortwave portable receiver	39.99
8400K	2m receiver kit	39.99
8400W	2m receiver wired	59.99
8621	5w 2m data radio w/145.01 MHz	139.99
8621X2	5w APRS ready 2m data radio/144.39 ..	149.99
4110	Portable AC power supply	49.99
5100	Data radio cable - MFJ/TAPR	15.99
5100X	Data radio cable - PK-232	2.99
5100YH	Data radio cable - KPC-9612	6.99
5100YV	Data radio cable - KAM/KPC-3	15.99
5106	Open end - 6pin mini Ken/Yae cable ..	4.99
9015	5w 15m CW Xcvr	169.99
9020	5w 20m CW Xcvr	169.99
9030	5w 30m CW Xcvr	169.99
9040	5w 40m CW Xcvr	169.99
27	Handle for CW station	4.99
412	Plug-in Curtis keyer	49.99
726	Plug-in audio filter	29.99
971	200w portable ant tuner w/meter	99.99
1770	Portable 15m dipole	29.99
1771	Portable 17m dipole	29.99
1772	Portable 20m dipole	39.99
1773	Portable 30m dipole	24.99
1774	Portable 40m dipole	39.99
4110	Portable AC power supply	49.99
4114	Rechargeable power pack	69.99
9115B	9015 Xcvr/tuner/ps/ant package	269.99
9117B	9017 Xcvr/tuner/ps/ant package	249.99
9120B	9020 Xcvr/tuner/ps/ant package	269.99
9130B	9030 Xcvr/tuner/ps/ant package	329.99
9140B	9040 Xcvr/tuner/ps/ant package	329.99
9402X	7w PEP 2m SSB Xcvr w/mic	269.99
9406X	10w PEP 6m SSB Xcvr w/mic	249.99
9410X	20w PEP 10m SSB Xcvr w/mic	249.99
9420X	12w 20m SSB Xcvr w/mic	229.99
9440X	12w 40m SSB Xcvr w/mic	229.99
9475X	12w 75m SSB Xcvr w/mic	229.99
415B	SSB Xcvr CW adapter; 9420X/9440X ..	49.99
416	CW adapter for 9402X/9406X/9410X ..	49.99
971	200w HF portable ant tuner w/meter ..	99.99
1770A	10m dipole for 9410X	39.99
4110	Portable AC power supply	49.99
4114	Rechargeable power pack	69.99

ACCESSORIES

1305	5vdc 300ma adapter	\$ 8.99
1306	6v 300ma adapter	14.99
1312	12vdc 300ma adapter, 2.5mm plug	14.99
1312B	12vdc 300ma adapter, 2.1mm plug ..	14.99
1315	12vdc 500ma adapter	14.99
1316	12vdc 1.5A adapter	19.99
15	HamGear belt loop radio holder	14.99
18	HamGear chest harness/cargo pocket	29.99
92AA01	1300ma AA NiMH cell	2.99
92AA10	10-pack 1300ma AA NiMH cells	24.99
201	1.5-250 MHz dip meter	109.99
202B	RF noise bridge	59.99
203	160-10m bandswitched dip meter	69.99
204B	HF Antenna bridge	79.99
206	Antenna current probe	59.99
207	160-10m SWR analyzer	79.99
208	2m SWR analyzer	79.99
209	1.8-170 MHz SWR analyzer	129.99
212	MatchMaker tune up device	79.99
214	Amplifier Saver	34.99
216	Deluxe Amplifier Saver	44.99
218	SWR analyzer, 150-170 MHz	29.99
219B	SWR analyzer, 440 MHz/N/SO-239 adapt ..	89.99
224	2m FM signal analyzer	149.99
249B	1.8-170 MHz SWR anal/LCD counter ..	219.99
259B	1.8-170 MHz SWR anal/RF res meter ..	239.99

MFJ - continued**AES Price**

269	1.8-170+440 MHz SWR anal/RF res mtr	319.99
29C	Carrying case w/window; 209/249B/259B	24.99
39C	Carrying case w/window; 269	24.99
66	1.8-30/30-170 dip coils; 209/249B/259B	19.99
92AA10	10-pack 1300ma AA NiMH cells ...	24.99
98	Package of 39C/66/1315 for 269	54.99
98B	Pack of 92AA10/39C/66/1315 for 269 ..	77.99
99	Pack of 29C/66/1315; 209/249B/259B ..	54.99
99B	Pack; 92AA10/29C/66/1315; 209/249B/259B	77.99
99C	Pack - 92AA10/1315; 209/249B/259B/269	34.99
731	RFI filter for SWR analyzer	89.99
1315	12vdc 500ma ps for SWR analyzers ..	14.99
270	Guardian Angel 400w PEP lightning protect	29.99
97	Gas tube plug for 270	9.99
281	ClearTone communications speaker	12.99
285W(CC)	Mini spkr/mic; Alinco credit card HTs	17.99
287	Mini spkr/mic; Kenwood	9.99
288I	Headset/mic; Icom/ADI/Sta/RS/older Yae	24.99
288K	Headset/mic for Kenwood	24.99
288Y	Headset/mic; Ico Q7/Yae FT10/50/VX1 ..	24.99
291K	Earphone for Kenwood spkr/mic	2.99
292I	Earph/mic; Ico/older Yae/compatibles ..	17.99
292K	Earphone/mic for Kenwood HT	9.99
292Y	Earphone/mic; Ico Q7/Yae FT10/50/VX1 ..	17.99
293I	Rubber flex earloop earbud/mic; Icom ..	24.99
293K	Rubber flex earloop earbud/mic; Kenwood	24.99
293Y	Rubber flex earloop earbud/mic; Yaesu	24.99
295I	Mini spkr/mic; Icom & compatible HT ...	15.99
295K	Mini spkr/mic; Kenwood & compatible HT	15.99
295Y	Mini spkr/mic; Ico Q7/Yae FT10/50/VX1	15.99
296I	Spkr/mic w/vol control, PTT lock; Icom ..	19.99
297	Desk mic with flexible boom	69.99
5082	Open end - 8-pin mic cable for 297 ..	9.99
5268	Open end - mod phone plug cbl; 297 ..	9.99
5397I	Cable/8-pin for 297; Icom HF	15.99
5397K	Cable/8-pin for 297; Kenwood HF ...	15.99
5397Y	Cable/8-pin for 297; Yaesu HF	15.99
5397MX	Cable/modular for 297; Icom/Kenwood	15.99
5397MY	Cable/modular for 297; Yaesu	15.99
310	BNC HT antenna window mount clip	14.99
315	Universal Gripmatic HT mount holder ..D	14.99
323	Keep-it-up battery maintainer	4.99
338S	5" tri-mag mount, SO-239	39.99
338T	5" tri-mag mount, ¼-24	39.99
341M	17' antenna cable; NMO	19.99
341S	17' antenna cable; SO-239	19.99
382	Deluxe amplified communications spkr ..	39.99
384	Dlx amp spkr w/speech control knob	29.99
1306	6v 300ma adapter for 384 only	14.99
388	Cyber Ear 12db ear amplifier	29.99
392	Deluxe communication headphones	19.99
394	Boom mic/single headphone	74.99
396	Boom mic/headphones	79.99
1709	PTT operator foot switch; 394/396 ...	21.99
5396I	Adapter; 394/396 with Ico Xcvr	15.99
5396K	Adapter; 394/396 with Ken Xcvr	15.99
5396Y	Adapter; 394/396 with Yae Xcvr	15.99
413	Basic Code Tutor	14.99
414	Professional Morse Tutor w/LCD	189.99
417	Code Tutor with QSO	59.99
418	Code Tutor with LCD display	79.99
434	Deluxe Voice Memory Keyer	169.99
73	Remote control head w/cable for 434 ...	29.99
461	Packet size Morse code reader	79.99
462B	RTTY/ASCII/CW/AMTOR Rcvr multi-reader	169.99
5162	Receiver cable for 461/462B	4.99
550	Hand key	7.99
552	CW interface for 2m HT	49.99
554	Deluxe CW practice oscillator	79.99
557	Code oscillator w/key	29.99
616	Speech intelligibility enhancer	159.99
1316	12vdc 1.5A adapter	19.99
281	ClearTone speaker (requires 2)	12.99
392	Deluxe communication headphones ...	19.99

MFJ - continued**AES Price**

631	Trickle wall charger; NiMH/nicad AA	9.99
632	Rapid charger; NiMH/nicad AA/AAA	19.99
641-12	Battery charger; Icom BP-131/132 ..Δ	29.99
10-BCI-2	Charger cup; Icom BP-131/132 ..Δ	4.99
10-BCI-3	Charger cup; Icom BP-173/180 ..Δ	2.99
10-BCY-2	Cgr cup; Yae FNB10/11/12/17/27 ..Δ	4.99
641-Y3	Battery charger; Yaesu FNB-31/33 ..Δ	24.99
10-BCY-3	Charger cup; Yae FNB-31/33 ..Δ	2.99
641-Y4	Batt cgr; Yaesu FNB-40/41/V47/49 ..Δ	29.99
10-BCY-4	Cgr cup; Yae FNB40/41/V47/49 ..Δ	4.99
662	Simplex pocket repeater	79.99
701	Toroid RFI filters	14.99
704	1kw low-pass filter	49.99
711	High pass filter	24.99
713	2m HT intermod filter	39.99
762	81db 170MHz BNC attenuator	69.99
801	Super compact field strength meter	19.99
802	Bipolar field strength meter	39.99
802R	Field strength remote meter	24.99
802X	Field strength/remote meter combo	59.99
805	RFI current detector meter	79.99
850	AC line voltage monitor	19.99
852	Power line noise current meter	89.99
854	HF RF current meter	89.99
886	1MHz - 3GHz Pocket frequency counter ..	109.99
912	W9INN remote balun	49.99
916	2m/440 duplexer	29.99
931	Artificial ground unit	89.99
1025	Noise canceling antenna	149.99
1026	Deluxe noise canceling unit w/antenna	169.99
1046	1.6-33MHz receiver passive preselector	89.99
1048	1.6-33MHz Xcvr passive preselector ..	109.99
1112	Multiple DC outlet	34.99
1116	Dlx multiple DC outlet	49.99
1117	High current multiple DC outlet	54.99
1118	Dlx high current multiple DC outlet	74.99
1213	Interface for JVFX/HamComm	49.99
1266	C64 disk code tutor program49
76	1266/67 interface brd; kyr/keyboard ..D	.29
1268	IBM PC memory keyer	1.99
1269	IBM code tutor	9.99
1281	IBM Easy-DX logging program	9.99
1292	Video digitizer for IBM	29.99
1680Y	Windows software package; Yaesu ..D	9.99
1682	Packet Windows software	2.99
1683I	Rig Windows software for Icom	6.99
1683K	Rig Windows software for Kenwood ..D	6.99
1683Y	Rig Windows software for Yaesu	6.99
5383YB	Yaesu interface cbl, mini 6-pin DIN ..Δ	19.99
1700B	Combination ant/xmtr switch	79.99
1701	6-position coax switch	49.99
1702C	2-pos coax switch/lightning protect ..	24.99
1702CN	2-pos 1.1GHz N switch/lightning protect	34.99
1704	4-pos 500 MHz switch/lightning protect	64.99
1704N	4-position type N switch	74.99
4035MV	Dlx 30A adjustable ps, 35A surge ...	139.99
4125MV	MightyLite 22A 3.5 lb switch ps, 25A surge	99.99
4225MV	MightyLite 22A switching ps, 25A surge	139.99
4245MV	MightyLite 40A switching ps, 45A surge	189.99

MG Electronics (MGE)HFS-1 10w mobile spkr, 3.5mm plug

MAGELLAN (MAG)

GPS-310	12 ch GPS receiver	\$ 99.99
GPS-315	12 ch GPS receiver	149.99
GPS-320	12 ch GPS receiver	169.99
730275	External power cable w/cig adapter	17.99
730277	PC cable/cig adapt; GPS-315/320	39.99
00-09018-000	PC ext pwr cig cbl; 2000XL ..D	2.99
00-69007-000	Ext pwr/data module; 2000XL D	14.99
GPS ColorTRAK	12 ch color GPS/carry case D	239.99
GPS Tracker	12 ch GPS w/wrist strap	169.99
00-19044-000	Low profile external ant ..Δ	59.99

18

PRICE GUIDE

AES

Order Toll Free at 4 Locations Nation-Wide 1-800-558-0411 WI
Browse Our Store On-Line at www.aesham.com

Magellan - continued**AES Price**

00-19060-000	Power/data cable	16.99
00-19067-000	PC cable w/cig adapter ...	24.99
MAP-330	12 ch GPS receiver w/8mb base map	249.99
730275	External power cable w/cig adapter	17.99
730277	PC cable/cig adapter	39.99
980611	MapSend Topo CD-ROM	99.99
Meridian GPS	GPS with 2MB base map	219.99
Meridian Gold	GPS with 16MB base map	299.99
Meridian Platinum	GPS/16MB/compass/barometric	349.99
Meridian XL	GPS/plotter/detachable ant/case D	149.99

MAHA (MAH)

9V	8.4v 170ma 9v size NiMH batt cell	\$ 8.99
AAA-T	1.2v 650ma AAA size NiMH batt cell ea	2.99
AA-FB	1.2v 1400ma AA NiMH batt cell w/tabs ea	2.99
AA-155	1.2v 1550ma AA size NiMH batt cell D,ea	2.99
AA-160	1.2v 1600ma AA size NiMH batt cell ea	3.99
C-380	1.2v 3800ma C size NiMH batt cell D,ea	9.99
D-800	1.2v 8000ma D size NiMH batt cell D,ea	14.99
MH-2A4	Slow charger for 4 max AA NiMH ...D	3.99
MH-C124S	Req cgr; 1-4 AA/AAA NiMH/NiCD ..	9.99
MH-C204F	Quick cgr/condi; 2/4 AA/AAA NiMH/NiCD ...	24.99
MHS-DC-124	Cig adapter; MH-C124S/C204F	5.99
MH-BP-7	1000ma 13.2v lcom nickel hydride	69.99
MH-BP-8	1200ma 8.4v lcom nickel hydride ..	59.99
MH-BP-8H	1800ma 8.4v lcom nickel hydride	69.99
MH-BP-83	1300ma 7.2v lcom nickel hydride	49.99
MH-BP-132B	1300ma 12v lco blk nick hyd/mic	59.99
MH-BP-132G	1300ma 12v lco gray nick hyd/mic	59.99
MH-BP-173	650ma 9.6v lcom nickel hydride	69.99
MH-BP-180	1000ma 7.2v lcom nickel hydride ..	49.99
MH-BP-196M	1350ma 9.6v lcom nick hydride	49.99
MH-BP-199	700ma 6v lcom nick hydride/clip ..	55.99
MH-BP-200	680ma 9.6v lcom nick hydride/clip	59.99
MH-CNB-152	1000ma 12v Sta nickel hydride	59.99
MH-CNB-153	1300ma 7.2v Sta nickel hydride	49.99
MH-FNB-12	1000ma 12v Yaesu nickel hydride	59.99
MH-FNB-17	1000ma 7.2v Yaesu nickel hydride	49.99
MH-FNB-27	1000ma 12v Yaesu nickel hydride	59.99
MH-FNB-31	650ma 4.8v Yaesu nickel hydride	49.99
MH-FNB-38	650ma 9.6v Yaesu nickel hydride	59.99
MH-FNB-40H	650ma 7.2v Yae nick hyd/ spg clip	59.99
MH-FNB-41	1000ma 9.6v Yae nick hyd/spg clip	55.99
MH-FNB-V47	1800ma 7.2v Yae nick hyd/spg clip	69.99
MH-FNB-V57	1500ma 7.2v Yaesu nickel hydride	49.99
MH-FNB-72	1700ma 9.6v Yaesu nickel hydride	59.99
V47 Belt Clip	Spring loaded belt clip for Yae ..	4.99
MH-PB-8	1300ma 12v Kenwood nickel hydride	62.99
MH-PB-17	1300ma 12v Kenwood nickel hydride	69.99
MH-PB-18	1300ma 7.2v Ken nick hyd; wall cgr only	49.99
MH-PB-32	1000ma 6v Kenwood nickel hydride	47.99
MH-PB-34	1000ma 9.6v Kenwood nickel hydride	57.99
MH-PB-39	1050 ma 9.6v Ken nickel hyd/clip ...	59.99
MH-PB-39H	1800ma 6v Ken nickel hyd/clip	59.99
MH-C777	Univ cgr/conditioner/cig cord; nicad/nimh	49.99
MHS-CW4	Clip-leads for external charging	3.99
MH-C777 Plus	Univ cgr/analy/cig cord; lith/nicd/nimh	89.99
MH-C888	Univ drop-in rapid cgr/cond; nicad/nimh	59.99
MHS-C800U	External charger pin shell	14.99
MHS-C801	Cup; T2/W32/TH22/79/FT10/50	7.99
MHS-C802	Cup; IC02AT/TH78/FT470/530 ..	7.99
MHS-C803	Cup; Kenwood TH-D7A/G71A	7.99
MHS-C804	Cup; lcom IC-T8A/T81A	7.99
MHS-C805	Cup; Yaesu FT-11/41/51R	7.99
MHS-C806	Cup; Ali 195/580/F1/G5/V5/etc	7.99
MHS-DC-777	Cig lighter cord	5.99
MH-101-I1	Cgr;ko157/160/174/131/2/Mah 132B/G D	24.99
MH-101-Y1	Cgr;Yae 10/11/12/17/25/27/Mah 12/27 D	24.99
MH-101-Y2	Cgr;Yae FNB31/38/Mah MHNFB38 D	24.99
MH-800K	500mw spkr/mic w/clip; Kenwood ..	19.99
MH-800S	500mw spkr/mic/clip; Ali/Ico/Sta/Yae	19.99
MH-800Y	500mw spkr/mic; Yae FT50/VX1R ..	24.99
MH-A101	5/35w 2m FM amplifier	69.99

Maha - continued**AES Price**

MH-A102	5/35w 2m FM/SSB amp/preamp	89.99
MH-A103	5/50w 2m FM/SSB amp/preamp	119.99
MH-A104	5/100w 2m FM/SSB amp/preamp ...	229.99
MH-A201	5/45w 2m/5/35w 440 FM amp	159.99
MH-A301	5/50w 2m HT dock boost amp/pre ..	115.99
MH-A302	5/45/5/35w 2m/440 HT dock boost	165.99
MHS-I1	Ico 2G/02/2/32 adapter; A301/302	9.99
MHS-I2	Ico 2SAT/W2 adapter; A301/302 ..	2.99
MHS-I3	Ico 2GXAT/W21AT adapt; A301/302	9.99
MHS-I4	Ico W32/31/T7/22 adapt; A301/302	11.99
MHS-I5	Ico T8A/T81A adapter; A301/302 ...	11.99
MHS-K1	Ken 25/26/75/77 adapter; A301/302	9.99
MHS-K2	Ken TH22/79 adapter; A301/302 ..	9.99
MHS-K3	Ken G71A/D7A adapt; A301/302 ..	11.99
MHS-S1	ADI/Standard adapter; A301/302 ..	9.99
MHS-Y1	Yae 23/411E/470 adapt; A301/302	9.99
MHS-Y2	Yae 26/415/530 adapt; A301/302	9.99
MHS-Y3	Yae FT11/41/51 adapt; A301/302	11.99
MHS-Y4	Yae FT10/40/50 adapt; A301/302	11.99
MH-VOX-K	Deluxe VOX spkr/mic; Kenwood ..	9.99
MH-VOX-S	Dlx VOX spkr/mic; Ali/Ico/Sta/Yae ..	9.99

MALDOL (MAL)

AH-14	20m telescoping ant w/BNC; FT-817 ...	\$ 45.99
AH-28	10m telescoping ant w/BNC; FT-817 ...	45.99
AH-C7	40m loading coil only w/BNC; FT-817	33.99
AH-C14	20m loading coil only w/BNC; FT-817	33.99
AH-C21	15m loading coil only w/BNC; FT-817	33.99
AH-C28	10m loading coil only w/BNC; FT-817	33.99
AH-R	Telescoping whip for AH-C7/14/21/28	17.99
AH-510R	6/2m/440 37" BNC tele whip; FT-817/HT	59.99
AH-510R/SMA	6/2m/440 37" SMA tele whip	59.99
AS-20	2m/440 8.5" superflex SMA antenna ...	29.99
AS-25	2m/440 1" SMA antenna	19.99
AS-30	2m/440 15" 0/2.15db superflex SMA ant	29.99
EM-B80	Small trunk/hatch/van door lip mt ..	25.99
EX-104B	2m/440 black 0/2.15db 15" mob	41.99
EX-104BNMO	2m/440 blk 0/2.15db 15" NMO	41.99
EX-107RB	2m/440 black 2.6/4.9db 29" mob	52.99
EX-107RBNMO	2m/440 blk 2.6/4.9db 29" NMO	52.99
FVS-50	Dlx 2-step 16' 9" cable w/UHF connects	39.99
MH-209	2m/440 3" BNC duck	23.99
MH-209SMA	2m/440 3" SMA duck	23.99
MH-510	6m/2m/440 0/0/3.2db 20.75" SMA duck	37.99
MK-30H	Motorized tnk lip/hatch/van door mt	104.99
MSG-1000C	2m/440 2.15/5.5db 39" mobile ..	62.99
MSG-1100C	2m/440 3.5/6db 42" mobile ant	72.99
PR-212D	2m/440 6/8.5db 85" mobile ant	99.99
PR-212DNMO	2m/440 6/8.5db 85" NMO mob	99.99
PRM-T	Large trunk/hatch/van door lip mt	29.99
SHG-140B	2m 4.1db 56" mobile antenna	54.99
SHG-140BNMO	2m 4.1db 56" NMO mob ant	54.99
SHG-1500B	2m/440 blk 4.5/7.5db 59" mob ..	74.99
SHG-1500BNMO	2m/440 blk 4.5/7.5db 59" NMO	74.99

MAXON (MAX)

WTA-9F	Ear speaker for FRS-114	\$.49
MX-49FX	5 ch 49 MHz ear mic Xcvr	49.99
MX-49HX	5 ch 49 MHz boom mic/headset Xcvr ..	49.99
MX-49SX	49 MHz boom mic/headset Xcvr	29.99
WX-70	Weather monitor/alert w/ps	29.99

MEADE (MEA)

0605-04-01	ETX-60AT Astro telescope w/tripod	\$299.99
0705-04-01	ETX-70AT Astro telescope w/tripod	299.99
07025	#882 Extra std tripod .special order	99.99
07220	#933 45° 1.25" erecting prism	74.99
07279	#670 dew shield	22.99
3514-03-04	ETX-90EC Astro telescope	495.99
0515-03-01	ETX-125EC Astro telescope	895.99
07436	#497 Autostar controller; ETX-90/125EC	99.99
07021	#883 Deluxe field tripod	199.99
20060	DS-60 60mm refractor telescope	99.99
20061	DS-60EC 60mm refractor telescope .	179.99
20071	DS-70EC 70mm refractor telescope .	199.99

Meade - continued**AES Price**

20091	DS-90EC 90mm refractor telescope .	399.99
20114	DS-114EC 114mm reflector telescope .	299.99
07217	#928 45° 1.25" erecting prism; DS60/70/90	59.99
494	#494 Autostar controller; DS-EC-series	49.99
07437	#495 Autostar controller; DS-EC-series	99.99
07170-02	1.25" 6.4mm super Plossl lens ..	89.99
07173-02	1.25" 15mm super Plossl lens ...	89.99
07273	#126 1.25" 2x short-focus Barlow lens	59.99

MIDLAND (MID)

23-505	1.5-150MHz dual meter SWR/power ..	\$ 19.99
74-109	Weather/hazard alert radio w/ps	19.99
74-200	SAME weather/hazard alert radio/ps	59.99
74-210	FM/SAME weather/hazard alert radio/ps	79.99
22-410	Speaker/mic for 75-510XLB	14.99
22-430	Throat mic/ear/PTT box; 75-510XLB	19.99

MIRAGE (MIR)

A-10156	50-52 FM/SSB 10/150w amp/preamp	\$349.99
B-34	2m FM 2/35w amplifier	69.99
B-346	2m FM/SSB 3.5/35w amp/preamp	89.99
B-2156	2m FM/SSB 2/150w amp/preamp	339.99
B-3206	2m FM/SSB 50/200w amp/preamp ..	399.99
B-10166	2m FM/SSB 10/160w amp/preamp	339.99
B-25186	2m FM/SSB 25/160w amp/preamp	269.99
B-25306	2m FM/SSB 25/300w amp/preamp	619.99
B-50186	2m FM/SSB 50/160w amp/preamp	269.99
B-50306	2m FM/SSB 50/300w amp/preamp ..	599.99
BD-35	2m/440 4/45/1/4/35w HT amp	149.99
BD-38/BD-38G	2m/440 4/80w HT amp/preamp	279.99
B-246	5/50w 2m HT dock boost amp/pre	114.99
BD-25	5/45/5/35w 2m/440 HT dock boost	164.99
MI-1	Ico 2G/02/2/32 adapter; B24G/BD25 ..	9.99
MI-2	Ico 2SAT/W2 adapter; B24G/BD25	9.99
MI-3	Ico 2GXAT/W21AT adapt; B24G/BD25 ..	9.99
MI-4	Ico W32/31/T7/22 adapt; B24G/BD25 ..	9.99
MK-1	Ken 25/26/75/77 adapt; B24G/BD25 ..	9.99
MK-2	Ken 22/79 adapter; B24G/BD25	9.99
MS-1	ADI/Standard adapter; B24G/BD25 ..	9.99
MY-1	Yae 23/411E/470 adapt; B24G/BD25 ..	9.99
MY-2	Yae 26/415/530 adapt; B24G/BD25 ..	9.99
MY-3	Yae FT11/41/51 adapt; B24G/BD25 ..	9.99
MY-4	Yae FT10/40/50 adapt; B24G/BD25 ..	9.99
C-226	220 FM/SSB 2/20w amp/preamp	154.99
C-2116	220 FM/SSB 2/110w amp/preamp	299.99
C-10126	220 FM/SSB 10/120w amp/preamp	299.99
C-10226	220 FM/SSB 10/220w amp/preamp	589.99
C-25126	220 FM/SSB 25/120w amp/preamp	289.99
C-25226	220 FM/SSB 25/200w amp/preamp ..	519.99
C-50126	220 FM/SSB 50/120w amp/preamp ..	529.99
C-50226	220 FM/SSB 50/200w amp/preamp ..	499.99
D-15N	430 FM/SSB/ATV 2/15w type N amp ...	169.99
D-26N	440 FM/SSB 2/60w type N amplifier ..	244.99
D-1010N	440 FM/SSB 10/100w type N amp ..	354.99
D-3010N	440 FM/SSB 30/100w type N amp ..	329.99
D-1010-ATVN	430 ATV 10/100w type N amp ..	369.99
RC-1*	Remote control head w/18" cable	45.99

*Not for B-23/C-22/D-26

RC-2 Rem ctl head/ cbl; B-2518G/B-5018G .. 45.99

The following Repeater Amplifiers Special Order.

Specify SO-239 or type N connectors

A-1015NR	6m FM 2/80w type N amplifier	\$539.99
A-1015R	6m FM 2/80w SO-239 amplifier	529.99
B-215NR	2m FM 1/110w type N amplifier	524.99
B-215R	2m FM 1/110w SO-239 amplifier	504.99
B-1016NR	2m FM 2/120w type N amplifier ..	559.99
B-1016R	2m FM 2/120w SO-239 amplifier ..	539.99
B-2518NR	2m FM 12/120w type N amplifier	519.99
B-2518R	2m FM 12/120w SO-239 amplifier ..	499.99
C-211NR	220 FM .5/80w type N amplifier	584.99
C-211R	220 FM .5/80w SO-239 amplifier	564.99
C-1012NR	220 FM 5/90w type N amplifier	584.99
C-1012R	220 FM 5/90w SO-239 amplifier	564.99

Mirage - continued

C-2512NR	220 FM 15/90w type N amplifier	559.99
C-2512R	220 FM 15/90w SO-239 amplifier	539.99
D-1010NR	440 FM 4/80w type N amplifier	589.99
D-3010NR	440 FM 12/80w type N amplifier	564.99
D-1010-ATVN-R	430 ATV 4/80w type N amp	589.99

PREAMPS

KP-1/10M	10m in shack preamp	\$129.99
KP-1/6M	6m in shack preamp	129.99
KP-1/2M	2m in shack preamp	129.99
KP-1/220	220 in shack preamp	129.99
KP-1/440	440 in shack preamp	129.99
KP-2/10M	10m mast mount preamp	149.99
KP-2/6M	6m mast mount preamp	179.99
KP-2/2M	2m mast mount preamp	179.99
KP-2/220	220 mast mount preamp	179.99
KP-2/440	440 mast mount preamp	179.99

WATTMETERS

MP-1	160-10m 25/200/2kw PEP wattmeter	\$219.99
MP-2	6 & 2m 50/500/1.5kw PEP wattmeter	219.99
MP-3	420-450 5/50/150w PEP wattmeter	249.99

Monitor America (MON)

Monitor America	Scanner frequency book	\$19.95
-----------------	------------------------	---------

MOTOROLA (MOT)

53543*	Camouflage TalkAbout 250 FRS	\$69.99
*\$15 consumer rebate from Motorola thru 12/31/01		
53590*	Blue TalkAbout 250 FRS	59.99
*\$15 consumer rebate from Motorola thru 12/31/01		
53592*	Black TalkAbout 250 FRS	59.99
*\$15 consumer rebate from Motorola thru 12/31/01		
50226	Headset w/microphone	14.99
53770*	Dark slate FR50 FRS	34.99
*\$10 consumer rebate from Motorola thru 12/31/01		
53834	Rosewood T5200 Alkaline FRS	39.99
56360	Black T6220 Alkaline FRS	59.99
53725	Headset w/microphone	14.99
53544*	2w grey TalkAbout Distance GMRS	189.99
*\$30 consumer rebate & case from Motorola thru 12/31/01		
53547*	2w grey TalkAbout Distance DPS GMRS	199.99
*\$40 consumer rebate & case from Motorola thru 12/31/01		
50226	Headset w/microphone	14.99

NCG (NCG)

Power Pocket	12v 2AH lead acid batt/cgr	\$66.99
RP-150	20A variable ps/lighted meters/fan D	79.99
RP-300	30A variable ps/lighted meters/fan D	119.99

NEW WAVE (NEW)

Adventurer	12' extended Portable alum mast	\$109.99
Traveler	19' extended Portable alum mast	124.99
Rover	26' extended Portable alum mast	149.99
Expeditioner	33' extended Portable alum mast	174.99
Explorer	40' extended Portable alum mast	199.99
Big Foot	Welded, unpainted park-on mt	119.99
Snap-on Mount	Clamp on mt; ant-mast	19.99

Night Owl Optics (NOO)

NOCC-3	3.1x42 night vision scope w/illuminator	\$199.99
NOCA-42	Camera adapter	49.99
NOLD-20	Lens doubler	49.99

NORCOMM (NOR)

NC-101	Tunable CTCSS encoder	\$21.99
NC-104	Programmable CTCSS encoder	26.99
NC-106	Prog CTCSS encoder/decoder	62.99
NC-401	Sub-miniature DTMF decoder	62.99

NYE VIKING (NYE)

ANTENNA TUNERS AND ACCESSORIES

MBV-A	3kw tuner with ant switch & meters	\$879.99
020-001	2kw low-pass filter	56.99

MASTER KEY

330-001	Black enamel base w/cable, plug	\$72.99
330-C	Chrome plated Master Key/cable/plug	139.99

Nye - continued

HEAVY DUTY SPEED-X KEYS WITH NAVY KNOBS

320-001	No shorting switch	\$39.99
320-003	As above, w/shorting switch	51.99
322-001	Brass hardware, no switch	35.99
322-003	As above, w/shorting switch	44.99

STANDARD SPEED-X KEYS

310-001	Black, no shorting switch	\$40.99
310-003	As above, w/shorting switch	26.99
312-001	Brass arm, no shorting switch	32.99

OAK BAY (OAK)

CA-232HH	Handheld packet cable	\$2.99
CA-232U	Universal packet cable	2.99

Oregon Scientific (ORE)

BA-812E	The weather clock	\$24.99
EMR-812A	Wireless thermometer	39.99
PE-319	Pedometer with personal security	29.99
RGR-122	Wireless rain gauge w/LCD console	69.99
RM-116E	Exactset radio controlled clock	39.99
WM-918	Dlx weather station w/rain gauge	199.99
SW-918	PC software/cable for WM-918	29.99
WMR-968	Dlx wireless WX stn w/rain gauge	329.99
WR-1012	Port WX/hazard radio/SAME alert	49.99
WR-196T	AM/FM/SAME WX alert clock radio	59.99
WR-3300	Weather/hazard radio/alert w/ps	19.99
WR-8000	Portable WX/hazard radio/alert	29.99

OUTBACKER (OUT)

OB-8	300w PEP 6' 75-10m 8-band mobile ant	\$279.99
OB-8HP	500w PEP 6' 75-10m 8-band mob ant	299.99
OB-S8	8-band 300w PEP split ant/storage bag	299.99
OB-8TRI	3pc 300w PEP 6' 8band port ant/bag	329.99
Joey	20w 80-2m antenna w/counterpoise	249.99
(ALP) MicroMount	Tripod system for Joey	49.99
OB-M	300w PEP 6' 75/40/20/17/10m/HF marine	429.99
Perth	150w PEP 7.5' 75-10m mobile ant	289.99
Perth Plus	150w PEP 6' 75-10m+6m/2m mob ant	299.99
Stealth Plus	100w PEP 4' 75-10m+6/2m ant	269.99
Outreach	300w PEP 12' 160-10m antenna	399.99
Outreach 500	600w PEP 12' 80-6m antenna	439.99
Outrunner	150w PEP 9' 160-10m antenna	329.99
(ALP) Outpost	Base tripod mtg sys for mob ant	199.99
OB-SB	3/4-24 spring and 1/2" hole base	99.99
Diamond K-400-3/8C	3/4-24 trunk mt, 6' coax	69.99
Diamond C-110	10' ext cable; K-400-3/8C	14.99

PACCOMM (PAC)

APRS port switch		\$29.99
HandiPacket	Small TNC for handhelds	229.99
PicoPacket TNC, 128K RAM		159.99
PicoPacket dual serial port TNC, 128K RAM		209.99
Spirit-2	Standard high performance controller	249.99
Tiny-2 Mk-2	Multi-purpose TNC	159.99

Palomar Engineers (PAL)

MSB-3	Magnetic switch receive balun	\$29.99
PT-340	Tuner-Tuner (use with ant tuner)	99.99
RFI-4	RF interference kit	25.99
SMB-5	SmartBridge prog; AT computers	49
VLF-A	VLF converter; 10-500 KHz to 80m	99.99
VLF-S	VLF conv; 10-500 KHz to 4-4.5 MHz	99.99

PAR (PAR)

144-AUX	2m 4 effective el add-on, 7 db; 50-EL3	\$19.99
OA-28	10m horizontal omni antenna	74.99
OA-50	6m horizontal omni antenna	63.99
SK-50	Stacking harness for OA-50	36.99
OA-144	2m horizontal omni antenna	54.99
SK-144	Stacking harness for OA-144	34.99
OA-222	220 horizontal omni antenna	54.99
SK-222	Stacking harness for OA-222	29.99
OA-432	430 horizontal omni antenna	54.99
SK-432	Type N stacking harness; OA-432	54.99
UHFDN450	440 dual band notch filter	62.99

Par - continued

VHFDN152	2m dual band notch filter	62.99
VHFDN152HT	2m dual band HT notch filter	68.99
VHFTN152-158	2m dual band+pager notch filt	82.99
UHF-12	12" RG58/silver/gold/tef PL259s	9.99

PENETROX (PEN)

Penetrox A	4 oz tube for antennas	\$12.99
------------	------------------------	---------

PIPO TOUCH-TONE PADS (PIP)

PK-1	12-digit pad	\$71.99
PK-1K	12-digit pad w/delay relay	78.99
PK-1M	12-digit pad for surface mtg	29.99
PK-2	16-digit pad	59.99
PK-2K	16-digit pad w/delay relay	83.99
PK-2M	16-digit pad for surface mtg	76.99

POLICE CALL (POL)

Vol 3/4 2002	IL/IN/KY/MI/OH/WI book/48 state CD	\$19.99
Vol 5/8 2002	AZ/CO/IA/NV/others book/48 state CD	19.99

POLYPHASER (PLY)

LIGHTNING PROTECTION

IS-50NX-C2	125-1000 375/125/50w N flange	\$61.99
IS-50UX-C0	1.5-400 2kw/375/125w flange mt	61.99
IS-50UX-C1	50-700MHz 375/125w flange mt	61.99
IS-B50LN-C2	125-1000 375/125/50w N bulkhead	64.99
IS-B50LU-C0	1.5-400 2kw/375/125w bulkhead	64.99
IS-B50LU-C1	50-700 375/125w bulkhead mt	64.99
IS-IE50LU-C0	1.5-400 dlx 2kw/375/125w bulk	129.99
IS-IE50LU-C1	50-500 dlx 375/125w bulkhead	79.99
IS-IE50LN-C1	50-700 dlx 375/125w N bulkhead	117.99

BF Adapter	Bulkhead to flange mt adapter	9.99
FB Adapter	Flange to bulkhead mt adapter	11.99
IS-PLD0-120-15A	120v 15A power protector	172.99
IS-PLD0-120-20A	120v 20A power protector	215.99

IS-RCT	8-wire rotor control protector	54.99
J-1	1/2" to 1 1/2" bronze transition clamp	8.99
J-2	1 1/2" to 2 1/4" bronze transition clamp	12.99
IS-SPTL	Single phone line protector	57.99

CS112-25	25' 1 1/2" copper strap	25.99
CS112-50	50' 1 1/2" copper strap	51.99
CS112-75	75' 1 1/2" copper strap	75.99
CS112-100	100' 1 1/2" copper strap	99.99
CS3-25	25' 3" copper strap	51.99
CS3-50	50' 3" copper strap	99.99
CS3-75	75' 3" copper strap	149.99
CS3-100	100' 3" copper strap	197.99
CS6-25	25' 6" copper strap	69.99
CS6-50	50' 6" copper strap	139.99
CS6-75	75' 6" copper strap	209.99
CU-SPGP	Copper single point ground panel	69.99
TK-2	1 1/2" strap to Rohn twr corrosion free clamp	5.99
TK-3	1 1/2" strap-2 1/4" to 3 1/4" mast corr free clamp	8.99

1C-112S	#6-#1 wire to 1 1/2" strap clamp bond	10.99
58R-112S	1 1/2" strap to 5/8" gnd rod clamp bond	12.99
MSC-3	Junc; 2+ 1 1/2" or 3" strap clamp bond	10.99

UNI-KIT 2CT	Gnd kit; coax to alum/tin/galv	29.99
UNI-KIT 2TC	Gnd kit; galv twr leg to copper	32.99
UNI-KIT 2CC	Ground kit; coax to copper	28.99

CCK	Copper cleaning kit; 4 oz can, brush	27.99
GLEP	Lightning and EMP Protection book	20.00

The POUCH (POU)

1R	Pouch for Yaesu VX-1R	\$12.99
2-411	Pouch for Yaesu FT-411 Mk II/12	17.99
5R	Pouch for Yaesu VR-120/VX-5R	14.99
10R/10-50	Pouch; Yaesu FT-10/40/50RD	14.99
23-33	Pouch for Yaesu FT-23/33R	17.99
32-5T	Pouch; Alinco DJ-G5T/Icom IC-W32A	14.99
95T	Pouch for Alinco DJ-195/196T	14.99
110-150	Pouch for Yaesu VX-110/150	17.99
508	Pouch; Ico Q7/T82A/Sta108/508/Yae VR500	12.99
510	Pouch; Ali DJ-X2T; Ico T8A/T81A/Sta 510A	12.99
AF-738	Pouch for Alinco DJ-C1T/C4T/C5T	12.99

Pouch - continued

AES Price

ANALYPOUCH Pouch for MFJ analyzer	24.99
DTX Pouch for Kenwood TH-D7A(G)	17.99
G-71 Pouch for Kenwood TH-G71A	17.99
P-4V Pouch for UBZ-LF14 FRS	6.99
P-5 Pouch; DJS11T/S46/ICT7H/T22A/FT11R ..	14.99
Packer Pouch Pouch for Yaesu FT-817	24.99
PR Pouch for ADI PR-52/222	14.99
RC-3 Pouch for Icom R-3/R-10	17.99
S-1 Pouch; AT-201HP/AT-600HP/TH-79A	17.99
S-2 Pouch; TH-79AH/T-235A/VIC-H1	17.99
S-3 Short 3 Pouch for HT	7.99
Slim Pouch; Alinco DJ-190/191T/Sta C-288A ..	7.99
SS Pouch for TH-22AT/TH-28A/FT-51R&HP ..	17.99
T-2A Pouch; AT-201/600/Chr AH-50/VIC-T2H ..	17.99
V-5T Pouch for Alinco DJ-G5TH/V5T	14.99
VX-3T Pouch; Ali DJ-180/280/480T/Ico IC-V8 ..	14.99
XF-1 Pouch for Yaesu VXF-1/VXF-10 FRS	6.99
Chest B/S Chestpouch ser B w/S pocket	29.99

PREMIER (PRE)

AL-800 2m/440 34" BNC rubber duck ant	\$ 29.99
RD-2 2m/440 2" BNC duck	14.99
RD-2SMA 2m/440 2" SMA duck	15.99
RD-8 2m/440/900 6.5" BNC duck	14.99
RD-9 2m/440/900 7" BNC duck	18.99
RD-9SMA 2m/440/900 7" SMA duck	20.99
RD-78 2m/440/900 15" BNC whip	19.99
RD-98 2m/440 17" BNC whip	24.99
RD-98SMA 2m/440 17" SMA whip	27.99
MC-2 Super suction & mag mt; NMO/UHF ..D	24.99
SPM-100 Spkr/mic; ADI/Alinco/Icom/Yaesu ...	21.99
SPM-100L Spkr/mic/L plug; Icom/Yaesu	12.99
SPM-101 Spkr/mic for Kenwood	21.99
SPM-102 Spkr/mic; Yaesu FT-50R/VX-1R/5R ..	21.99
SPM-200 Lapel mic/earph; ADI/Ali/Ico/Yae ..D	9.99
SPM-200L Lapel mic/earph/L; Icom/Yaesu ..D	9.99
SPM-200EL Lapel mic/earhook/L; Ico/Yae ...D	12.99
SPM-201 Lapel mic/earphone for Kenwood ..D	10.99
SPM-201E Lapel mic/earhook for Kenwood ..D	13.99
SPM-202 Lapel/mic/earph; FT-50/VX1/5R ...D	11.99
SPM-202E Lapel mic/hook; FT-50/VX1/5R ...D	14.99
SPM-301 Spkr/mic/PTT lock/volume; Ken	9.99
SPM-400 Boom/mic; ADI/Alinco/Icom/Yaesu ..D	25.99
SPM-400A Boom/mic; ADI/Alinco/Icom/Yaesu ..	34.99
SPM-400L Boom/mic/L; Icom/Yaesu	15.99
SPM-401 Boom/mic for Kenwood	16.99
PTT-1 Rem PTT control; SPM-400 series ...D	4.99
SPM-400LPT Boom/mic/L/PTT-1; Icom/Yaesu ...D	18.99
SPM-401PT Boom/mic/PTT-1 for Kenwood ...D	19.99
SPM-402 Boom mic; Yae FT-50R/VX-1R/5R ..D	29.99
SPM-402A Boom mic; Yae FT-50R/VX-1R/5R ..	34.99
SPM-500 Throat/mic/earph; ADI/Ali/Ico/Yae ..	19.99
SPM-501 Throat/mic/earphone for Kenwood ...D	19.99
SPM-700 Palm mic/earph; ADI/Ali/Ico/Yae ..	15.99
SPM-701 Palm mic/earphone for Kenwood ..	15.99
SPM-702 Palm mic w/earph; FT50/VX1/5R ..	15.99
EH-1 Deluxe earphone w/earhook	8.99
EH-1K Deluxe earphone/earhook; Kenwood ...	6.99
MMC-100 Sun visor mobile mic system	39.99
PCA-IHF Cable/8-pin; Icom HF	9.99
PCA-IVHF Cable/modular; Icom VHF	9.99
PCA-KHF Cable/8-pin; Alico/Kenwood HF ..	9.99
PCA-YHF Cable/8-pin; Yaesu HF	9.99
PCA-YVHF Cable/modular; Yaesu VHF	9.99
PCA-Y100 Cable; Yaesu FT90/100/2600 ..	9.99

PRO AM by VALOR (VAL)

VHF/UHF ANTENNAS ONLY (No Mounts)

MO144-440 2m/440 antenna only	\$ 21.99
PAQA 136-515 MHz 1/2 wave antenna only	8.99
PHB-144 2m 1/2 wave 3 db antenna only	31.99
MOUNTS ONLY FOR ABOVE ANTENNAS	
PAM Low profile magnet mount w/coax	\$ 24.99

Pro Am - continued

AES Price

PAMB Black low profile mag mount w/coax ..	24.99
PAN38 1/2-24 antenna to NMO mt adapter	14.99
PAS 3/4" surface mount w/coax	19.99
PASMO 3/4" surface mt only (no coax)	7.99
PAS38 3/4" surface mount w/coax	19.99
PAS38MO 3/4" surface mt only (no coax)D	6.99
PAT-2 No hole trunk mount w/coax	19.99
PAT-2B Black no hole trunk mount w/coax	19.99
PAT-3 Swivel NMO-style trunk mt w/coax ...D	19.99

OTHER VHF/UHF ANTENNAS & MOUNTS

77BNC 2m/440 12" 0/2.1db BNC duck	\$ 14.99
220BNC 220 10" 1/2 wave duck w/BNC	6.99
BNC-SG-RS Suction cup extension; ducks	22.99
WMSL-BNC Window clip for rubber ducks ..D	19.99
100ADN SD-239 horizontal mirror mt	10.99
101ADN HD alum mirror mt w/SO-239	10.99
105AD Hvy duty 3/4" mount assembly	6.99
105HD Heavy duty mount assembly	3.99
301 4" low profile 1/2-24 magnet mt w/coax ..	25.99
401 5" low profile 1/2-24 magnet mt w/coax ..	19.99
DAK Mt for 2 vert ants or horizontal dipole ...	13.99
GM-100AD SS GM 1/2-24 mirror mt w/SO-239 ..	9.99
GM-144 2m 2.5db on glass antenna	29.99
GM-270 2m/440 2.6/6.3db on glass antenna ..	59.99
TGMKD On glass replacement mtg kit	8.99
MM-3401 Maxi-mag mt 1/2-24 kit (3-5" mags) ..	59.99
MM-3401B Blk maxi-mag mt 1/2-24 kit (3-5" mags)	59.99
SS-100MOT 3-way NMO mirror mt w/coax	23.99
CX-144 2m 1/2 wave 3db 1/2-24 whip	17.99
MM-270B 2m/440 mini mag mt ant w/BNC ..	19.99
PA-440M 440 22" 4db mag mt ant	6.99
PM-144-440BN 2m/440 BNC mag mt ant	33.99
TGS 30-1200MHz on-glass scanner ant	39.99
VAA-002B 144-450 black 1/2 wv mag mt ant ..	23.99
VAA-002BBN 144-450 black 1/2 wv BNC mag ant	27.99
120 Sawtooth hump mt for mobile radios	7.99
D-270 2m/440 100w duplexer	39.99

MOBILE HF ANTENNAS (No Mounts)

AB-5 75/40/20/15/10m antenna	\$119.99
PHF-160 160m 8' 1/2-24 whip	97.99
PHF-75 75m 8' 1/2-24 whip (4' coil, 4' whip) ..	29.99
PHF-40 40m 8' 1/2-24 whip (4' coil, 4' whip) ..	23.99
PHF-30 30m 8' 1/2-24 whip (4' coil, 4' whip) ..	23.99
PHF-20 20m 8' 1/2-24 whip (4' coil, 4' whip) ..	23.99
PHF-17 17m 8' 1/2-24 whip (4' coil, 4' whip) ..	23.99
PHF-15 15m 8' 1/2-24 whip (4' coil, 4' whip) ..	23.99
PHF-12 12m 8' 1/2-24 whip (4' coil, 4' whip) ..	23.99
PHF-10 10m 8' 1/2-24 whip (4' coil, 4' whip) ..	23.99
PHF-6 6m 58" 1/2-24 whip	23.99
103S Quick disconnect/5 twist lock connectors	24.99

QRZ (WAL)

Ham QRZ US & international calls plus programs	\$ 29.99
--	----------

QSL Card Holders (ART)

QSL Card Holders, pack of 3, 20 cards/holder	\$ 12.99
--	----------

RF APPLICATIONS (RFA)

Match Alert VSWR monitor/alarm	\$ 79.99
P-1500-P Power supply for P-1500	4.99
P-3000-P Power supply for P-3000, etc.D	4.99
VFD-VHF 50-225Mhz 300w dig power/SWR ..D	169.99

RF CONCEPTS (RFC)

2-23 2m FM/SSB 2/30w amp/preamp	\$ 59.99
2/70 2m/440 FM 3/30/5/20w HT amp	99.99

RF INQUIRY (RFI)

CF250E-UHF 250w 1.8-70 common mode filter	\$ 89.99
CF5KV-UHF 5kw 1.8-70 common mode filter	124.99

RF PARTS (See Diamond)

RF PRODUCTS (RFP)

199-416 BNC mag mt, 10' coax w/BNC	\$ 17.99
--	----------

AES Price

RACOM (RCO)

700 Automatic morse code identifier	\$ 19.99
---	----------

Radio Am Callbook (RAC)

059332 2002 World Radio TV Handbook	\$ 24.95
08762X 2002 N America/Int CD-ROM callbook	49.99

RAMSEY (RAM)

AA-7 Active antenna kit	\$ 28.99
AF-1 Hi-Q CW audio filter kit	19.99
AR-1 Aircraft receiver kit	29.99
CS-1 Crystal radio set kit	19.99
CW-7 CMOS keyer kit	24.99
DF-1 Foxhound direction finder kit	59.99
DN-1 Nidac conditioner/fast charger kit	19.99
FR-1 FM broadcast receiver kit	24.99
HR-20 20m receiver kit	29.99
HR-40 40m receiver kit	29.99
HR-80 80m receiver kit	19.99
PR-10 2m preamp kit	17.99
QRP-20 20m CW transmitter kit	29.99
QRP-40 40m CW transmitter kit	29.99
QRP-80 80m CW transmitter kit	29.99
RFS-1 RF sensed switch kit	14.99
SCA-1 SCA decoder kit	27.99
SR-1 Shortwave receiver kit	19.99
SR-2 Shortwave receiver kit	29.99
TS-1 CW touch paddle switch kit	6.99
UT-5 Universal timer kit	8.99
VS-1 Voice activated switch kit	6.99

RANGER (RAN)

SRA-106A Speaker/mic; RCI-1000 VHF HT ..D	\$ 2.99
---	---------

RCI-2950DX 10/12m 25w SSB/10w FM/AM/CW	269.99
--	--------

RCI-2970DX 10/12m 150w SSB/50w FM/AM/CW	399.99
---	--------

RCI-5054DX 6m 25w SSB/10w FM/AM/CW ...	299.99
--	--------

SGC (SGC)

04-01 SG-2000 150w 1.8-30 MHz 12v Xcvr	1599.99
04-11 Std SG-2000 rem head/bkt/20' cable	589.99
04-15 Remote mobile head/mem ch's only	449.99
51-82 Fan kit for continuous duty xmit	269.99
04-10 SG-2000 Xcvr w/DSP/PowerTalk head ..	1849.99
04-23 SG-2000 Xcvr/DSP/PowerTalk remotd	2099.99
04-12 Remote kit w/swivel bkt & cable ..	149.99
04-13 Remote kit w/5-way mt & cableD	239.99
04-22 PowerTalk remote head	799.99
52-32 Carbon telephone handset	119.99
52-34 RS-232 interface; SG-2000 Xcvr	179.99
52-51 CA-1 High voltage feed wire .per ft. .	.79
52-53 CA-230 Ant coupler cbl; custom per ft.	4.99
52-54 CA-2000 Rem head cbl; custom per ft.	4.99
53-04 PS-30 30A/40A peak unreg ps	389.99
53-05 PS-50 50A/70A peak unreg ps	419.99
52-61 PSC/12-1 12' ps cable, 1 plug	50.99
52-62 PSC/12-2 12' ps cable, 2 plugs ..	60.99
05-01 SG-2020 Mini 20w PEP QRP Xcvr/mic	675.99
05-02 SG-2020 Mini 20w PEP QRP Xcvr/mic/ADSP	795.99
54-22 SG-239 200w Smartuner	249.99
52-96 SG-500 1.8-24MHz 12v 500w PEP amp	1169.99
51-82 Fan kit for continuous duty xmit	269.99
54-14 SG-230 200w 1.8-30 MHz 12v Smartuner	489.99
54-61 25' extension cable	60.99
54-62 50' extension cable	90.99
54-63 SmartLock; tuners made after 9/1/93	59.99
54-15 SG-235 500w 1.8-30MHz 12v Smartuner	1169.99
54-16 SmartPro 200w 1.6-30MHz 12v tuner ..D	449.99
54-17 SG-231 HF+6m 12v Smartuner	529.99
54-18 SG-237 100w PEP HF+6m mini Smartuner ..	359.99
54-19 SG-237 PCB only 100w PEP Smartuner	249.99
55-04 SG-103 1.8-30MHz 150w dipole	229.99
55-06 SG-104 2-28 MHz 90' 1kw dipole	629.99
55-27 SG-303 1.8-30 9' mobile whip & mt ..	449.99
55-67 Replacement whip for SG-303	249.99

SGC - continued

55-28	SG-307	1.8-60 7' mobile whip & mt	449.99
55-47	QMS-2	Quick mt sys w/SG-230/303 whip	895.99
55-48	QMS-3	500w antenna system	2169.99
55-49	QMS-7	Quick mt sys w/SG-231/307 whip	1249.99
55-50	QMS-37	Quick mt sys/SG-237, less whip	549.99

SAMLEX (SAM)

SEC-1223	23A switching ps w/fan, 25A surge	\$ 89.99
----------	-----------------------------------	----------

SANGEAN (SAN)

ATS-404	AM/FM/SW portable receiver w/case	† \$ 89.99
ATS-505	AM/FM/SW portable receiver	129.99
ATS-606A	AM/FM/shortwave portable receiver	149.99
ATS-818	AM/FM/shortwave portable receiver	179.99
ATS-818CS	AM/FM/SW port Rcvr w/cassette	229.99
ATS-909	AM/FM/shortwave portable receiver	269.99
DT-200V	AM/FM/VHF TV sound dig port Rcvr	69.99

SEQUOIA (SEQ)

POCKET PC REF	Pocket PC reference book	\$ 14.99
POCKET REF	Pocket reference book	9.99
WinRef 98-95	Windows pocket reference book	9.99

SHAKESPEARE (SHA)

4036-1H	Hvy duty mirror mt w/coax adapter	\$ 7.99
5302	8' VHF marine/Loran combo ant	Δ 19.99
396-1	3 db, 5' VHF marine ant, less mount	59.99
5101	6 db, 8' VHF marine ant, less mount	49.99
5202	6db 8' VHF mar ant/chrome ferrule, less mt	69.99
5206-C	Econo 8' VHF mar ant/chrome ferrule, no mt	39.99
495	White plastic lift & lay mount	16.99
4187	Stainless steel ratchet mount	36.99
420	3db, 5' VHF marine ant w/fold-down mt	59.99

SHURE (SHU)

526T Series II	Dynamic amplified desk mic	\$ 124.99
R96	Replacement cartridge	27.99

Smiley Antenna (SMI)

270A	2m/440 gain telescopic whip	\$ 19.99
270A/SMA	2m/440 gain tele whip w/SMA	19.99
5/8 SLD-2	2m ½ Slim Duck rubber ant	17.99
5/8 SLD-220	220 ½ Slim Duck rubber ant	17.99
5/8 SLD-440	440 ½ Slim Duck rubber ant	17.99
5/8 SLD-2 Combo	2m ½ duck & stubby ant	24.99
5/8 SLD-220 Combo	220 ½ duck & stubby ant	24.99
5/8 SLD-440 Combo	440 ½ duck & stubby ant	24.99
FLX 1/2 WAV-2M	½ wv 2m BNC whip/flex coil	25.99
RD-2	2m rubber duck antenna	14.99
RD-220	220 rubber duck antenna	14.99
RDMD-2	2m mini rubber duck antenna	14.99
RDMD-220	220 mini rubber duck antenna	14.99
RDMD-440	440 mini rubber duck antenna	14.99
RDS-2	2m stubby rubber duck antenna	14.99
RDS-220	220 stubby rubber duck antenna	14.99
RDS-440	440 stubby rubber duck antenna	14.99
SD-2	2m Slim Duck thin rubber antenna	14.99
SD-220	220 Slim Duck thin rubber antenna	14.99
SL-440	440 slimline type duck	12.99
SS-II	Super Stick 2m ½ wv telescopic ant	19.99
SS-III	Super Stick 220 ½ wv telescopic ant	19.99
SS-IV	Super Stick 440 ½ wv telescopic ant	19.99
SS-II/Combo	2m ½ wv telescopic & stubby ant	26.99
SS-III/Combo	220 ½ wv telescopic & stubby ant	26.99
SS-IV/Combo	440 ½ wv telescopic & stubby ant	26.99
TAQ-2	2m ½ wave stainless whip	10.99
TAQ-220	220 ½ wave stainless whip	10.99
TAQ-440	440 ½ wave stainless whip	10.99
TS	Thin Stick 2m/220 ½ wave telescopic whip	16.99

SOLARCON (SOL)

A-99	10m/CB 17' 8" fiberglass base ant	\$ 64.99
GPK-1	Ground plane radial kit	39.99

SONY (SON)**AES Price****Sony - continued**

RFU-W100	RF adapter for WebTV	Δ \$.69
SHORTWAVE/SCANNERS		
ICF-2010	AM/FM/SW/LW/air port Rcvr w/ps	\$ 359.99
ICF-SW07	AM/FM/SW micro Rcvr w/ps	399.99
ICF-SW11	AM/FM/SW compact receiver	49.99
ICF-SW12	AM/FM/SW travel Rcvr/world clock	99.99
ICF-SW35	AM/FM/SW portable receiver	89.99
ICF-SW40	AM/FM/SW port receiver	129.99
ICF-SW77	AM/FM/SW portable receiver	469.99
ICF-SW100S	AM/FM/SW portable receiver	349.99
ICF-SW1000T	AM/FM/SW port Rcvr/cassette	† 399.99
ICF-SW1000TS	AM/FM/SW Rcvr/tape/AN-LP1 D	399.99
ICF-SW7600G	AM/FM/SW portable receiver D	179.99
ICF-SW7600GR	AM/FM/SW portable receiver	179.99
AC-E60HG	6vdc 400ma AC adapter	22.99
AN-1	LW/MW/SW outdoor active rcv ant	99.99
AN-102	LW/MW/SW indoor active rcv ant	79.99
AN-LP1	Folding active loop ant w/case	89.99
ICF-SC1	300 ch pocket scanner	D 179.99
AC-E60HG	6vdc 400ma AC adapter	22.99
DCC-E260	Mobile DC adapter	D 19.99
ICF-B200	AM/FM emergency radio/light/alarm	D 49.99

STARTEK (STR)

APA-9/VPA-9	9vdc auto power adapter	Δ \$ 2.99
BP-150	130 - 500 MHz bandpass filter	Δ 19.99
CAM-PHA-AES	B&W pinhole TV cam/mic/ps	D 49.99
CC-90	Carrying case	Δ 4.99
DC-10	Direct probe	Δ 4.99
HP-400	400 - 1500 MHz bandpass filter	Δ 19.99
HP-800	800 MHz - 2 GHz bandpass filter	Δ 19.99
LP-22	Lo-pass probe	Δ 4.99
LP-60	DC - 60 MHz bandpass filter	Δ 19.99
M-207-IC	Interface cable	Δ .99
P-110	Probe, 200MHz cscope, 500 MHz FC	Δ 14.99
RD-800	800MHz rubber duck antenna	Δ 4.99
TA-90	Telescopic antenna	Δ 4.99

SUPERIOR (SUP)

18640	Universal grip-type adjustable HT cradle	\$ 14.99
(HOU) CPM-310	6" adjustable pedestal mt	14.99

Synthetic Textiles (SYN)

100'	½" black double braided rope	\$ 6.99
100'	3/16" ⅝" black double braided rope	14.99
100'	5/16" ⅝" black double braided rope	19.99
350'	¾" black double braided rope	39.99

TE SYSTEMS (TES)

0510G	6m FM/SSB 10/170w amp/preamp	\$ 319.99
0552G	6m FM/SSB 20-25/375w amp/preamp	486.99
1410G	2m FM/SSB 5-10/160w amp/preamp	328.99
1412G	2m FM/SSB 25-45/160w amp/preamp	286.99
1452G	2m FM/SSB 10-25/350w amp/preamp	525.99
2212G	220 FM/SSB 25-45/130w amp/preamp	316.99
4412G	440 FM/SSB 15-30/100w amp/preamp	355.99
4452G	440 FM/SSB 25/185w amp/preamp	547.99

TV ALLOWANCE (MIN)

100	TV Allowance TV/video time manager	\$ 79.99
-----	------------------------------------	----------

TV GUARDIAN (TVG)

TV Guardian	Foul language filter for TV/video	\$ 89.99
-------------	-----------------------------------	----------

Terk Technologies (TER)

AF-9330	Amplified indoor AM/FM tower ant	\$ 24.99
AF-9925	Amplified indoor AM/FM loop ant	49.99
AM-1000	Indoor passive fine-tunable AM ant	49.99
FM-50	Amplified indoor/outdoor FM ant kit	99.99
LF-20	2.4GHz wireless video/audio system	89.99
TSP-6	AC/TV/telephone surge protector	39.99
TV-50	Amplified indoor/outdoor TV ant kit	79.99
TV-MAST	Mast mount kit for TV-50	D 14.99
TV-41	Clip-on mini dish mt amp TV ant; 1 LNB dish	D 49.99
TV-42	Clip-on mini dish mt amp TV ant; 2 LNB dish	59.99
TV-55	Indoor/outdoor TV antenna	89.99

AES Price**AES Price****Texas Bugcatcher (TEX)**

ADAPT-6M	6m adapter for BG-1500	D \$ 9.99
BM-EXT	24" stainless mast extension/guy kit	D 16.99

Times Microwave (TMS)

LMR-400	Standard ⅜" coax cable	per ft. \$.64
LMR-400		500 ft. Roll 249.99
LMR-400-DB	Watertight ⅜" coax cable	per ft. .74
LMR-400-DB		500 ft. Roll 299.99
LMR-400-UF	UltraFlex ⅜" coax cable	per ft. .98
LMR-400-UF		500 ft. Roll 399.99

TIMEWAVE/AEA**TIMEWAVE (TIM)**

DSP-599zx	All-mode DSP noise filter	\$ 399.99
(AEA) AC-4	12vdc 1.5A ps	19.99
DSP-RTTY	RTTY prog; DSP-599zx/59Y	69.99
ANC-4	RF noise canceller	199.99

TIMEWAVE/AEA DATA/SOFTWARE (AEA)

100K/PK-12	100K mail upgrade; PK12	D \$ 4.99
100K	100K mem upgrade; PK-96	D 6.99
PK-96/100K	9600 baud control/128K RAM	199.99
AC-1	12vdc 600 ma adaptor	15.99
PK Pakratt Lite	Packet only term prog	D 1.99
PK-232/DSP	Packet controller w/DSP	450.99
AC-4	12vdc 1.5A ps	19.99
AEA-FAX III-900	PK900/IBM FAX software	D 19.99
PC-Pakratt for Win 2.0 IBM;	12/88/232	99.99
WeFax-256	WX FAX Win prog; 1232/2232	D 49.99
AA.COM	SWR curve IBM soft; 121 & V/U	D .99
Ham University	Written/code Win soft w/exam	Δ 29.99
Morse University II	Code/written Win soft w/exam	D 24.99

TRIPP LITE (TRI)

PV-140	140w 12vdc-115vac inverter	\$ 42.99
PV-300	300w 12vdc-115vac inverter	65.99
ISOBAR-8 ULTRA	8 outlet surge suppress/LEDs	79.99
MT-6+	6 outlet console surge suppressor	Δ 49.99
SUPER-7	7 outlet surge suppressor	19.99
SUPER-7+TEL	7 outlet/fax modem surge	29.99

TUBES (TUB)

6146W	Tube	\$ 26.99
12BY7A	Tube	12.99
3-500G	High dissipation tube (3-500Z)	D 119.99
3-500ZG-RFP	High dissipation tube (3-500Z)	149.99
3-500Z		229.99
572B	Tube	49.99
811A	Tube	19.99

Also see SVETLANA**US TOWER (UST)****FREE STANDING CRANK-UPS (not for T'X)**

TX-438	38' crank-up tower	T 1142.99
TX-455	55' crank-up tower	T 1699.99
TX-472	72' crank-up tower	T 2832.99
TX-472MDP	72' crank-up w/motor drive	T 4549.99
TX-489MDPL	89' crank-up w/motor drive	T 7390.99
TX-3106MDPLSP	106' crank-up/mot drive	†T 11699.99

FREE STANDING HD CRANK-UP TOWERS

HDX-538	38' crank-up tower	T 1477.99
HDX-555	55' crank-up tower	T 2569.99
HDX-572MDPL	72' crank-up w/motor drive	T 6775.99
HDX-589MDPL	89' crank-up w/motor drive	T 8869.99
HDX-689MDPL	89' HD crank-up w/motor	T 17135.99
HDX-5106MDPL	106' HD crank-up w/motor	T 18647.99

COMPACT TMM (Top mt rotor for full retraction)

TMM-433SS	33' crank-up tower	T 1219.99
TMM-433HD	33' HD crank-up tower	T 1477.99
TMM-541SS	41' crank-up tower	T 1599.99

ACCESSORIES FOR CRANK-UP TOWERS

CX-2	Coax arms (2) for 2-section tower	\$ 55.99
CX-3	Coax arms (3) for 3-section tower	77.99

US Tower - continued

AES Price

CX-4	Coax arms (4) for 4-section tower	122.99
CX-5	Coax arms (5) for 5-section tower	150.99
CX-6	Coax arms (6) for 6-section tower	190.99
HDP	Service platform	T 813.99
STS-4	Rotor accessory for TX/TMM towers	T 211.99
IV-16	Inverted vee arm for MA's	41.99
M-5	2" OD 5' mast extension for MA's	40.99
M-10	2" OD 10' mast	T 77.99
M-15	2" OD 15' mast	T 115.99
M-20	2" OD 20' mast	T 136.99
M-15R	2" OD 15' reinforced mast	T 156.99
M-20R	2" OD 20' reinforced mast	T 207.99
CM-20	2" OD 20' cromolly mast	T 489.99
MD-75	Heavy duty 1 HP motor drive	T 997.99
MDP-750*	Pull-down drive; TX-472/HDX-555 T	1551.99
MDPL-1000*	Pull-down drive; HDX-572	T 2106.99
*Requires MCL-100 or RMC-1000. MDP-750 and MDPL-1000 not sold separately		
MRF	Mast raising fixture	268.99
MCL-100	Limit switch package	465.99
RMC-1000	Remote control w/limit switch	997.99
RP-3	Rotor plate for 10" section	39.99
RP-4	Rotor plate for 12 1/2" section	47.99
RP-5	Rotor plate for 15" section	52.99
TRX-80	Raising fixture; TX-438/455; HDX-538/555 T	434.99
TRX-80HD	Raising fixture; TX-472/489; HDX-572/589 T	571.99
TRX-100HD	Raising fixture; HDX-689/5106 T	805.99
TB-2US	Thrust bearing; 2" mast w/2 flange holes	110.99

MA-SERIES TUBULAR TOWERS

MA-40	40' crank-up mast	T \$899.99
MA-550	55' crank-up mast	T 1499.99
MA-550MDP	55' crank-up mast w/motor	T 2932.99
MA-770*	70' crank-up mast	T 2529.99
MA-770MDP*	70' crank up mast w/motor	T 3999.99
MA-850*	85' crank-up mast	T 3909.99
MA-850MDP*	85' crank-up mast w/motor	T 5391.99
*Requires MAB or MARB-series base		

MA-SERIES ACCESSORIES

CX-2M	Coax arms (2) for MA-40	\$ 59.99
CX-3M	Coax arms (3) for MA-550	88.99
CX-4M	Coax arms (4) for MA-770	133.99
CX-5M	Coax arms (5) for MA-850	160.99
MAB-40	Hinged base for MA-40	T 361.99
MAB-550	Hinged base for MA-550	T 432.99
MAB-770	Hinged base for MA-770	T 522.99
MAB-850	Hinged base for MA-850	T 633.99
MAF-40	Raising fixture for MA-40	221.99
MAF-550	Raising fixture for MA-550	T 306.99
MAF-770	Raising fixture for MA-770	T 311.99
MAF-850	Raising fixture for MA-850	T 412.99
MARB-40	Rotor base accessory for MA-40	T 553.99
MARB-550	Rotor base accessory for MA-550 T	654.99
MARB-770	Rotor base accessory for MA-770 T	774.99
MARB-850	Rotor base accessory for MA-850 T	916.99

All US TOWER products are drop-shipped (shipped direct to you from the US TOWER factory). On these factory drop-shippments we prefer payment in full with order, however, we will accept your credit card with the understanding that we will process the charge when we order the merchandise from the factory. This means that you may be billed before you receive your drop-shipped merchandise. Shipment is FOB Visalia, California via truck, COD for freight charges only. Freight charges will be collected upon delivery by the carrier. Please allow sufficient time for delivery on these special order products. Most truck lines will not unload the tower for you, so please be sure to have enough manpower and/or equipment on hand when your tower is delivered by the carrier.

UNADILLA (See W2AU)

UNIDEN (UNI)

EHD-1200GB	900MHz Harley black cordless	D \$ 39.99
EXA-7950	900MHz cordless ph/dig ans mach	D 49.99

Uniden - continued

AES Price

EXP-7902	900MHz cordless phone	D 29.99
EXS-9910	900MHz dig spread spec cordless	D 49.99
Grant-LT	SSB/AM Mobile CB	D 169.99
PRO-340XL	40 ch portable CB/rubber ant	D 39.99
PRO-501XL	AM Mobile CB	D 29.99
PC-68LW	AM Mobile CB w/WX alert	99.99
PC-68XL	AM Mobile CB	89.99
PC-78LW	AM Mobile CB w/WX alert	129.99
PC-78XL	AM Mobile CB	109.99
PRO-510XL	AM Mobile CB	44.99
PRO-520XL	AM Mobile CB	59.99
PRO-538W	AM Mobile CB w/WX	69.99
ESP-26	External speaker	D 16.99

UNIDEN BEARCAT

BCT-10	Pre-prog hiway info sys scan	D \$ 79.99
BC-244CLT	30 ch scanner w/instant WX	99.99
BC-248CLT	50 ch scanner w/WX alert	109.99
BC-278CLT	100 ch scanner/SAME WX alert	179.99
BC-350A	50 ch prog/service search w/AC ps	119.99
BC-780XLT	500 ch scanner/trunk/SAME WX	369.99
BC-895XLT	300 ch prog scanner/trunking	219.99
BCT-7	Pre-prog warning scan/air/800/AC ps	179.99
BC-002	CTCSS tone board; BC-760XLT	39.99
BC-003	Switch box for BC-002	9.99
BC-004	RF preamp for BC-760XLT	24.99
BC-005	CTCSS tone board; 8500/9000XLT	37.99
BC-60XLT-1	30ch prog pocket; use AA batts	99.99
BC-80XLT	50 ch prog pocket scanner/800	149.99
UA-502	Cig power cord	11.99
AD-100	AC adapter/batt cgr; earlier scanners	16.99
AD-140	Extra charger; BC-100XLT/200XLT	13.99
BP-70	Extra battery for BC-70XLT	27.99
BP-200	Extra battery; BC-200XLT	26.99
BP-205	Extra battery; BC-100XLT	26.99
SC-180B	100 ch sport pocket/800 MHz	179.99
SC-200	200 ch sport pocket/800 MHz	219.99
AD-70	Extra charger	10.99
BP-120	Extra battery	18.99
LC-120	Carrying case; BC120XLT/230XLT	19.99
(KOS) QZ/99	Noise reduction headphones	59.99
UA-502	Cig power cord	11.99
BC-245XLT	300ch pocket/trunk/smart scan	229.99
BP-180	Extra battery	16.99
CRX-120	Desk charger; BC-245XLT	24.99
LC-120	Carrying case	19.99
UA-502	Cig power cord	11.99
BP-2500	Extra batt; BC2500/3000	63.99
LC-150B	Carrying case; SC-150B	9.99
LC-2500	Carrying case; BC-2500/3000XLT	12.99
WX-100	SAME weather radio/hazard alert	D 49.99
NPD-001	National frequency book	9.99
RFD-001	IN/IL/KY/OH/MI/WI freq book	14.99
HH-940P	1w submersible VHF marine handheld	149.99
HH-955	5w VHF marine handheld	99.99
HH-980	5w 90ch dtx marine handheld/WX alert	D 139.99
HH-985	5w 90ch marine handheld/SAME WX alert	159.99
MC-535	25w 90 ch VHF marine Xcvr	99.99
MC-1020	25w VHF marine Xcvr	D 139.99

Unified Microsystems (UNM)

XT-4	Small size CW memory keyer	\$ 69.99
KC-4	Cable set for XT-4 to transceiver	9.99
W9XT	Contest card for IBM PC & compatible	149.99
CCC-4	4pin mic contest card cable semi-kit	44.99
CCC-8	8pin mic contest card cable semi-kit	44.99

Universal Towers (UNT)

4-30	4 sq ft wind load 30' alum tower	T \$325.99
9-30	9 sq ft wind load 30' alum tower	T 438.99
12-30	12 sq ft wind load 30' alum tower	T 576.99
21-30	21 sq ft wind load 30' alum tower	T 684.99
23-30	23 sq ft wind load 30' alum tower	T 906.99

Universal - continued

AES Price

35-30	35 sq ft wind load 30' alum tower	T 1021.99
4-40	4 sq ft wind load 40' alum tower	T 546.99
7-40	7 sq ft wind load 40' alum tower	T 686.99
9-40	9 sq ft wind load 40' alum tower	T 765.99
12-40	12 sq ft wind load 40' alum tower	T 906.99
15-40	15 sq ft wind load 40' alum tower	T 1013.99
21-40	21 sq ft wind load 40' alum tower	T 1125.99
23-40	23 sq ft wind load 40' alum tower	T 1347.99
4-50	4 sq ft wind load 50' alum tower	T 769.99
5-50	5 sq ft wind load 50' alum tower	T 875.99
7-50	7 sq ft wind load 50' alum tower	T 985.99
9-50	9 sq ft wind load 50' alum tower	T 1095.99
15-50	15 sq ft wind load 50' alum tower	T 1455.99
16-50	16 sq ft wind load 50' alum tower	T 1570.99
4-60	4 sq ft wind load 60' alum tower	T 1096.99
6-60	6 sq ft wind load 60' alum tower	T 1344.99
7-60	7 sq ft wind load 60' alum tower	T 1431.99
9-60	9 sq ft wind load 60' alum tower	T 1534.99
3-70	3 sq ft wind load 70' alum tower	T 1429.99
4-70	4 sq ft wind load 70' alum tower	T 1756.99
6-70	6 sq ft wind load 70' alum tower	T 1788.99
7-70	7 sq ft wind load 70' alum tower	T 1869.99
3-80	3 sq ft wind load 80' alum tower	T 1926.99
4-80	4 sq ft wind load 80' alum tower	T 2231.99
2-90	2 sq ft wind load 90' alum tower	T 2311.99
B-14	Base for tower	67.99
B-18	Base for tower	67.99
B-22	Base for tower	103.99
B-26	Base for tower	132.99
Extra 14"	stubs (between base & tower)	.set 14.99
Extra 18"	stubs (between base & tower)	.set 26.99
Extra 22"	stubs (between base & tower)	.set 42.99
Extra 26"	stubs (between base & tower)	.set 42.99
Extra 30"	stubs (between base & tower)	.set 63.99
RFM-11	Flat roof mt for guyed tower	46.99
RFM-14	Flat roof mt for guyed tower	46.99
RFM-18	Flat roof mt for guyed tower	72.99
RFM-22	Flat roof mt for guyed tower	97.99
RFM-26	Flat roof mt for guyed tower	129.99
R-11	Rotor mount	32.99
R-14	Rotor mount	49.99
R-18	Rotor mount	65.99
SEE LITERATURE FOR TOWER CONFIGURATIONS		
11 Top	11" top tower section	T 110.99
14 Top	14" top tower section	T 138.99
18 Top	18" top tower section	T 252.99
14 Taper	14" taper tower section	T 122.99
18 Taper	18" taper tower section	T 219.99
22 Taper	22" taper tower section	T 327.99
26 Taper	26" taper tower section	T 440.99
11 Straight	11" straight tower section	T 108.99
14 Straight	14" straight tower section	T 122.99
18 Straight	18" straight tower section	T 219.99
22 Straight	22" straight tower section	T 327.99
26 Straight	26" straight tower section	T 440.99
HD35-40	35 sq ft wind load 40' alum tower	T 1573.99
HD21-50	21 sq ft wind load 50' alum tower	T 1677.99
HD9-60	9 sq ft wind load 60' alum tower	T 1759.99
HD16-60	16 sq ft wind load 60' alum tower	T 2119.99
HD21-60	21 sq ft wind load 60' alum tower	T 2232.99
HD8-70	8 sq ft wind load 70' alum tower	T 1979.99
HD12-70	12 sq ft wind load 70' alum tower	T 2451.99
HD17-70	17 sq ft wind load 70' alum tower	T 2674.99
HD21-70	21 sq ft wind load 70' alum tower	T 2787.99
HD8-80	8 sq ft wind load 80' alum tower	T 2533.99
HD9-80	9 sq ft wind load 80' alum tower	T 2642.99
HD11-80	11 sq ft wind load 80' alum tower	T 3002.99
HD12-80	12 sq ft wind load 80' alum tower	T 3006.99
HD16-80	16 sq ft wind load 80' alum tower	T 3227.99
HD4-90	4 sq ft wind load 90' alum tower	T 2637.99

Universal - continued **AES Price**

HD8-90	8 sq ft wind load 90' alum tower ...T	3112.99
HD11-90	11 sq ft wind load 90' alum tower T	3558.99
HD4-100	4 sq ft wind load 100' alum tower T	3533.99
HD8-100	8 sq ft wind load 100' alum tower T	3780.99
B-30	Base for HD tower	207.99
RFM-30	Flat roof mt for guyed tower	180.99
1-5/8SC	Flange bearing	98.99
2-3/16SC	Flange bearing	109.99
Top Plate	Flange plate welded to top section	24.99

SEE LITERATURE FOR TOWER CONFIGURATIONS

30 Taper	30" taper tower section	T	554.99
30 Straight	30" straight tower section	T	554.99
1-1/4" OD x 5 ft	aluminum mast	T	23.99
1-1/4" OD x 10 ft	aluminum mast	T	33.99
1-1/2" OD x 10 ft	aluminum mast	T	41.99
2" OD x 8 ft	aluminum mast	T	49.99
2" OD x 16 ft	aluminum mast	T	95.99

All UNIVERSAL TOWERS products are drop-shipped (shipped direct to you from the UNIVERSAL TOWERS factory). On these factory drop-shippments we prefer payment in full with order, however, we will accept your credit card with the understanding that we will process the charge when we order the merchandise from the factory. This means that you may be billed before you receive your drop-shipped merchandise. Shipment is FOB Mt. Clemens, Michigan via truck, COD for freight charges only. Freight charges will be collected upon delivery by the carrier. Please allow sufficient time for delivery on these special order products. Most truck lines will not unload the tower for you, so please be sure to have enough manpower and/or equipment on hand when your tower is delivered by the carrier.

VALOR (See PRO AM)**VANCO (VCO)**

370052	3 1/2 digit multimeter	\$	19.99
HF-24RS	Scanner headphones w/dual volume		19.99
SWR-1	SWR/field strength meter		19.99
SWR-3	Mini SWR meter		14.99

VAN GORDEN (VAN)

Hi-Q 1:1	balun	\$	14.99
Hi-Q 4:1	balun		14.99
Antenna center	insulator		6.99
Antenna end	insulator	pair	4.99
Dog bone type	antenna insulator	each	.99
NR-100	Nylon antenna guy rope	100 ft.	4.99
NR-1,000	Nylon ant guy rope	1,000 ft.	44.99
D-80	80m 130' wire dipole antenna		32.99
Sb-80	Short 90' 80m dipole		36.99
D-40	40m 66' wire dipole antenna		29.99
SD-40	Short 45' 40m dipole		34.99
D-20	20m 33' wire dipole antenna		28.99
D-15	15m 22' wire dipole antenna		27.99
D-10	10m 16' wire dipole antenna		26.99
All Bander	Dipole 160-10m (use tuner) 135' ant		29.99
Shorty All	Bander 160-10m (use tuner) 70' ant		44.99
G5RV	Flat-top 5-band 102' ant/xmfr/100' cable		50.99
G5RV-E	Flat-top 5-band 102' ant/31' twinlead		28.99
G5RV JR	Flat-top 4-band 52' ant/17' twinlead		24.99
G5RV-M	Flat-top 5-band 204' ant/65' twinlead		50.99
N connector	Type N connector for 9913/8214		4.99
#14	Stranded hard drawn ant wire	100 ft.	11.99
#14	Stranded hard drawn ant wire	150 ft.	16.99
300 ohm	1kw transmitting twinlead	100 ft.	19.99
450 ohm	18ga solid ladderline	100 ft.	14.99
450 ohm	18ga solid ladderline	1,000 ft.	109.99
450 ohm	14ga stranded ladderline	100 ft.	29.99
450 ohm	14ga stranded ladderline	1000 ft.	229.99
(WA1) WA1FFL	Ladder-Loc 450 ohm ctr ins		12.99
RG-213	Non-contaminating	per ft.	.49
RG-213/500	Non-contaminating .500 ft. Roll		179.99
8X-1.5ST	1.5' RG-8X coax/silver teflon PL259s ...		7.99
8X-3ST	3' RG-8X coax/silver teflon PL259s ...		8.99

Van Gorden - continued **AES Price**

8X-6ST	6' RG-8X coax/silver teflon PL259s ...	10.99
8X-12ST	12' RG-8X coax/silver teflon PL259s ...	11.99
8X-25ST	25' RG-8X coax/silver teflon PL259s ...	15.99
8X-50ST	50' RG-8X coax/silver teflon PL259s ...	24.99
8X-75ST	75' RG-8X coax/silver teflon PL259s ...	31.99
8X-100ST	100' RG-8X coax/silver teflon PL259s ...	37.99
213-25ST	25' RG-213 coax/silver teflon PL259s ...	25.99
213-50ST	50' RG-213 coax/silver teflon PL259s ...	38.99
213-75ST	75' RG-213 coax/silver teflon PL259s ...	54.99
213-100ST	100' RG-213 coax/silver teflon PL259s ...	72.99

VECTRONICS (VEC)

VC-300M	300w mobile antenna tuner	\$	99.99
VC-300DLP	300w antenna tuner		149.99
VC-300D	300w digital antenna tuner		179.99
HFT-1500	1.5kw antenna tuner		399.99
AT-100	.3-30 MHz active antenna/tuner		79.99
HPF-1	High pass filter, 75 or 300 ohms		24.99
HPF-2	Deluxe high pass filter, 75 or 300 ohms		29.99
LP-30	1.5kw low pass filter		69.99
LP-2500	2.5kw low pass filter		129.99
CK-200	Deluxe keyer		79.99
DL-300M	300w 150MHz dummy load		44.99
DL-650M	1.5kw 650MHz dummy load		74.99
DL-2500	2.5kw 150MHz dummy load		179.99
PM-30HF	300/3kw HF wattmeter		79.99
PM-30UV	30/300w VHF/UHF wattmeter		89.99
AC-12	12vdc 300ma adapter	D	14.99
PS-50F	35A power supply, 50A surge	Δ	139.99
121K	Crystal radio set kit		19.99
131K	Aircraft receiver kit		29.99
201K	CW keyer kit		24.99
412K	Nicad/NiMH battery conditioner kit		49.99
422K	FM broadcast SCA decoder kit		27.99
820K	Super CW audio filter kit, 750Hz center Δ		6.99
821K	Super CW audio filter w/1w amp kit Δ		14.99
830K	Super SSB audio filter kit		19.99
841K	Tunable SSB/CW audio filter kit		34.99
1140K	40m receiver kit		29.99
1240K	40m QRP CW transmitter kit		29.99
1290K	AM radio transmitter kit		29.99
1294K	TV transmitter kit		27.99
1402K	2m preamp kit		17.99
1422K	220MHz preamp kit	Δ	6.99

VELLEMAN (VEL)

DVM-810	3 1/2 digit digital multimeter	\$	19.99
---------	--------------------------------------	----	-------

VENTENNA (FOR)

VT-15S	Scanner Ventenna 3' 2.6 db base ...Δ	\$	39.99
VT-44	440 Ventenna 14" 2.6 db base ant ...Δ		39.99

VIBROPLEX (VIB)

090	Original Gold Bug	\$	309.99
100	Original Presentation Super deluxe bug		269.99
105	Original Deluxe Bug		199.99
110	Original Standard Bug		169.99
113	VibroKeyer Gold Paddle		279.99
115	VibroKeyer Deluxe Paddle		184.99
120	VibroKeyer Standard Paddle		149.99
123	Iambic Gold Paddle		279.99
125	Iambic Presentation Paddle		249.99
130	Iambic Deluxe Paddle		189.99
135	Iambic Standard Paddle		149.99
145	Triangular Brass Racer Iambic paddle ..		139.99
150	Square Brass Racer Iambic paddle		139.99
153	Gold straight key		279.99
155	Standard straight key		149.99
160	Deluxe straight key		189.99
162	Gold Hand key/Iambic Paddle double		369.99
163	Gold Hand key/VibroKeyer Paddle double ..		369.99
165	Deluxe Hand key/Iambic Paddle double ..		329.99
170	Dlx Hand key/VibroKeyer Paddle double ..		329.99
175	Standard Hand key/Iambic Paddle double ..		279.99

Vibroplex - continued **AES Price**

180	Std Hand key/VibroKeyer Paddle double ..	279.99
185	Square Racer Deluxe Iambic paddle	139.99
190	Square Racer Standard Iambic paddle ..	119.99
195	Blue Racer 2000 Std Millennium Bug ...	189.99
198	Blue Racer 2000 Dlx Millennium Bug ...	229.99
200	Code Warrior Junior Paddle	99.99
205	Venus Key Chrome paddle special order ..	449.99

WA1FFL (WA1)

Ladder-Loc	450 ohm ladderline center attach	\$	12.99
------------	--	----	-------

W2AU (Unadilla) (W2A)

W2AU 1:1	160-10m balun, lightning arrestor	\$	24.99
W2AU 4:1	160-10m balun, lightning arrestor		24.99
W2AU Beam	Balun, 1:1		24.99
W2DU-HF	1:1 1.8-30 MHz choke balun		26.99
W2DU-VHF	1:1 30-250 MHz choke balun		26.99
W2DU Beam	Balun 40-10m 1:1 choke balun		26.99
HA	AN-sulator center insulator		9.99
HE	END-sulator end insulators	pair	4.99
KW-80CW	Reyco 80m CW ant trapsD, pair		48.99
KW-30	Reyco 30m antenna trapsD, pair		42.99
KW-12	Reyco 12m antenna trapsD, pair		41.99
KW-10	Reyco 10m antenna trapsD, pair		41.99

W5YI (W5Y)

ECS	Extra upgrade software/manual/code	\$	34.99
GUS	General upgrade software/manual/code		34.99
GW05	Gordon West 6 ea 0-5 wpm code tapes ..		29.99
GW13	Gordon West 6 ea 5-16 wpm code tapes ..		29.99
GW20	Gordon West 6 ea 10-28 wpm code tapes ..		29.99
GWEM	Gordon West Extra study manual		14.99
GWEW	Gordon West 4 ea Extra theory tapes ..		19.99
GWGM	Gordon West General study manual ...		12.99
GWGW	Gordon West 4 ea General theory tapes ..		19.99
GWTM	Gordon West Technician study manual ..		11.99
GWTW	Gordon West 4 ea Tech theory tapes ..		19.99
HOS	Ham operator software/code (all classes) ..		39.99
NCS	Technician software w/manual		34.99
NCVP	Technician video/manual/part 97 book		29.99
TPG	Tech/General software/manuals/code		49.99
WMC	0-48 wpm code software		12.99

WAHL (WAH)

7740	Quick charge cordless soldering iron kit ..	\$	47.99
7971	30 minute butane soldering iron		19.99
7974	120 minute butane soldering iron		27.99

WELLER (WEL)

7200PK	75w soldering gun kit	\$	29.99
EC-1002-1	40w temp controlled solder stn ..		199.99
WP-25	25w professional soldering iron		34.99
W-60P	60w temp controlled soldering iron ...		64.99
WSTA3	Pyropen portable LP soldering iron		99.99
WST2	Pyropen Jr. portable butane iron		89.99
WTCPT	60w temp controlled soldering stn		119.99

West Mtn Radio (WES)

RB/PL/C	Rigblaster Plus for 8-pin radios	\$	139.99
RB/M8/C	Rigblaster for 8-pin radios		109.99
RB/RJ/C	Rigblaster for RJ-45 radios		109.99
RB/NO/8C	Rigblaster nomic for 8-pin radios		59.99
RB/NO/RJC	Rigblaster nomic for RJ-45 radios		59.99

WILSON (WIL)

Little Wil	Magnetic mt CB antenna	\$	31.99
Trucker 2000	Black mobile 1/2-24 CB whip ...		57.99
W-1000	Magnetic Black mobile CB antenna		76.99
W-1000	Roof Top Black mobile CB antenna ..		57.99
W-1000	Trunk Lip Black mobile CB antenna		65.99

WINEGARD (WIN)

CX-0625	25' RG-6 TV coax w/F connectors ...	\$	10.99
CX-0650	50' RG-6 TV coax w/F connectors ...		15.99
CX-0675	75' RG-6 TV coax w/F connectors ...		19.99

Winegard - continued AES Price

CX-6100	100' RG-6 TV coax w/F connectors	24.99
DS-2000	Universal pipe/tower mt; TV ant ..Δ	16.99
PR-7010	22 el 66.5" boom Prostar TV ant	39.99
PR-7032	33 el 103.25" boom Prostar TV ant	64.99
PR-7042	43 el 149.75" boom Prostar TV ant	99.99
TV-2900	Outdoor TV matching transformer	2.99
SM-2200	Base scanner ant/50' cbl/F connectors	45.99

YAESU (YAE)

Yaesu prices beyond 9/30/01 were unknown at press date

FT-1000MP MK V HF Xcvr/EDSP/tuner/ps †*2599.99

***Price w/instant coupon; coupon expires 9/30/01**

DVS-2	Digital voice recording module	219.99
FH-1	Remote control keypad	88.99
FTV-1000	200w 6m transverter; Mk V	899.99
FP-29	30vdc ps; FTV-1000 w/orig MP	499.99
FRB-5	Relay board; FTV-1000 w/orig MP	50.99
MD-100A8X	Desk mic w/tone control	129.99
MD-200A8X	Deluxe high fidelity desk mic	379.99
MH-31B8	Extra hand microphone	39.99
SP-8	External speaker w/filters	159.99
LL-7	Phone patch unit for SP-8	139.99
TCXO-4	TCXO unit; FT-1000MP only	99.99
TCXO-6	Deluxe TCXO unit, 0.5 ppm	174.99
YF-110CN	250 Hz 3rd IF main Rcvr CW filt	144.99
YF-110SN	2 KHz 3rd IF main Rcvr SSB filt	144.99
YF-114CN	250 Hz 2nd IF main Rcvr CW filt	144.99
YF-114SN	2 KHz 2nd IF main Rcvr SSB filt	144.99
YF-115C	500 Hz CW Collins mech filter	159.99
YH-77STA	Open-air type stereo headphones	51.99

FT-1000D Dlx Xcvr/BPF/TCXO/XF-ABCDE/ps †*3999.99

***Price w/instant coupon; coupon expires 9/30/01**

DVS-2	Digital voice recording module	219.99
FIF-232C	Interface for RS-232	95.99
MD-100A8X*	Desk mic w/tone control	129.99
*Cable needed for FT-1000D; contact service for info		
MD-200A8X	Deluxe high fidelity desk mic	379.99
SP-5	External spkr w/audio filter	144.99
LL-5	Phone patch unit for SP-5	129.99
XF-455MC	600Hz CW filter (455KHz); subrcvr	144.99
YF-110CN/XF-F	250 Hz CW xtal filter (455 KHz)	144.99
YH-77STA	Open-air type stereo headphones	51.99

FT-920 9-band Xcvr/AF-DSP/tuner/6m/kyr †*1089.99

***Price w/instant coupon; coupon expires 9/30/01**

FM-1 FM unit FREE with FT-920! Limited Time!

FP-1023	23A switching ps w/fan, 25A surge	159.99
FP-1030A	25A ps, 30A surge w/meters	249.99
FM-1	FM unit	62.99
MD-100A8X	Desk mic w/tone control	129.99
MD-200A8X	Deluxe high fidelity desk mic	379.99
SP-8	External speaker w/filters	159.99
LL-7	Phone patch unit for SP-8	139.99
T-9018320	Extra DC cable	26.99
TCXO-7	TCXO unit	99.99
YF-116A	6 KHz AM filter	119.99
YF-116C	500 Hz CW filter	119.99
YH-77STA	Open-air type stereo headphones	51.99

FT-847 HF/6m/2m/430 Earth Station Xcvr/mic †*1249.99

***Price w/instant coupon; coupon expires 9/30/01**

FP-1023	23A switching ps w/fan, 25A surge	159.99
FP-1030A	25A ps, 30A surge w/meters	249.99
ATAS-100	HF/6/2/430 motorized mob ant	319.99
ATBK-100	Antenna base kit; use w/base mt	89.99
CT-61	Interface cable; FT-847 to amp	15.99
FC-20	Automatic antenna tuner	269.99
FVS-1A	Voice synthesizer	43.99
MD-100A8X	Desk mic w/tone control	129.99
MH-36D8	TTP mobile microphone	60.99
MMB-66	Mobile mounting bracket	39.99
SP-8	External speaker w/filters	159.99
T-9018320	Extra DC cable	26.99
YF-115C	500 Hz CW Collins mech filter	159.99

Yaesu - continued AES Price

YF-115S-02	2.5 KHz SSB Collins mech filt	159.99
YH-77STA	Open-air type stereo headphones	51.99
FT-840	HF Xcvr/SW Rcvr/mic	†*579.99
*Price w/instant coupon; coupon expires 9/30/01		
FP-1023	23A switching ps w/fan, 25A surge	159.99
FP-1030A	25A ps, 30A surge w/meters	249.99
FC-10	External coax fed auto tuner	379.99
FC-800	External long wire auto tuner	439.99
FIF-232C	Interface for RS-232	95.99
FM-747	FM unit	62.99
MD-100A8X*	Desk mic w/tone control	129.99

*Cable needed for FT-840; contact service for info

MD-200A8X	Deluxe high fidelity desk mic	379.99
MLS-100	Mobile speaker	45.99
MMB-20	Mobile mount	34.99
SP-6	External speaker w/filter	144.99
SP-7	Mobile speaker	40.99
T-9018320	Extra DC cable	26.99
TCXO-4	TCXO unit	99.99
YF-112A	6 KHz AM filter	119.99
YF-112C	500 Hz CW filter	119.99
YH-77STA	Open-air type stereo headphones	51.99

FT-817 5w HF/6m/2m/430 SSB/AM/FM Xcvr

***Price w/instant coupon; coupon expires 9/30/01**

(W4R) OTT-1	One-touch tune for FT-817	59.99
CSC-83	Soft case w/side pocket for FT-817	25.99
CT-39	Packet cable	9.99
CT-62	CAT interface cable	29.99
EDC-6	Extra DC cord; plug & wire only	7.99
FNB-72	1000ma 9.6v nicad battery	60.99
MH-36E8J	TTP mic	60.99
NC-72B	Nicad wall charger	18.99
TCXO-9	TCXO unit, 0.5 ppm	99.99
YF-122C	500 Hz Collins CW filter	159.99
YF-122S	2.3 KHz Collins SSB filter	159.99

FT-100D MiniHF/6/2/440/DSP/TT/CW/HT/TCXO/dec †*879.99

***Price w/instant coupon; coupon expires 9/30/01**

FT-100D/ATAS FT-100D/ATAS-100 combo †*1199.98

***Price w/instant coupon; coupon expires 9/30/01**

FP-1023	23A switching ps w/fan, 25A surge	159.99
FP-1030A	25A ps, 30A surge w/meters	249.99
ATAS-100	HF/6/2/430 motorized mob ant	319.99
ATBK-100	Ant base kit; use w/base mt	89.99
CT-39	Packet cable	9.99
CT-58	Band data cable; Yaesu amplifier	29.99
CT-62	CAT interface cable	29.99
CT-69	6-pin modular - 8-pin mic jack adapter	29.99
FC-20	Automatic antenna tuner	269.99
MLS-100	Mobile speaker	45.99
MMB-62	Remote front panel mounting bkt	39.99
MMB-67	Quick release bracket	29.99
SP-6	External speaker w/filter	144.99
LL-5	Phone patch unit for SP-6	129.99
SP-7	Mobile speaker	40.99
T-9021925	Extra DC cord	42.99
XF-117A	6 KHz AM filter	99.99
XF-117CN	300 Hz CW filter	99.99

Suggest dealer installation of filters in FT-100; only 2 sockets; use XF-117C & XF-117A or XF-117CN

YH-77STA	Open-air type stereo headphones	51.99
YSK-100	Separation kit	79.99
CT-20	Mic cable for use with MD-1C8	4.99
CT-26	Mic adapter cable; modular to 8-pin	22.99
FAS-1-4R	Remote antenna selector	129.99
FC-1000	HF wire antenna tuner	199.99
FP-1023	23A switching ps w/fan, 25A surge	159.99
FP-1030A	25A ps, 30A surge w/meters	249.99
FRB-757	External relay box	31.99
FTS-27	CTCSS decoder unit; FT-100	47.99
MH-31A8J	Extra hand mic; FT-900	39.99
TCXO-2	TCXO unit; FT-990	49.99
TCXO-8	TCXO unit; FT-100	89.99
XF-110C	500Hz CW filter; FT-900	49.99
XF-117C	500 Hz CW filter; FT-100	89.99

Yaesu - continued AES Price

YA-30	1.8-30 MHz broadband dipole ant	229.99
YF-115S-01	2.75KHz Collins SSB filt; FT-900 D	49.99
YH-77ST	Open-air type stereo headphones	51.99
YS-60	1.8-60 MHz 2kw PEP wattmeter	129.99
YS-500	140-520 MHz 200w PEP wattmeter	109.99

Quadra System VLP1000 HF+6m amp/ps/tuner 3999.99

FRG-100B 1-30 MHz shortwave receiver †*479.99

***Price w/instant coupon; coupon expires 9/30/01**

FM Unit-100	FM unit	47.99
TCXO-4	TCXO unit	99.99
YF-110CN/XF-F	250 Hz CW xtal filter	144.99
YF-115C	500 Hz CW Collins mech filter	159.99

VR-120 1.1MHz-1.2995GHz AM/FM hand/cell bldk †*129.99

***Price w/instant coupon; coupon expires 9/30/01**

51R Clone/CT-35	Clone cable; VR-120	9.99
CSC-76	Soft case for VR-120	19.99

VR-500 1.1M-1.3G AM/FM/SSB hand/cell bldk †*199.99

***Price w/instant coupon; coupon expires 9/30/01**

51R Clone/CT-35	Clone cable; VR-500	9.99
ADMS-3	Windows programming software	39.99
CSC-72	Soft case for VR-500	19.99
EDC-5B	DC adapter w/noise filter	26.99
EDC-6	DC adapter; plug & wire only	7.99
FNB-59	Nicad battery for VR-500	29.99
NC-60B	Wall charger	14.99

VR-5000 1.1M-2.6G base rcvr AM/FM/SSB/cell bldk *699.99

***Price w/instant coupon; coupon expires 9/30/01**

DSP-1	DSP unit	119.99
DVS-4	Digital voice recorder	47.99
FVS-1A	Voice synthesizer	43.99
E-736	DC cable for FT-736R	16.99
FEX-736-50	6m module for FT-736R	279.99
FEX-736-220	220 MHz module; FT-736R	309.99
FEX-736-1.2	1.2 GHz module for FT-736R	539.99
Keyer-B	Electronic keyer unit; FT-736R	26.99

AD-3 100w 2m/440 duplexer 52.99

FBA-8 Holder for 9 C nicads; 290/690/790 ...Δ 29.99

FRC-4 DTMF pager unit; FT-5200/6200 ...D 1.99

FTS-7A Encoder/decoder; newer 290/690/790 ...Δ 39.99

MH-27B8 8-pin TTP mic; FT-5200/6200 ...Δ 65.99

FT-7100M 50/35w 2m/440 FM Xcvr/TTP ...*299.99

***Price w/instant coupon; coupon expires 9/30/01**

AD-3	100w 2m/440 duplexer	52.99
CT-39	Packet cable	9.99
MEK-2	Mic extension kit	42.99
MLS-100	Mobile speaker	45.99
MMB-60	Quick release mobile bracket	31.99
MMB-62	Remote front panel mounting bkt	39.99
SP-7	External speaker	40.99
YH-7100	Remote separation kit	69.99

FT-90R 50/35w 2m/440 micro FM Xcvr †*319.99

***Price w/instant coupon; coupon expires 9/30/01**

ADMS-2E	Windows programming software	39.99
MEK-2	Mic extension kit	42.99
MLS-100	Mobile speaker	45.99
SP-7	External speaker	40.99
RA-0131900	Extra mobile bracket	4.99
T-9021810	Extra DC cable	12.99
YSK-900	Remote separation kit	64.99
FS-10	Deluxe mic for FT-8500	99.99
FTS-22	CTCSS decode unit; FT-8100R	68.99
MH-39A6J	Regular mic for FT-8500	49.99
YSK-8100	Rem separation kit; FT-8100R	69.99

FT-3000M 70w 2m FM Xcvr/TTP/ext rcv ...† 399.99

ADMS-2D	Windows programming software	39.99
CT-39	Packet cable	9.99
DVS-4	Digital voice recorder	47.99
FTS-17A	CTCSS decode unit	47.99
MLS-100	Mobile speaker	45.99
MMB-36	Extra mobile bracket	11.99
MMB-60	Quick release mobile bracket	31.99
SP-7	External speaker	40.99

Yaesu - continued AES Price

T-9021810	Extra DC cable	12.99
FRC-6	DTMF pager; 2400M/2500M/7400H ..D	2.99
MH-27A8J	TTP mic/modular plug; early 2500M ..Δ	60.99
MH-36C8J	Extra TTP mic; late FT-2500M	60.99
FT-2600M	60w compact 2m FM Xcvr/TTP mic †	*169.99
*Price w/instant coupon; coupon expires 9/30/01		
ADMS-2E	Windows programming software	39.99
MLS-100	Mobile speaker	45.99
MMB-48	Extra mobile bracket	16.99
SP-7	External speaker	40.99
T-9021810	Extra DC cable	12.99
FT-1500M	50w 2m FM Xcvr/TTP mic	† *149.99
*Price w/instant coupon; coupon expires 9/30/01		
ADMS-2F	Windows programming software	39.99
MH-36C8J	Extra TTP microphone	60.99
MLS-100	Mobile speaker	45.99
RA-0242900	Extra mobile bracket	9.99
SP-7	External speaker	40.99
T-9021810	Extra DC cable	12.99
FP-1023	23A switching ps w/fan, 25A surge	159.99
FP-1030A	25A ps, 30A surge w/meters	249.99
LF-1	Mobile 13A DC noise filter	26.99
MLS-100	Mobile speaker	45.99
SP-3	Small mobile speaker	23.99
SP-4	Mobile speaker	31.99
SP-7	External speaker	40.99
VXR-5000VADC/Vertex	25w 2m FM rpt/r	1199.99
VXR-5000V/TA/Vertex	25w 2m FM rpt/ps D	1299.99
VXR-5000UCDC/Vertex	25w 440 FM rpt/r	1199.99
VXR-5000U/TC/Vertex	25w 440 FM rpt/r/ps D	1299.99
Repeaters require service dept. set-up; \$72 minimum		
(COM) ID-8	Auto morse code ID'er	69.99
VXD-40UB/Vertex	440 duplexer (untuned)	199.99
Tuning charge; duplexer (specify freqs) ...		
VX VPL-1D/Vertex	PC prog cable & software	95.99

Accessories for 09-series

FNB-4A	500ma 12v battery; 09-series	Δ \$ 62.99
FTS-6	Encoder/decoder; 09-series	D 4.99

Accessories for FT-26/415/416/530

CA-8	2 chg sleeves; NC-50/FT-416/530	D \$.99
CSC-50	Vinyl case; 415/416/FNB25	D 1.99
FBA-12	AA cell holder	Δ 19.99
FT-33R	5w 220 FM HT/batt/cgr	299.99
FT-411 Mk II/12	5w 2m HT/FNB-12S/cgr/TTP ..	179.99

Acces for FT-23/33/73/411/811/470/911

CA-7	2 charging sleeves; NC-50/411E/470 ..	\$ 27.99
CLIP-1	Belt clip	7.99
CSC-24S	Soft case; FT-23/33/73 w/FNB-12S ..D	.69
CSC-28	Soft case; FT-23/33/73 w/FNB-12S ..Δ	9.99
CSC-35	Soft case; FT-411/811/911/FNB-17 ..D	.99
CSC-37	Soft case; FT-411 w/FNB-12S/14	16.99
FBA-17	AA battery holder	19.99
FNB-12S	600ma 12v (5w) battery	55.99
FNB-17	600ma 7.2v battery	34.99
FTS-12	Encoder/decoder for FT-23/33/73	60.99
FTS-17A	Encoder/decoder; FT-411	47.99
FTT-4	DTMF (TTP) unit for FT-23/33/73	D 2.99
MH-30C2B	Speaker/microphone	45.99
MH-34C2B	Compact lapel speaker/mic	30.99
NC-28B	Extra wall charger for FNB-17	14.99
NC-34B	Wall charger for FNB-14	14.99
NC-65B/NC-18B	Wall charger for FNB-12S ..	14.99
PA-6	Mobile DC adapter/cgr; FNB-14/17	31.99
YH-2	Lightweight VOX headset w/mic	30.99
FT-50RD/41B	5w 2m/440 HT/FNB41/FTT-12 †	*209.99
*Price w/instant coupon; coupon expires 9/30/01		
ADMS-1E	Windows programming software	39.99
CA-15	Charging stand; FT-10/40/50	27.99
NC-60B	Wall charger; FNB-40/41/CA-15	14.99
CLIP-10	Spring loaded belt clip	7.99
CN-2	BNC to SMA adapter; FT-10/40	Δ 8.99
CN-3	BNC to SMA adapter; FT-50R	8.99

Yaesu - continued AES Price

CSC-68	Soft case; FNB-41/FBA-15	16.99
CSC-69	Soft case; FNB-40	Δ 6.99
CSC-V10	Cordura soft case; FT-10/40/50 ..	27.99
CT-27A	Cloning cable	10.99
CT-30	Microphone Y adapter	10.99
CT-53	Packet cable	9.99
EDC-5B	DC adapter w/noise filter	26.99
EDC-6	DC cord; plug & wire only	7.99
FBA-15	4-AA battery holder	19.99
FBA-21	6-AA battery holder	38.99
FEP-10	Earphone	9.99
FNB-40	650ma 6v battery	D 29.99
FNB-41	600ma 9.6v (5w) battery	58.99
FNB-42	1100ma 9.6v (5w) battery	62.99
FNB-V47	1100ma 7.2v battery w/belt clip	55.99
PA-17	Battery cable extender	57.99
FTT-12	16-key keypad/dec/DVRS; FT-50R ..D	19.99
LCC-10C	Leather case/belt clip; 50/FNB41/V47	31.99
LCC-10S	Leather case/swivel; 50/FNB41/V47	31.99
MH-30C2B	Speaker/mic; use CT-30 also ...	45.99
MH-34B4B	Speaker/mic	30.99
MH-37A4B	Earpiece/microphone	30.99
NC-50	1-hour dual slot charger	92.99
CA-14	2 charging sleeves; NC-50	26.99
RH-1	Black rubber case protector	7.99
RH-1R	Orange rubber case protector	7.99
VC-25	VOX headset	62.99
YHA-54	Replacement 2m/440 BNC duck ...	16.99
MH-29A2B	LCD disp spkr/mic; FT-530/51R Δ	49.99

Accessories for FT-11R/41R/51R

CA-10	2 charge sleeves; NC-50/11/41/51 ..Δ	\$ 14.99
CSC-61	Case; 11R/41R/FNB33/38/FBA14 ..Δ	9.99
CSC-62	Soft case; FT-11R/41R/FNB-3199
CSC-66	Soft case; FT51R/FNB33/38/FBA14 Δ	9.99
EDC-12	DC adapter; FT-11R/41R/51R	Δ 38.99
FBA-14	AA battery holder	Δ 19.99
FNB-31	600ma 4.8v battery	Δ 29.99
FNB-33	1200ma 4.8v battery	Δ 49.99
FNB-38	600ma 9.6v battery	Δ 69.99
FTS-26	CTCSS decoder; FT-11R/41R	Δ 39.99
MH-37B2B	Earpiece/microphone	Δ 19.99
NC-55B	Wall charger for FNB-31	Δ 9.99
VC-22	VOX headset	D 49.99

VX-1R 500mw 2m/440 submini HT/lith ion † *129.99

*Price w/instant coupon; coupon expires 9/30/01		
ADMS-1E	Windows programming software	39.99
CN-3	BNC to SMA adapter	8.99
CSC-71	Soft case for VX-1R	† 16.99
CT-44	2-pin spkr/mic adapter	12.99
CT-53	Packet cable	9.99
EDC-15	DC adapter	38.99
FBA-20	Battery holder	† 19.99
FEP-10	Earphone	9.99
FNB-52LI	Extra 700ma 3.6v lith ion batt ..	36.99
MH-34B4B	Speaker/mic	30.99
MH-37A4B	Earpiece/microphone	30.99
NC-66B	Extra 2 hour wall charger	18.99
VC-25	VOX headset	62.99

VX-5R 5w 6m/2m/440 FM HT/lith ion batt † *279.99

*Price w/instant coupon; coupon expires 9/30/01		
VX-5RS	Silver 5w 6m/2m/440 FM HT/lith ion	*299.99
*Price w/instant coupon; coupon expires 9/30/01		
ADMS-1E	Windows programming software	39.99
CD-15	Charger stand (use with NC-72B) ..	29.99
CN-3	BNC to SMA adapter	8.99
CSC-73	Soft case for VX-5R	19.99
CT-27A	Cloning cable	10.99
CT-44	2-pin spkr/mic adapter	12.99
CT-53	Packet cable	9.99
EDC-5B	DC adapter w/noise filter	26.99
EDC-6	DC cord; plug & wire only	7.99
FBA-23	2 AA cell battery case	25.99
FNB-58LI	Extra 1100ma 7.2v lith ion batt	69.99

Yaesu - continued AES Price

MH-34B4B	Speaker/mic	30.99
MH-37A4B	Earpiece/microphone	30.99
NC-72B	Extra wall charger	18.99
SU-1	Altitude/barometric pressure sensor ...	35.99
VC-25	VOX headset	62.99
VX-150/Vertex	5w 2m HT/batt/cgr/16key TTP †	159.99
ADMS-1F	Windows programming software	39.99
CN-3	BNC to SMA adapter	8.99
CT-27A	Cloning cable	10.99
CT-44	2-pin spkr/mic adapter	12.99
CT-53	Packet cable	9.99
EDC-5B	DC adapter w/noise filter	26.99
EDC-6	DC cord; plug & wire only	7.99
FBA-25	6 AA cell battery case	48.99
FNB-V57	1100ma 7.2v battery	70.99
FNB-64	Extra 700ma 7.2v battery	43.99
LCC-150/TT	Leather case	23.99
LCC-150S/TT	Leather case w/swivel	31.99
MH-34B4B	Speaker/mic	30.99
MH-37A4B	Earpiece/microphone	30.99
NC-72B	Extra wall charger	18.99
VAC-400B	1-hour desk top rapid charger ..	56.99
VC-25	VOX headset	62.99

ANTENNA ROTORS

G-450A	10 sq ft antenna rotor/5-wire	\$259.99
G-550	12 sq ft elevation rotor/6-wire	299.99
G-800SA	Med/hvy duty 450 degree 17sq ft/5-wire	339.99
G-800DXA	Med/hvy duty 17sq ft/presets/5-wire	429.99
G-1000DXA	HD 450 degree 23sq ft/presets/6-wire	519.99
G-2800DXA	HD 450 degree 34sq ft/presets/6-wire	1139.99
G-5500	11 sq ft azimuth/elevation rotor/2x6-wire	629.99
GA-2500	Tower absorber joint; G-450/800 ..D	79.99
GA-3000	Tower absorber joint; G-1000/2800	119.99
GC-038	Mast clamp; G-450/800/1000/5500	31.99
GC-048	Mast clamp; G-2800	47.99
GL-33	Mast adjustment plate	14.99
GS-050	50mm thrust bearing; mast 1¼-2" ...	31.99
GS-065	65mm thrust bearing; mast 1½-2½"	47.99
GS-232A	Computer interface; DXA rotors	539.99
C-1000	Interface cable; GS-232A - SDX/G5500	29.99
GS-680U	Universal self-adjusting mast bearing	99.99
Sep Kit	Separation kit for G5500	23.99

See BELDEN for rotor cable

CONSUMER ELECTRONICS

VXA-120	Aviator Pro II 4w air handheld	\$259.99
VXA-200/16-SU	Aviator Pilot II 5w air HH/baro	429.99
FNB-53	Nicad battery pack; Yaesu FRS	Δ 14.99
ZEISS (ZEI)		
52 20 47	10x25 black binoculars	Δ \$349.99
52 40 07	7x45 black forest binoculars	Δ 929.99
52 40 13	10x40 rubber armored binoculars Δ	819.99
52 56 59	8x56 black forest binoculars	Δ 1049.99

CLOSE-OUTS

AEA WeFax-256	WX FAX Win prog; 1232/2232	\$ 49.99
ALI EBP-35N	7.2v 900ma nicad battery	59.99
ALI EDX-1	Manual coax feed antenna tuner	269.99
ALI EMS-12A	TTP microphone; DR-M03SX	65.99
AOR AR-16B	.5-1300MHz hand scan/cell blkd	199.99
AOR AR-8200B	.5-2040 hand/SSB/cell blkd	479.99
AST Night Eagle	Brass/black crystal desk mic	99.99
B&K 541	Component comparator	149.99
B&K 1646	0-16V, 0-10A power supply	169.99
B&K 2831A	Digital bench multimeter	129.99
B&W ASW-90	500KHz-30MHz 90' rcv only ant	119.99
BAY FPR-1B	AM/FM/SW 30min Freeplay radio	49.99
BAY FPR-2SC	AM/FM/solar clear case Freeplay	49.99
BAY FPR-2SGSW	AM/FM/SW/solar 60min Freeplay	69.99
BIR 25-T-MN	25w dummy load w/type N male	69.99
BLM DX-355	True RMS+20MHz freq multimeter	74.99
BUS 20-0600	Compact laser rangefinder 600	249.99

Close-Outs - continued AES Price

BUT 10/11	10/11m butterfly beam	169.99
CEL 21072	Firstscope 80 EQWA refractor telesc ..	249.99
CEL 31052	Firstscope 114 Premium reflector telesc ..	299.99
CES SDI-50	Dlx spkr/dplx autopatch/rptr controller	399.99
CMT CYA-240	2m/440 9.5/11.6 3/5el 5.25' bm	69.99
COB 25LTD ST	Sound Tracker AM Mobile CB ..	69.99
COB 25NW ST	Night Watch Sound Tracker AM Mob CB	89.99
COM TE-64	64tone CTCSS/burst switch enc box	49.99
COU CPK-510	Prog kit for M-510/MU-510	89.99
COU M-54	5w 4ch VHF HH/batt/cgr/151.625	169.99
COU M-510	5w 10ch synth VHF FM hand-held	199.99
COU MU-510	5w 10ch synth UHF FM handheld	169.99
CUS 22N-SK	Harness, pwr divider; 2 17B2s ..	119.99
CUS 26B2-VPK	Vertical polar kit; 2 13B2s ..	129.99
CUS X-940	40m 1 el add-on kit for X-9	189.99
CUT HMP	WorldPack backpack; mini HF Xcvr	57.99
CUT HPP-7A	7AH gel-cell w/overnight cgr	59.99
CUT HP-7AF	7AH gel-cell w/2.5 hr fast cgr	99.99
DIA CR-224A	2m/220 5/6db 69" mobile ant ..	89.99
DIA F-22J	143.5-146.5MHz 6.7db 10.5' base ..	79.99
DIA MX-3000N	HF-2m/440/1.2 N triplr; 12" cbls	85.99
DIA SG-6000NMO	52-54 2.15db 39" NMO mob	59.99
DRA TNC-270	9600 bps controller; TR-270	199.99
GAR NavTalk	Analog cell phone/GPS combo ..	349.99
GRA KCT	Kansas City Tracker sat package ...	229.99
HEI HMP	In-line microphone preamp; lcom ..	55.99
HYG 191S	160MK-88 160m kit for 188S	69.99
IAC 40m-S	40m half sloper 33' antenna	79.99
ICO AD-25	Battery charger adapter; 2GXAT ..	49.99
ICO BP-3	250ma 8.4v battery	49.99
ICO BP-5	425ma 10.8v high power battery	89.99
ICO BP-8	800ma 8.4v long life battery	99.99
ICO BP-83	7.2v 600ma battery	79.99
ICO BP-84	7.2v 1000ma battery	99.99
ICO CT-16	Satellite interface unit	119.99
ICO HM-90A	Wireless microphone	89.99
ICO IC-T2H	6w 2m FM HT/8 AA nicads/cgr ..	139.99
ICO IC-T2A	3w 2m FM HT/batt/cgr/TTP	229.99
ICO UT-30	Tone encoder; IC-707	49.99
ICO UT-89	Tone scan/decode unit; IC-2350H	89.99
KAN Data Engine	TNC w/no modems	69.99
KAN Data Engine	w/DE-1200 modem	99.99
KEN DRU-2	Digital recording unit; TS-950SDX	139.99
KEN SP-950	Ext spkr/audio filters; TS-950SDX	149.99
KEN TH-42AT	2.5w 440 FM HT/batt/cgr/TTP ..	229.99
KEN TSU-5	Prog CTCSS decoder; TS-790A	64.99
KEN TU-7	Prog encoder; 2550/751A/TW4100A	54.99
KEN TU-8	CTCSS tone unit; TS-450S/690S	54.99
KEN UT-10	10w 1.2 GHz module; TS-790A	549.99
KEN YG-455C-1	500 Hz CW filit; TS-450/690	149.99
MAG 00-19044-000	Low profile external ant	59.99
MAG GPS ColorTRAK	12ch color GPS w/case	239.99
MAG GPS Tracker	12 ch GPS w/wrist strap ..	169.99
MAG Meridian XL	GPS/plotter/detachable ant ..	149.99
MFJ 47C	Mailbox 512k memory; 1270/1274	69.99
MFJ 114B	Giant LED desk/wall 12/24-hr clock	49.99
MFJ 203	160-10m bandswitched dip meter ..	69.99
MFJ 206	Antenna current probe	59.99
MFJ 442X	SlimLine keyer only	69.99
MFJ 451X	Morse keyboard interface only	64.99
MFJ 492X	Mem keyer w/8000 char expansion	89.99
MFJ 498X	Dlx CW keybrd w/disp, no keybrd ..	109.99
MFJ 552	CW interface for 2m HT	49.99
MFJ 722	SSB/CW notch filter	59.99
MFJ 940A	10m ant tuner/SWR/wattmeter	59.99
MFJ 959B	SW receiver ant tuner w/preamp ..	89.99
MFJ 1532N	2m/440/1.2GHz 8.2' N vert base ..	79.99
MFJ 8400K	2m receiver kit	39.99
MFJ 8400W	2m receiver wired	59.99
MFJ 9115B	9015 Xcvr/tuner/ps/ant pack	269.99
MFJ 9117B	9017 Xcvr/tuner/ps/ant pack	249.99

Close-Outs - continued AES Price

MFJ 9120B	9020 Xcvr/tuner/ps/ant pack	269.99
MIR C-2522G	220 FM/SSB 25/200w amp/pre	519.99
MIR C-5012G	220 FM/SSB 50/120w amp/pre	259.99
MIR C-5022G	220 FM/SSB 50/200w amp/pre	499.99
MIR KP-2/10M	10m mast mount preamp	149.99
MOT 53543*	Camouflage TalkAht 250 FRS ...	59.99
* \$15 consumer rebate from Motorola thru 12/31/01		
MOT 53590*	Blue TalkAbout 250 FRS	59.99
* \$15 consumer rebate from Motorola thru 12/31/01		
MOT 53592*	Black TalkAbout 250 FRS	59.99
* \$15 consumer rebate from Motorola thru 12/31/01		
NCG RP-150	20A variable ps/lighted mtrs/fan	79.99
NCG RP-300	30A variable ps/lighted mtrs/fan	119.99
OUT Outrunner	150w PEP 9' 160-10m ant ...	329.99
PIP PK-2	16-digit TTP	59.99
PLY CS6-25	25' 6" copper strap	69.99
PLY CS6-50	50' 6" copper strap	139.99
PLY CS6-75	75' 6" copper strap	209.99
PLY IS-IE50LU-C1	50-500 dx 375/125w bulkhead	79.99
RFA Match Alert	VSWR monitor/alarm	79.99
RFA VFD-VHF	50-225MHz 300w dig power/SWR	169.99
RFC 2-23	2m FM/SSB 2/30w amp/preamp ...	59.99
RFC 2/70	2m/440FM 3/30/5/20w HT amp ...	99.99
SGC 04-12	Remote kit w/swivel bkt & cable ..	149.99
SGC 04-13	Remote kit w/5-way mt & cable ..	239.99
SGC 52-32	Carbon telephone handset	119.99
SGC 54-16	SmartPro 200w 1.6-30 12v tuner ..	449.99
SON ICF-B200	AM/FM emergency radio/light/alarm	49.99
SON ICF-SC1	300 ch pocket scanner	179.99
SON ICF-SW1000TS	AM/FM/SW Rcvr/tape/ANLP1	399.99
SON ICF-SW7600G	AM/FM/SW port receiver ..	179.99
STR CAM-PHA-AES	B&W pinhole TV cam/mic/ps	49.99
TRI MT-6+	6 out console surge suppressor ..	49.99
UNI BCT-10	Pre-prog hiway info sys scan	79.99
UNI EXA-7950	900MHz cordless ph/dig ans mach	49.99
UNI EXS-9910	900MHz dig spread spec cordless	49.99
UNI Grant-LT	SSB/AM Mobile CB	169.99
UNI HH-980	5w 90ch dx marine handheld/WX alert	139.99
UNI MC-535	25w 90 ch VHF marine Xcvr	99.99
UNI MC-1010	25w VHF marine Xcvr	129.99
UNI MC-1020	25w VHF marine Xcvr	139.99
VEC PS-50F	35A power supply, 50A surge	139.99
YAE FC-1000	HF wire antenna tuner	199.99
YAE FEX-736-50	6m module; FT-736R	279.99
YAE FEX-736-220	220MHz module; FT-736R ..	309.99
YAE FEX-736-1.2	1.2 GHz module; FT-736R ..	539.99
YAE FNB-4A	500ma 12v battery; 09-series ...	62.99
YAE FNB-33	1200ma 4.8v battery; FT-11/51R	49.99
YAE FNB-38	600ma 9.6v battery; FT-11/51R	69.99
YAE FS-10	Deluxe mic for FT-8500	99.99
YAE FTS-22	CTCSS decode unit; FT-8100R	68.99
YAE FTS-27	CTCSS decoder unit; FT-100	47.99
YAE MH-27A8J	TTP mic/modular plug; early 2500M	60.99
YAE MH-27B8	8-pin TTP mic; FT-5200/6200 ..	65.99
YAE MH-29A2B	LCD disp spkr/mic; 530/51R	49.99
YAE MH-39A6J	Regular mic for FT-8500	49.99
YAE TCX0-2	TCXO unit; FT-990	49.99
YAE TCX0-8	TCXO unit; FT-100	89.99
YAE VC-22	VOX headset; FT-11/41/51R	49.99
YAE VXR-5000U/TC	25w 440 FM rptr/ps	1299.99
YAE VXR-5000V/TA	25w 2m FM rptr/ps	1299.99
YAE XF-110C	500Hz CW filter; FT-900	49.99
YAE XF-117C	500 Hz CW filter; FT-100	89.99
YAE YF-115S-01	2.75KHz Collins SSB filit; FT900	49.99
YAE YSK-8100	Rem separation kit; FT-8100R	69.99
ZEI 52 20 47	10x25 black binoculars	349.99
ZEI 52 40 07	7x45 black forest binoculars ...	929.99
ZEI 52 40 13	10x40 rubber armored binoculars	819.99
ZEI 52 56 59	8x56 black forest binoculars ...	1049.99

All Prices and Specifications in this catalog are subject to change without notice.

• Due to foreign currency fluctuations, promotions, manufacturer's specials, etc., prices may vary, so please confirm prices with salesperson before ordering.

AMATEUR ELECTRONIC SUPPLY® is not responsible for typographical errors or omissions.

Look For This

NEW

& Check Out AES' Latest Additions.

AMATEUR ELECTRONIC SUPPLY
5710 W. GOOD HOPE ROAD.
MILWAUKEE, WISCONSIN 53223
(414) 358-0333

THIS CERTIFICATE ENTITLES
TO MERCHANDISE
VALUED AT
PRESENTED BY

NO. 00000
DATE
19
DOLLARS \$
AUTHORIZED SIGNATURE

Gift Certificates Available For The Undecided

we have a

SECURE web site
at www.aesham.com



We accept I.M.P.A.C.® Government Credit Cards

USED & DEMO EQUIPMENT

USED EQUIPMENT Fully service tested trade-ins • 10 day trial (pay only shipping charge) • 30 day guarantee • Full trade-in credit within 90 days on Higher-Priced New Equipment

DEMOS Fully serviced tested New Demonstrator or Display equipment • Repacked in original cartons • Manufacturer's warranty • Note: used equipment policies do not apply

LOCATION CODES (m) Milwaukee: (1-800-558-0411); (c) Cleveland: (1-800-321-3594); (f) Orlando: (1-800-327-1917); (v) Las Vegas: (1-800-634-6227)

USED EQUIPMENT

+ = additional accessories not listed

ADI	
AR447 XCVR.....	199.99m
AR247 2M MOBILE.....	179.99f
PR222 220 HT.....	129.99m
ALINCO	
DJ546 FRS RADIO.....	39.99m
DRM06TH 6M 20W XCVR.....	199.99m
DX77T HF XCVR.....	399.99f
EB9C MOUNTING BCKT.....	24.99f
EDC6 CHARGER.....	9.99m
EMS14 DESK MIC.....	89.99c
ALPHA DELTA	
DELTA-2 COAXIAL SWITCH.....	35.99f
VRC VAR. RESP. CONSOLE.....	139.99f
AMERITRON	
ALS600 HF AMPLIFIER.....	899.99mf
ARB702I AMP RELAY/ICOM.....	24.99f
ADR	
AR16B RCVR.....	159.99m
AR3000A RCVR.....	759.99c
AR8200B RX/LEAT CASE.....	399.99c
AR8200MKIIB RCVR.....	379.99c
ASTRON	
12-115 POWER INVERTER.....	38.99c
BENCHER	
ST1 SINGLE LEVER PADDLE.....	69.99m
COURIER	
M54 VHF HT (151.625MHZ).....	149.99m
DAVIS	
7852 RAIN COLLECTOR.....	49.99f
DIAMOND	
SX20C WATTMETER.....	71.99f
DRAKE	
R8 RCVR.....	599.99mf
R8A SWL RCVR.....	699.99mf
SW8 SWL RCVR.....	499.99mf
GAMBER JOHNSON	
SS100 SLIDE MOUNT.....	49.99m
GRUNDIG	
YB400 SWL RCVR.....	99.99v
HEIL	
CC1T TENTEC ADAPTER.....	19.99f
ICOM	
AD15A CHARGE ADAPTER.....	19.99f
AD28 ADAPTER.....	14.99c
AD56 ADAPTER.....	14.99cf
AT150 100W AUTO TUNER.....	289.99mf
EX1514 VOX UNIT.....	49.99m
EX2 RELAY BOX (AS-IS).....	20.99f
HM77A DTMF MICROPHONE.....	79.99m
HM92A MICROPHONE.....	49.99m
IC2KL 1KW PEP HF AMP.....	1,299.99m
IC271A 2M FM/SSB/AG-20.....	449.99c
IC271H 2M FM/SSB XCVR.....	599.99f
IC275A XCVR/AC SUPPLY.....	699.99mf
IC275A 25W 2M XCVR.....	649.99f
IC275H 100W 2M XCVR.....	749.99vf
IC3210A 2M/440 XCVR.....	299.99f
IC471A 440MHZ XCVR.....	449.99mf
IC471H 440 MHz XCVR.....	649.99c
IC575A 10W 6M/10M.....	799.99v
IC725 HF XCVR.....	449.99v
IC725 HF XCVR/U17.....	449.99f
IC728 HF XCVR.....	489.99mf
IC728 HF XCVR/CW FILTER.....	499.99c
IC728 HF XCVR/FL100.....	499.99v
IC728 HF XCVR/FL101.....	499.99f
IC728 HF XCVR/U17(FM).....	499.99mf
IC729 HF/6M XCVR/FM.....	699.99mf
IC729 HF/6M XCVR/FM+.....	719.99c
IC729 HF/6M XCVR/FM+.....	699.99m
IC735 HF XCVR.....	499.99mf
IC735 HF/CW (NO DOOR).....	499.99f

IC735 HF (DIRTY MANUA).....	479.99m
IC735 HF XCVR/FL32.....	499.99m
IC735 (NO MIC/NO DOOR).....	429.99f
IC736 HF XCVR/6M.....	699.99mf
IC737A HF XCVR/FL101+.....	599.99m
IC738 HF XCVR.....	699.99mf
IC738 HF XCVR/UT30.....	719.99v
IC738 HF/FL53A/FL101.....	729.99m
IC745 HF XCVR/EX242+.....	399.99m
IC746 HF/HF XCVR.....	1,099.99m
IC751 HF XCVR.....	499.99mf
IC751 HF XCVR/AM FILTER.....	519.99m
IC751 HF XCVR/FL32 SSB.....	519.99f
IC751 HF/SM6 (SCUFFED).....	399.99m
IC751 XCVR/FL52/CR64.....	519.99f
IC751A HF XCVR.....	529.99mf
IC756 HF XCVR.....	1,199.99v
IC756 HF XCVR/FL232.....	1,219.99c
LC117 CASE/IC2GXAT.....	15.99m
MB5 MOBILE MT.....	19.99f
PS15 POWER SUPPLY.....	119.99m
R1-15 RCVR/BLOCKED.....	149.99c
R7000 RCVR/CK-70.....	899.99c
R7000 RCVR/RC12.....	919.99m
R7000 25-2000MHZ RCVR.....	899.99mf
R7000/UT36.....	899.99f
R71A PBT SWL RCVR.....	599.99cf
R71A/EX257/RC11.....	619.99m
R71A SWL RCVR/EX310.....	609.99m
R7100 COMM RCVR.....	899.99mf
R7100/UT-36.....	929.99mf
R75 SWL RCVR.....	459.99mf
SP6 DESK MIC.....	79.99m
JMS	
NIR10 DSP FILTER.....	149.99m
KENWOOD	
AT50 AUTO TUNER.....	259.99m
HS5 HEADPHONES.....	49.99m
PB36 BATTERY.....	9.99m
PG2Y DC CORD.....	29.99f
RZ1 0.5-905 MHZ RCVR.....	299.99c
R5000 RCVR (SCRATCHED).....	529.99m
R5000 SWL RCVR.....	549.99mf
R5000 SWL RCVR/VSI.....	559.99v
TH22ATH 2M HT/5W.....	159.99f
TL922A HF AMPLIFIER.....	1,299.99f
TM401B 70CM XCVR.....	159.99f
TR751A 25W 2M XCVR.....	299.99f
TS530S HF (AS-IS).....	489.99m
TS690S HF/6M XCVR+.....	679.99f
TS711A 2M SSB/FM XCVR.....	549.99mf
TS711A 2M XCVR/UT5.....	549.99m
TS811A UHF XCVR.....	589.99mf
TS811A UHF XCVR/TONE.....	599.99mf
TS830S HF XCVR.....	449.99m
TS850S HF XCVR.....	799.99mf
TS850S/DRU2.....	829.99mf
TS850S/AT HF XCVR.....	849.99vf
TS850S/AT/V52/DRU2.....	869.99mf
TS870S HF DSP XCVR.....	1,299.99cf
TS870S HF XCVR/DRU3.....	1,349.99m
TS930S HF/3 FILTERS.....	829.99f
TS940S/AT/K88C1+.....	949.99f
KFJ	
1270C PACKET TNC.....	94.99f
1272MX TNC MIC SWITCH.....	22.99c
1312B 12VDC ADAPT.....	9.99f
205 RESISTANCE METER.....	49.99m
206 ANT CURRENT PROBE.....	39.99f
407C ELECTRONIC KEYS.....	59.99f
4112 POWER PACK.....	49.99f
462B MULTI READER.....	135.99c
5106 6-PIN MINI - OPEN END3.....	99.99m
860 SWR/WATT 1.8-60MHZ.....	39.99c
916 2 MTR/440 DUPLER.....	26.99f
921 220 MHZ ANT TUNER.....	49.99f

934 TUNER/ART GRND.....	135.99c
MIRAGE	
KP2/2M PREAMP.....	129.99f
NC	
MH900PK EAR/MIC.....	29.99c
PACOMM	
TINYM2MKII TNC.....	120.99f
PALOMAR	
PT340 TUNER-TUNER.....	79.99m
SGC	
PS30 30/40 UNREG PS.....	319.99c
0401 SG2000 HF XCVR.....	799.99f
0410 SG2000/POWER.....	1,279.99c
SGC 0410 (NO DC CORD).....	1,249.99c
SONY	
ACE604 AC ADAPTER.....	14.99m
ICFSW7600G PORTABLE.....	144.99v
STANDARD	
CMB401 BATTERY/AS-IS.....	4.99m
C108A 2M HT/AS-IS.....	99.99mf
C1208DA 2M XCVR.....	359.99c
C188A 2M HT (AS-IS).....	99.99f
UNIDEN	
BC3000XLT SCANNER.....	199.99m
BC860XLT SCANNER.....	151.99c
BC9000XLT (AS IS).....	313.99c
HR2600 25W 10M XCVR.....	129.99m
SC150 SCANNER AS IS.....	117.99c
WASHINGTON CB.....	194.99f
VETRONICS	
CK200 KEYS/NO MANUAL.....	53.99c
YAESU	
ATBK100 ANTENNA BCKT.....	79.99m
CA10 CHG SLEEVES.....	9.99mf
CSC29 SOFT CASE.....	14.99c
CSC62 CASE.....	12.99c
CSC67 SOFT CASE.....	15.99c
EDC5B DC ADAPT/FILTER.....	19.99f
FBA3 CHARGING SLEEVE.....	19.99c
FBA8 BATTERY.....	34.99m
FBA8/CSC19 PACKAGE.....	44.99m
FC10 AUTO TUNER.....	269.99c
FC800 LONG WIRE TUNER.....	329.99f
FP1023 PWR SUPPLY.....	127.99c
FP1030A POWER SUPPLY.....	199.99c
FRG100B SWL RCVR.....	374.99m
FT1000 HF XCVR.....	1,749.99mf
FT1000 HF XCVR/BPF1+.....	1,799.99cf
FT1000 HF XCVR/XFF.....	1,769.99c
FT1000 XCVR/BPF1.....	1,769.99mf
FT1000 XCVR/XFF+.....	1,769.99mf
FT1000MP EDP XCVR.....	1,679.99f
FT712RH 35W 440 FM.....	169.99f
FT712RH/FTS12 UHF.....	199.99mf
FT726R 2M XCVR/430/HF.....	624.99f
FT747GX HF XCVR.....	399.99c
FT747 HF/FM (SCRATCH).....	379.99c
FT747GX HF XCVR/FM.....	419.99m
FT747GX (HEATH SB1400).....	499.99f
FT767GX HF XCVR.....	699.99mf
FT767GX HF XCVR/2M.....	749.99mf
FT767GX HF XCVR/6M.....	749.99c
FT790RI 70CM XCVR.....	399.99v
FT790RI 70CM/FTS7.....	399.99f
FT790RMKII/BATT/CASE.....	429.99m
FT890 HF XCVR.....	569.99m
FT890/AT HF/YF101.....	669.99m
FT920 HF/6M XCVR.....	849.99m
FT990 AC HF XCVR+.....	1,149.99m
MMB54 MOBILE MT.....	19.99c
MMB67 MTG BCKT.....	19.99m
NC26B CHARGER.....	9.99m
NC34B CHARGER.....	9.99m
NC42 DROP-IN CHGR.....	69.99f
PA17 BATTERY EXT CABLE.....	39.99f
YH77ST HEADPHONES.....	34.99m

YM50 MICROPHONE.....	39.99m
YSK7100 SEP. KIT.....	49.99c

DEMO EQUIPMENT

ADI	
AR12 SMART CHARGER.....	59.99f
AR147+ 60W 2M FM/TP.....	134.99v
AT201HP 2M HT.....	99.99m
MQA999 CHGR.....	57.99m
PROG600 SOFT/CABLE.....	35.99f
PR222 220 HT.....	149.99m
RBP612NMH BATTERY.....	71.99f
SLC600L CASE/AT600.....	18.99f
AEA	
CPAKRATTHI SOFTWARE.....	49.99m
AEA/TIMEWAVE	
WEFAX256 SOFTWARE.....	116.99v
AIM	
38384 POWER SUPPLY.....	34.99m
ALINCO	
DJ5TH 2M/440 HT.....	269.99f
DJ546T FRS HT.....	49.99mf
DR150TQ XCVR.....	199.99m
DR610TQ 2M/440 FM.....	404.99v
DX77T HF XCVR.....	629.99m
EBP36N BATTERY.....	61.99cf
EDC34 DESK CHARGER.....	69.99m
EDC60 QUICK CHARGER.....	71.99v
EDS2 CABLE.....	19.99f
EMS13 HEADSET.....	63.99m
EMS14 MIC.....	99.99m
EMS51 HDST.....	34.99m
ESC18 CASE.....	9.99m
MB110 BRKT.....	17.99v
ALPHA DELTA	
DELTA-2 COAX SWITCH.....	44.99m
AMECO	
HP300T HI PASS FLT.....	10.99vf
P12T ADAPTER.....	8.99c
TPA PREAMP.....	69.99m
AMERITRON	
AL572 AMP.....	1,169.99f
ARB700 RELAY.....	24.99f
ARB702Y AMP RELAY.....	34.99m
ATR30 TUNER.....	499.99f
AWM30 METER.....	124.99f
QK55PC PC BD T/R SW.....	195.99v
ANTENNA SPECIALISTS	
AP143 2M ANTENNA.....	62.99c
ANTENNAS AMERICA	
HVA146 2M DECAL.....	59.99m
ADR	
AR16B RCVR.....	179.99mf
AR3000A RCVR.....	899.99m
AR8200MKIIB RCVR.....	494.99v
SC8200P CASE.....	9.99m
ARRL	
345 WORLD MAP.....	7.00v
ASTATIC	
NIGHT EAGLE DESK MIC.....	89.99c
UG9D104 AMP/STAND.....	85.99c
ASTRON	
RS50M POWER SUPPLY.....	214.99mf
V550M POWER SUPPLY.....	233.99c
AZDEN	
PTT01 PTT SWITCH.....	34.99mf
SDX514W SPK/MIC.....	44.99m
BAK	
114A MULTIMETER.....	34.99m
820 TEST EQUIPMENT.....	199.99m
AP10A ANTENNA.....	80.99c
AS160 ANTENNA.....	139.99c
AS40 40-10 TRAP DIPOLE.....	139.99cf

B&W	
FL101/1500 LOWPASS FILTER.....	69.99m
DAYGEN	
FPA3 DC ADAPTOR.....	9.99mf
FPR1B CRANK RCVR.....	59.99m
FPR2GSW CRANK RADIO.....	89.99m
HELDEN	
9356 100/RG8U/PL-259S.....	80.99c
BENCHER	
BY3 KEY.....	249.99m
ST1 SINGLE PADDLE.....	89.99m
HUTTERNIT	
CPK COUNTERPOISE KIT.....	116.99c
CELESTRON	
31050 FIRSTSCOPE.....	269.99m
CES	
SS168 PATCH.....	199.99m
CHANNEL MASTER	
HD9515A ROTOR.....	99.99m
9521 ROTOR/REM CO.....	89.99v
CHEERONE	
AH27 CB HT/NO MANUAL.....	97.99c
AH27F CB HT.....	107.99c
COAXIAL DYNAMICS	
81000A SWR METE.....	224.99m
COBRA	
CP912 PHONE.....	9.99m
FR5200 FRS.....	34.99m
25LTDWX CB.....	39.99f
25WKNWST CB.....	54.99m
COMET	
B-20 146-446 DUAL BAND.....	44.99v
CF-413A DPLXR.....	69.99v
CF360A DPLXR/LEADS.....	62.99m
CF706 DUPLEXER.....	59.99m
GR5M TNK LIP MT W/COAX.....	60.99mf
RS25 MOUNT ONLY.....	19.99m
COMM SPEC	
TS32P ENC/DEC.....	44.99f
DTD-1 DTMF DEC.....	44.99c
CONNECT SYSTEMS	
CS800 INTERCONNECT.....	249.99m
CS900 INTERCONNECT.....	249.99c
COUGAR	
H83 SWL RCVR.....	17.99m
COURIER	
M54 5W W/151.625.....	99.99f
PROCOMM/C COMM HT.....	99.99m
U22/A UHF HT.....	79.99mf
U22/B UHF HT.....	79.99m
CUSHCRAFT	
A44911S ANT/AS-IS.....	62.99c
ARX450B ANT/SLIGHTLY B.....	49.99m
A148SK HARNESS.....	39.99v
LAC4H PROTECTOR.....	39.99m
R80 KIT.....	75.99c
220SK ADAPTER.....	49.99m
DAVIS	
7425 WX WIZARD III.....	149.99m
DIAMOND	
CP22E 2M ANT.....	54.99m
K540 MOUNT.....	29.99m
K540KM MIRROR/LUG MT.....	53.99v
K550KM LUGGAGE MT.....	62.99c
K601M MOUNT.....	62.99cf
K601NMO MOUNT.....	59.99mf
K702M MAG MT.....	44.99c
NR72BNMO DUALBAND.....	37.99v
SG7000A 2M/440 ANT.....	63.99v
SG7500NMO.....	71.99c
SRH519 ANTENNA.....	29.99m
SK100 HF-6M METER.....	119.99cf
SK1000 METER.....	189.99m

SK1000 SWR METER.....	189.99m
DIGIMAX	
D500 COUNTER.....	109.99f
DRAKE	
R8A SWL RECEIVER.....	899.99v
EMERSON	
EA3400 TV ANTENNA.....	44.99m
FORBES	
VENTENNA 2M/440 MHZ.....	49.99m
GARMIN	
GPS12CX GPS.....	239.99m
GPS38 GPS RCVR.....	149.99f
GENESYS	
T05K THROAT/MIC.....	39.99m
GROTHE	
VS2 SIREN.....	69.99m
VS4 SIREN.....	124.99m
GRUNDIG	
SATELLIT 800 SW RCVR.....	449.99mf
GRUNDIG	
TRAVELLER II SWL RCVR.....	49.99c
TRAVELLER III DIGITAL.....	89.99c
YACHTBOY 230 SWL RCVR.....	71.99m
YB300PE SWL RCVR.....	69.99m
YB400P SWL RCVR.....	179.99c
KEIL	
HMMC HNDMC/COM.....	52.99v
AD1Y PROSET/YAE.....	14.99v
FS1 FOOT SWITCH.....	24.99m
GMS MICROPHONE.....	124.99f
HMP MIC PREAMP.....	49.99c
PROSET 5 HEADSET.....	114.89f
HUSTLER	
G6270R ANTENNA.....	139.99m
G71504 2M ANTENNA.....	179.99m
HYGAIN	
CD45H ROTOR.....	314.99f
ICOM	
AD51 CHARGE ADAPT.....	9.99mv
AD81 ADAPTER.....	12.99m
AD81 CHARGE ADAPTER.....	13.99f
AD87 CHARGE ADAPTER.....	7.99m
AH7000 25-1300 MHZ ANT.161.99c	
AT180 COAX ANT TUNER.....	359.99c
BA12 ADAPTER.....	19.99f
BC119 (220).....	68.99f
BC119(11) DESK CHGR.....	80.99mf
BC135 CHGR.....	69.99m
BC79 CHARGER.....	119.99c
BP121 BATTERY.....	34.99v
BP132 BATTERY.....	79.99m
BP157 BATTERY.....	59.99c
BP173 BATTERY.....	124.99m
BP197 BATTERY.....	19.99mc
BP198 BATTERY.....	49.99m
CK70 DC CABLE.....	35.99c
CP17L ADAPTER.....	24.99m
CR282 STAB CRYSTAL.....	134.99m
CSWWH SOFT W/CABLE.....	45.99c
CSWRHX SOFTWARE.....	44.99m
CSWR10 SOFTWARE.....	40.99c
HM118T MICROPHONE.....	53.99v
IC756PRO HF XCVR.....	2,159.99m
IC775DSP XCVR.....	2,969.99f
LC125 CASE.....	27.99v
LC137 CASE.....	34.99c
LC147 CASE.....	19.99m
LC148 CASE.....	22.99c
M2 VHF MARINE HT.....	79.99c
OPC598 CABLE/AT180.....	65.99v
PS85 POWER SUPPLY.....	239.99m

DEMO EQUIPMENT - CONT.

RSR8500 SOFTWARE	59.99f
R1-15 BLOCKED	129.99m
R10-05 BLOCKED	249.99mcf
R10-05/LC140 RCVR/CASE	249.99m
R2-06 RCVR	149.99m
R3 RCVR	314.99mcf
R8500 RCVR	1,349.99mf
SP12 EXT SPKR	35.99c
SP7 SMALL EXT. SPEAKER	85.99v
IDIOM PRESS	
HK-3 HOOK UP KIT	9.99v
K-3 LOGICKEY CW K	116.99v
ISOTRON	
15 15M COMPACT ANT	61.99f
40 40M COMPACT ANT	79.99m
JPS	
NIR-10 FILTER	169.99mf
NIR12/SDK DSP FILTER	349.99m
NKF7 FILTER	129.99m
KANTRONICS	
DATAENGINE	152.99c
HOSTMASTERII+ V3.4	80.99c
KPC3128K TNC	169.99m
KENWOOD	
KNB7A BATTERY	69.99m
KSC14 CHRGR	78.99c
MC52DM MIC	71.99c
MC90 MIC	214.99m
PB34 5W BATT.	79.99mf
PB39 BATTERY	49.99m
PG3E CIG CORD	19.99m
PS40 POWER SUPPLY	179.99mc
SC41 CASE	21.99v
SMC34 SPM/MIC	34.99m
TH42AT 70CM HT	199.99m
TMG707A XCVR	269.99f
TMV7A 2M MOBILE	379.99m
TM261A 2M MOBILE	149.99m
TS870S HF XCVR	2,069.99m
YK88C1 FILTER	116.99c
KOSS	
GT3 HEADPHONES	4.99m
SB30 HEADPHONES	44.99m
LARSEN	
KG144UDPL GLASS MT	69.99c
KG2/70CXPL ANT	89.99mv
NMOMM MAG MT	28.99c
NM0150TLM 2M ANT/TRNK MT	49.99v
NM0270/MM ANT/MAG MT	79.99m
POK MOUNT/CABLE	24.99m
MAGELLAN	
GPS TRACKER	152.99f
GPS315 GPS	134.99m
MERIDIAN XL GPS	134.99f
0069038000 PC KIT	89.99m
MAHA	
A103 5/50W 2M AMP	99.99m
MHA103 AMPLIFIER	99.99m
MHB132 BATTERY	49.99m
MHB88 BATTERY	59.99m
MHC777 CHARGER	44.99c
MHS11 ICO ADPT/A302	6.99m
MH101Y2 CHGR	59.99m
PB17 BATTERY	62.99f
MAXON	
FRS114 FRS HT	44.99mcf
GMRS21X 1W 2CH HLD	89.99c
MX49FX 49 MHZ XCVR	19.99mcf
MX49FX 49MHZ XCVR	19.99m
MX49HX 5CH 49MHZ	19.99v
PC50 40MHZ HT	19.99m
PC50 49MHZ	35.99c
27KC CB HT	59.99f
MEADE	
ETX882 TRIPOD	89.99m
773 HARDCASE/EXT70	64.99m
MAGELLAN	
MERIDIANXL GPS	149.99m
MFJ	
1020B ACTIVE ANT	59.99m
1040B RCVR PRESELECTOR	89.99m
116DC CLOCK/12V	8.99m
1214PC TNC	125.99m
1224 INTERFACE	89.99m

1272B TNC/MIC SWITCH	35.99m
1272MYH TNC/MIC SW	35.99v
1272MZ TNC/MIC SWITCH	35.99f
1276 TNC	134.99m
1278 TNC/PLAIN	229.99m
1278B TNC	249.99m
1285 IBM SOFTWARE	14.99m
1287BD DISK ONLY	5.99m
1289 MULTICOM	14.99m
1289M 3 1/2 IBM	53.99mcf
1289W MULTICOM/CABLE	53.99v
1290D SOFTWARE	19.99m
1305 5V/300MA ADAPTER	9.99m
1312 12V/300MA ADAPTER	12.99m
1312B 12V/300MA ADAPTER	12.99v
1412 2M/440 ANTENNA	44.99v
1701 6 POS ANT SWITCH	44.99v
224 2M FM SIG ANALYZER	134.99m
269 ANALYZER	289.99m
281 SPEAKER	11.99mc
285L SPEAKER/MIC	9.99m
297 DESK MIC	62.99c
392 HEADPHONES	14.99m
411 CODE TUTOR	24.99m
4114 POWER PACK	59.99m
44 SCOPE TUNE	13.99c
447 SUMLINE KEYS	71.99v
452 CW KEYBOARD	116.99c
462B MULTI-READER	149.99fv
490 KEYS/PADDLE	164.99m
490X KEYS	89.99m
5063 CABLE	9.99m
5080 MFJ-YAE 8P CBL	9.99m
5084 TNC/ICO 8P	13.99mc
5086 TNC-KEN/ALI 8-PIN	12.99v
5086YH KAM HF KEN 8-PIN	12.99v
5383K INTERFACE CABLE	44.99v
5383Y YAE INTERFACE CBL	35.99v
5414 RS232 CABLE	7.99m
64113 CHARGER	44.99m
641K BATTERY CHARGER	44.99cv
751B CW AUDIO FILTER	62.99c
78 REMOTE FOR MFJ-492	17.99v
784B TUNEABLE DSP FILT	206.99c
815 HF/6M SWR METER	71.99f
817 2M/440 SWR METER	80.99c
870 1.6-60MHZ SWR METER	109.99m
9040 40M XCVR	139.99m
9130B 30M PACKAGE	299.99m
924 440MHZ ANT TUNER	62.99v
931 ARTIFICIAL GROUND	81.99v
9406X 6M XCVR	224.99m
9420X 20M XCVR	199.99m
945E 300W ANT TUNER	89.99f
948 ANT TUNER	104.99m
959B SW RCVR ANT TUNER	89.99v
989C ANT TUNER	287.99f
MIDLAND	
22430 THROAT/MICROPHONE	29.99m
WX RCVR	44.99m
75510 FRS RADIO	59.99mc
75510 FRS/BROKEN CLIP	49.99mf
75510XLB FRS HT	59.99m
MIRAGE	
B215G 2M 12/150W AMP	299.99mf
B23 2M 2/30W AMP	89.99f
B23G 2M 2/30W AMP	119.99v
B2516G 25/160W AMP	239.99m
B2518G 25/160W AMP	239.99m
B34 2M FM 2/30W AMP	63.99c
B5016G 2M 50/160W AMP	239.99f
KP1/10M PREAMP	114.99m
KP1/2M PREAMP	109.99m
KP2/10M PREAMP	159.99m
KP2/2M MAST PREAMP	149.99m
KP2/440 PREAMP	159.99m
MOTOROLA	
50226 HEADSET	9.99m
50988 FRS	39.99m
OREGON SCIENTIFIC	
WR3300 WEATHER MONITOR	26.99m
WR8800 WEATHER RADIO	44.99cf
PAGECOM	
PICOPACKET 128K	149.99m

PALOMAR	
LA1/HF1 COMBO	189.99m
PATCOM	
PC16000 HF XCVR	899.99f
PERIPHER	
PB34 BATTERY	49.99f
POLICE CALL	
CDROM FREQUENCY GUID	29.99v
PREMIER	
PCA-YHF CABLE	8.99v
PMC100 MIC	53.99m
SPM500 THROAT MIC	33.99m
SPM601 SPK/MIC	19.99m
RANGER	
RC11000 /G COMM HT	79.99f
RC11000 /R COMM HT	79.99f
RC11000 /RB COMM HT	79.99f
RC12950DX 10/12M XCVR	224.99f
RC12970DX 10/12M XCVR	359.99f
RC1900 MARINE XCVR	99.99m
RF CONCEPTS	
UHF50 440 3W/50W AMP	134.99f
VHF160 2M 1/60W	99.99m
223 2M 2/30W AMP NEW	89.99f
RF APPLICATIONS	
P2000CW HF SWR/WATTMTR	152.99f
RMS	
CN220 HF-220 METER	89.99c
SANGEAN	
ATS404 SWL	69.99mc
ATS818ACS SWL RX/TAPE	199.99m
DT200V RCVR	69.99m
SGC	
04-01 SG2000 HF XCVR	1,439.99v
04-10 DSP/PWR TALK	1,664.99f
54-22 SGC-239 TUNER	179.99c
5414 SG230 TUNER	439.99m
5417 HF/6M SMARTTUNER	476.99v
5417 SG231 TUNER	476.99c
7007 POWER CLEAR DSP	249.99mv
SHAKESPEARE	
495 MARINE ANT MOUNT	15.99v
SOLARCON	
GP11 GND PLANE	35.99c
SONY	
AN102 ANTENNA	69.99m
ICFB200 SWL RCVR	44.99m
ICFSC1 HANDHELD SCANNER	159.99f
ICFSC1PC SCANNER	239.99m
ICFSCW07 SWL RCVR	359.99mcf
ICFSCW12 SWL RCVR	89.99m
ICFSCW30 SWL RCVR	69.99mc
ICFSCW33 SWL RCVR	134.99m
ICFSCW35 SWL RCVR	80.99c
ICFSCW55 SWL RCVR	299.99m
ICFSCW7600G SWL RCVR	159.99m
ICFSCW77 SWL RCVR	419.99cv
STANDARD	
CNB173 BATTERY	84.99m
CTN5600 TONE UNIT	14.99m
TEK	
TV42 TV ANTENNA	69.99m
TIMEWAVE	
ANC4 NOISE CANCELLER	179.99mf
UNIDEN	
BCT10 SCANNER	49.99m
BCT2 BEAR TRACKER	49.99m
BC147XLT SCANNER	80.99c
BC178XLT SCANNER	79.99mc
BC245XLT SCANNER	199.99m
BC3000XLT 400CH	329.99mc
BC780XLT SCANNER	329.99m
EHD1200GB HARLEY PHONE	34.99mc
ESP 26 SPEAKER	15.99c
MC1010 MARINE XCVR	114.99m
PC66XLB CB XCVR	69.99c
PRO340XL CB HT	14.99mf
SC150 SCANNER	143.99c
SC180B SCANNER	169.99f
VALOR	
MM270B 2M/440 MAG MT ANT	44.99m
VAN GORDEN	
8X65T 6FT RG8X/PL259'S	9.99v
VANCO	
PHW5 SPEAKER	5.99c

370052 DIGITAL MULTIMETER	19.99c
VECTRONICS	
AT100 ACTIVE ANTENNA	64.99mv
HF600QSK AMPLIFIER	1,319.99m
HPF1 FILTER	14.99m
PM30UV VHF/UHF MTR	79.99v
VERTEX	
VHF LMR HT/ NO CHGR	149.99m
VX200(1)X LMR HT/NO CHG	199.99m
VX200(4)X LMR HT/ NO BATT	199.99m
VX200(4)X LMR HT/ NO CHG	279.99m
VIBROPLEX	
100 ORIG PRESENTATION	239.99m
WINEGARD	
LB2000 DUAL LNB	69.99m
W2AU	
KN80F TRAPS	43.99v
X10	
DS7000 SECURITY SYSTEM	139.99m
SP-554A WIRELESS MOTION DET	26.99v
YAESU	
ADMS3 SOFTWARE	34.99m
ATAS100 ANTENNA	289.99m
CA10 CHG ADAPT	11.99mv

CN3 BNC/SMA ADAPTOR	7.99c
CSC67 CASE	16.99v
CSC69 FOR FNB40	13.99m
CSC71 CASE	14.99m
CSC76 CASE FOR VR120	17.99c
DLX BASE RCVR/CELL BLK	799.99v
EDC12 DC ADAPTER	34.99m
EDC5B CIG CORD	24.99c
FBA20 BATTERY PACK	17.99m
FC10 TUNER	339.99m
FH1 CONTROLLER	79.99m
FNB31 BATTERY	41.99m
FNB42 BATTERY	56.99m
FRG100B 1.8-30 MHZ RX	499.99mv
FTS7A TONE UNIT	34.99m
FT1000B DLXHF XCVR	3,599.99f
FT1000MPMKV HF XCVR	2,749.99m
FT1500M 50W 2M XCVR	166.99c
FT23RMKII HT	134.99m
FT2600M 2M XCVR	197.99f
FT3000M XCVR/DVS4	389.99m
FT3000M 2M XCVR	359.99f
FT33R HT	224.99m
FT33R 220MHZ HT	269.99c

FT411MKII 2M HT	143.99c
G450A ROTOR	233.99v
G800SA MED/HD ROTOR	306.99v
LL5 PATCH	114.99m
MD100A8X DESK MIC	116.99c
MH34B4B SPEAKER/MIC	27.99v
MH37A4B SPKR/MIC	27.99m
NC55B CHARGER	11.99v
NC60B ADAPTER	9.99mf
SP767 SPKR	119.99m
VC25 HEADSET	54.99m
VR500 WIDE BAND RCVR	269.99mf
VR5000 WIDE BAND RCVR	799.99v
VXA10016/41B ACRFT HT	332.99f
VXA5000V/TA 2M RPTR	1,259.99f
VXD40UB DUPLEXER	179.99f
VX1R 500mW 2M/440HT	139.99m
VX150 2M 5W HT	143.99fv
YF112C CW FILTER	107.99fv
YF115S02 SSB FILTER	143.99c
YH1 HEADPHONES	34.99m
YSK7100 SEP/KIT	62.99c



A portion of the Used Equipment inventory in Milwaukee Fully Tested and Ready to Go!



A portion of the Demo Equipment Inventory in Milwaukee

Current Manufacturer Instant Coupons are applicable to Demo radios.


Please used these lists as a guide only...

Used and Demo Equipment Lists are compiled from an actual inventory as of 9/10/2001. However, due to turnover from daily selling and trading, the actual items listed may or not be available.

Each of our stores are linked via computer which allows real time access to our ever changing inventory. For your needs, you may call any of our locations to check for availability or to discuss an alternative with one of our salespersons.


Used and Demo Equipment Lists are also available on our web site and are updated every week. (www.aesham.com)

The Ultimate in Digital Technology



The LCD

Big! Bold! Brightly Illuminated! by 3 1/4" Liquid Crystal Display shows all important data: Frequency, Meter bar, Memory position, Time, LSB/USB, Synchronous Detector and more.



The Signal Strength Meter

Elegant in its traditional Analog design, like the gauges in the world's finest sports cars. Large. Well Lit. Easy to read.

The Frequency Coverage

Longwave, AM and shortwave: continuous 100-30,000 KHz.
FM: 87-108 MHz VHF Aircraft Band: 118-137 MHz.

The Tuning Controls

• For the traditionalist, a smooth, precise tuning knob, produces no audio muting during use. Ultra fine-tuning



of 50Hz on LSB/USB, 100Hz in SW, AM and Aircraft Band and 20 KHz in FM.

• For Fixed-step Tuning:

Big, responsive Up/Down tuning buttons.

• For direct frequency entry, a responsive, intuitive numeric keypad.




The Operational Controls

Knobs where you want them. Buttons where they make sense. The best combination of traditional and high-tech controls.

The Sound

Legendary Grundig Audio Facility with separate bass and treble controls, big sound from its powerful speaker.



and FM-stereo with the included high quality headphones.

The Many Features

- 20 user-programmable memories.
- Two, 24 hour format clocks.
- Two ON/OFF sleep timers.
- Massive, built-in telescopic antenna.
- Connectors for external antennas: SW, AM, FM and VHF Aircraft Band.
- Line-out, headphone and external speaker jacks.

The Technology

Today's latest engineering:

- Dual conversion superheterodyne circuitry.
- PLL synthesized tuner.

The Power Supply

A 110V AC adapter is included for North America (a 220V AC adapter is available upon request). Also operates on 6 size D batteries. (not included)

Dimensions: 20.5" L x 8" H x 8" W

Weight: 14.50 lbs.

THESE ARE THE SATELLIT 800 MILLENNIUM'S MAJOR FEATURES. FOR A DETAILED SPECIFICATION SHEET, CONTACT GRUNDIG.



by **GRUNDIG**

Lextronix / Grundig, P.O. Box 2307, Menlo Park, CA 94026 • Tel: 650-361-1611 • Fax: 650-361-1724
Shortwave Hotlines: (US) 1-800-872-2228 (CN) 1-800-637-1648 • Web: www.grundigradio.com • Email: grundig@ix.netcom.com

GRUNDIG Best in Technology

Yacht Boy 400 Professional Edition (YB 400PE)

The most powerful compact Radio AM/FM Shortwave Receiver.

The Big Breakthrough! Power, performance, and design have reached new heights! The Grundig 400 Professional Edition with its sleek titanium look is packed with features like no other compact radio in the world.

Pinpoint Accuracy! The Grundig 400PE does it all: pulls in AM, FM, FM-Stereo, every shortwave band (even aviation and ship-to-shore)-all with lock-on digital precision.

Ultimate Features! Auto tuning! The Grundig 400PE has auto tuning on shortwave and stops at every signal and lets you listen. With the exceptional sensitivity of the 400PE, you can use the auto tune to catch even the weakest of signals.

Incredible timing features! The Grundig 400PE can send you to sleep listening to your favorite music.

You can set the alarm to wake up to music at the morning traffic report, then switch to BBC shortwave for the world news. The choice is yours!

Powerful Memory! Described as a smart radio with 40 memory positions, the Grundig 400PE remembers your favorites-even if you don't!

Never Before Value! Includes deluxe travel pouch, stereo earphones, owner's manual, external antenna and a 10 watt Grundig AC adapter. Uses 6 AA batteries (not included).

Style • Titanium look

Shortwave, AM and FM • Continuous shortwave from 1.6 - 30 MHz, covering all existing shortwave bands plus FM-stereo, AM and Longwave. • Single sideband (SSB) circuitry allows for reception of two-way communication such as amateur radio, military, commercial, air-to-ground, and ship-to-shore.

Memory Positions • 40 randomly programmable memory positions allow for quick access to favorite stations.

Multi-function Liquid Crystal Display • The LCD simultaneously displays the time, frequency, band, alarm and sleep timer.

Clock, Alarm and Timer • Two alarm modes: Beeper and radio. • Dual clocks show time in 24 hour format. • Sleep timer programme in 15 minute increments.

Dimensions: 7.75" L X 4.5" H X 1.5" W

Weight: 1 lb. 5 oz.

"The Best compact shortwave portable we have tested"

Lawrence Maguire, Editor in Chief, Passport to World Band Radio.



Power and Performance with the Affordable Yacht Boy 300 Professional.


Designed for the traveller, the Titanium look digital radio provides incredible power and performance for an incredibly low price! Packed with features, this radio is an excellent value, accompanied with 3 AA batteries, AC adapter, earphones, Supplementary Antenna and carrying case!

State of-the-art features include:

- Digital tuning with 24 user-programmable memory presets
- 13 SW Bands (2.30-7.80 MHz; 9.10-26.10 MHz)
- Illuminated multifunction LCD display screen
- AM/FM stereo via earphones
- Clock, alarm and 10 to 90 minute sleep timer
- Digital tuning display
- Direct frequency entry
- DX/ local selector
- Titanium look finish
- External antenna jack
- Dynamic micro speaker
- Earphone jack
- Telescopic antenna

Dimensions: 5.75" L X 3.5" H X 1.25" W

Weight: 9.92 oz



by **GRUNDIG**


Lextronix / Grundig, P.O. Box 2307, Menlo Park, CA 94026 • Tel: 650-361-1611 • Fax: 650-361-1724
Shortwave Hotlines: (US) 1-800-872-2228 (CN) 1-800-637-1648 • Web: www.grundigradio.com • Email: grundig@ix.netcom.com



ATS-404 Full Performance, Full Featured Digital, AM/FM Stereo Shortwave Receiver CONTINUOUS COVERAGE – tunes continuously all shortwave bands and any frequency in between. AM reception with 9k/10k switch, FM plus FM stereo with earphones. Keypad entry and auto and manual search buttons, 45 memory presets, auto memory scan. Illuminated LCD display, tone control, lockswitch. Dual time (12/24 hour) clock and adjustable sleep timer with new Human Wake System. Carrying case and stereo earbuds included. Uses four "AA" batteries. 6.5" w x 4" h x 1.25" d **\$89.99**



ATS-505 Professional Digital Multi-band Receiver • AM/FM stereo/shortwave and SSB reception • Continuous coverage – tunes all shortwave bands and any frequency in-between • Auto memory scan – scans 45 presets, playing each in sequence • Auto preset system – determines all memory presets based on signal strength of station • Fine tuning • 9/10kHz switch • Lockswitch • Tone control • Local/DX switch • Dual time clock – 12/24 hour display, adjustable sleep timer and Human Wake System with repeating beep tone (volume increases every 15 sec.). Includes carrying case and earphones..... **\$129.99**



ATS-818CS (left) World Band Receiver with Programmable Cassette Recorder 16 bands, continuous coverage 50kHz to 30MHz. AM/SSB/CW/FM modes; stereo via headphones, 45 memory presets. Tuning methods: Direct input, auto or manual scan, memory recall, rotary dial. AM wide or narrow filter, tone and RF gain controls, signal strength and battery indicator. Programmable cassette recorder, play and record LED indicator, auto-stop feature. Clock with dual time display, alarm and sleep timer. Uses seven "AA" batteries (not included). Includes AC adapter and external antenna adapter. 11.5" w x 7.75" h x 2.75" d, 5 lbs **\$229.99**

ATS-818 (right) World Band Receiver All features of the ATS-818CS, w/out cassette recorder **\$179.99**

ATS-606A Compact Digital All Band World Receiver (left) Continuous All Band coverage 153kHz-30MHz. AM/FM (FM stereo with earphones). 54 memories, manual or keypad tuning, 1kHz/step fine tuning, scanning, LCD display. Dual time clock and sleep timer. 5.75" w x 3.5" h x 1.25" d.. **\$149.99**


ATS-909 FM-Stereo/MW/LW/SW PLL Synthesized Receiver (right) Five tuning methods: Direct frequency, Autoscan, Manual, Memory recall and Rotary, 307 memories. Stereo via earphones, SSB reception. MW 9k/10k switch. AM wide/narrow filter and FM mono/stereo selector. Dual time with three timers and sleep timer. Clock feature displays 42 city times. RF gain/tone controls. Lock switch, recorder output jacks, battery and signal strength indicator. Uses 4 AA batteries or 6V DC; AC adapter incl. 8.5" w x 5.375" h x 1.375" d, 1.9 lbs.... **\$269.99**

DT-200V Broadcast and TV Band Receiver (left) Fits in shirt pocket or clips to belt. Covers AM and FM broadcast bands (FM stereo via headphone), plus the audio portion of TV channels 2 to 13. LCD display, up and down tuning buttons, auto-scan, 19 memories, automatic shut-off, built-in speaker. Belt clip and stereo earphones included. Uses two "AA" batteries. 4.375" h x 2.625" w x .75" d, 5 oz..... **\$69.99**

DRAKE



R-8B Communications Receiver Covers 10kHz-30MHz (35-55MHz, 108-174MHz with optional VHF converter) • Dual VFOs • 1000 memories • Multi-function scanning • AM/FM/RTTY/CW/LSB/USB modes • 5 voice bandwidth filters • Built-in receive preamp/attenuator & noise blanker • S-meter • Passband offset • Selectable AGC • Built-in speaker • Multiple antenna inputs • Sequential tuning • 3 selectable tuning step sizes • Keypad entry of mode & bandwidth • Selectable sideband • Synchronous AM detector • RS-232 computer control • Optional interface software for MS-DOS • Speaker/recorder connections • Multi-voltage power supply • 13½" w x 5½" h x 13" d, 13 lbs **\$1379.99**



1590 VHF Converter (left) 35-55MHz and 108-174MHz..... **\$249.99**

MS-8 External Speaker (right) for R-8B **\$49.99**

YAESU

VR-500 High Performance Mini Receiver General coverage 100kHz-1300MHz (cell blocked) • CW, SSB, LSB and USB, AM and FM wide/narrow modes • Includes AM/FM broadcast, HF shortwave up to 16MHz, VHF/UHF TV bands, VHF AM aircraft band, and a wide range of commercial/public safety frequencies • Keypad entry • 1000 memory channels • 100 "skip" memories • 10 search memories • 100 dual watch memories • Priority • Powered by 2 "AA" alkalines or 9-16V DC • 2.2" w x 4.2" h x 1" d, 7 oz..... **\$199.99**



FRG-100B High Performance Communications Receiver Covers 50kHz-30MHz – CW, SSB, AM modes; FM optional. 50 tunable memory channels and two band edge memories. Multi-function scanning. Adjustable SSB carrier offset, selectable AGC rate, noise blanker, all mode squelch, RF attenuator, twin 12 and 24 hour programmable clocks with on/off timer and sleep-timer, CAT system for PC control. Bright backlit LCD readout with adjustable control. 120/240 VAC or 12-14VDC @ 1.2A 9.375" w x 3.5" h x 9.5" d, 6.6 lbs (See Price Guide for optional filters and high-stability oscillator) **\$479.99**



VR-5000 Multimode Scanning Receiver Continuous frequency coverage from 100kHz to 2.6GHz (cellular blocked) • Direct keypad frequency entry and a wide variety of scanning capability • 2000 memory channels, 100 memory banks with alphanumeric labels • Dual receive • Bandscope graphical activity monitor • "Smart Search" automatic memory loading feature • World clock with time zone map • 13.5VDC @ 0.7A • 7.1" w x 2.75" h x 8.0" d, 4.2 lbs..... **\$699.99**

VR-120 Mini Communications Receiver – Provides general coverage receive from 100kHz to 1299.995 MHz (cell blocked) on AM/FM wide & narrow modes; coverage includes the AM and FM broadcast bands, HF shortwave bands, VHF/ UHF TV bands, VHF AM aircraft band, and a wide range of commercial and public safety frequencies. • Rugged outdoor-ready case construction • Ultra-long battery life • BNC-type antenna connector • Straight-forward 4-button operation • Wide-band frequency coverage with easy access • Special "preset mode" aids in quick tuning • Super simple one-touch memories • Versatile 640 channel memory system • Wide selection of scanning modes • 3.3" h x 2.3" w x 1" d, 6.9 oz..... **\$129.99**




SONY



WORLD BAND RADIOS


ICF-2010 PLL synthesized • Range: 150kHz-30 MHz, 76-108MHz FM and 116-136MHz air band • 32-station memory • Manual, auto and memory scan tuning • SSB/CW and AM synchronous detection • Switchable IF bandwidth • Programmable timer • Built-in clock with alarm, standby and sleep timer • Requires 4.5V DC or three "D" cells • Includes 120V adapter, earphone, SW external antenna, connector and handbook • 11.3" w x 6.3" h x 2.1" d, 3.75 lbs **\$359.99**

ICF-SW07 PLL synthesized • FM 76-108MHz, SW 1621kHz-29.999 MHz, MW 530-1620kHz, LW 150-529kHz • FM stereo at headphone jack • SSB/CW, AM synchronous detection • SW station call, memory tuning plus four other tuning methods: direct manual, scan or preset • 3000 frequency memories • One-push access to 8 major stations (BBC/VOA/DW, etc.) • Station labels with label editing • 24-city name/time display • Built-in timer • Clock with sleep timer and alarm • Requires 3 VDC or 2 "AA" batteries • 5.3" w x 1.2" d x 3.6" d, 9.1oz • Includes external active antenna module, AC adapter, stereo earphones, leather case..... **\$399.99**



ICF-SW11 Compact • 12 bands including FM stereo, MW, LW and SW bands 1-9 • Easy analog tuning with LED indicator • FM stereo headphone jack for private listening in noisy environments • DC in-jack for optional AC adapter • 6.5" w x 3.75" h x 1.3" d..... **\$49.99**

ICF-SW12 11 bands, including FM, AM and SW bands 1-9 • Designed for travel - compact size with protective lid • World time clock and universal time coordinator to calculate time in cities worldwide • Backlit LCD display • LED tuning Indicator for precise center-frequency indication and accurate tuning • Built-in alarm w/convenient snooze button • Requires 2 "AA" cells • 4.3" w x 3.1" h x 1.2" d. **\$99.99**



ICF-SW35 PLL synthesized, dual Conversion super heterodyne • Range: AM (530-1710 kHz), FM (76-108 MHz) • FM stereo at headphone jack • Shortwave from 2250kHz-26.1MHz • UP/DOWN tuning buttons 1kHz/5kHz tuning steps in shortwave • 50 memory presets (5 banks of 10 presets each) • 1 or 5 kHz step tuning on SW • Memory scan • Built-in digital clock with two wake times and 60-minute sleep timer • Dial illumination button, lock switch, attenuator • 2.5" speaker plus earphone jack • Includes cloth protector and SW guide • Requires 3V DC or two "AA" cells • 6.7" w x 4.5" h x 1.4" d, 16 oz **\$89.99**





ICF-SW40 PLL synthesized • Analog/digital tuning • 14 bands • Range: LW/AM/SW (3850kHz-26.1MHz) and 76-108MHz FM (FM stereo-to-headphone jack) • 20 station memory presets • 1kHz step tuning • Built-in clock with dual standby function • 6.75" w x 4.25" h x 1.6" d, 15 oz **\$129.99**



ICF-SW77 PLL synthesized • Electronic rotary tuning • Preset, 10-key direct, manual and scan tuning • Range: 150kHz-30MHz and 76-108MHz (FM stereo-to-headphone jack) • 50Hz tuning steps • Clock display • 5-event programmable timer • Sleep timer • 162 memory presets with station name tuning • SSB/CW and AM synchronous detection • Backlit LCD display • World time scale • Large, 5" x 3" speaker • Requires 4 "C" cells • Includes 120V adapter, earphones, belt and wind-up antenna • 10.8" w x 6.8" h x 1.8" d, 3.3 lbs **\$469.99**

ICF-SW100S PLL synthesized • About the size of an audio cassette - ideal for travel • 24 city name and time display • Range: 150kHz-30MHz and 76-108MHz FM (stereo-to-headphone jack) • 1kHz step tuning • 50 station memory presets • Editable station labels • Auto scan, manual and 10-key direct access tuning • Built-in clock with sleep timer and dual standby • Includes stereo headphones, 120 VAC adapter, active antenna and soft carrying case • Requires 3V DC or two "AA" cells • 4.3" w x 0.9" h x 2.8" d, 8 oz **\$349.99**




ICF-SW1000T PLL synthesized • 1 kHz step tuning • Range: 130kHz-30 MHz and 76-108MHz FM (stereo to headphone jack) • Built-in stereo cassette recorder with auto-reverse and timer record • SSB and synchronous AM detection • 32 memory presets • Built-in clock with alarm, dual standby and sleep timer • Requires 3VDC or 3 "AA" cells • Includes vinyl case, stereo earphones, hand strap and wind-up antenna • 7" w x 4.25" w x 1 6" d, 1 lb... **\$399.99**



ICF-SW7600G (left) PLL synthesized • Manual and auto scan 1kHz step tuning • 10-key direct access tuning • Range: 150kHz-30MHz and 76-108MHz FM (stereo-to-headphone jack) • 22 station memory presets • Dual conversion superhet • SSB/CW and AM synchronous detection • Multi-function LCD digital readout • Dial light and LED tune indicator • Built-in clock with sleep timer and dual standby functions • Record output jack • 9/10kHz MW tuning switch • External antenna jack • Large 3" speaker • Requires 6V DC or four "AA" cells • Includes vinyl case, wind-up antenna and shortwave handbook • 7.6" w x 4.75" h x 1.3" d. 1 lb., 5.5 oz..... **Closeout \$179.99**

ICF-SW7600GR (right) Same as 7600G above with the addition of • Hold button preventing accidental changes to presets • 100 station memory presets • World time clock/dual clock..... **\$179.99**



AN-LP1 Active Antenna Enhances sensitivity for clearer reception of even weak signals. • Light weight • Provides high sensitivity and noise reduction • Active antenna controller with rotary tuning • 19" loop that folds to 7" for portability • Easy to mount • Includes soft carrying case **\$89.99**

we have a

SECURE web site
at **www.aesham.com**

• 1-800-321-3594 OH • 1-800-327-1917 FL • 1-800-634-6227 NV
Email Your Questions to info@aesham.com


AES

SHORTWAVE

31



G-2000A Porsche Design Shortwave Radio Designed for Grundig by F.A. Porsche, This radio has a titanium finish look with a genuine leather case that closes around the radio like a book and serves as a stand. • Ranges: (FM) 87.5-108MHz; (MW) 530-1710kHz; (SW) 2.3-7.4 and 9.4-26.1MHz • Modes: AM, FM-stereo (with earphones) • Illuminated multifunction LCD display • Digital keypad and Up/Down manual tuning • 20 user-set station memories • Clock with 12 or 24 hour selectable format, alarm (radio or buzzer) and sleep timer (10-90 minutes) • Built-in telescopic antenna for FM/SW and ferrite bar for AM • 5.5" x 3.5" h x 1.25" d, 7.2 oz. • Includes a leather case, earphones, requires 3 AA batteries Milwaukee only **\$99.99**



TRAVELLER II P 7-band Worldtime Travel Radio Compact size, outstanding performance. AM, FM and five international shortwave bands. A dual clock simultaneously displays local time and other major cities, world wide. Titanium finish look. • Ranges: (FM) 88-108MHz; (MW) 530-1600kHz; (SW) 49, 41, 31, 25 and 19 meters • Modes: AM, FM • Manual tuning • LCD clock display • Analog tuning dial • Dual time clock with alarm and sleep function • Built-in telescopic antenna for FM/SW and ferrite bar for AM • 5.5" x 3.5" h x 1.25" d, 10 oz. • Includes earphones, 3 AA batteries, soft pouch and Shortwave Listening Guide Milwaukee only **\$49.99**

E-TRAV VII

E-Traveller Digital Radio Palm-size, only 4.5" x 2.563" x 0.875" and weighing 5.3 oz. A sleek, smooth design that fits into your pocket, briefcase or purse. Titanium color with black accents, combined with rich, rubberized side panels. Superior dual conversion superheterodyne circuitry for optimal sensitivity and selectivity. • Ranges: (FM) 87.5-108MHz; (MW) 530-1710kHz; (SW) 2-30MHz continuous coverage • Modes: AM, FM-stereo (with earphones) • LCD display • Up/Down digital controls with auto-scan and manual tuning • 30 memories with memory scan • Clock with 12 or 24 hour selectable format, alarm (radio or beeper) and sleep timer • Built-in telescopic antenna for FM/SW and ferrite bar for AM • Includes a carrying pouch, 2 AA batteries, Shortwave Listening Guide..... Milwaukee only **\$129.99**



AR-16B Wide Band Handheld Scanning Receiver 500kHz to 1300 MHz (cellular blocked) • Modes: AM, FM-w, FM-n • 500 memory channels, 5 banks • 25 scan search banks • Scans 20 channels per second • Preset 21 frequency band settings • Automatic squelch • S-meter • Monitor function for weak signals • Back-lit keypad and display • Includes antenna, two alkaline batteries, hand-strap, manual • 2.4" w x 4.2" h x 1.2" d, 5.4 oz.... **Closeout \$199.99**



AR-8200B All-Mode Wide-Band Modular HT Receiver • 500kHz to 2040MHz (cell blocked) • 1000 memory channels • Alphanumeric display • FM-w, FM-n, super narrow AM, AM-w, AM-n, USB, LSB, CW • Program-mable tuning steps • Spectrum display scope function • Computer control with downloadable software • Optional cards for memory expansion • Noise limiter • Attenuator • CTCSS squelch/search, tone eliminator • Records or plays 20 sec. of audio • Battery saver • Uses 4 AA NiCad batteries (supplied), alkalines or external 12V • 2.4" w x 5.7" h x 1.0" d, 0.75 lbs..... **Closeout \$479.99**

AR-8200 MK II-B Same as above model with the addition of • New temperature compensated crystal oscillator for greater frequency stability • Brighter backlit display • Telescopic antenna • 1100mAh high capacity NiCad batteries **\$549.99**



AR-8600B Receiver Use anywhere - mobile, base or portable. Powered from an external 12V DC power supply, optional DC lead from a 12V vehicle or from optional internal NiCad battery pack (Special Order). All mode receive capability including SSB with programmable tuning steps down to a resolution of 50Hz. An RS-232 port with free supporting control software available from the AOR web site. • Coverage: 530kHz-2040MHz (cell blocked) • 1000 memory channels (20 banks), 1 priority channel • All mode reception with super narrow FM plus wide • True carrier re-insertion in SSB modes • New front end with RF preselection of mid-VHF bands • Detachable MW bar antenna • Tuning steps programmable in multiples of 50Hz in all modes, 8.33 kHz airband step correctly supported • Step adjust frequency, AFC • Noise limiter and attenuator • Versatile band scope with save trace facility • Twin frequency readout with bar signal meter • Separate volume and squelch controls • Write protect and keypad lock • Programmable scan and search • RS-232 computer port • Flash-ROM memory (no battery required) • Slot card sockets • BNC socket for 10.7MHz output **\$869.99**

AR-5000B

High Performance Wide-Band Receiver 10kHz to 2600MHz (cell blocked) • 1000 memory channels and 20 search banks with EEPROM storage • Multiple IF bandwidths • Scans 45 channels per second • AM, FM, LSB, USB, CW modes • Triple conversion IF stage • RS-232C port • 20 search banks • Manual tuning dial • N-type and SO-239 antenna connectors • 12VDC @ 1A, adapter included • 8" w x 4" h x 10" d, 4 lbs **Special Order \$1899.99**



AR-3000AB All-Mode High Performance Professional Monitor 100kHz-2036MHz (cell blocked) • 400 memory channels • FM-w, FM-n, AM, USB, LSB, CW • Tri-conversion IF stage • Scans 50 channels per second rate • RS-232C port for computer control • 4 search banks • Manual tuning dial • BNC antenna connector • Scans 20 channels per second • 5.4" w x 3.1" h x 7.9" d, 2.4 oz..... **\$1099.99**

SDU-5500

Spectrum Display Unit Visually identify signals and relative strength

• Works with AR-5000B/AR-3000AB, ICOM base and other receivers with a 10.7MHz IF output • 10MHz bandwidth - 10kHz to 2600MHz • 5kHz/30Hz resolution • White/blue mono LCD..... **\$1099.99**



752C SSB/CW Audio Filter Pull out stations from noise and interference. Peak, notch, low or high pass control helps eliminate heterodynes and interference. Filters tune 300 to 3000Hz; bandwidth varies from 40Hz to almost flat; notches to 70dB. Switchable inputs for two radios. Uses 9 to 18VDC or 110VAC with MFJ-1312B. Size: 10" w x 2" h x 6" d..... **\$89.99**



462B Multi-Reader Easily decodes CW, RTTY, ASCII, AMTOR signals from amateur, commercial, military, weather, aero and marine. Displays decoded messages on a 16-character LCD display. Simply plugs into receiver phone jack. Requires 12V DC. Size: 5.5" w x 2.5" h x 5.5" d..... **\$169.99**

ICOM



R-75 HF + 50MHz Receiver Covers a wide frequency range from 0.03-60MHz and includes 101 memory channels. All mode- USB, LSB, CW, RTTY, AM, S-AM and FM. Alphanumeric readout with digital bar S-meter. Conventional tuning plus numeric key pad for direct input. Features include high stability receiver circuit, superior dynamic range, 2-level preamp, noise blanker, synchronous AM detection, twin PBT capability, front mounted speaker, filter options and optional UT-106 DSP. Operates from 13.8V DC @ 1.1A, or supplied AC adapter. 9.5" w x 3.75" h x 9" d, 6.6 lbs **\$569.99**



R-8500-02 Wide Band All Mode Receiver Covers 0.1-2000MHz (cell blocked) with 10Hz resolution. All modes: AM, FM, WFM, SSB, CW and optional TV-R7100 TV/FM adapter. Direct keyboard entry. Versatile scan functions; 1000 tunable multi-function memories; 20 banks of 40 channels plus auto-write and skip areas. 20 scan edge memory channels store 10 sets of frequencies for programmed scan, plus priority. Selectable AGC, noise blanker, tone, squelch, record jack. Selectivity: 500Hz, 2.3, 6 and 15kHz. RS-232C interface. Voice synthesized readout optional. 110/220V AC. 11.875" w x 4.875" h x 10.875" d, 16.5 lbs. **\$1439.99**



84B Super DSP Filter Eliminates those retro-synthesizers; reduces noise and interference on SSB/CW/AM, digital modes, VHF, EME, satellite. Tunable FIR filters minimize ring, prevent data errors. Up to 0dB attenuation. Tunable Spotting Tone™ auto tunes CW filter in narrowest bandwidth. 2W audio amp with AGC. 12V DC or 110VAC with MFJ-1315. 5.5" h x 9" w x 6" d. **\$229.99**



1024 Outdoor Active Antenna For 50kHz to 30 MHz reception. Separate RF amp module with 54" whip mounts outside, interconnect made by supplied 50' coax to control unit, containing gain control and 20dB attenuator. Switches select between two receivers and auxiliary antenna. LED indicator. Auxiliary in/output jacks. 12VDC or 10VAC with MFJ-1312. Control unit: 6" w x 2" h x 1" d, Outside module: 3" h x 4" w x 4" d. **\$129.99**



PCR-1000-02 Communications Receiver Computer Turn a PC into a world-wide communications receiver. Connect the PCR-1000-02 to a lap/desktop IBM-compatible for reception of a wide range of frequencies. Listen to favorite stations in the background while running other applications. 100% PC hardware external, IBM PC compatible. Everything needed to connect to your computer included: power supply, built-in speaker, antenna, RS-232 cable and software • Frequency Coverage: 0.01000-823.999999MHz, 849.000001-868.999999 MHz, and 894.000001-1300.00MHz (Cell blocked, specifications guaranteed 0.5-1300MHz, only) • WFM, FM, AM, SSB, CW • 1000 mem. channels per file • Requires IBM® compatible; Windows® 3.1 or 95; Intel 486DX4 or better; 10MB HD free space; 16MB RAM; FD drive, RS-232C (38400 bps or faster) serial interface; 640 x 480 display. **\$349.99**

PCR-100-12 Communications Receiver Computer Wide frequency coverage: 0.01-1300MHz (cell blocked). Listen to marine, shortwave, CB, amateur radio, FM, TV audio, commercial radio, satellites, aviation, etc. • Easy to use with 2 selectable control panels • AM, FM, WFM modes • CTCSS decode • Tunable bandpass filter • 13 tuning steps • Band scope • 20 banks of 50 memories each • Stereo audio output • Auto noise limiter • RF attenuator • Digital S-meter • S-meter squelch • Includes wire antenna, OPC-743 serial cable, AC adapter and receiver software • Requires Windows 95/98, 486DX4 or better, 10MB free HD space, 16MB memory, serial interface (38400bps), 640 x 480 resolution **\$249.99**



959B Antenna Tuner and Pre-amp For 1.6-30MHz, provides an impedance match between antenna and receiver for best reception. 20dB gain pre-amp and 20dB attenuator. Two antenna inputs for two receivers. 9-8V DC or 110V AC with MFJ-1312 adapter. 5" w x 2" h x 6" d. **Closeout \$89.99**



8121 World Band Receiver Receives FM, medium wave, long wave and 18 shortwave bands. Sony integrated circuit design provides excellent sensitivity and selectivity. Built-in telescopic antenna. LED tuning indicator. World time zone and frequency charts on back panel. Built-in 3" speaker. 4.5" h x 7" w x 1.5" d Works on 6V DC or 4 AA batteries **\$39.99**

we have a

SECURE web site
at www.aesham.com

Service Questions?

414-358-4087
Milwaukee, WI

Used & Demo
Equipment lists
Updated regularly on the web.
Check them out and order **On-line**

Look For This

NEW

& Check Out AES' Latest Additions.



956 LW/MW/SW Pre-selector/Tuner Improves reception of signals from 150kHz to 30MHz. Boosts signals while rejecting images, intermodulation, other phantom signals. 2" h x 3" w x 4" d. **\$49.99**

1020C Indoor Active Antenna Covers 300 kHz-30MHz; 5 bands. Telescoping (21") antenna provides good signal strength. Functions as a pre-selector when using an external antenna - minimizes intermod, improves selectivity, reduces noise. Uses 9V battery, 9-18V DC or 110V with MFJ-1312B. Size: 5" w x 2" h x 6" d. **\$79.99**




8100W Regenerative

10' wire brings stations world-wide loud and clear. Tune international shortwave, SSB/CW, RTTY and packet. Covers 75-13M SW bands. Vernier drive tuning. Uses 9V battery, earphones or plug-in speakers. 7" w x 2.5" h x 6" d, 1 lb. **wired \$89.99**






GPS-12XL Personal Navigator™ for the Extreme Outdoor Enthusiast 12 channel receiver with external antenna for fast, accurate position fixes in tough conditions like tree canopy and urban obstructions. Rugged, compact case ideal for boaters, hunters or hikers. 500 user waypoints with alphanumeric name and user comments. 20 reversible routes of up to 30 waypoints each. TracBack™ navigation turns a track log into a route back home. Nine waypoint alarms. Over 1000 track log points, position averaging, emergency erase, and cloning features. Up to 12 hours operation on 4 "AA" batteries..... **\$219.99**



GPS-12CX Personal Navigator™ with Color Display for the Outdoor Enthusiast Nine built-in languages including French, German, Spanish and Portuguese. 2,048 track log points. Selectable position formats including MGRS and user-definable grid. Provides heading, track, sunrise and sunset, ETE, ETA and other calculations. User selectable audible settings, TracBack™. Up to 36 hours of operation on battery life.... **\$269.99**

NAVtALK™ Personal Navigator™/Cellular Mobile Combines GPS with cellular technology into one handheld unit. During travel, location is displayed in real time on a built-in map. Send your exact position and have it displayed on another NavTalk unit. Cell phone: Customized phone book • One-touch speed dial • Built-in pager; • One-touch emergency dial (subscription required) GPS: Shows interstates with exit info, cities, airports, etc. Plug into a PC and download from optional MapSource™ CDs [U.S. Roads and Recreation (010-10215-00) or World Map (010-10215-01 Special Order)] ... **Closeout \$349.99**



GPS-III PLUS Personal Navigator™ Dash mount. Features road maps without plug-in cartridges. Selectable vertical or horizontal screen display. Dedicated keys for zooming from 0.2-360 miles, diagonal panning, auto start/stop timer, average/max. speed recordings. Rocker keypad, backlit LCD display, full featured moving map plotting, user selectable navigation screens for compass or graphic highway guidance. Download data from MapSource CDs..... **\$299.99**


Service Questions?

414-358-4087
Milwaukee, WI



STREET PILOT Dashboard Mount Built-in map of the Americas with state and country boundaries, lakes, rivers, cities, state and interstate highways and some local thoroughfares. Accepts GARMIN cartridges showing residential streets, addresses and points of interest. • Large high resolution 240 x 160 pixel display • 3-level, bright, amber, backlit screen and keypad • Auto turn-by-turn guidance with manual route selections • Auto waypoint and route naming • Storage for 100 waypoints • Trip planning and computer • Zoom key - 120' to 800-mile range • Dashboard screen showing current trip segment, distance, direction • Clock and arrival alarms. Up to 16 hours on 6 AA batteries..... **\$469.99**

eMAP DELUXE Electronic Map Contains 12-parallel-channel GPS receiver and internal patch antenna in a compact design with built-in basemap showing cities, interstates, exit info and more. A large, high resolution, backlit screen provides a clear picture. Dedicated zoom keys with unique rockerpad design for easy one-hand operation. • Find cities, nearest exits and waypoints • Built-in trip computer provides odometer, stopped/moving/total time, moving/overall average and maximum speed • Map page displays direction pointer, speed, time, distance/time to go and trip distance • Save up to 500 sites • 2000 track log points • Up to 12 hours operation on 2 "AA" batteries. Includes interface cable, 8MB data card, wrist strap and guide • 2.4" x 5.5" x 0.8", 6.7 oz..... **\$299.99**




eTREX (yellow) 12-parallel-channel GPS receiver and internal patch antenna packaged in a sleek, waterproof case. Operating buttons on both sides allow larger display. Simple menus and logical operations make it easy to mark your position. • Navigation using compass or maps • Dedicated zoom keys for map page • 500 user waypoints with name and graphic symbol • 1 route with 50 waypoints • Resettable trip computer • Auto track log, 10 saved tracks to retrace your path • Up to 22 hours of use with 2 "AA", alkalines • No memory battery required • 4.4"h x 2"w x 1.2"d, 5.3 oz..... **\$119.99**
eTREX SUMMIT™ Hiking Companion (grey) Similar to the eTrex but includes a barometric altimeter and electronic compass for accurate elevation, direction and location reporting..... **\$249.99**



ST PILOT COLOR StreetPilot® Color Map Portable GPS navigation. Ideal for business or vacation in busy metropolitan areas. View position in real time on a colorful electronic map. Look up cities, exits and more. Built-in electronic basemap shows interstates and motorways with exit information, most highways and thoroughfares, rivers, lakes, plus commonly used streets in metro areas. • Large, high resolution, 16-color display • Exit information reveals services available at interstate and motorway exits • Rugged construction and portable size • Powered by 12-volt adapter (included) or six "AA" alkaline batteries (not included) • Internal lithium battery backup..... **\$599.99**





GPS-V Turn-by-turn navigation throughout North America, including major cities. Auto-routing shows the shortest and fastest routes. Display prompts with audible beeps alert to turns, distance to upcoming turns, course deviation, and distance to final destination. Built-in, routable basemap provides detail for interstates, interstate exits (USA only), highways, rivers and lakes in the U.S., Canada and Mexico, plus commonly used streets in metro areas. Downloaded maps from the MapSource MetroGuide (included), gives guidance down to residential street-level detail. Look up services and points of interest. View address, phone number and map location. • 500 user waypoints • 20 reversible routes • Trip computer provides odometer, stopped time, moving/overall average or total time, maximum speed • Automatic track log with 10 saved tracks • Up to 25-hour operation on 4 "AA"s • Permanent data storage, no memory battery • Water resistant • Includes auto mount, cigarette lighter adapter and PC interface cable • 2.32"h x 5.0"l x 1.62"w, 9 oz..... **\$499.99**



GP-270ML Fixed Mount Marine GPS Receiver Large LCD display • 12 channels • Full key pad • 500 user waypoints with 7-character names and 16-character descriptions • Marine database with 16,000 pre-programmed waypoints - all US buoys and lights • Built-in world map • 24-hour tide prediction for the entire world • Sun and moon phase prediction • Sun and moon rise and set times for any spot on Earth • Track plotter • 30 routes which are reversible • Includes 6 languages • DGPS ready • Operates with LORAN TDs • Free WAAS upgrade (June) • 3.1" x 9.9" x 5.8", 3.5 lbs..... **\$399.99**





Earthmate® GPS Receiver - \$139.99

Never Get Lost Again! The Earthmate GPS Receiver is a high-performance easy-to-use link to the Global Positioning System (GPS). Earthmate and your laptop PC work together to show your location in real time on detailed Street Atlas USA® Deluxe Maps.

Street Atlas USA® Deluxe is a street map of the entire U.S. that automatically calculates a route for you. You can search by specific address, placename, Zip Code, latitude/longitude, street intersection or area code and exchange. The Earthmate® Also works with Topo USA®, 3-D TopoQuads®, Eartha Global Explorer®, AAA Map'n'Go®, Topo USA: Fly-Fishing Edition or Golf Digest Places to Play Travel software. The pocket-sized Earthmate® can operate on four AAA batteries, and features a durable housing with a moisture resistant seal designed to withstand a wide variety of road conditions.

TOPO USA® 3.0 - \$99.99

Plan the Perfect Outdoor Adventure! Use your PC and TOPO USA®, the most complete on-and off-road software. Contains information for the entire U.S. on over 300,000 trail miles and updated DeLorme national street data giving you the power and speed to quickly find and profile your trails, mark your route, look at trail elevations, print out detailed custom maps and more! Use with popular GPS receivers to upload and download GPS waypoints. Enjoy freehand drawing tools and right-click mouse options to trace trails, edit lines and measure line distance. Contains great topo views of anywhere in the US in 3-D and color.



laptop not included



The Meridian™ - Magellan's new premier line of rugged GPS handheld receivers, designed with serious navigators in mind.

MERIDIAN™ GPS (left) The most affordable of the Meridian GPS receiver line, but low price doesn't mean sacrificing features. This powerful GPS promises to be your most trusted tool in the field. • Expanded memory capacity for downloading maps with optional SD cards in 8, 16, 32 and 64MB • Large backlit display for easy map viewing • Rugged rubber armoring and high impact plastic for use in the harshest environments • Supports several languages including: English, French, German, Swedish, Finnish, Spanish, Italian, Portuguese, Dutch • Save Track-to-Route • Satellite status display • Built-in help • NorthFinder with sun/moon positions • Sunrise/set calculator • 2MB database of U.S. cities, interstate/state highways, political boundaries, major waterways and airports • Store 20 routes, 500 waypoints and 2,000 trackpoints • Vertical profile of track* • Horizontal profile* • Address Search * **\$219.99**

MERIDIAN™ GOLD (middle) All the features of the Meridian GPS, and includes a 16MB database of U.S. cities, interstate/state highways, political boundaries, major waterways and airports..... **\$299.99**

MERIDIAN™ PLAT (right) Meridian™ Platinum Possesses all the features of the Meridian Gold and adds electronic compass and barometer that tracks barometric pressure like a weather station **\$349.99**

* Requires MapSend™ Topo for United States

** Requires any version of MapSend Software

Each Magellan GPS includes a powerful 12 parallel channel receiver, wraparound rubber armoring, "EZstart" operation, auto averaging and a water-proof design.

MAP 330 GPS The most memory in its class! Designed for the avid outdoorsman and mobile professional who demand supreme performance and functionality. The built-in 8-megabyte base map includes worldwide political boundaries and U.S. cities highways, major roads, national parks, waterways, and railways. And with 8 Megabytes of up-loadable memory, you can plan detailed, cross-country routes without having to visit your PC every other state. View your navigation information on any of the four graphic screens presented on a large, high-resolution display. With a powerful 12-parallel channel receiver and quadrifilar antenna, the MAP 330 provides outstanding lock-on tracking in a vehicle, boat, on foot, etc **\$249.99**

GPS-315 Navigates to 20,000 major international cities or brings you back to 500 user-entered locations. Nine screens show bearing, heading, distance and speed. A 12 parallel-channel receiver offers performance under tough conditions. Auto-averaging gives your position while standing. Also: 1200-point Track, BackTrack, best fish/game time, 10-year back-up battery, PC up/download and simulator. The 6.4 oz. unit comes in a waterproof, shock-resistant case. It runs on 2 "AA" batteries for 15 hrs. Works with mapping software.. **\$149.99**



GPS-320 GPS Navigator with Nautical Navaid Data Base and Worldwide Cities A fisherman's full-featured personal navigator with a large database of cities and regional marine aids and memory to store up to 500 waypoints and/or landmarks. Four navigation screens show direction, path traveled, and distance. Other features include: A 12 parallel-channel receiver, EZstart operation, 1200-point SmartTrack, BackTrack, best fish and game time, sunrise/set and mapping software compatibility. Uses 2 "AA" batteries, comes with 10-yr back-up battery..... **\$169.99**

GPS ColorTRAK Satellite Navigator Featuring the world's first high resolution, color display in a portable GPS receiver. Outstanding lock-on tracking with eight graphic navigation screens including a real-time multiple route plotter with adjustable scale. Stores up to 500 user-entered locations & 20 reversible routes with 30 legs. The detachable super sensitive antenna provides superior tracking ability. Backlit display and keypad. Operates 30 hours on 4 "AA" batteries. 10-year memory back up battery. Includes case, wrist strap, battery and User/Quick reference guides..... **Closeout \$239.99**



Used & Demo

Equipment lists
Updated regularly on the web.
Check them out and order **On-line**

Look For This

NEW

& Check Out AES' Latest Additions.

uniden



HANDHELD SCANNERS

BC-60XLT-1 Handheld Scanner (left) 30 programmable channels, 10 bands – cover 29-512MHz • LCD channel display • Programmable chain search • One-touch weather • Lockout • Memory backup • Keypad lock • Scan delay • Manual channel access • Track tuning • Keypad lock • Uses four AA alkaline or nicad rechargeable batteries, or operates on AC with included 110V AC adapter • 2.625" w x 6.75" h x 1.5" d, 10.5 oz **\$99.99**

BC-80XLT Handheld Scanner Looks similar to 60XLT • 50 programmable channels, 11 bands, 5 banks - cover 29-956MHz (cell blocked) • 5 priority channels • On-touch weather • Manual channel access • Bands search • Full frequency LCD display • Uses four AA alkaline or nicad rechargeable batteries, or operates on AC with included AC adapter • 2.625" w x 6.75" h x 1.5" d, 10.5 oz **\$149.99**

BC-245XLT TrunkTracker II Handheld Scanner (right) 300 programmable channels, 12 bands including Aircraft and 800MHz – covers: 29 to 956 MHz (cellular blocked) • Trunk tracking technology: trunk scan and search, truck lock out, trunk delay, and 10 trunk scan list • Programmable search • Memory backup • Manual channel access • Pre-programmed service search • Channel lockout • 10 priority channels • Rechargeable NiCad battery and wall charger • 2.5" w x 6" h x 1.75" d, 12.5 oz **\$229.99**

SC-180B Sportcat (middle) Hear car and pit crews at auto races, the cockpit at air shows, or use it as a traditional scanner to keep up with emergency personnel. 100 programmable channels, 12 bands/800 MHz (cell blocked)/Air, 10 banks • 10 priority channels • Twin TurboScan™ and search • Manual channel access • Instant weather • Full frequency, alphanumeric LCD • Rechargeable NiCad and wall charger • Includes sports frequency guide, AC adapter, rubber antenna, belt clip and earphone • 2.5" w x 1.625" d x 6" h, 11 oz **\$179.99**

SC-200 Sportcat Same as above with 200 program. channels, cloning capability and CTCSS .. **\$219.99**



BEARCAT SCANNERS

CLT Scanners The first scanners with a built-in AM/FM radio and alarm clock.

BC-244CLT 30 programmable channels, 10 bands • Full frequency LCD • Channel lockout • Memory back-up • Manual channel access • One-touch weather • 8" w x 5.5" d x 3" h, 1 lb. 6 oz **\$99.99**

BC-248CLT AM/FM Radio with 20 presets • 50 programmable channels, 10 bands, 5 banks of 10 channels each • One-touch weather • Full frequency display • Auto squelch • Lockout • Memory back-up • Manual access • Delay • 5 priority channels • 10" w x 5.5" d x 3" h, 1 lb. 6 oz **\$109.99**

BC-278CLT AM/FM Radio with 20 presets • 100 channels, 12 bands, 5 banks of 20 channels each • 800MHz coverage (cellular blocked) • One-touch weather with S.A.M.E. weather alert • Full frequency display • Auto squelch • Lockout • Memory back-up • Manual channel access • Programmable delay • Data skip key • Pro-grammable search • Programmable service search • 5 priority channels • 10" w x 5.5" d x 3" h, 1 lb. 7 oz **\$179.99**



BC-350A 50 channel, 11 band mobile/base scanner with Aircraft and instant weather • Super Turbo-scan™ @ 100 channels per second • Full frequency LCD display • Private channels, 20 programmable and scannable • Police channels • 10 programmable fire and emergency channels • Marine channels • Band search • Lockout channels • Mounting bracket, AC adapter, telescoping antenna cigarette and DC power cord • 5.25" x 6.8" x 1.625", 1.6 lb. **\$119.99**



BC-780XLT Continuous Band Programmable Scanning Radio AM/FM/WFM • 500 channels, 10 banks, 10 priority channels • Covers 25MHz-1.3GHz (cell blocked) • Preprogrammed service searches • Full frequency, backlit, LCD display • TrunkTracker III • S.A.M.E. weather alert • SmartScanner™ • Clone feature • Alpha tagging • CTCSS/DCS • PC control • Base or mobile • Beep alert • Record every channel or every ID programmed (up to 1000 IDs) • 7" w x 6.56" d x 2.375" h, 41.96 oz **\$369.99**



BC-895XLT "Trunk-Tracker" • 300 channels, 12 bands including Aircraft and 800 MHz, 10 banks • VFO control – covers 29-956MHz (cellular blocked) • 10 priority channels • TurboScan™ • One-touch weather with Weather Alert • Manual channel access • Built-in CTCSS • Trunk search • Scan lockout and delay • RS-232C port • Signal strength meter • Auxiliary tape output • Automatic store • 30 trunking channel indicator annunciators • 3-day memory backup • Programmable search • Lockout • 10.875" w x 3.625" h x 7.5" d, 3.5 lbs **\$219.99**




BCT-7 Bear Tracker 800 Pre-programmed with frequencies for highway patrol, D.O.T, local and county police, news, fire, aircraft and CB services. Selectable by state (except HI) • 12 bands • 100 user programmable channels • Highway Patrol Priority Alert • Data Skip • Weather Scan • 13.8V DC or 110V AC operation • Mobile mount • 5" w x 7" d x 1.375" h, 1 lb, 11 oz **\$179.99**

ICOM

R-10-05 General Coverage Pocket Scanning Receiver 500kHz-1300MHz (cell blocked). AM, SSB, FM wide or FM narrow modes. Programmable tuning steps. On-screen spectrum display, 1000 non-volatile memory channels in 18 banks of 50 channels. Scan by bank, mode, or program. Alphanumeric characters can be entered to identify channels and banks. Noise blanker and auto noise limiter. Auto frequency control (AFC) • Easy-to-read, edge-lit display • 24-hr clock with timer • PC programming capability • Adjustable LCD contrast • Signal indicator • Power-saver func. Uses NiCad, alkaline or other DC source. NiCads and wall charger. 2.3" w x 5.1" h x 1.2" d, 10.9 oz **\$299.99**



R-2-06 Communications Receiver Wide frequency coverage from 0.495-1309.995MHz (cell blocked) in 9 frequency bands with 400 memory channels in 8 banks of 50 channels. FM, WFM and AM modes. Features: Quick, easy band switching • Tone squelch (CTCSS decode) • Offset monitor capability • Built-in attenuator • PC programming capability • Receiver-to-receiver data cloning • Multiple scan functions • Backlit LCD with timer • Priority watch function with beep alert • Channel indication • Automatic squelch • Up/ down keys for AF level control • Low-battery indicator • Auto-power-off • MIL-SPEC 810 C/D/E, weather resistant • Includes 2 NiCads and charger, antenna, handstrap and belt clip • 2.875" h x 3.375" w x 1.0625" d, 6 oz **\$154.99**



R-3-26 Communications Receiver Provides wide-band receive capability from 0.5-2450 MHz (cell blocked). Includes 2" TFT color display which may be changed to mono to conserve battery power. Receive favorite TV shows, scan for wireless cameras like those in race cars. Use with a wireless camera to monitor babies, traffic, etc. Video /audio output terminal allows displaying to a large monitor or recording device. Signal strength and band scope functions assist in finding the action you want to hear. Includes 450 memory channels with alphanumeric names, CTCSS, attenuator, and more. A long lasting Li-ion battery offers easy charging, lightweight performance, and up to 27 hours of continual use on the mono LCD • PC programming capability • 2.4" w x 4.72" h x 1.28" d, 10.6 oz **\$349.99**



we have a

SECURE Web site
at **www.aesham.com**



We accept I.M.P.A.C.® Government Credit Cards

GENERAL MOBILE RADIO SERVICE (GMRS)

A personal radio service available to an individual with the proper FCC license. A two-way voice communication service to facilitate the activities of the individual's immediate family members. You can discuss your own commercial and/or family business activity. Higher powered 2 to 5W handheld portables allow communications over 1 to 5 miles. **Interstitial Frequencies:** 462.5625, 462.5875, 462.6125 462.6375, 462.6625, 462.6875 462.7125 MHz **Primary Frequencies:** 462.5750, 462.6250 MHz **"Emergency" Frequency:** 462.6750MHz

FAMILY RADIO SERVICE (FRS)

For non-commercial use, FRS shares GMRS frequencies but doesn't need a license to operate. Uses include: camping, hiking, amusement parks, skiing, mobile caravans, any place where multiple people need to stay in touch. 100mw to 0.5W ratings of handhelds allow range of up to 2 miles.

KENWOOD



FRS RADIOS

UBZ-AL14BK (left) 500mW output • 14 FRS channels • Battery saver function • Lamp function • Call tone transmit function • Audible low battery warning beep/ blinking • Up to 30 hrs with 4 "AAA" alkaline cells • Black • 3.75"h x 2.31"w x 1.19"d **C/O \$29.99**

UBZ-AM14BK FreeTalk EL (mid-left) Easy to use FRS radio that's perfect for families. A compact design makes it easy to hold with lit display for easy viewing. 14 channels, 38 talk groups • Removable belt clip • 32-Step variable volume control • Call ring tone • Battery save mode • Low battery alert • Fixed low profile antenna • Transmit/busy icon • Works up to 30 hours with 4 "AAA" batteries • Black • 3.73" x 2.2" x 1.19" **Sold In Pairs Only/Closeout \$59.99**

UBZ-GM14 FreeTalk WX FRS Radio (mid-right) With built-in NOAA weather radio. Under noisy conditions, activate vibration call alert feature. 14 channels, 38 talk groups • Large lit LCD with status icons • 32-Step variable volume • Call ring tone • Battery save mode • Low battery alert • Audio accessory jack • Removable belt clip • Operates on 3 "AA" batteries • Black • 4.71" x 2.2" x 1.2" **Closeout \$39.99**

UBZ-LH14BK FreeTalk™ (right) 500mW • 14 FRS channels • 38 talk groups (CTCSS) • Privacy talk voice • 4 call ring tones CORDS (In-Range Detect System) • Battery saver and auto power off • Low battery alert indicator/beep • Works up to 40 hrs operation with 3 "AA" alkaline cells • Only available in black • 3.5"h x 2.25"w x 1"d **\$79.99**



FRS RADIOS

TalkAbout 250 • 38 interference eliminator codes • Built-in hands free operation (VOX) – when used with optional audio accessory • Time-out timer • Transmit light • Audible low battery alert • Scan • "Talking" channel confirmation • Battery meter • LCD display • Audio accessory connector • Removeable belt clip • Operators manual • 3.75"h x 2.25"w x 1.375"d x 6.5"h with antenna • 1 year warranty

53543 (Camo)..... **Closeout \$59.99**

53590 (Blue) **Closeout \$59.99**

53592 (Black)..... **Closeout \$59.99**



53770 FR50 Operates on three AA batteries • 14 channels • Carrier squelch • Audible call alert • Side push-to talk (PTT) • Backlit LCD display • Audible low battery alert • Removable belt clip • Single pin audio accessory connector • Time-out timer • Manual • One year warranty • Dark slate • 4.33"h x 2.36"w x 1.30"d, 6.6 oz... **Closeout \$34.99**

56360 T6220 Talkabout® FRS 14 FRS UHF frequencies, 38 privacy codes • Simple menu • Backlit LCD display screen • Button beeps • Power-save mode • Time-out timer • Transmit LED • Talk group filter • 5 audible call alerts • Audio accessory connector • Lock button • Ring alert • Signal strength indicator • Scan • Uses "AA" alkaline batteries • Rechargeable ready with charging dock • Belt clip..... **\$59.99**

53834 T5200 Talkabout® FRS Radio • 14 FRS UHF frequencies, 38 privacy codes • Backlit LCD display screen • Power-save mode • Time-out timer • Transmit LED • 5 audible call alerts • Audio accessory connector • Lock button • Uses "AA" alkaline batteries • Belt clip **\$39.99**

GMRS RADIOS

Common Features: 38 Interference eliminator codes • Built-in VOX operation (when used with optional audio accessory) • Scan capability • Voice-assisted programming • Low battery alert • Transmit light • Audio accessory connector • Removeable spring action 2.5" belt clip • Rechargeable battery • 10 hour charging adapter

53544 TalkAbout DX • 2W • 5.25"h x 2.5"w x 1.25"d, 11.1 oz..... **\$189.99**

53547 TalkAbout DXDP5 Additional Features: • Alkaline battery tray (6 AA batts. not included) • 2W • 6.25"h x 2.5"w x 1.25"d, 11.7 oz... **\$199.99**



ICOM

FRS RADIOS

IC-4008A 500mW • 14 channels; 38 Group channels • "Call-Ring" and "Smart Ring" functions provide telephone-style ring with 10 different tones • Auto transponder function automatically checks station availability and alerts via function display indication • Fold-down antenna • Water resistant • Requires 3 "AA" alkalines • Black • 4.5"h x 2.25"w x 1"d **\$79.99**



maxon

49MHz FM PERSONAL COMMUNICATORS

Low power, 1/4 mile average range • Dual conversion super-heterodyne receiver provides crisp, clear transmission • Use for group communications • Push-to-talk or voice activated - talk-to-transmit • No license required • Channels: 49.830MHz, 49.845MHz, 49.890MHz, 49.860MHz, 49.875 MHz



MX-49SX A single channel unit including a lightweight adjustable headset with retractable whip antenna and boom microphone with windscreen. Uses only one of first 3 channels (see above) • LED power indicator • battery charger jack • Range up to 1/4-mile • Uses two "AA" alkalines or rechargeable nicads • 5"w x 2.5" h x 1"d, 9 oz..... **\$29.99**



MX-49FX The unique earphone and microphone pick up voice vibrations from the ear canal for transmit audio and also provide received audio • Will not interfere with helmets • 5 selectable channels • Built-in antenna gives up to 1/8-mile range • Remote PTT button & channel selector. Uses three "AA" batteries. 5.5"w x 3" h x 1"d 6 oz **\$49.99**



MX-49HX Great for motorcycling, snow mobiling, etc. The helmet adaptable headset has a whip antenna and boom microphone with windscreen • 5 selectable channels • VOX or PTT with on-unit or remote switch • Front mounted off/on, volume, VOX sensitivity and channel selector • Jacks for optional passenger intercom headset • Uses three "AA" batteries • 5.5" w x 3" h x 1"d, 6.5 oz... **\$49.99**

Used & Demo
Equipment lists

Updated regularly on the web.
Check them out and order **On-line**

we have a

SECURE web site
at **www.aesham.com**



CB RADIOS

148NW ST Full Featured AM/SSB Mobile CB Radio 12W PEP SSB RF output • 4W AM RF power (FCC max. allowed) • 120 channels • Dual conversion AM receiver • SoundTracker™ system • Night-Watch™ dimmer control • USB/LSB/AM • Digital channel indicator • RX/TX indicators • Switchable noise limiter & blanker • RF-gain control • Hi/Low tone switch • PA capability • SWR indicator • Instant channel 9 • 7.25" x 2.25" x 8.625", 6 lbs.. **\$179.99**



19DX III AM Mobile CB Radio New Compact design • 40 channels • Combination S/RF meter • 4W RF output - (max. FCC allowed) • Instant channel 9 switch instantly switches from any channel to Emergency Channel 9 • TX indicator • CB/PA switch selects CB operation or PA operation • Mobile bracket • 4.563"w x 1.75"h x 7.25"d, 21 lbs..... **\$49.99**




29 WX NW ST Full-featured Weather Band CB Radio with Illuminated Front Panel 40 channels, AM • Instant channels 9 & 19 • 7 NOAA weather channels with weather alert tone • 4W RF power output • SoundTracker™ system • Tactile controls • Dimmer control • Switchable automatic noise limiter & noise blanker • SWR calibration • PA capability • NightWatch™ illuminated front panel • 7.2w" x 2.2h" x 8.6d", 6 lbs **\$129.99**

uniden®

CB RADIOS

GRANT-LT AM/SSB Mobile CB Radio Dynamic Squelch Control (DSC) for improved clarity • Full PLL synthesized 40 channel operation • **Single side-band**, 12W PEP (AM, 4W) • LED Channel indicator • Backlit control knobs • Mic gain, RF gain and clarifier controls • NB/ANL switch • PA/CB switch, dimmer control • Multifunction meter (relative RF output, modulation, SWR and receive signal strength) • TX/RX indicator, tone HI/LO switch • 7.875"w x 9.5"d x 2.375"h, 5 lbs **Closeout \$169.99**



PC-78XL AM Mobile CB Radio Full PLL synthesized 40 channels • DSC - Dynamic Squelch Control • Instant channel 9 • Microphone and RF gain controls • Delta tune control - Fine tunes received signal and reduces interference • Noise blanker and automatic noise limiter • PA/CB switch • Dimmer control • TX/TX LED indicators • Antenna warning LED - lights when high SWR condition is present • 7 3/8"w x 8 3/4"d x 2 3/8"h, 4 lbs. 3 oz **\$109.99**

PC-78LTW Same basic features as the PC78XL with the addition of NOAA Weather Channel reception with Weather Alert..... **\$129.99**



PRO-520XL Compact 40 Channel AM Mobile CB Radio 4W • Instant channel 9 access • 4-segment S/RF meter • TX LED • LED channel indicator • RF gain • PA switch • Automatic noise limiter • Only 4 1/2"w x 6 1/4" d x 1 3/8" d, 1 lbs. 10 oz..... **\$59.99**

900MHZ CORDLESS PHONES

EXP-7902 Cordless Phone with Voice Scramble 40 channel auto-scan • Voice scramble security • Ultra-Clear noise reduction • 10 mem. • 3 one-touch keys • 7 hrs talk time • Long-life battery • 32 digital re-dial • Page/fine feature • Desk/wall mount **Closeout \$29.99**



EXA-7950 Cordless Telephone w/Digital Answering System

Integrated digital answerer • 40 channel autoscan • Time and day stamp • Remote message retrieval • 15 minute record time • Base speakerphone • 10 number memory dialing • 3 one-touch priority keys • 14-day stand-by • Desk or wall mount.... **Closeout \$49.99**



EHD-1200GB

Harley Davidson® 900 MHz Cordless Exclusive telephone crafted by Uniden to replicate the Harley gas tank. 900MHz extended range • 40 channel autoscan • 10 number memory dialing • Three one-touch speed dial keys **Closeout \$39.99**



RECOMMENDED ANTENNAS FOR CB

COBRA

HGA-1000 Magnet mount base loaded mobile antenna with coax and connector..... **\$24.99**

HUSTLER

HQT A 55 inch top loaded whip with Mirror Mount bracket. Comes with 12 ft. cable with PL-259 connector. Chrome with a white coil **\$27.99**

HQ-27M A 55 inch top loaded whip with Trunklip Mount. Comes with 15 ft. cable and PL-259 connector. Chrome with a white coil..... **\$36.99**
See Price Guide under Hustler

LARSEN

NMO-27C Base loaded mobile, less mt.. **\$33.99**

NMO-TLP Low profile trunk mount for NMO-27C. Comes with 17' coax and PL-259 **\$29.99**

NMO-MM NMO-27C magnet mount. Comes with 12' coax and PL-259 connector ... **\$31.99**

SOLARCON

A-99 Base Station Antenna. Three-piece fiberglass design uses a half wave over a quarter wave section, and is tunable. Entire 17 ft. 8 in. length radiates producing about 3 dB gain..... **\$64.99**

GPK-1 A-99 ground plane kit. Adds 30% more power gain and lower angle of radiation . **\$39.99**

WILSON

W-1000 5 ft. base loaded mobile antenna. Available in three mount configurations. All come with 18 ft. cable and PL-259 connector.

ROOF thru-hole mount..... **\$57.99**
TRUNK mount **\$65.99**
MAGNET mount..... **\$76.99**

AMATEUR ELECTRONIC SUPPLY
5710 W. GOOD HOPE ROAD.
MILWAUKEE, WISCONSIN 53223
(414) 358-0333

NO. 0000

THIS CERTIFICATE ENTITLES _____

TO MERCHANDISE
VALUED AT _____

PRESENTED BY _____

AUTHORIZED SIGNATURE _____

Gift Certificates Available For The Undecided



ALL HAZARDS WEATHER RADIOS

Monitors 24-hour weather forecasts and alerts • Scans all NOAA channels • Monitors U.S. emergency alert system with auto activation • Dual LED power/alert indicator • Digital clock land alarm with snooze


WR-8000 Pocket-sized Ambient temperature display • audio/visual freeze alert • LCD screen with backlighting • Water resistant case with compass • Belt clip • Uses 3 "AA" batteries, not included • 2.5" w x 1" d x 6.5" h, 8 oz **Closeout \$29.99**

WR-102 Portable S.A.M.E. Weather Radio A handheld all-hazards weather radio that receives and displays alerts, watches and warnings that apply only to a local area using S.A.M.E. technology..... **\$49.99**



WR-196T Desktop AM/FM/S.A.M.E. Weather Radio AM/FM radio with ten memory presets • Digital tuning, including seven NOAA weather channels • Dual LCD display for clock and dot-matrix text message • Automatic audible and visual alert activation plus blinking LED warning • Standby mode to mute speaker • Digital clock with calendar, alarm, and 5-120 min. sleep timer • Operates from (3)"AA" batteries or AC adapter • 6.75" h x 5.25" w x 0.875" d, 0.75 lb..... **\$59.99**


WR-3300 Desk-top or Bedside Operates on 3 "C" batteries (not included) or included AC power adapter • Large digital clock LCD • Wall mount or desktop • 5" L x 4" w x 2" h, 6 oz ... **Closeout \$19.99**



WEATHER STATIONS

RGR-122 Long Range Rain Gauge Self-emptying and provides cumulative and daily precipitation totals for up to nine days. Its wireless, long range capability

allows the collector to be placed up to 300 ft. from the main unit. The collection data is broadcast at 433MHz to the indoor base unit and displayed on an attractive easy-view 3.5" h x 1.5" d x 2.5" w LCD console. Includes indoor temp. gauge. Requires 2 "AA" batteries in both collector and main units.. **\$69.99**



WMR-968 Cable Free™ Weather Station Innovative wireless outdoor sensors with 300 ft. range operates on solar power for simple installation and sophisticated ease. Track and record over 20 separate weather conditions by a press of the touch-sensitive jumbo LCD display screen..... **\$329.99**



WM-918 Complete Weather Monitoring Station Monitors over 20 weather and environmental conditions. Sensor range up to 300'. Self-dumping electronic rain gauge, outdoor temp. and humidity sensor, anemometer (wind speed/direction), and all wiring. Desktop control panel displays clock, calendar, alarm, and weather. Also features weather forecasting displaying local 12/24-hour forecasts. Uses 8 AAA batteries, AC adapter included. 7" l x 4.25" w x 1.5" h, 14.8 oz **\$199.99**

SW-918 Software/cable; WM-918..... **C/O \$29.99**

OTHER WEATHER PRODUCTS

EMR-812A Cable Free™ Thermometer The latest in radio frequency technology! This Cable Free™ thermometer with jumbo display shows you the indoor temperature and the temperature from up to three remote locations. Includes one easy-to-install remote temperature sensor that can be placed up to 90 feet from the main unit - with no wires to install anywhere! • 433MHz operation • High/low memory and temperature alarms • Choose and change between degrees C and F • Includes one wireless sensor **\$39.99**




RM-116E Exactset™ Radio Controlled Clock (left) The most accurate of alarm clocks. Sets itself automatically by receiving time signals from the U.S. Atomic Clock. Features blue HiGlo™ backlight LCD, snooze, day/month/seconds and automatic adjustment for Daylight Savings Time **\$39.99**

BA-812E Weather Clock (right) Unique bedside or desktop alarm clock features automatic weather forecasting technology with easy-to-understand graphical weather icons. Displays indoor room temperature & features a HiGlo™ backlit LCD .. **Closeout \$24.99**

SECURITY ITEMS



PE-319 Pedometer with Personal Security Stay at ease while exercising away at home. This pedometer features a 120dB panic alarm for personal security and emergency. Displays elapsed workout time, distance walked and a 12/24 hour clock on its backlit 2-line LCD display.. **\$29.99**



We accept I.M.P.A.C.® Government Credit Cards

SONY

ICF-B200

Emergency AM/FM Radio Turning generator handle for one minute provides 30 minutes listening time. Also operates with 2 "AA" batteries. Includes emergency light and audio beacon. Orange color stands out in foliage. Water-resistant. Head-phone jack. 3.125" x 6.375" x 2.5", 11.5 oz..... **Closeout \$49.99**



Look For This

NEW

& Check Out AES' Latest Additions.

Used & Demo
Equipment lists

Updated regularly on the web.
Check them out and order **On-line**

we have a

SECURE web site
at **www.aesham.com**



Gives many measurements and the ability to download and graph data on your PC.

7440 Weather Monitor II® This weather station combines all weather monitoring function and 12 or 24 hour clock with date into one package. Shows them on an back lit, 1 1/8" x 4 3/8" LCD display. **Temperature:** Outside, -50 to 140°F; Indoor, 32° to 140°F **Wind:** Direction in 1° or 10° increments • Speed to 175mph • High wind speed & wind chill to -134°F **Barometer:** Barometric pressure with memory recall and trend arrow **Humidity:** Inside 10%-90% (outside optional) • High and low **Alarms:** Temp., wind speed, wind chill, humidity, time and barometric trend **Features:** Scans selected functions • 115VAC • Battery back-up • Desk, shelf or wall • 5.25" x 5.875" x 3" **\$269.99**

7859 External Temperature & Humidity Sensor For 7440; measure outside humidity, dew point and temperature. Includes 40' cable **\$109.99**



7425 Weather Wizard III® Monitor indoor and outdoor conditions on a 1.875" x 4.375" LCD display. Measure daily & accumulated rainfall with optional rain collector.

Optional Weather-Link software will process and store data through an IBM® compatible or Mac®. Includes anemometer, external temp. sensor, junction box, cables and AC adapter. **Temp:** Indoor, 32°F to 140°F, outdoor, -50° to 140°F • **Low or High Wind:** Direction in 1 or 10° increments, speeds to 175mph, chill to -134°F • **Alarms:** Temp., wind speed/chill, time • Scans selected functions • Metric or U.S • 115V AC • Desk, shelf or wall • 5.25" x 5.875" x 3" **\$169.99**

7852 Rain Collector II For 7440, 7425 & 7415; read both daily and accumulated rainfall in 0.01" increments. Comes with 40 ft. cable..... **\$69.99**

7400 Perception II® Monitors indoor climate, looks similar to 7425. **Functions:** Temp. 32°F-140°F • Barometric pressure w/memory recall • Humidity • Highs/lows recorded with time & date • **Alarms:** Temp., humidity, time, barometric change • 12/24 hour clock with date **\$129.99**

0281 Wind Wizard™ Wind Speed Indicator Handheld unit accurately measures wind speed from 0-60MPH in miles/hr, meters/sec, Beaufort. No batteries required **\$46.99**





0271 TurboMeter™ Wind Speed Indicator Turbine suspended on sapphire jewel bearings responds to lightest winds • 3-digit display • Reads speed in miles/hr, knots, feet/min, meters/sec • Requires 3 "AAA" batteries **\$99.99**

SOFTWARE

7862/7866


WEATHERLINK® Windows® or Mac platform. Links Perception, Weather Wizard, or Weather Monitor to a PC. Create graphs, calculate average conditions, generate summaries, analyze trends, etc.....ea. **\$139.99**



6150 Wireless Vantage Pro The latest in weather technology! Offers forecasting, on-screen graphing, and more. Quick view icons show the forecast at a glance - sunny, partly sunny, cloudy, rain or snow, while a moving ticker-tape displays. An innovative integrated and solar powered sensor suite combines rain collector, temperature and humidity sensors, and anemometer into one package. Typical wireless range is up to 150-200ft. For improved accuracy, the temperature and humidity sensors are housed inside a radiation shield which protects solar radiation and other sources of radiated and reflected heat..... **\$499.99**



74-109 WEATHER MAX PLUS Weather/All Hazard VHF Radio Up-to-the-minute weather and "hazardous conditions" information. Equipped with all N.O.A.A. channels in the 162MHz range for maximum reception of local weather and hazardous conditions reports (fire, earthquakes, radiation, etc.). In the event of severe weather or hazardous situation, a warning signal is broadcast and the radio's "alert" is automatically activated, sounding a 90-decibel siren, voice warning or flashing an LED alert. There is also an accessory jack for keying add-on alert devices such as strobe lights, buzzers, etc. Plugs into a standard 120 VAC outlet. Built-in jack permits powering from any 12 VDC vehicle. With a 9V battery backup system, it operates during power outages or out-dooors. 1.375"h x 6.25"w x 4.75"d . **Closeout \$19.99**



74-200 Digital Weather/Hazard Alert Monitor Provides 24-hour National Weather Service information from 7 different NOAA channels for maximum capability up to 50 miles. Eight-character LCD displays up to 56 types of S.A.M.E. watches or warnings and monitors status of user selectable warning system. Weather Command button switches from alert mode to full monitoring. Clock displays time and date and has alarm functions. Telescoping antenna, external antenna input and alert device output jacks. Operates from 9-14VDC and 117VAC with supplied adapter. Accepts 9V battery for backup during outages. 7.75"w x 2"h x 5"d, 18 oz..... **\$59.99**



74-210 Digital Weather/Hazard Alert Monitor with S.A.M.E. Provides the latest storm or hazard safety information only in areas you specify, county-by-county. Digital tuning provides pin-point accuracy for 7 NOAA frequencies, covering all US/ Canada weather channels up to 50 miles. The digital FM radio with five memory channels automatically switches to alerts when they occur. Digital readout also displays up to 56 types of watches and warnings as well as the radio frequency and time of day. Operates from 117VAC and 9-14V DC with 4 "AA" batteries for back-up. Accessory jack makes it easy to add an antenna, strobe light, pillow vibrator or any X-10 accessories. 7"w x 5"d x 2"d... **\$79.99**

maxon
SYSTEMS



WX-70 Weather Monitor Receive up-to-the-minute National Weather Service (N.O.A.A.) broadcasts of local weather conditions for the U.S., Puerto Rico and the U.S. Virgin Islands. Tunes all 7 N.O.A.A frequencies. Three severe weather "Alert" warning modes: "VOICE", 10 Second SIREN, or Flashing LED. Operates from supplied 110V AC adapter; uses a 9V battery for back-up power in the event of an outage. 5.75"w x 4.75"d x 1.5"h..... **Closeout \$29.99**


uniden



WX-100 Weather Radio • 7 channel • S.A.M.E. alert • Backlit LCD display • Weather key • Warning and watch indicators • Alarm clock • 9V battery backup **Closeout \$49.99**



We accept I.M.P.A.C.® Government Credit Cards



SELF-POWERED PRODUCTS

No batteries or external power needed. Perfect for activities, emergencies, power outages. Inside, the *Freeplay Generator*, a wind-up B-motor carbon steel spring, drives a generator thru a transmission to produce operating voltage. A short wind-up yields up to an hour of listening, depending on model & volume. Built-in antenna, external power & headphone jacks.

FPR-2 (right) AM & FM broadcast band coverage. Each wind-up provides 60 minutes of operation. 8" h x 11.5" w x 8" d, 5 lbs, 5 oz **Closeout \$39.99**

FPR-1B (left) AM & FM broadcast plus 5.8-18MHz SW. Each wind-up gives 30 minutes of operation. 10" h x 13.5" w x 5.5" d, 6 lbs, 3 oz **Closeout \$49.99**

AC ADAPTER for BayGen FPR-2 only C/O **\$6.99**

HEADPHONES for FPR-2 only C/O **\$7.99**

SWL ANTENNA Indoor SW ant..... C/O **\$14.99**

FPR-2SGSW Global Shortwave. Covers AM/FM broadcast and 5-18 MHz. Plays up to an hr. under spring power. It auto switches to solar panel to use available light. Plays all day in direct sunlight and can also be powered by an optional AC/DC adapter..... **Closeout \$69.99**



Same as FPR-2, with a solar panel that provides powers when exposed to sunlight. It powers off of a solar panel alone in direct sunlight, but as light decreases, the radio automatically draws from the spring generating mechanism.

FPR-2SC Clear case..... **Closeout \$49.99**

FPR-2SM Grey case **Closeout \$39.99**

\$360-BL (clear blue), **\$360-C** (clear) **Freeplay® 360** Covers AM and FM broadcast. 60 turns provide full energy storage. Wind without interrupting reception. Solar panel powers it all day in direct sunlight. It auto saves all available spring and solar energy, giving 15 hrs of play when fully charged. Also charges with wall adapter **Closeout ea. \$39.99**



FP-SL (yellow), **FP-SL-CBL** (clear blue) **Freeplay® Lantern** Works off internal generator or rechargeable battery. 30 sec. wind provides 3 min. light. Includes 1Hz flasher. Battery mode gives 2 hours of light. Auxiliary power socket provides 3V DC @ 350mA. Weather resistant. 7" x 10" x 5.5", 4 lb. 7 oz C/O ea. **\$39.99**

BLUB Extra xenon bulbs (2-pack)..... C/O **\$4.99**

FPS-10 Patch cord for 3V aux. output C/O **\$2.99**

Emerson

ESR-220
Solar and
Dynamo
Powered
Radio and



Flashlight Built-in NiCad battery recharges using the solar panel or dynamo generator. Install three "AA" batteries for back-up only. Can also be powered and recharged using optional AC adapter • Bright beam flashlight with two modes: steady ON or flashing ON and OFF • Warning siren feature can be used alone or with flashing light • AM/FM radio has built-in antenna • 8.5" x 3.5" **\$29.99**



PDC-803 Electronic LCD Digital Compass Easy-to read LCD screen displays heading as a cardinal point (e.g. N, NW, SE) with numeric digits in degrees (e.g. 17°) plus a directional compass arrow • Backlight for night use • One touch calibration corrects for local magnetic interference • Mounts

on dashboard with velcro • 3 "AAA" batteries included • 1.875" w x 3.625" h x 2.75" d, 4 oz..... **\$29.99**



We accept I.M.P.A.C.® Government Credit Cards

Alinco – The Name You Trust for Value!




DM-330MVT Communications Grade Switching Power Supply

Tiny, powerful, 30A continuous, 32A peak output, weighs less than 5 lbs! Variable output 5 ~ 15 VDC, memory output, rear panel high-current (30A) terminals, triple circuit protection, illuminated V/A meter, ultra-quiet with patent-pending noise-shift circuit. Front panel cigar (10A) and quick-connect (5A) terminals, ripple less than 15mV p-p. Perfect for travel, station or test bench use. There's no switching supply like it!



DM-340MVT IC Regulated Power Supply

30A nominal, 35A peak output. Variable output 0 ~ 15 VDC, convenient front-panel connections includes high-current terminals, cigar lighter (10A) and quick-connect (5A). Built-in circuit protection, convenient front-panel fuse. (220VAC version available.)



DJ-X2000T Multimode Wide Range Communications Receiver

New! It's the "Intelligent Receiver" covering from 100 KHz ~ 2150 MHz with 2000 memory channels, alphanumeric labeling, receives AM, WFM, NFM, LSB, USB, CW and FM stereo. On-line "help" feature, 20 scan programs, computer programmable (download free software from Alinco website), Channel Scope™ display, Transweeper™, RF frequency counter, digital sound recorder, CTCSS decode, 2 level attenuator, field strength meter, instant "flash tune" and much, much more!

NEW!



DJ-X3T Multimode Wide Range Communications Receiver

NEW!

Revolutionary design! 100 KHz ~ 1.3 GHz, AM, NFM, WFM, NiMH battery, 700 memory channels, four scan modes, bug detector, four antenna modes, SMA antenna, stereo FM reception with optional stereo headphones.

DJ-X10T Multimode Wide Range Receiver

100 KHz ~ 2 GHz*, 1200 memories, alphanumeric display, Channel Scope™ receives WFM, NFM, USB, LSB, AM and CW. Internal HELP function, seven scan modes, clock with on/off function, "new user" and "expert" modes, BNC antenna connector, cloning function, affordable Alinco price and much more! (DJ-X10K export version available.**)



DJ-X2T Scanning Receiver

"Credit Card" size, 0.5 MHz ~ 1 GHz tuning range*, 700 memory channels (70 channels X 10 banks), AM, FM, WFM modes, SMA antenna connector, 3 different antenna modes including internal AM ferrite bar, illuminated display, effective RF "sniffer" feature detects hidden transmitters (patent pending), internal Lithium-ion battery PLUS snap-on dry-cell power pack and more! (DJ-X2TC export version available.**)

EDX-2 Automatic Wire Antenna Tuner

Tunes random length wires or grounded mobile whip from 9 to 80 feet. Compatible with DX-70 and DX-77 HF radios. Made for outdoor mounting, use at home, mobile or marine. Outputs to antenna wire only (no coax output).



Distributed in North America by ATOC Amateur Distributing LLC
23 S. High St., Covington, OH 45318 • (937) 473-2840

www.alinco.com

*Cellular excluded. **Unlocked export version available to qualified buyers. Product intended for properly licensed operators. Permits required for MARS/CAP use. Specifications subject to change without notice or obligation. Performance specifications only apply to amateur bands. APRS is a registered trademark of Bob Bruninga, WB4APR. The FCC has not yet approved the DJ-X2T. It may not be offered for sale or lease until the approval of the FCC has been obtained.

Simple ■ Clean ■ Dependable

ALINCO
AMATEUR RADIO'S VALUE LEADER™



SINGLE BAND HANDHELDS

The AT-201HP and AT-401HP are ADI's advanced single band handhelds. They have 40 memory channels, programmable band scan, automatic repeater offset, frequency or channel display and more. The units have a rugged metal chassis and nicely backlit keypad and display. They come standard with a 12 volt battery, which provides 5 watts of RF power, perfect for accessing those distant repeaters. Other common features include • MARS and CAP capable (permits required) • 5W output (with 12 VDC) • 40 memory channels to store any offset or tone • CTCSS encode/decode • Programmable band and memory scan modes • DTMF paging • Dual frequency watch • Auto-repeater offset • User selectable frequency or channel display modes.

AT-201HP Two Meter Handheld Transmit range: 144-148MHz • Receive range: 130-179MHz • 4.25" h x 2" w x 1.3" d excluding battery pack..... **\$119.99**

AT-401HP 70 Centimeter Handheld Transmit: 430-450MHz • Receive: 420-470MHz • 4.25" h x 2" w x 1.3" d excluding battery pack..... **\$159.99**

Available Accessories

ARC12 Smart charger, CBP262 6 AA NiCad battery holder, CHA072 Wall charger for RBP072, CHA120 Wall charger for RBP120/RBP22, MQA999 Rapid charger, PCA145 Cigarette lighter cable, RBP072 7.2V 700mA NiCad, RBP120NMH 13.2V 1kHz NiMH, SLC200 2.5W carrying case, SLC200L 5W carrying case, PRESMP200 Lapel mic/earphone, PRESMP400 Boom mic, PRESMP700 Palm mic/earphone



The PR-52 and PR-222 handhelds expand your horizons beyond "average" VHF operation, and onto the enjoyable 222MHz amateur band or the 6m "DX" band. These 5-watt, palm-sized units bring you the portability and power you need to fully explore two great VHF bands. Other common features include 5W output with included NiCad battery pack • MARS and CAP capable • Built-in CTCSS encode and decode • 40 memory channels store any tone or offset • Direct frequency entry using 16 button keypad • Frequency or channel display modes • PC programming capability or cable cloneable.

PR-52 6 Meter Handheld Transceiver Transmit: 50-54 MHz • Receive: 40-54MHz • 4.25" h x 2" w x 0.25" d excluding battery pack..... **\$159.99**

PR-222 220MHz FM Handheld Transceiver TX: 222-225MHz • RX: 216-228MHz • 4.25" h x 2" w x 0.25" d excluding battery pack..... **\$169.99**

Available Accessories

CBP263 AA battery case, MQA999 Rapid charger, PTC001 Mobile power pack, RBP22 12V 600mA NiCad, RBP22H 12V 1000mA NiMH, SLC22L Leather case, PRESMP200 Lapel mic/earphone, PRESMP400 Boom mic, PRESMP400LPT Boom/apel mic with PTT, PRESMP700 Palm mic with earphone



DJ-280TH 220MHz FM HT Simple operation with advanced technology. 5W output with supplied 12V NiCad battery pack • Transmit: 222-225MHz; Receive range: 220-224.995MHz • 10 multi-function memory channels (expandable to 50 or 200 channels) • Encoder/decoder installed • 1750Hz tone burst • Auto power off • Low battery indicator • Highly visible illuminated LCD display • 16 digit DTMF pad • Non-standard repeater offset capable • 5.2" h x 2.3" w x 1.3" d, 11.3oz **\$189.99**

Available Accessories

EBC3 Belt clip, EBP24N 7.2V 1200mA battery, EBP28N 12V 700mA NiCad battery, EDC16B Cigarette lighter cable with filter, EDC36 Angle plug power cable with filter, EDC37 13.8V power cable, EDC43 Cigarette lighter cable, EDC45 Desk quick charger, EDC49

Battery charger for EBP24/26/28N, EDH11 Battery holder EDH12 DC jack adapter EJ14U 50 channel memory EJ15U 200 channel memory EME11 Ear-phone mic with PTT/VOX, EME12 Headset/earphone/microphone with VOX, EME13 Headset/ear bud/microphone with VOX, EME15 Earphone/microphone with VOX, EME16 Tie-pin microphone with earphone, EME17 Boom earphone microphone, EME6 Earphone, ESC18 Case for EBP26N, ESC19 Case for EBP28N

FREE ITEMS included with some radios.
See Price Guide for details.

we have a

SECURE web site
at **www.aesham.com**

ALINCO
AMATEUR RADIO'S VALUE LEADER™

SINGLE BAND HANDHELDS

DJ-S11T Sub-Miniature VHF HT TX/RX: 144-148MHz • 340 mW output • 20 multi-function memories plus 1 call • Encoder installed (50 tones) • Illuminated display • Use 3 AA or NiCad battery • Pivoting antenna • 4" h x 2" w x 1" d, 6.5 oz..... **\$79.99**

DJ-S41T Sub-Miniature UHF HT Same features and specifications as the DJ-S11T but covers 425-449.995MHz..... **\$79.99**

Available Accessories

EBC6 Mobile HT bracket, EDC78 Wall charger (not alkaline), EDH18 12V/5.5V DC cigarette lighter plug, EME12 Headset/earphone/microphone with VOX, EME13 Headset/ear bud/microphone with VOX, EME15 Earphone/microphone with VOX, EME16 Tie-pin microphone with earphone, EME17 Boom earphone microphone, EME6 Earphone, EMS47 Speaker microphone with volume control, ESC27 Soft case



DJ-196T 2M HT 5W output • 135-174MHz rx • 40 multi-function memory channels • MAR/CAP capability • Alphanumeric display • CTCSS tone encode/decode and DCS • S-meter • Auto dialer • Cable cloning • PC programming capability • Theft alarm • Experimental insect repel • Back lit keypad • 4.9" h x 2.2" w x 1.6" d, 13.2 oz..... **\$139.99**

DJ-496T 440 HT Same as the DJ-196T (above) except has a range of 430-450MHz..... **\$149.99**

Available Accessories

EBC6 Mobile HT bracket, EBP48N 9.6V 700mA 5W NiCad battery, EBP50N 9.6V 700mA 5W NiMH battery, EDC16B Cigarette lighter cable and filter, EDC36 Angle plug power cable with filter, EDC37 13.8V power cable, EDC43 Cigarette lighter cable, EDC88 Rapid charger, EDH30 Dry cell battery case, EME12 Headset/earphone/microphone with VOX, EME13 Headset/ear bud/ microphone with VOX, EME15 Earphone/microphone with VOX, EME16 Tie-pin microphone with earphone, EME17 Boom earphone microphone, EMS47 Speaker microphone with volume control, ERW4 PC cable, ESC36 Soft case for EBP48N




DUAL BAND HANDHELDS

DJ-596T 2M/440MHz Dual Band HT The first Amateur HT to support optional digital voice communications. • 5W output on both bands with standard NiMH battery • Wide or narrow FM • Digital voice with optional EJ-43U board • Extended receive capabilities • CTCSS and DCS encode/decode • Three scan modes • Work and save in memory any number of "odd split" transmit/receive offsets • Illuminated keys and display • Large display shows alphanumeric designations for each of the 100 memory channels • Theft alarm and experimental "mosquito repelling sound" • Nine autodial memories • External terminal control can output 5 VDC @ 5mA from the mic jack, which can be used by experimenters to control external devices • Operates on 6-16 VDC, battery also charges while on external power source • 4.9" h x 2.2" w x 1.6" d, 13.2 oz..... **\$209.99**

control can output 5 VDC @ 5mA from the mic jack, which can be used by experimenters to control external devices • Operates on 6-16 VDC, battery also charges while on external power source • 4.9" h x 2.2" w x 1.6" d, 13.2 oz..... **\$209.99**

Available Accessories

EBC6 Mobile HT bracket, EBP48N 9.6V 700mA 5W NiCad battery, EBP50N 9.6V 700mA 5W NiMH battery, EDC16B Cigarette lighter cable and filter, EDC36 Angle plug power cable with filter, EDC37 13.8V power cable, EDC43 Cigarette lighter cable, EDC88 Rapid charger, EDH30 Dry cell battery case, EJ43U Digital board, EME12 Headset/earphone/microphone with VOX, EME13 Headset/ear bud/ microphone with VOX, EME15 Earphone/microphone with VOX, EME16 Tie-pin microphone with earphone, EME17 Boom earphone microphone, EME6 Earphone, EMS47 Speaker microphone with volume control, ERW4 PC cable, ESC36 Soft case for EBP48N



DJ-596T 2m + 440 HT

NEW!

Our new dual-band, up to 5 watts output, 100 memories, CTCSS and DCS encode+decode, NiMH battery, wide & narrow FM modes, 13.8 VDC direct input, illuminated keys and display, autodial memories, theft alarm, optional digital voice board and more!



DJ-V5TH, DJ-V5TDC(H) 2m/440 HT*

Great 2m/440 TX & RX, extended RX range from 76 ~ 999 MHz, includes wide band FM, alphanumeric display, 200 memories, CTCSS & DCS encode+decode, 5 watts output, compact size, 4 scan modes, 5 scan banks, split-band operation for satellite ops, auto-dialer, 13.8 VDC direct input. DJ-V5TDC has see-through ice-blue case, illuminated panel and see-through dry-cell pack. DJ-V5TDC(H) comes with additional NiCd battery pack & charger.




DJ-196T (2m), DJ-496T (440 MHz) HT

NEW!

New! Backlit keypad, alphanumeric display, 40 memories, CTCSS and DCS encode+decode, auto dialer, theft alarm, 13.8 VDC input, experimental mosquito-repel tone and more! High-power battery is standard.

DJ-S11T (2m), DJ-S41T (440) DJ-S46T (FRS) HT

"Pager size" transceivers, 340 mw output, great TX and RX audio. Self-storing pivot antenna, uses AA batteries, fits in pocket or purse. Ham transceivers have 21 memories, FRS unit covers all FRS channels. CTCSS encode included on all models. Amazing low price! Mobile DC cable and speakers mics also available.



Alinco – The Name You Trust for Value!

DJ-C5T 2m/440 "Credit Card" FM HT

"Credit Card" size, internal speaker, 50 memories, CTCSS encode+decode, AM airband RX, 300 mw output, soft case, 600 mAh lithium-ion battery, rapid charger included!



DR-605TQ 2m/440 FM Mobile/Base


Value Leader! 50 watts VHF/35 watts UHF, 51 memories/band 430 ~ 449.995 MHz range allows satellite work, crossband repeater operation, 9600 packet port. Check the super low price! Dual band, dual RX.



DR-M06TH (6m/20 watts) FM Mobile/Base

Enjoy local and DX FM contacts. Great for simplex or repeater operations.

Includes CTCSS encode (optional decode) and 100 memories.



DR-135T/TP (2m), DR-235T (222 MHz), DR-435T (440 MHz) Mobile/Base

NEW!

NEW! DR-135 also includes AM Airband RX. DR-235 and DR-435 have new multifunction mic with direct frequency input. All models feature 100 memories, ignition key on/off, theft alarm, large 7 character alphanumeric display, optional internal packet TNC can be used for regular packet or APRS™, true 9600 packet mode, front panel data/GPS input, rear panel DSUB9 connector, H/M/L power output settings, 10 autodial memories, CTCSS and DCS encode+decode, backlit mic, sturdy construction, optional digital voice communications board and more!



DX-70TH (100w) HF + 6m Mobile/Base/Portable

160 ~ 6m Amateur band TX in all modes, general coverage RX from 150 KHz ~ 30 MHz and 50 ~ 54 MHz, removable face plate, 2 VFOs, 100 memories, speech compressor, SSB, CW and AM narrow filters, full, semi or automatic break-in, multi-function control and MUCH more! Ask about EDX-2 antenna tuner and DM-330 MVT power supply.



DX-77T HF Base/Portable

160 ~ 10m Amateur Band TX in all modes. Clean, crisp RF modulation, easy to operate. Low noise floor from DDS, 500 KHz ~ 30 MHz general coverage RX, 2 VFOs, internal keyer (6 ~ 50 wpm) 100 memories, 13.8 VDC input speech compressor, CTCSS encode for 10 m operation, CW filter standard. Ask about EDX-2 antenna tuner and DM-330 MVT power supply.



www.alinco.com

Distributed in North America by ATOC Amateur Distributing LLC • 23 S. High St., Covington, OH 45318 • (937) 473-2840

*Cellular excluded. Product intended for properly licensed operators. Permits required for MARS/CAP use. Specifications subject to change without notice or obligation. Performance specifications only apply to amateur bands. APRS is a registered trademark of Bob Bruninga, WB4APR.



DJ-C5T Credit Card Sized 2M/440MHz Dual Band HT 300mw output • TX: 144-147.995 & 420-449.995MHz • RX: 118-173.995 and 420-449.995MHz • 50 memories • CTCSS tone enc/dec standard • Volume/squelch control • Keylock • Auto power off with Morse Code alert • Mic/earphone jack • TX lamp • Free offset • Reverse monitor • Scan function with skip setting • Multi Euro tone bursts • Battery save & channel display modes • AM aircraft receive with expanded

VHF wideband reception • Rechargeable 3.8V lithium-ion battery • 2-hour "snap-in" charger • Soft case • 3.75" h x 2.25" w x 0.43" d, 3 oz. **\$149.99**

Available Accessories

EDC16B Cigarette light cable with filter, EDC36 Angle plug power cable with filter, EDS7 Microphone adapter, EME12 Headset/earphone/microphone with VOX, EME13 Headset/earbud/microphone with VOX, EME15 Earphone/microphone with VOX, EME16 Tie-pin microphone with earphone, EME17 Boom earphone microphone, EME18 Earphone, EMS49 Mini lapel speaker microphone, EMS50 Speaker microphone, ESC34 Soft case with belt clip

DJ-V5TH VHF/UHF Dual

Band FM HT Full 2 meter and

UHF Amateur band coverage

• Standard high-power 700

mAh NiCad battery pack - up

to 5W output • 3 output set-

tings • Expandable receive

range 76-999MHz (cellular

blocked), includes wide FM

capability • Split-band operation

capability • Eight different

tuning steps • Alpha-numeric

display - up to 6 characters

• 200 memory channels plus

two call channels • CTCSS

encode/decode • DTMF squelch

• 4 different European

tone bursts • 4 scan modes and

5 programmable scan banks

• MARS/CAP capability • Auto-

dial memories • Auto high

temperature protection feature

• SMA antenna connector • Wire

cloning capable

• Accepts up to 13.8V DC input • 4.5" h x 2.25" w x

1.75" d, 13 oz. **\$209.99**

DJ-V5TDCH Includes all the features of the DJ-

V5TH but is housed in a blue see-through case which

shows off the internal components. Comes with a

see-through alkaline battery case, black NiCad battery

and charger **\$229.99**

Available Accessories

EBP45N 6V 700mA 2W NiCad battery, EBP46N 9.6V 600mA

5W NiCad battery, EDC16B Cigarette light cable with filter,

EDC36 Angle plug power cable with filter EDC37 13.8V

power cable EDC43 Cigarette lighter cable, EDC91 Quick

charger, EDH29 Dry cell battery case, EME12 Headset/ear-

phone/microphone with VOX, EME13 Headset/ear-

bud/microphone with VOX, EME15 Earphone/microphone

with VOX, EME16 Tie-pin microphone with earphone,

EME17 Boom earphone microphone, EME6 Earphone,

EMS47 Speaker mic with volume control, EMS8Z Remote

speaker mic, ESC35 Soft case for EBP45N/46N



ICOM

2M SINGLE BAND HANDHELDS

IC-2GXPAT/HP 2M Transceiver 7W output @ 13.5 V DC • 144-148MHz rx (136-174MHz expandable) • 40 mem. channels • 700mAh battery • Auto repeater operation • Tone scan • DTMF redial and five auto dial memories • 350 mW audio • Selectable DTMF speed • Built-in PL enc/dec • 35mA current drain • 2.2" w x 4.9" h x 1.4" d, 12.9 oz. **\$249.99**

Available Accessories

AD25 Battery charger adapter, AD28 Battery pack adapter/rapid charger, BC105A Wall charger, BC11911 Desk charger, BP130A Battery case, BP157A 900mA 7.2V battery, BP174 600mA 12V battery, CP13 Cigarette cable with filter, CP13L Right angle cigarette cable with filter, HM128 Earphone + mic, HM46 Slim-line speaker mic, HM46L Slim-line speaker mic with right angle plug, HM54 Heavy-duty speaker mic, HS51 Headset/VOX, LC116 Case for 2GXPAT/BP130/157A/160, LC117 Case for 2GXPAT/BP132A, MB30 Mobile or wall bracket, OPC288 Mini DC power cord, SP13 Earphone, UT49 DTMF decoder



IC-T2H 2 Meter Handheld 6W output @ 9.6 V DC • 136-174MHz receive • 43 memory channels • Tone squelch (CTCSS enc/dec) standard, with pocket beep and tone scan • 8 programmable keys • 5 DTMF memory channels, with up to 32 digits codes and redial for autopatching repeaters • 10 weather channels • Direct keypad frequency entry • Backlight LCD display • Auto repeater function • "Intuitive" help function (display directs user what to do next when making selections) • 2-step power save function • Monitor function • Lock function • One-piece, die-cast aluminum chassis and super

tough polycarbonate casing • Meets MIL SPEC C/DE for shock and vibration • Includes rechargeable "AA" NiCads and charger, or use alkalines • 2.3" w x 5.5" h x 1.3" d, 14.8 oz. **Closeout \$139.99**

IC-T2H SPORT The same as the T2H above without a rechargeable battery or charger. Does include battery holder..... **\$99.99**

Available Accessories

AD81 Adapter for BC11911, BC110A Wall charger, BC11911 Desk charger, BC122A AC adapter for BC133, BC133 Drop-in trickle charger, BP194 "AA" alkaline battery case, BP195 700mA 9.6V battery, BP196 1050mA 9.6V battery, CP12L Right angle cigarette cable with filter, CP17L Right angle cigarette cable for charger, CST2 DOS programming software, CSWWH4 Windows software with cable, HM128 Earphone + mic, HM46 Slim-line speaker mic, HM54 Heavy-duty speaker mic, HM75A Remote control mic, HS51 Headset/VOX, HS94 Earpiece headset/use with VS1L, LCF3GSWIVEL Leather case with swivel, LC145 Carrying case, MB74 Spring loaded belt clip, OPC254L Right angle mini DC power cable, OPC474 Radio-to-radio clone cable, OPC478 PC cable, SP13 Earphone, VS1L VOX-PTT unit for HS94

With the IC-T2H & a PC you can download stored frequencies, like those in a repeater directory, from your PC directly into the IC-T2H. Take up to 40 pre-programmed frequencies with you! PC-to-IC-T2H and IC-T2H-to-IC-T2H cloning requires optional software and cables.



IC-T22A 2 Meter Handheld 5W output @ 13.5 V • 4.0 - 16 VDC input • 136-174MHz rx • Auto low power/power saver (15mA drain) • Remote control microphone (optional HM-75A) • 80 memory channels (40 with alpha display) • VHF/UHF air band receive • Auto repeater function • Backlit display • Die cast aluminum frame and heat sink • Optional tone scan • 2.3" w x 4.3" h x 1.1" d, 10.9 oz. **Closeout \$229.99**

Available Accessories

AD56 Battery pack adapter/rapid charger, BC110A Wall charger, BC11911 Desk charger, BP170 Battery case, BP172 950mA 4.8V battery, BP173 600mA 9.6V battery, BP180 600mA 7.2V battery, CP12 Cigarette cable with filter, CP12L Right angle cigarette cable with filter, FA1443B 2M/440 duck, HM128 Earphone + mic, HM46 Slim-line speaker mic, HM46L Slim-line speaker mic with right angle plug, HM54 Heavy-duty speaker mic, HM75A Remote control mic, HS10 Boom mic/headset, HS105A VOX unit, HS10SB PTT switchbox, HS85 Headset with VOX, LC125 Case for T22A with BP170/71/72, LC126 Case for T22A with BP173, MB30 Mobile or wall bracket, NCP1 Nylon chest pack, OPC254 Mini DC power cable, OPC254L Right angle mini DC power cable, SP13 Earphone, UT94 Tone squelch



IC-V8 2 Meter FM Handheld ICOM's first amateur 2m handheld radio with CTCSS/DTCS encode/decode with tone scan. Retro design brings back memories of the popular IC-2AT. You will not find a 2 meter handheld that is easier to use. • 144-148MHz • Full 5.5W output from standard battery • NEW! Acoustical design for the best audio • 100 alphanumeric memory channels with easy recall • Scans 40 channels per second • Zoom through your personalized scan ranges • Customize operation using the up/down and rotary controls • Perfectly designed for any size hand with a full sized keypad to accommodate larger fingers • Comes with BC-146 drop-in trickle charger

• Operates from 12VDC either in the home or in the car; charge radio with battery or battery alone • Use a PC to set-up operating parameters using CS-V8 computer software • Durable green polycarbonate front panel and aluminum die-cast chassis built to military-grade specs • 2.125" w x 5.188" h x 1.375" d, 12.3-oz. **\$169.99**

Available Accessories

BC14401 Desk charger with adapter, BP208 Battery case, BP209 7.2V 1100mA 5.5W battery, BP210 7.2V 1650mA 5.5W battery, BP222 7.2V 600mA 5.5W battery, CP17L Right angle cigarette cable for charger, CSV8 Cloning software, HM46L Slim-line speaker mic with right angle plug, HM54 Heavy-duty speaker mic, HM75A Remote control mic, HS51 Headset/VOX, HS94 Earpiece headset/use with VS1L, LCF3GSWIVEL Leather case with swivel, MB74 Spring loaded belt clip, OPC474 Radio-to-radio clone cable, OPC478 PC cable, OPC515L Right angle DC cable for charger, SP13 Earphone, UT108 DTMF decoder unit, VS1L VOX-PTT unit for HS94

FREE ITEMS included with some radios.
See Price Guide for details.



IC-R75

Pull out the weak signals

30 kHz - 60.0 MHz

Commercial grade • synchronous AM detection (S-AM) • optional DSP with auto notch filter • all mode • triple conversion • twin passband tuning (PBT) • front mounted speaker • large display • well spaced keys and dials • 1000 memory channels • up to two optional filters • PC remote control with ICOM software for Windows®.



"A versatile HF/6-meter receiver that offers a good measure of performance in a compact package. All mode capability for the ham and utility listeners and synchronous AM for the SWLs should make the IC-R75 a popular choice for a wide variety of radio enthusiasts."—QST, 1/00



IC-R10

Advanced performance and features

500 kHz - 1.3 GHz¹

All mode • alphanumeric backlit display • attenuator • 7 different scan modes • beginner mode • 1000 memory channels; band scope • includes AA Ni-Cds and charger.

IC-R2

Excellent audio, tiny package

500 kHz - 1.3 GHz¹

AM, FM, WFM • easy band switching • CTCSS decode • 400 memory channels • priority watch • MIL SPEC 810C/D/E • weather resistant • includes 2 AA Ni-Cds and charger.



IC-R3 AUDIO/VIDEO SCANNER

See and Hear all the action.

500 kHz - 2.45 GHz¹

450 Memory Channels with Alphanumeric Names • CTCSS with Tone Scan • 4 Level Attenuator • Telescoping Antenna with BNC Connector • Four Way Action Joystick • Lithium Ion Power • 2" Color TFT Display with Video/Audio Output.

"Wide tuning range allows you to see and hear the excitement behind the scenes. Large easy to read color display for frequency settings and video reception. All in a compact easy to carry package. Perfect for sporting events and commercial uses."

log on > download > listen in

download frequencies
www.icomreceivers.com
right from the web

ICOM makes it easy to get the frequencies you want. Our database searches your area. You download the frequencies to your computer and easily load them into your ICOM radio. Optional software and PC connection cable required.

DOWNLOAD FREQUENCIES RIGHT FROM THE WEB

IC-PCR1000

The original "black box" is still best

100 kHz - 1.3 GHz¹

AM, FM, WFM, USB, LSB, CW • unlimited memory channels • real time band scope • IF shift • noise blanker • digital AFC • "VSC" voice scan control (when activated, stops only on modulated signals) • attenuator • tunable bandpass filters • AGC function • S meter squelch • CTCSS tone squelch • large selection of tuning steps and scans • external speaker level control • DSP optional • download and demo the latest software for free at <www.icomamerica.com>

"The PCR1000 has something to intrigue and satisfy everyone. This is a fun product."—QST, 7/98

IC-PCR100

Much like its big brother, but for less

100 kHz - 1.3 GHz¹

AM, FM, WFM • many of the same features and performance as the IC-PCR1000 • designed for Windows® 95 or 98 • download and demo the latest free, full version software today: <www.icomamerica.com>



IC-R8500

The experts choice

100 kHz - 2.0 GHz¹

Commercial grade • all mode • IF shift • noise blanker • audio peak filter (APF) • selectable AGC time constant • digital direct synthesis (DDS) • 1000 memory channels • RS-232C port for PC remote control with ICOM software for Windows®.

"If you want a receiver that is both a superior world band radio and a solid scanner, the new ICOM IC-R8500 is the best choice."

—Passport to World Band Radio, 1998

Get the latest info

www.icomamerica.com

ICOM®



ICOM® DUAL BAND HANDHELDS

IC-Q7ABC Ultra Compact 2M/440MHz Dual Band HT with Full Feature Scanner Extra easy to use and wide FM performance • Output power: 350mW (VHF), 300mW (UHF) • Transmit: 144-148MHz and 440-450MHz triple conversion • Receive: 30-1300MHz (cell blocked on U.S. model) • 200 memory channels • Superior

audio in its class from large 1.4" speaker and 100mW audio output • CTCSS tone encoder/ decoder with pocket beep • Easy to use - only 7 buttons (including power) and a large, easy to grasp tuning dial • Automatic repeater function • Channel operation • Tone scan • 10 tuning steps • Easy reverse • Dual watch • RIT function • Auto power OFF power saver • Manually or automatically controlled LCD back lighting for easy low light operation • Meets MIL-SPEC C/D/E for shock and vibration • Includes 2 "AA" size Ni-Cd batteries, or use "AA" alkaline batteries • 2.3" w x 3.75" h x 1.1" d, 6 oz **\$129.99**

Available Accessories

AD925MA SMA-BNC adapter, BC127A Charger for 2 or 4 "AA" NiCads, HM128 Earphone + mic, HM46 Slim-line speaker mic, HS85 Headset with VOX, LC146 Carrying case, OPC782 Plug adapter cable, SP13 Earphone



IC-T7H 2M/440MHz Dual Band HT 5W output with a standard BP-173 battery pack (9.6V/ 650mAh) • Up to 6W output @ 13.5V DC (optional DC power cable required) • Transmit 144-148MHz and 440-450MHz; Receive 118-174MHz and 400-470MHz • More than 250mW audio output • One-touch band switching • Priority watch - Monitor a frequency on the same band or a different band • 70 memory channels • 9 DTMF memories for auto dialing • CTCSS tone encode/decode • 50 independently programmable tone frequencies • Auto power saver with selectable duty • Auto repeater function • Auto

power OFF function • Thumb-touch lock settings feature • Internal guide function • LCD backlighting for easy night operation • Wall charger included • PC programmable (optional CS-T7 software required) • 2.3" w x 4.8" h x 1.1" d, 14.3 oz **\$199.99**

Available Accessories

AD56 Battery pack adapter/rapid charger, BC11911 Desk charger, BP170 Battery case, BP172 950mA 4.8V battery, BP173 600mA 9.6V battery, BP180 600mA 7.2V battery, CP12 Cigarette cable with filter, CP12L Right angle cigarette cable with filter, CST7 DOS programming software, CSWHH4 Windows software with cable, FA1443B 2M/440 duck, HM128 Earphone + mic, HM46 Slim-line speaker mic, HM46L Slim-line speaker mic with right angle plug, HM54 Heavy-duty speaker mic, HM75A Remote control mic, HS10 Boom mic/headset, HS10SA VOX unit, HS10SB PTT switch-box, HS85 Headset with VOX, LC136 Case for T7H with BP170/171/172, LC137 Case for T7H with BP173/180, MB30 Mobile or wall bracket, NCP1 Nylon chest pack, OPC254 Mini DC power cable, OPC254L Right angle mini DC power cable, OPC478 PC cable, SP13 Earphone



IC-W32A 2M/440MHz Dual Band HT 5W output @ 13.5V DC • 144-148, 440-450 transmit; 118-174, 400-470 receive • 200 memory channels • 8 character alpha-numeric memory channel identification • Key-pad entry • Backlit display and keypad • Handheld-to-handheld cloning capability with optional OPC-474 cable or PC programming capability with optional CS-W32 cloning software and OPC-474 cable • In-dependent band controls for tuning and volume • VHF/UHF exchange function allows assignment of VHF/UHF band controls to either knob - set preferred band to the knob furthest from the antenna • Meets MILSPEC C/D/E for shock and

vibration • 2.25" w x 5.5" h x 1.4" d, 16 oz **\$269.99**

Available Accessories

AD51 Battery pack adapter/rapid charger, BC110A Wall charger, BC11911 Desk charger, BP170 Battery case, BP172 950mA 4.8V battery, BP173 600mA 9.6V battery, BP180 600mA 7.2V battery, CP12 Cigarette cable with filter, CP12L Right angle cigarette cable with filter, CSWHH4 Windows software with cable, CSW32 DOS programming software, FA1443B 2M/440 duck, HM128 Earphone + mic, HM46 Slim-line speaker mic, HM46L Slim-line speaker mic with right angle plug, HM54 Heavy-duty speaker mic, HM75A Remote control mic, HS10 Boom mic/headset, HS10SA VOX unit, HS10SB PTT switch-box, HS85 Headset with VOX, LC128 Carrying case, MB30 Mobile or wall bracket, NCP1 Nylon chest pack, OPC254 Mini DC power cable, OPC254L Right angle mini DC power cable, OPC474 Radio-to-radio clone cable, OPC478 PC cable, SP13 Earphone



MULTI BAND HANDHELDS

IC-T81A 6M/2M/440MHz/ 1.2GHz Quad Band 4.5W w/ supplied BP-200 • Up to 5W output @ 13.5V DC (1W on 1.2GHz) • Transmits: 6M, 2M, 440MHz, 1.2GHz • Wide band receive: 50-54MHz, 74-174 MHz, 400-470MHz, 1240-1300MHz (cell blocked) • Broadcast FM receive (some TV) • Airband receive • 124 memory channels, 10 scan edges and 1 call per band • Tone squelch/scan (CTCSS enc/dec) • DTMF encoder, 9

memories • Backlit display with timer • Built-in guide function • Ni-MH powered; wall charger included • Battery voltage indicator • RIT/XIT (VXO) for 1.2GHz (±5kHz in 1kHz steps) • Multi-function "joystick" switch • HT-to-HT cloning capability w/opt. cable • PC programmable w/opt. software and cable • Water resistant to JIS grade 4 • 2.3" w x 4.2" h x 1.1" d, 9.9 oz **\$279.99**

Available Accessories

AD87 Battery pack adapter/rapid charger, AD88 PCB board, AD925MA SMA-BNC adapter, BC11931 Desk charger, BP197 3 "AA" battery case, BP198 700mA 4.8V NiMH battery, BP199 700mA 6V NiMH battery, BP200 680mA 9.6V NiMH battery, BP200L 760mA 9.6V NiMH battery, CP12 Cigarette cable with filter, CP12L Right angle cigarette cable with filter, CST81 Windows cloning software, HM128 Earphone + mic, HM46 Slim-line speaker mic, HM54 Heavy-duty speaker mic, HM75A Remote control mic, HS51 Headset/VOX, HS85 Headset with VOX, LC148 Carrying case, OPC254 Mini DC power cable, OPC254L Right angle mini DC power cable, OPC474 Radio-to-radio clone cable, OPC478 PC cable, SP13 Earphone

KENWOOD

SINGLE BAND HANDHELD

TH-22ATH 2M FM Handheld

This is a super-compact and lightweight transceiver with impressive performance. EZ to use menu system. Palm-sized, sharply styled, easily slips into pocket. • 5W output from MOS FET power module and standard PB-34 Ni-Cd battery • 136-174 receive • RF output control (Hi/Low/EL) • 144-148MHz coverage • 40 memory channels stored in E²PROM (plus 1 call channel) • Auto repeater offset • Multiple scan functions (VFO, call and memory) • Dual Scan

stop modes (CO and TO) • CTCSS encode • DTSS and page • Luminescent keypad and LCD with back-lighting • Built-in DTMF keyboard • (S) 15-number DTMF memories • Tone Alert with time indicator • Selectable squelch configuration • Busy channel lock out • Battery voltage indicator • Automatic power off • Drop-in desktop charger • 2.1" w x 6.1" h x 1.12" d, 11 oz **\$219.99**

Available Accessories

BT9 Four "AA" battery holder, EMC3 Label clip mic/earphone PC, HMC3 VOX/boom mic headset, KSC14 2 pack rapid charger, KSC8A Drop-in charger, PB33 1200mA 6V battery, PB34 600mA 9.6V 5W battery, PG2W DC cable, PG3J Cigarette cord with filter, SMC32 Mini right angle speaker mic, SMC33 Speaker mic with remote control, SMC34 Speaker mic with volume function keys, TSU8 CTCSS decoder, WR2 Water resistant bag



DUAL BAND HANDHELDS

TH-79AKSS 2M/440MHz

Dual Band Handheld MOSFET FET power module • 5W output on both bands with standard PB-34 Ni-Cd battery or 13.8V DC • FET power module for longer operating times per charge • 3-position output power control (high, low, economy low) • 2M: 144-148MHz with extended receive 118-174MHz; 440MHz: 438-450MHz • 82 non-volatile memory channels with ID - store 7 characters with each channel • Auto repeater offset (VHF) • Cross-band repeater function with full duplex • Ability to receive two frequencies on the same band (VHF+ VHF, UHF+ UHF) simultaneously • CTCSS enc/decoder • Dot-Matrix LCD

and user friendly menu system • Alphanumeric access to guide function (no need to carry a manual) • Wireless cloning • Modifiable for MARS/CAP (permits required) • Auto power-off and battery save function • 5.1" h x 2.1" w x 1.3" d, 11.6 oz **\$379.99**

Available Accessories

BT9 4AA battery holder, EMC3 Lapel clip mic earphone PC, HMC3 VOX/boom mic, headset, KSC14 2 pack rapid charger, KSC8A Drop-in charger, PB33 1200mA 6V battery, PB34 600mA 9.6V 5W battery, PG2W DC cable, PG3J Cigarette cord with filter, SC41 Soft case for 79AKSS with PB32, SC43 Soft case for TH79 with PB33/34, SMC32 Mini right angle speaker mic, SMC33 Speaker mic with remote control, SMC34 Speaker mic with volume function keys

New IC-V8: It'll Take You By Storm



WHEN THE SKY TURNS DARK, TURN TO ICOM'S NEW IC-V8

Easy to Use. The compact size of the 'V8 is just right; full function DTMF keys are well spaced and large enough to allow quick operation, especially when you're out on the go. An initial set mode and alphanumeric display allows for fast, frequency access and response.

Excellent Audio. Due to its acoustic design, the 'V8 has excellent recovered audio. Loud, clear and intelligible with no distortion - you won't miss any of the action with this rig.

5.5 Watts Out of the Box. You need plenty of power to punch through rugged terrain or carry a signal to the horizon. The 'V8 delivers, whether you stick with the standard Ni-Cd pack or upgrade to the available Ni-MH battery. An alkaline case is optional.

CTCSS/DTCS and Tone Scan, standard. Get onto the repeater, fast! 50 CTCSS and 38 DTCS codes gain you quick repeater access and eliminate unrelated chatter. Pocket beep keeps track of calls, and tone scan detects the subaudible tone. Don't know the input tone? The 'V8 will find it and give you the info you need!

DTMF Encode, standard. 5 DTMF memory channels with up to 24 DTMF codes allow for remote operation. Great for phone patch! An optional DTMF decoder unit (UT-108) provides code squelch operation and pager function.

Mil Spec Rugged. The 'V8 is a land mobile grade radio, built solid and ready to tackle the elements.



BC-146 Drop In Charger Included!

BC-146 Drop In Trickle Charger comes as standard equipment with the IC-V8. CP-17L & OPC-515L vehicle power adapters are both optional.

Whether you're chasing storms, working a repeater, or just ragchewing with your buddies, the new IC-V8 is the HT for you. For more information visit AES, visit www.icomamerica.com or call our literature hotline at 425-450-6088.

IC-V8. Tough. Simple. Green.

144-148 MHz Tx • 136-174 MHz Rx • 5.5/0.5W selectable • 107 Memory Channels • Fast Scanning-40 Ch/Sec
• 300mW Audio Output • CTCSS/DTCS • DTMF Encode • Reverse Shift Function • Backlit LCD • Alphanumeric Display • Auto Repeater • Reversible Up/Down Switch & Rotary Selector • Drop-In Charger • PC Programmable*

More Storm Spotting Radios

www.icomamerica.com


ICOM®

KENWOOD



TH-D7A(G) 2M/440MHz Dual Band Data Communicator Equipped with a built-in TNC for simple packet operation or with a GPS as a full function APRS™. Reports position, speed and heading as well as calculation of distance to destination. Can also be used for APRS™ messaging – send up to 45 character messages without a PC. Advanced functions possible with the VC-H1 • 5.5W output @ 13.6V DC • 2M: 144–148MHz tx, 118–174MHz rx • 440MHz: 430– 450MHz tx, 400–480MHz rx • 1200/9600 baud TNC • Station list stores data in up to 40 memory channels • Grid square locator display • Dual receive on same band for voice and data (VHF only) • 200

mem. channels • PC programmable for frequency and name (PG-4W required) • 16 backlit keys • CTCSS enc/decode • MIL-SPEC 810C/ D/E water resistant • 10 channel DTMF phone and auto patch memories • TM-V7A and TM-742D DTMF remote • Altitude • Time • 3-position memory • NMEA9600 • 3-memory text • Position ambiguity • Audible emergency signal • Auto message response • Data band settings • 1750MHz packet burst • 4.75" h x 2.25" w x 1.5" d, 12 oz..... **\$419.99**

Available Accessories

BC19 Rapid charger, BT11 Four "AA" battery holder, EMC3 Lapel clip mic/earphone PC, HMC3 VOX/boom mic headset, J29063113 Belt clip, PB38 650mA 6V NiCad battery, PB39 600mA 9.6V 5W battery, PG2W DC cable, PG3J Cigarette cord with filter, PG4V VCH1 connector cable, PG4W PC software and cable, SC47B Black soft case, SC47OR Orange soft case, SMC32 Mini right angle speaker mic, SMC33 Speaker mic with remote control, SMC34 Speaker mic with volume function keys

FREE ITEMS included with some radios.
See Price Guide for details.

TH-G71A Dual Band FM HT Its ergonomic design, illuminated and back lit display all combine to make operation a breeze. The EZ to use menu system gives full control over all operating settings. • 6W (VHF), 5.5W (UHF) @ 13.8V DC • 2M: 144–148 tx/rx and 118–174 MHz ext. receive including Aircraft, 440MHz: 430–450MHz tx and 400–470MHz rx • 200 multi-function memory channels • Memory name function • Multiple scan modes • CTCSS tone scan • DTMF memory (10 channels) • DTMF remote control • Function key lock • Auto battery saver circuit • Auto power-off • Time-out timer • Illuminated keypad • PC ready • High performance antenna • TM-V7A remote control • MIL-STD 810E approved • 2.3" w x 4.4" h x 1.3" d, 11.6 oz..... **\$269.99**

Available Accessories

BC19 Rapid charger, BT11 Four "AA" battery holder, EMC3 Lapel clip mic/earphone PC, HMC3 VOX/boom mic headset, J29063113 Belt clip, PB38 650mA 6V NiCad battery, PB39 600mA 9.6V 5W battery, PG2W DC cable, PG3J Cigarette cord with filter, PG4P PC control cable, SC45 Soft case for G71A with PB38/39, SMC32 Mini right angle speaker mic, SMC33 Speaker mic with remote control, SMC34 Speaker mic with volume function keys, WR2 Water resistant bag



TH-F6A FM Triband HT Covers 144/220 & 440MHz amateur bands plus 0.1-1300 range cell blocked (including AM Aircraft receive). • Dual-channel receive capability - receives 2 frequencies simultaneously even on the same band • FM/FM-W/FM-N/AM plus SSB/CW receive • Ferrite bar antenna for receiving AM broadcasts • Special weather channel RX mode • 435 memory channels (8 groups of 50 channels) • 3 call channels plus 20 for programmable scan • Multiple scan functions • 7.4V 1550 mAh lithium-ion battery for 5W output and extended operation • 16-key backlit pad plus multi-scroll key • Built-in charging circuitry – battery recharges while unit operates form a DC supply • Built-in CTCSS enc/decode/DCS • Large 8-character alphanumeric frequency display • Wireless remote control • Battery indicator • Internal VOX • MCP programming software via web (using PG-4P) • Meets MIL-STD 810 C/D/E for resistance to vibration, shock and light rain • 3.438" h x 2.313" w x 1.188" d, 8.8 oz (with battery)..... **\$389.99**

Available Accessories

BT13 AA battery case, EMC3 Lapel clip mic/earphone PC, HMC3 VOX/boom mic headset, PB42L Lithium ion battery, PG2W DC cable, PG3J Cigarette cord with filter, PG4P PC control cable, SC51 Softcase with swivel belt clip, SMC32 Mini right angle speaker mic, SMC33 Speaker mic with remote control, SMC34 Spker mic with volume function keys

we have a

SECURE web site
at www.aesham.com



VISUAL ACCESSORY

VC-H1 SSTV Visual Communicator A compact and easy to use portable SSTV unit that is compatible with FM VHF/UHF transceivers along with FM and SSB HF modes. Receive digital images quick (17 seconds download @ 9600 baud). For camping trips, Field Day, or disaster communication. Imagine sending images across town or across the world on VHF/UHF. It also integrates with your PC to store and label all your favorite pictures for future transmission.

1/4-inch, 270,000-pixel CCD camera • 360-degree rotatable and detachable camera head • 1.8-inch TFT color LCD monitor. Up to 10 picture memory • Built-in microphone and speaker • Connect to a Kenwood handheld, mobile or HF transceiver with an optional cable • Computer connectivity with an optional connection kit • AA alkaline or 110 volt AC adapter operation • Operates all Slow Scan modes • Callsign superimpose • Auto Power Off • Transmits to another radio or PC (with power supply and software) • Accepts camera input..... **\$399.99**

Available Accessories

E30335208 16-pin DIN plug/cable, E59040708 16-pin DIN plug, KCT245 VCH1-to-PC software and cable, PG4T VCH1-to-Kenwood FM mobile cable, SC46P Protective case

YAESU

*Yaesu prices beyond 9/30/01 were unknown at press date.

SINGLE BAND HTS

FT-33R 220MHz FM HT An old favorite still enjoying great popularity due to low cost and useful features. • 5W output with standard battery • Transmit/receive range: 220–225MHz • 10 memory channels, 7 store splits • Battery saver • LCD display with S meter • Rugged aluminum alloy case with water resistant seals • Optional CTCSS enc/decode & DTMF pad • 4.8" h x 2.3" w x 1.3" d, 15 oz **\$299.99**

Available Accessories

CLIP1 Belt clip, CSC24S Case, CSC28 Case, FBA17 Battery holder, FNB12S 12V 600mA battery, FNB17 7.2V 600mA battery, FTS12 Encoder/decoder, FIT4 TTP unit, MH30C2B Speaker mic, MH34C2B Speaker mic, NC28B Wall charger, NC34B Wall charger, NC65B Wall charger for



NC18B/38B, PA6 DC adapter, YH2 VOX headset with mic

VX-150 2M Ultra Rugged FM HT Designed to perform under the most difficult operating conditions. Packed with leading edge features. A die cast aluminum case houses the electronics and large, high output speaker. The illuminated keypad and Omni-Glow™ display provides easy operation during nighttime operation. 5W output with standard battery • Three power output levels • Transmit range: 144–148 MHz • Receive range: 140–174 MHz • 209 memories • Smart-Search™ auto memory loading • Keypad with 16 multi-function keys • Two user-definable keypad function keys • 8 character alphanumeric display • Priority monitoring • Dual watch • Alphanumeric recall • Memory bank and preferential memory scanning • VFO search • Auto repeater shift • ARTS™ Auto-Range Transponder • Wide and narrow deviation selection • 1750Hz tone calling • Programmable menu for feature customization • Transmit and receive battery savers • Auto power off • MIL-STD 810D/E rating • 4.2" h x 2.3" w x 1.1" d, 11.5 oz..... **\$159.99**

Available Accessories

ADMS1F Programming software, CN3 BNC-SMA adapter, CT27 Cloning cable, CT44 2-pin speaker mic adapter, CT53 Packet cable, EDC5B DC adapter/filter, EDC6 DC adapter; plug/wire only, FBA25 6" AA" cell battery case, FNBV57 7.2V 1100mA battery, FNB64 7.2V 700mA battery, LCC150/TT Leather case, LCC150S/TT Leather case/swivel, MH34B4B Speaker mic, MH37A4B Earpiece and mic, NC72B Extra wall charger, VAC400B One-hr rapid charger, VC25 VOX headset



Look For This

NEW

& Check Out AES' Latest Additions.

GET OUT! HAVE FUN! SAFELY!

*All ICOM Mobiles Feature Full Control Mic's;
Control Most Radio Functions from the Palm of your Hand -
So you can Concentrate on the Road!*



IC-207H The ultra-compact remote control* head of this 2 meter/440 MHz dual bander, 50W UHF/35W VHF, with full control mic, fits on just about any kind of dashboard. Also enjoy: CTCSS encode/decode; tone scan; up to 9600 bps packet*; built-in duplexer; 182 memory channels; auto repeater; and more.

IC-2100H *Simple to Use. Land Mobile Rugged.*

2 meters has never been easier or more fun! 50 watts of power; full control mic; PC programmable*; 113 alphanumeric memory channels for easy identification; die cast aluminum chassis; full control mic; CTCSS encode/decode; tone scan; highly intermod resistant; and a cool DUAL color display.



Selectable Green or Amber backlit display, with four different lighting levels, gives easy viewing in any lighting condition.

QST says this about the '2100H:

"Those shopping for a wide variety of advanced features in an economically priced 2-meter mobile will find the ICOM IC-2100H worthy of serious consideration."— *QST*, 1/99



IC-2800H Audio excellence, video excitement. 2M/440MHz dual bander with: 50W UHF/35W VHF; full control mic; remote control head; independent tuning & control knobs; cross band repeat; TFT color LCD display; NTSC video input; dual band scope; 9600 bps data port; CTCSS encode/decode; tone scan; 232 alphanumeric memory channels for easy identification; PC programmable*; die-cast aluminum chassis; and MUCH more.

Gordon West says this about the '2800H:

"We are happy to report programming is a snap, and seeing the TFT color display on your dash is no problem during the day, and graphically tantalizing at night!"— *Amateur Radio Trader*, 9/99




Get out and have MORE fun. Visit AES today or call for a free brochure, 24 hours a day: 425-450-6088

Find out more

www.icomamerica.com

ICOM



FT-411MKII/12 Compact CPU Controlled 2M FM Transceiver Covers 144-148 MHz • 5W output with supplied 12V NiCad battery pack • 49 channel memories plus 10 DTMF memories • Multi-function scanning • LCD display • Full display information • Adjustable power saver, auto-shutoff • Lit display/keypad, musical keys • VOX • 2.2" w x 6" h x 1.2" d..... **\$179.99**

Available Accessories

CA7 Two charging sleeves, CLIP1 Belt clip, CSC35 Case for unit with FNB17, CSC37 Case for unit with FNB12S/14, FBA17 Battery holder, FNB12S 12V 600mA battery, FNB17 7.2V 600mA battery, FTS17A Encoder/decoder, MH30C2B Speaker mic, MH34C2B Speaker mic, NC28B Wall charger, NC34B Wall charger, NC65B Wall charger for NC18B/38B, PA6 DC adapter, YH2 VOX headset with mic



VX-1R Ultra Compact Dual Band HT Provides superb local communications at power levels of 1W or 500mW. Impressive memory and scanning capabilities in addition to wideband receive which includes VHF and UHF TV audio. AM broadcast, FM broadcast, AM aircraft band, and public safety channels. • Receive ranges: 0.5-1.7MHz (BC Band) 76-108MHz (FM) • 108-137 (AIR) 137-170 (VHF HAM) • 170-222MHz (VHF TV) • 222-450MHz • 470-800 MHz (UHF TV) • 800-999MHz • Cell blocked • Transmit ranges: 144-148MHz • 430-450MHz • 500 mW with standard 3.6V

lithium-ion battery (1W at 6V DC) • 291 memory channels • SmartSearch™ • CTCSS encode/decode, digital coded squelch • Backlit keypad • Auto range transponder system • One-touch emergency system • PC programmable • 6-digit alphanumeric memory labels • 3.2" h x 1.9" w x 1" d, 4 oz **\$129.99**

Available Accessories

ADMS1E Windows software, CN3 BNC-SMA adapter, CSC71 Soft case, CT44 2-pin speaker mic adapter, CT53 Packet cable, EDC15 DC adapter, FBA20 Battery holder, FEP10 Earphone, FNB52L1 3.6V 700mA lithium-ion battery, MH34B4B Speaker mic, MH37A4B Earpiece and microphone, NC66B Two-hour charger, VC25 VOX headset

MULTI BAND HANDHELS

FT-50RD/41B Ultra Compact Dual Band VHF/UHF HT High performance, heavy-duty, rugged, state-of-the-art and small enough to put in your pocket. Simple to operate, and has all the features you want. 5W output with standard battery • Power output 5/2.8/1/0.1W • Transmit: 144-148 MHz and 430-450MHz • RX: 76-200, 300-540, 590-999MHz (cell blocked), includes AM aircraft receive, FM narrow and FM wide • 3 selectable filters • Digital Code Squelch • CTCSS enc/decode • 112 memory channels plus 2 home channels • High speed scanning • 48 character alphanumeric display • ARTS™ • Dual watch • Digital voice recorder • Auto power off • Time-out timer • Windows™ PC programmable • Rear mount battery • MIL-STD 810D/E rating • 3.9" h x 2.25" w x 1.2" d, 11.5 oz **\$209.99**

Available Accessories

ADMS1E Software, CA14 Two charging sleeves, CA15 Charging stand for NC60B, CLIP10 Spring loaded belt clip, CN3 BNC-SMA adapter, CSCV10 Cordura case, CSC68 Case for unit with FNB41/FBA15, CSC69 Case for unit with FNB40, CT27 Cloning cable/CT27A, CT30 Mic Y adapter, CT53 Packet cable, EDC5B DC adapter/filter, EDC6 DC adapter; plug/wire only, FBA15 4 "AA" battery holder, FBA21 6 "AA" battery holder, FEP10 Earphone, FNBV47 7.2V 1100mA battery with belt clip, FNB40 6V 650mA battery, FNB41 9.6V 600mA SW battery, FNB42 9.6V 1100mA SW battery, LCC10C Leather case with clip for unit with FNB41/V47, LCC10S Leather case with sleeve for unit with FNB41/V47, MH30C2B Speaker mic, MH34B4B Speaker mic, MH37A4B Earpiece and mic, NCS0 One-hour dual slot charger, NC60B Wall charger, PA17 Battery cable extender, RH1 Black rubber protector, RH1R Orange rubber protector, VC25 VOX headset, YHA54 Replacement 2m/440 BNC duck



VX-5R Tri-Band HT A miniature tri-band FM transceiver with extensive frequency coverage of 2M, 6M, 440MHz (including AM and FM broadcast bands), HF shortwave band up to 16MHz and the VHF AM aircraft band. Super thin profile and durable lightweight design. • 5W output (4.5W 430MHz) with standard lithium-ion battery • Transmit ranges: 50-54, 144-148 and 430-450 MHz, wideband receive: .5-15.995, 48-728.990 and 800-998.990MHz (cell blocked), includes AM aircraft, AM broadcast and FM broadcast • 220 memory channels plus home channels • 10 auto-scan weather channels

• CTCSS encode/decode, Digital Coded Squelch (DCS) • Backlit keypad • Auto range transponder system • 8 character alphanumeric display • Time-out timer • Dual watch • Dot matrix LCD • Smart search spectrum analyzer • Temperature display read-out • Barometric pressure sensor option • Automatic power-off • Windows PC programmable • 16-digit 9-memory DTMF autodialer • Busy channel lock out • Innovative multi-section antenna • Aluminum diecast case • MIL-STD 810 rating • 3.4" h x 2.3" w x 1.1" d, 8.9 oz **\$279.99**

VX-5RS Same radio as the above VX-5R with a silver case..... **\$299.99**

Available Accessories

ADMS1E Windows software, CD15 Charger stand for NC72B, CN3 BNC-SMA adapter, CSC73 Soft case, CT27 Cloning cable, CT44 2-pin speaker mic adapter, CT53 Packet cable, EDC5B DC adapter/filter, EDC6 DC adapter/plug/wire only, FBA23 2 "AA" cell battery case, FNB58L1 7.2V 1100mA lithium-ion battery, MH34B4B Speaker mic, MH37A4B Earpiece and microphone, NC72B Extra wall charger, SU1 Altitude/barometric pressure sensor, VC25 VOX headset



HF RADIOS

DX-70TH Compact HF Covers 160-6M • 150kHz-30MHz and 50-54MHz receive • SSB, CW, AM, FM • 100W (AM 40W) • Detachable face • 100 multi-function memories • Two VFOs • Easy split operation mode • Multi-function control • Narrow filter • Noise blanker • Speech processor • CTCSS for 10M and 6M repeaters • Full, semi or auto break-in CW • All mode squelch • General coverage receiver • Quick offset • Two scan modes • Separate antenna terminals for HF and 6M • RIT • TXIT • Selectable AGC • RF gain control • Dial lock • Automatic antenna tuner interface • MARS/CAP capability • 2.25" h x 7" w x 9" d, 8.3 lbs..... **\$749.99**

Available Accessories

DM330MVT 30 amp switching power supply with meter, DM340MVT 30 amp power supply with meters, EBC8 Front control head bracket, EBC9 Extra mobile bracket, EDS4 5' remote mount accessory cable kit, EDS5 5' mic extension cable, EDS6 15' remote cable, EDX1 Manual coax antenna tuner, EDX2 160-10M auto wire tuner, EMS14 Desk mic, HK130 Hardware kit, MB130 Mount bracket, PC25 DC cable

FREE ITEMS included with some radios.
See Price Guide for details.



DX-77T Covers 160-10M • 500kHz-30MHz general coverage receive • SSB/CW/AM/FM modes • 100W (AM 40W) • 100 multi-function memories • Two VFOs • Computer control via optional ERW-4 cable and software • Direct digital synthesis: eliminates the need for SSB narrow filter • Easy split operation mode • Multi-function control • CW narrow filters • Noise blanker • 6-50WPM electric keyer • Full, semi or auto break-in CW • All mode squelch • Quick offset • Two scan modes • RIT • High/low power setting control • Selectable AGC • RF gain control (RX) • Dial lock • Auto antenna tuner interface • Industry standard power input plug • MARS/CAP capability • Requires 13.8V DC @ 20A • 3.6" h x 9.5" w x 9" d, 8.3 lbs **\$699.99**

Available Accessories

DM330MVT 30 amp switching power supply with meter, DM340MVT 30 amp power supply with meters, EDS5 5' mic extension cable, EDX1 Manual coax antenna tuner, EDX2 160-10M auto wire tuner, EMS14 Desk top microphone, ERW4 PC cable, HK130 Hardware kit, MB130 Mount bracket, PC25 DC cable

we have a

SECURE web site
at **www.aesham.com**

Used & Demo
Equipment lists
Updated regularly on the web.
Check them out and order **On-line**



HF RADIOS

IC-706 MK II-G Ultra Compact HF/VHF/UHF All Mode Transceiver Carries on the 706 series tradition of base station performance and features in a mobile rig-sized package. Frequency coverage is expanded to include the 70 cm band and power is increased for the 2 meter band. Plus, enhancements and added features and functions. • Covers 160–10M + 6M, 2M and 70cm • 0.03–200MHz broadband receive with wide AM and wide FM broadcast reception • Power output: 100W (40W AM) from 160–6M, 50W (40W AM) on 2M, 20W (8W AM) on 70cm • All mode including RTTY and PSK31 • AF speech compressor • 107 alphanumeric memories • Detachable control panel • 2 optional filter slots • AF-DSP • Tone encode • Tone squelch • Tone scan • Access to RIT/second VFO • Cross band split • Noise blanker • IF shift • Preamp/attenuator • CW keyer • CW pitch control/reverse • Full break-in (QSK) • Speech processor • VOX • Simple band scope function • Scroll menu system • SWR graphic sweep display • One-button duplex and auto repeater functions • Backlit keys • Large built-in speaker • 2 antenna connectors • Quiet cooling fan • Requires 13.8V DC @ 20A • 6.6" w x 2.3" h x 7.9" d, 5.5 lbs..... **\$929.99**

706IIG/AH4 The IC-706MKIIG with AH-4 80-6M 120W auto wire antenna tuner..... **\$1199.98**

706IIG/AT180 The IC-706MKIIG with an AT-180 HF+6M auto coax antenna tuner..... **\$1329.98**

Available Accessories

BET706TUNECONT Better RF IC706 tune control, **AH2B** Whip with mount, **AH2BWHIPONLY** Extra whip only for AH2B, **AH4** 80-6M 120W auto wire antenna tuner, **AT180** HF+6M auto coax antenna tuner, **CR282** Stability crystal, **CT17** Level converter, **FL100** 500Hz 9MHz IF CW filter, **FL101** 250Hz 9MHz IF CW filter, **FL103** 2.8kHz 9MHz IF SSB filter, **FL223** 1.9kHz 9MHz IF SSB filter, **FL232** 350Hz 9MHz IF CW/RTTY filter, **HM118TN** TTP microphone, **MB62** Mounting bracket for main unit, **MB63** Mounting bracket for control panel, **MB65** Mounting base platform, **MB72** Carrying handle, **OPC025D** DC cord, **OPC581** 11.5' separation cable, **OPC587** 16' separation cable, **OPC589** 8-pin mic jack adapter cable, **OPC598** 23' extension cable for AT180, **OPC599** 7+8-pin-13-pin adapter, **OPC742** 13-pin cable, **PS125** 25A switching power supply, **PS85** Switching power supply, **RMK706** Remote mounting kit, **SM20** Stand mic for base station, **SM6** Electret desk mic, **SM8** 2-connector desk mic/scan, **SP7** Small external spkr, **UT102** Voice synthesizer



IC-718 HF All Band Transceiver Advanced features and performance, yet easy to use. Its simplified operation is perfect for beginners or great as a back-up rig. • Covers 160–10M • Continuous receive coverage 0.03–30MHz • 100W output (40W AM) • Built-in USB, LSB, CW, RTTY (FSK) and AM • 101 memories • Variety of scanning functions • Front mounted loudspeaker • IF shift • Microphone compressor • RF gain control • Noise blanker • RF attenuator and preamp • Auto notch • Ample CW features include an electronic keyer • VOX • Flexible filter selection • Digital S/Rf meter • High frequency stability • Optional voice synthesizer and DSP capability • Hand mic included • Requires 13.8VDC @ 20A • 9.4" w x 3.75" h x 9.4" d, 8.5 lb..... **\$599.99**

Available Accessories

AH2B Whip with mount, **AH2BWHIPONLY** Extra whip only for AH2B, **AH4** 80-6M 120W auto wire antenna tuner, **AT180** HF+6M auto coax antenna tuner, **CR338** High stability crystal, **CT17** Level converter, **FL222** 1.9kHz 455kHz IF SSB filter, **FL257** 3.3kHz 455kHz IF SSB filter, **FL52A** 500Hz 455 kHz IF CW filter, **FL53A** 250Hz 455kHz IF CW filter, **FL96** 2.8 kHz 455kHz IF SSB filter, **MB23** Carrying handle, **MB5** Mobile mount, **OPC025D** DC cable, **OPC598** 23' extension cable for AT180, **PS125** 25A switching power supply, **PS85** Switching power supply, **SM20** Stand mic for base station, **SM6** Electret desk mic, **SM8** 2-connector desk mic/scan, **SP20** Speaker with audio filter, **SP21** Speaker, **SP7** Small external speaker, **UT102** Voice synthesizer, **UT106** DSP



IC-756PRO HF/50MHz All Mode Transceiver Newly designed, 32 bit floating point DSP digital IF filter with 41 selectable bandwidths, microphone equalizer, manual notch function, TFT 5" color LCD, digital twin passband tuning (PBT), all mode, including PSK31, and much more. • Covers HF and 50MHz amateur bands • Continuous receive 0.03–60MHz • 100W (AM 75W) • 101 memory channels • AGC loop management • Edge cutting IF filter • RF speech compressor • Twin peak audio filter • DPSN • RTTY demodulator • Digital noise reduction • CW wave form • Spectrum scope • Digital voice memories • Highly stable transmitter • Digital twin PBT • High performance memory keyer • Analog and digital meters • Set mode condition list • Complete CW features • Superior receive IMD • Dual watch • Memory pad • Triple band stacking register • Quick split function • Built-in antenna tuner • RIT and ATX Control for main and sub band • Dual antenna system • VOX • 2-level preamp and 3-level attenuator • Auto TS function • CI-V interface capability with optional CT-17 • Noise blanker • Scanning functions • CTCSS tone encoder built in • 13.3" w x 4.3" h x 11.2" d, 21 lbs..... **\$2399.99**

Available Accessories

AH2B Whip with mount, **AH2BWHIPONLY** Extra whip only for AH2B, **AH4** 80-6M 120W auto wire antenna tuner, **CT17** Level converter, **HM36** Scanning hand mic, **OPC025D** DC cable, **PS125** 25A switching power supply, **SM20** Stand microphone for base station, **SM6** Electret desk mic, **SM8** 2-connector desk microphone/scan, **SP20** Speaker with audio filter, **SP21** Speaker, **UT102** Voice synthesizer



IC-746 HF/VHF All Mode Transceiver With solar cycle 23 geared up, all hams will be able to take advantage of better HF propagation conditions, night and day! • Covers 160–10M + 6M + 2M • Continuous receive coverage 0.03–60MHz and 108–174 MHz • 100W output (40W AM) on all bands – 100% duty cycle • 100 memories • 10 "memo pad" memories • All modes including RTTY and PSK-31 • Built-in auto antenna tuner for HF/6M • 2 antenna connectors for HF/6M, one for 2M • IF-DSP noise reduction, auto notch and selectable audio peak filters • Noise blanker • Dot matrix LCD display • Spectrum scope • Twin passband tuning • Triple band stacking register • 2-step preamp • 3 optional filter slots • RF speech compressor • Tone squelch • Tone scan • VOX • SmartTune™ variable speed tuning • Auto repeater duplex setting • Quick split • CW pitch control • QSK • Memory keyer with 4 built-in memories • QSO serial number generator • Transmit audio monitor • Requires 13.8V DC @ 20A • Hand mic with up/down frequency control • 11.3" w x 4.7" h x 12.5" d, 19.6 lbs **\$1299.99**

Available Accessories

AH2B Whip with mount, **AH2BWHIPONLY** Extra whip only for AH2B, **AH4** 80-6M 120W auto wire antenna tuner, **CR282** Stability crystal, **CT17** Level converter, **FL100** 500Hz 9MHz IF CW filter, **FL101** 250Hz 9MHz IF CW filter, **FL103** 2.8kHz 9MHz IF SSB filter, **FL222** 1.9kHz 455MHz IF SSB filter, **FL223** 1.9kHz 9MHz IF SSB filter, **FL232** 350Hz 9MHz IF CW/RTTY filter, **FL257** 3.3kHz 455kHz IF SSB filter, **FL52A** 500Hz 455kHz IF CW filter, **FL53A** 250Hz 455kHz IF CW filter, **FL96** 2.8kHz 455 kHz IF SSB filter, **OPC025D** DC cable, **PS125** 25A switching power supply, **PS85** Switching power supply, **RS746** Windows software, **SM20** Stand mic for base station, **SM6** Electret desk mic, **SM8** 2-connector desk mic/scan, **SP21** Spkr, **UT102** Voice synthesizer



IC-775DSP HF All Band Transceiver • Covers 160–10M • 100kHz–29.995MHz continuous receive • All mode, including PSK-31 • Data mode • Power MOS FET PA section • 200W output (50W AM); continuous duty cycle • Preamp and attenuator • Channelized quick split function • RF speech compressor • Triple band stacking register • Transmit and receive DSP • Digital noise reduction • Digital PSN • Noise blanker with adjustable level and width • Audio peak filter • Dual watch • Dual tuning knobs • Twin pass band tuning • Accommodates up to 11 filters, 6 filters installed, accepts up to 5 more • Built-in memory keyer • Electronic keyer function • CW pitch control • CW reverse • QSK • Double key jack • Large, easy-to-read amber display • PC programmable • Built-in heavy-duty power supply • Auto antenna tuner and selector • 16.7" w x 5.9" h x 15.4" d, 36.8 lb **\$2999.99**

Available Accessories

CR282 Stability crystal, **CT17** Level converter, **FL101** 250Hz 9MHz IF CW filter, **FL102** 6kHz 9MHz IF AM filter, **FL222** 1.9kHz 455MHz IF SSB filter, **FL223** 1.9kHz 9MHz IF SSB filter, **FL257** 3.3kHz 455kHz IF SSB filter, **FL53A** 250Hz 455kHz IF CW filter, **HM36** Scanning hand mic, **MB19** Rack mounting handles, **SM20** Stand mic for base station, **SM6** Electret desk mic, **SM8** 2-connector desk mic/scan, **SP20** Speaker with audio filter, **SP21** Speaker

Used & Demo
Equipment lists
Updated regularly on the web.
Check them out and order **On-line**

FREE ITEMS included with some radios.
See Price Guide for details.

ICOM



DUAL BAND BASE STATION

IC-910H VHF/UHF All Mode Transceiver • The successor to the IC-821H, but with the optional 1200MHz installed, it becomes an all mode (SSB, CW and FM) triband transceiver. • Coverage: 144-148, 430-450 and 1240-1300MHz (option) • Memory channels: 99 regular, 1 call, 6 scan edges for each band, 10 satellite • 5-100W (2m), 5-75W (440MHz), optional 1-10W (1200MHz) • Large, 3.5" multi-function LCD, 10-key direct entry keypad for operating frequency or memory channels • Satellite mode operation support • 9600bps packet • Simultaneously works 2 bands in receive and full duplex • CW full support • Versatile scanning functions (programmed, memory, mode select memory and tone scan) • Memory pad • 50 tone CTCSS encoder • On-touch repeater function • Auto repeater function • Speech compressor • IF shift • VOX • RIT • PC compatible through optional level converter • Requires 13.8V DC @ 23A • 9.5" w x 3.6" h x 9.4" d, 10 lbs **\$1299.99**

Available Accessories

AG1200 1.2GHz mast mount preamp, AG25 2M mast mount preamp, AG35 430 mast mount preamp, CR293 High stability crystal unit, CT17 Level converter, FL132 500Hz main receiver CW filter, FL133 500Hz sub-band receiver CW filter, MB23 Carrying handle, MB5 Mobile mount, PS125 25A switching power supply, SM20 Stand mic for base stations, SP7 Small external speaker, UT102 Voice synthesizer, UT106 DSP unit, UX910 10W 1.2GHz module

KENWOOD



HF RADIOS

TS-50S HF Transceiver • Covers 160-10M • General coverage receive 500kHz-30MHz • 100W output SSB/CW and FM (AM 25W) • 100 memory channels • Multiple scanning modes • Menu function • Variable AGC • IF digital filter (DSP) • DSP detection • Dual mode noise reduction • Automatic notch filter • Voice equalizer • Speech processor • Transmit equalizer VOX • QSK digital IF filter • DSP noise reduction • IF stage auto-notch beat cancel function • Variable AGC circuit • Built-in electronic keyer • CW pitch control • CW reverse • Radio control software program • Auto antenna tuner on transmit and receive • Built-in antenna tuner dual antenna terminals • External receiver antenna output jack • EZ menu system CTCSS encoder • High quality digital recording option • RS-232C port • Requires 13.8V DC @ 20.5A • 13" w x 4.75" h x 13" d, 25 lbs. **\$2149.99**

Available Accessories

AT50 HF external auto tuner, KPS15 23A switching power supply, MB13 Quik release mobile mount, MC47 8-pin hand mic, MC60A 8-pin amp desk mic, MC80 8-pin electret desk mic, PG2Y DC cable, PG2Z 6.5' heavy-duty DC cable, PG4M 18' extension cable for the AT50, PS53 Heavy-duty power supply, SO2 TCXO unit, SP23 Speaker, TC50 Travel case, YK107C 500Hz CW filter



TS-570D(G) HF Transceiver • Covers 160-10M • General coverage receive 500kHz-30MHz • Variable output: 5-100W SSB/CW/FM and FSK (AM 25W) • 100 memories with extensive functions • Large amber-colored backlit LCD display • 10-key direct entry • 46 EZ-to-use menu functions • Multiple scanning functions • 16-bit AF-stage DSP VOX • XIT/RIT • IF shift • Noise blanker • All mode squelch • TX audio shaping • Built-in electronic keyer • Full and semi break-in CW • CW message memory • CW auto tune • 38 tone CTCSS encoder and 1750Hz tone • TX audio shaping • Packet and FSK • PC control option • Two antenna ports and packet port • Built-in automatic antenna tuner • Requires 13.8V DC @ 20.5A • 10.6" w x 3.7" h x 10.6" d, 15 lbs **\$1099.99**

TS-570S(G) HF+6M Transceiver Features are the same as the TS-570D(G) (above) but covers 160-10M plus 6M. General coverage receiver range includes 50-54MHz **\$1279.99**

Available Accessories

DRU3A Digital recording unit, KPS15 23A switching power supply, MB430 Mobile mounting bracket, MC43S 8-pin hand mic, MC60A 8-pin amp desk mic, MC80 8-pin electret desk mic, MC90 2-head DSP desk mic, PG2Y 13' DC cable, PG2Z 6.5' heavy-duty DC cable, PS53 Heavy-duty power supply, SO2 TCXO unit, SP23 Speaker, VS3 Voice synthesizer, YK88CN1 270Hz CW filter, YK88SN1 1.8kHz SSB filter



TS-870S All Mode HF Transceiver • Covers 160-10M • General coverage receive 100kHz-30MHz • 100W output SSB/CW/FM/FSK (25W AM) • 100 memory channels • Multiple scanning modes • Menu function • Variable AGC • IF digital filter (DSP) • DSP detection • Dual mode noise reduction • Automatic notch filter • Voice equalizer • Speech processor • Transmit equalizer VOX • QSK digital IF filter • DSP noise reduction • IF stage auto-notch beat cancel function • Variable AGC circuit • Built-in electronic keyer • CW pitch control • CW reverse • Radio control software program • Auto antenna tuner on transmit and receive • Built-in antenna tuner dual antenna terminals • External receiver antenna output jack • EZ menu system CTCSS encoder • High quality digital recording option • RS-232C port • Requires 13.8V DC @ 20.5A • 13" w x 4.75" h x 13" d, 25 lbs. **\$2149.99**

Available Accessories

DRU3A Digital recording unit, KPS15 23A switching power supply, MC60A 8-pin amp desk mic, MC80 8-pin electret desk mic, MC90 2-head DSP desk mic, PG2Y 13' DC cable, PG2Z 6.5' heavy-duty DC cable, PS52 Heavy-duty power supply, SO2 TCXO, SP31 External spker, VS2 Voice synthesizer

FREE ITEMS included with some radios.
See Price Guide for details.



TS-2000 HF/VHF/UHF All Mode Transceiver Offers 3 operation platforms: traditional transceiver with full function front panel, high-tech looking "silver box" version (TS-B2000), or computer controlled with software • 100W output on HF, 6M and 2M; 50W on 70cm; 10W on 1.2GHz (optional UT-20) • High performance true IF/stage DSP on main band, AF stage DSP on sub-band • Wide band receive • Digital filtering • Dual receive • Satellite ready, with transverter frequency display • Cross band repeat • Built-in auto tuner HF through 6M • Built-in TNC • Built-in RS-232 for computer control • Built-in TCXO (.5PPM) • CTCSS/DCS enc/dec • Electronic memory keyer • Backlit front key panel • 5+1 antenna ports - 2 for HF and 6M, 1 each for 2M, 70cm, 1.2GHz and HF receive **\$1949.99**

TS-B2000 HF/VHF/UHF All Mode Transceiver Same functions as the TS-2000 with high-tech "silver box" look. Includes compact control head and ARCP-2000 PC control software **\$1549.99**

TS-2000X HF/VHF/UHF All Mode PC Controlled Transceiver Same as TS-2000 w/1.2GHz **\$2649.99**

Available Accessories

ARCP2000 PC/radio control software, DRU3A Digital recording unit, KPS15 23A switching power supply, MB430 Mobile mounting bracket, MC43S 8-pin hand mic, MC52DM Lit TTP mic, MC60A 8-pin amp desk mic, MC80 8-pin electret desk mic, MC90 2-head DSP desk mic, PG2Y 13' DC cable, PG2Z DC cable, PS53 Heavy-duty power supply, RC2000 Remote face plate mobile kit, SP23 Speaker, VS3 Voice synthesizer



LOW POWER SINGLE BAND SSB TRANSCEIVERS

Easy to operate Travel Radio™! No microprocessor - just turn on and tune in. • 20W PEP (Less on VHF models) - plus Constant Current™ syllabic speech processing for an added 4-6dB advantage to cut through noise, fading, and QRM. Includes a hand-held dynamic microphone that complements the speech processing. • Low drain - 3A from 12V supply or battery. • Low noise preamp and active double balanced mixer front end • Excellent selectivity - Sharp 2.3 kHz SSB crystal ladder filter reduces pass-band noise, fights QRM, and improves intelligibility • TVI protection (built-in 7 element lowpass filter) • Real S-meter: Position your beam with accuracy and give meaningful reports. Also, monitor speech processing level. • Agile tuning - reduction drive analog VFO lets you scan the band for signals quickly, then zero in smoothly • Amplifier jack • Compact 2.5" h x 6.5" w x 6" d • 3 models below
9420X 20M SSB (14.150-14.350MHz) **\$229.99**
9440X 40M SSB (7.150-7.3MHz) **\$229.99**
9475X 75M SSB (3.75-4.00MHz) **\$229.99**

Available Accessories:

415B CW adapter (9420X and 9440X only), 971 200W HF tuner, 4110 Portable AC power supply, 4114 Rechargeable power pack

144 220 +440


Everything adds up: Kenwood's new FM Tribander (144/220/440MHz) offers dual-channel RX capability and prime performance in a superbly compact design.

- Receives 2 frequencies simultaneously even on the same band¹
- 0.1~1300MHz high-frequency range RX (B band)¹
- FM/FM-W/FM-N/AM plus SSB/CW receive
- Bar antenna for receiving AM broadcasts
- Special weather channel RX mode
- 435 memory channels, multiple scan functions
- 7.4V 1550mAh lithium-ion battery (std.) for high output² and extended operation
- 16-key pad plus multi-scroll key for easy operation
- Built-in charging circuitry for battery recharge while the unit operates from a DC supply
- Tough construction: meets MIL-STD 810 C/D/E standards for resistance to vibration, shock, humidity and light rain
- Large frequency display for single-band use
- Automatic simplex checker
- Wireless remote control function
- Battery indicator • Internal VOX • MCP software

¹ Note that certain frequencies are unavailable. ² 5W output

Specifications subject to change without notice.

NEW TH-F6A FM TRIBANDER



KENWOOD
COMMUNICATIONS CORPORATION

AMATEUR RADIO PRODUCTS GROUP
3975 Johns Creek Court, Suwanee, GA 30024
P.O. Box 22745, Long Beach, CA 90801-5745, U.S.A.
Customer Support: (310) 639-4200 Fax: (310) 537-8235

01ARD-2138 #082401



ISO 9001
JQA-1205

Communications Equipment Division
Kenwood Corporation
ISO9001 certification

INTERNET

Kenwood Website
<http://www.kenwood.net>
Kenwood Information
<ftp://ftp.kenwood.net>

Quality & Reliability... Inside & Out



UBZ-GR14
FRS FreeTalk™



TH-22AT
2 meters




TH-G71A
2 meters
& 440 MHz



TH-D7A
2 meters
& 440 MHz



TH-79AKSS
2 meters & 440 MHz



TH-F6A
FM Tribander



VC-H1
Visual
Communicator



TM-261A/461A
2 meters/440 MHz



TM-541A
1200 MHz



TM-331A
220 MHz



TM-742AD/642AD
2 meters & 440 MHz/2 meters & 220 MHz



TM-G707A
2 meters & 440 MHz



TM-V7A
2 meters & 440 MHz



TM-D700A
2 meters & 440 MHz



TS-60S
Compact HF All Mode



TS-570D/S(G) W/DSP
HF All Mode or HF + 5m All Mode




TS-870S W/DSP
HF All Mode




TS-2000
HF/VHF/UHF Multi-Mode



TS-B2000
HF/VHF/UHF Multi-Mode



RC-2000
Compact Mobile Controller



ARCP-2000
PC Radio
Control Program

KENWOOD
COMMUNICATIONS CORPORATION

AMATEUR RADIO PRODUCTS GROUP
3975 Johns Creek Court, Suwanee, GA 30024
P.O. Box 22745, Long Beach, CA 90801-5745, U.S.A.
Customer Support: (310) 639-4200 Fax: (310) 537-8235
01ARD-2137 #081801



ISO 9001
JQA-1205
Communications Equipment Division
Kenwood Corporation
ISO9001 certification

INTERNET
Kenwood Website
<http://www.kenwood.net>
Kenwood Information
<ftp://ftp.kenwood.net>

FREE

Operation Manuals & Brochures

Online all day...
...everyday!

- *Manuals/Brochures*
- *Service Bulletins*
- *Application Notes*
- *Radio/Memory Control Software*
- *Full Customer Support*
- *And Much, Much More!*



KENWOOD
COMMUNICATIONS CORPORATION

AMATEUR RADIO PRODUCTS GROUP

3975 Johns Creek Court, Suwanee, GA 30024
P.O. Box 22745, Long Beach, CA 90801-5745, U.S.A.
Customer Support: (310) 639-4200 Fax: (310) 537-8235
01ARD-2136 #081701

CONNECT TODAY
www.kenwood.net
<ftp://ftp.kenwood.net>



No Compromise Communications

The SG-2020 - Now with ADSP

Adaptive Digital Signal Processing

Eliminates noise for unsurpassed signal quality

For the first time ever, the popular SG-2020 radiotelephone is available with optional digital signal processing. Receive clearer AM, FM, SSB, CW, and data. Designed as a small, low power, low cost USB/LSB/CW/HF-SSB travel companion. Take it and use it anywhere - fixed, mobile, portable, aviation or boating. Operating from 12V DC, it has the lowest current consumption on the market. Transmit power is adjustable from 0-20W PEP output & covers 1.8 to 29.7 MHz. An RF speech processor utilizing LOGAD baseband processing & RF clipping provides plenty of DX "talk-power". A back lit LCD display shows a 100Hz freq. resolution (10Hz overall res.). There are 20 Simplex or Semi-Duplex memories to store favorite operating frequencies. Other functions and features include: SPLIT, RIT, XIT and tunable 100 to 2700Hz A.F. Bandpass. Also, a noise blanker, a fully adjustable (5 to 60 WPM) IAMBIC "B" mode keyer and convenient SWR metering and battery voltmeter. Dynamic hand microphone is included. "Smallest" portable rig, only 7"L x 5.9"W x 2.75"H, 4.4 lbs.



SG-2020 with ADSP - SGC Cat. #05-02 - \$795.99

SG-2020 without ADSP - SGC Cat. # 05-01 - \$675.99



SG-2000 - HF Single Sideband Radio Telephone

Make contact anywhere with the power-packed SG-2000. Engineered for simple and efficient operation, the SG-2000 features an alarm generator, upper/lower sideband, true amplitude modulated (AM) receiver and channel scan as standard features. Talk anywhere in the world on the HF Ham bands, receive and send time sensitive documents, decode UPI transmissions, get latest weather reports or listen to shortwave broadcasts from around the world. Scan all ITU channels and up to 100 memory channels in adjustable scan speeds and rates. An extra large wide angle display with adjustable backlighting provides easy viewing day or night. The SG-2000 can be fully computer controlled by any standard RS-232 protocol connector for RTTY, ARQ (SITOR), FEC, Packet and telegraphy modes. Fast RX/TX switching time ensures easy and secure data transmissions. The compact front panel of the SG-2000 can also act as the remote head terminal, and up to 8 full function remote heads can be utilized.

SG-2000 - SGC Cat. #04-01 - \$1599.99

SG-2000 Powertalk with ADSP - SGC Cat. #04-10 - \$1849.99

Power Output: 150 watts PEP
Transmitter frequency range: 1.8 to 30 MHz
Receiver frequency range: 500kHz to 30 MHz
Modes: A3A, ASH, A3J, CW, AM
Channels: 100 channels field programmable, 644 channels factory programmed ITU and data.
Scan Channels: Up to 100 programmable in 10 groups
Power Requirement: 13.6 VDC; 0.8A RX - 16A TX
Size: 15"L x 10"W x 4 3/4"H • Weight: 12 lbs

The SG-500 SmartPowerCube

Immense power - nearly as much as a 1000W amplifier, but requiring less than one cubic foot of space, the SG-500 is an intelligent, microprocessor-controlled high power linear amplifier. Its electronic brain constantly monitors your HF-SSB's activities, power needs, and antenna condition, and instantaneously selects the right broadband filter. Designed to perform reliably and essentially unattended, in the most demanding conditions.

Covers: 1.8 to 24 MHz (Overseas model - up to 30MHz) • Power Output: SSB: 1000W PEP; CW: 500W for 10 minutes, no fan; 500W unlimited with fan; AM: 1000W carrier maximum • Automatic bandswitching • Protection: Input overdrive, over current, over temperature • Size: 12 1/4"L x 11 1/4"W x 6"H

SG-500 - SGC Cat. #52-96 - \$1169.99





Smart technology. Smart design. Smartuners.

SG-237 Smartuner

100W Antenna Coupler

The SG-237 Smartuner series is perfect for marine, aviation, commercial and amateur applications and any application type. The SG-237 is designed with high density surface mount components on a 4 layer PCB, providing high efficiency, reliability and performance. Rugged waterproof construction allows tough operation in any environment. • Cat. #54-18 standard version \$359.99 • Cat. #54-20 Porta. Designed for quick mobile or base set up. Special Order •



Cat. #54-19 PCB only - For retrofit or special projects \$249.99

1.8-60 MHz • Power Input Range 3-100W PEP • Weight 2 lbs. • 9"L x 7"W x 1.85"H

SG-230 Smartuner

200W Antenna Coupler

The SG-230 precisely tunes any length antenna - 8 to 80 ft. in the HF band. The Smartuner automatically evaluates and switches 64 input & 32 output capacitance combinations, plus 256 inductance combos in a "pi" network (over a half million possible combinations). The amazing result - it automatically selects from over a half-million different ways to ensure a perfect match for your transceiver. It also remembers the chosen frequency and




tuning values in less than 10 ms, each time you transmit.

1.8-30 MHz • Power Input Range 3-200W PEP • Weight 8 lbs. • 16"L x 12"W x 3"H • SGC Cat. #54-14 • \$489.99

New This Year - The SG-239 Tiny High-Performance Coupler

Performance features of the SG-239 are far ahead of its low price tag. The unit will work with silent receiver tuning or within the range of 1.5 to 200 watts with a high power transceiver. It has fast, accurate tuning via numerous independent sensors.


1.8-30MHz • 1.5-200W PEP • Weight 2 lbs. • 7.5"L x 6"W x 1.85"H • SGC Cat. #54-22 • \$249.99



SG-231 Smartuner

100W Antenna Coupler

Complete frequency agility with no operator intervention • Compact design, fits the most restrictive installations • Waterproof case allows mounting at antenna feed point for highest efficiency. • SWR always 1:1.5 or better. Tuning solutions are stored in a non-volatile memory for



fast (10ms) automatic recall. Operates with any HP or VHP transceiver, 3-100W, and requires only 12VDC and RP connections.

1-60 MHz • Power Input Range 3 to 100W PEP • Weight 3 lbs. • 11.5"L x 9.5"W x 1.7"H • SGC Cat. #54-17 • \$529.99


SG-235 Smartuner

500W Antenna Coupler

The most powerful coupler on the market - The SG-235. The SG-235 automatically tunes any length antenna from just 23 ft. long without preliminary tuning or adjustments.

The chosen frequency and tuning values are remembered allowing reselection of those values in less than 10 milliseconds, each time you select that frequency. Flexibility is a key feature with its attractive options, including 24V DC.

1.8 to 30 MHz range • Power Input Range 3-500W PEP • Tunes from 23 ft. antenna at full power • Waterproof • Weight 8 lbs. • 16"L x 12"W x 3"H • SGC Cat. #54-15 • \$1169.99



Not sure which coupler is right for you? Go to www.sgcworld.com/compare for a full Smartuner comparison chart.

Q.M.S. - Quick Mount System


Complete mobile kit - works with any vehicle

Add a QMS to your HF SSB mobile system - an SGC Smartuner along with an efficient whip antenna. The QMS can be installed on any vehicle without drilling any holes or damaging the car body. Installation can be permanent or temporary and just takes 15 minutes. Mount the QMS on the vehicle side, trunk, or roof.



All kits include strapping antennas, four suction cups and mounting hardware.

- **SGC #55-47: QMS-2:** Includes SG-230 coupler, SG-303 9 ft. antenna - **\$895.99**
- **SGC #55-48: QMS-3:** Includes SG-235 coupler, SG-303 9 ft. antenna - **\$2169.99**
- **SGC #55-49: QMS-7:** Includes SG-231 coupler, SG-307 7 ft. antenna - **\$1249.99**
- **SGC #55-50: QMS-37:** Includes SG-237 coupler, (Optional antenna available) - **\$549.99**



QRP SINGLE BAND CW TRANSCEIVERS

Easy operation! Sets up in seconds. • SW CW • Great sensitivity – hot superhet receiver with super-quiet FET post amp stage in the IF filter • Excellent selectivity – tight CW bandwidth crystal ladder filter fights unwanted QRM and noise • Smooth and stable VFO (wide-spaced reduction drive VFO capacitor) • True RIT • Recovery AGC • Built-in 3" speaker • Low power drain – 50mA on receive and 1.2A peak on transmit • Semi-QSK – set adjustable hold transmit/receive switching to suit your normal sending speed or set for full QSK during contests • Compact • 5 models below

9015 5W, 15M (21.000–21.200MHz) **\$169.99**



9020 5W, 20M (14.000–14.075MHz) **\$169.99**

9030 5W, 30M (10.100–10.150MHz) **\$169.99**

9040 5W, 40M (7.000–7.150MHz) **\$169.99**

Available Accessories:

27 Handle for CW station, 412 Plug-in Curtis keyer, 726 Plug-in audio filter, 971 200W portable antenna tuner/meter, 1770 Portable 15M dipole, 1771 Portable 17M dipole, 1772 Portable 20M dipole, 1773 Portable 30M dipole, 1774 Portable 40M dipole, 4110 portable AC power supply, 4114 Rechargeable power pack



HF SSB TRANSCEIVERS

SG-2000 (04-01) HF SSB Global Radio Telephone with full frequency coverage for Voice and Data Talk anywhere in the world on the HF Ham bands, receive and send time sensitive documents, decode UPI transmissions, get latest weather reports or listen to shortwave broadcasts. Also, great for marine use. Optionally, it can be fully computer controlled via the standard RS-232 protocol connector. The front panel can also be used as a remote head terminal, and up to 8 full function remote heads can be utilized. • 1.8–30MHz transmit • 500kHz–30MHz general coverage receive • 150W • Modes: A3A, A3H, A3J and CW in LSB/USB, true AM in receive mode and data • 100 field-programmable and 644 factory programmed ITU & data channels • Up to 100 programmable scan channels in 10 groups • 13.6 VDC @ 16A • 4.75" h x 10" w x 15" d, 12 lbs..... **\$1599.99**

Available Accessories:

0411 Standard remote head/bracket/20' cable, 0412 Remote kit/swivel bracket/cable, 0413 Remote kit/5-way mount/cable, 0415 Remote mobile head (memory channels only), 0422 Powertalk remote head, 5182 Fan kit for continuous transmit, 5232 Carbon telephone handset, 5234 RS232 interface, 5251 CA-1 HV feed wire, 5253 CA-230 antenna coupler cable, 5254 CA-2000 remote head cable, 5261 PSC/12-1 12' power supply cable/1 plug, 5262 PSC/12-2 12' power supply cable/2 plugs, 5304 PS-30 30/40A peak unregulated power supply, 5305 PS-50 50/70A peak unregulated power supply



PowerTalk™ SG-2000 (04-10) HF SSB Transceiver With the PowerTalk™ SG-2000, you'll intercept more weak HF signals, increase signal clarity and eliminate unwanted noise. You'll hear SSB signals clearer and easier than ever before. Combines SGC's exclusive ADSP™ (Automatic Digital Signal Processing) and SNS™ (Signal Noise Subtraction). A DSP command center with a high performance spinner knob and bright LED indicators. Includes all of the outstanding features of the SG-2000: 644 Ham and ITU discrete frequencies • 150W • Programmable memory • Large LCD display..... **\$1849.99**

Available Accessories:

0412 Remote kit/swivel bracket/cable, 0413 Remote kit/5-way mount/ cable, 0422 Powertalk remote head, 5232 Carbon telephone handset, 5234 RS232 interface, 5251 CA-1 HV feed wire, 5253 CA-230 antenna coupler cable, 5254 CA-2000 remote head cable, 5261 PSC/12-1 12' power supply cable/1 plug, 5262 PSC/12-2 12' power supply cable/2 plugs, 5304 PS-30 30/40A peak unregulated power supply, 5305 PS-50 50/70A peak unregulated power supply



SG-2020 (05-01) Compact HF SSB/CW Transceiver Small, but fully microprocessor-controlled and loaded with "Big Rig" features. Take it and use it anywhere – fixed, mobile, portable, aviation or boating. Operating from 12V DC, it has the lowest current consumption on the market. • 1.8–29.7MHz amateur bands • 400kHz–29.7MHz general coverage receive • SSB/CW modes • 0–20W PEP output, adjusts down to 1W for QRP • 40 memories • Backlit LCD display • Built-in IAMBIC "B" mode electronic keyer • Noise blanker • RF speech processor and clipping • SWR metering and voltage indicator • SPLIT, RIT, XIT • AF bandpass tuning • Handheld dynamic microphone included • Requires 13.8V DC @ 3A • 2.75" h x 6" w x 7.5" d, 4.5 lbs **\$675.99**

SG-2020 (05-02) Same radio as above with 20 memories and the addition of ADSP™. The added PowerClear™ DSP software provides superior tone rejection (better than 57dB) and dynamic noise rejection (better than 18dB)..... **\$795.99**

Available Accessories:

5422 SG-239 200W SmartTuner

RANGER
Communications, Inc.

NEW




6M TRANSCEIVER

RCI-5054DX All-mode 6 Meter Transceiver Covers 50-54MHz and rated at 10W CW/AM/FM, and 25W PEP SSB output. • 10 programmable memory frequencies • Programmable repeater offset (splits of up to 2MHz, with TX high or low) • ± 2.5kHz receiver clarifier • Noise blanker/ANL circuitry • Programmable receiver scanning for quick search of active frequencies • Includes up/down tuning hand microphone • Optional CTCSS tone • 12V DC • 2.4" h x 7.75" w x 10.75" d..... **\$299.99**

YAESU

*Yaesu prices beyond 9/30/01 were unknown at press date.



HF TRANSCEIVERS

FT-100D Ultra-Compact HF/VHF/UHF All Mode Transceiver Widely acclaimed for outstanding performance and flexibility. Wide frequency coverage and versatile – a great compact mobile, vacation or expedition radio. Covers 160–6M, 144–148 MHz, 430–450MHz • General coverage receive: 100kHz–30MHz, 30–970MHz (cell blocked) • 100W output on HF/6M; 50W on 2M; 20W on 430MHz • DSP system enhances signal-to-noise ratio via bandpass, noise reduction and automatic notch filters • Dual VFOs • Electronic keyer built-in • 200 memories and Quick Memory Bank • SmartSearch™ auto memory channel loading • Improved high-quality speaker • 500Hz, 8-pole crystal filter (CW) • High stability reference oscillator • CTCSS decode • Bright LCD with multi-function display • VOX • Requires 13.8V DC @ 22A • 6.3" w x 2.1" h x 8" d..... **\$879.99**

FT-100D/ATAS FT-100D & ATAS-100 HF/6M/2M/430 mobile antenna combo..... **\$1199.98**

Available Accessories:

ATAS100 HF/6M/2M/430MHz motorized antenna, ATBK100 ATAS100 base kit/use with mount, CT39 Packet cable, CT58 Band data cable, CT62 CAT interface cable, CT69 6-pin mod/8-pin mic jack, FC20 Automatic antenna tuner, FP1023 23A switching power supply with fan, FP1030A 25A power supply with meters, LL5 Phone patch unit, MLS100 Mobile speaker, MMB62 Remote control panel bracket, MMB67 Quick release bracket, SP6 External speaker, SP7 External speaker, T9021925 Extra DC cord, XF117A 6kHz AM filter, XF117CN 300Hz CW filter, YH77STA Stereo headphone, YSK100 Separation kit

WE WANT YOUR TRADE-IN!

We're always looking for Clean, Late model SSB or FM gear. Look over the gear in this catalog. Then call Toll Free and tell the salesperson what item you want and what gear you have to trade.



FT-600 Compact HF Transceiver Straightforward, sensible layout of a commercial radio with the most often used features on the front panel. It excels as an easy-to-use base or mobile. • Direct Digital Synthesis (DDS) • Covers 160–10M with 50 kHz–30MHz general coverage receiver • 100W output (25W AM) • 100 memory channels (in 4 banks of 25) • Direct keypad frequency entry • Alpha-numeric display • Noise blanker • Omni-Glow™ display • High output front mounted speaker • Dual watch MIL-STD 810 rating • Requires 13.8V DC @ 20A • 9.6" w x 4.1" h x 11.2" d, 9.9 lbs. **Special Order \$899.99**

Available Accessories:

FC800 Extra long wire auto tuner, FIF232C RS-232 interface, FP1023 23A switching power supply with fan, FP1030A 25A power supply with meters, MD100A8X Desk mic with tone control, MMB20 Mobile mount, SP8 External speaker with filters, TCXO4 TCXO unit, YF112A 6kHz AM filter, YF112C 500Hz CW filter, YH77STA Stereo headphones



FT-817 HF/VHF/UHF Backpack Transceiver A self-contained, battery-powered, low power, amateur transceiver for camping, mountain topping, portability. • Transmit: 160–10M, 50MHz, 144MHz, 430–450MHz, plus Alaska Emergency Channel (5167.5 kHz) • Receive: 100kHz–56MHz, 76–154MHz, 420–470MHz • AM aircraft receive • 200 memories, plus home channels and band-limit (PMS) • Alpha-numeric labeling • SmartSearch™ auto memory loading system • Power output: 5W SSB/CW/FM with 13.8V external DC, 1.5W AM, 2.5W SSB/CW/FM with 9.6V Ni-Cad pack or 8 "AA" batteries (comes with internal alkaline battery case), 0.7W AM, up to 5W SSB/CW/FM power programmable via menu on Ni-Cad or AA cells • Operating modes: USB, LSB, CW, AM, FM, W-FM, Digital (AFSK), Packet (1200/9600 FM) • Digital modes: RTTY, PSK31-U, PSK31-L, and user-defined USB/LSB (SSTV, Pactor, etc.) • Two-color LCD multi-function display (blue/amber) • Bar graph meters power output, ALC, SWR, modulation • RF gain/squelch control • Built-in noise blanker • Attenuator • Dual VFOs, split capability, IF shift, and RIT • Built-in CW electronic keyer and semi-break-in • VOX • Automatic repeater shift • Built-in CTCSS and DCS • Auto-Range Transponder System • Spectrum scope • Front/rear panel antenna connectors • Rear panel data, accessory and key jacks • Auto power-off and TX time-out timer • CAT system computer control capability (4800/9600/38400bps) • 5.31" w x 1.5" h x 6.5" d, 2.6 lbs. **\$669.99**

Available Accessories:

W4ROTT1 One-touch tune, CSC83 Soft case, CT39 Packet cable, CT62 Cat interface cable, EDC6 DC cord, FNB72 9.6V 1000ma NiCad, MH36E8J TTP mic, NC72B Wall charger, TCXO9 TCXO unit, YF122C 500Hz Collins CW filter, YF122S 2.3kHz Collins SSB filter



FT-840 Compact High Performance HF Transceiver Blending high performance digital synthesis techniques, convenience and affordability from previously successful radios, the FT-840 adds a choice of two optional remote automatic antenna tuners and a wealth of convenient functions. • Direct Digital Synthesis (DDS) • Covers 160–10M with 50kHz–30 MHz general coverage receiver • 100W output (25W AM) • 100 memory channels • Low noise FET front end • Two direct digital synthesizers (DDSS) and magnetic rotary encoder for smooth tuning • Twin band-stacking VFOs • IF shift • Reverse CW • FM repeater operation with automatic 10M repeater offset • Selectable CTCSS • Requires 13.8V DC @ 20A • 9.2" w x 3.6" h x 9.5" d, 9.9 lbs. **\$579.99**

Available Accessories:

FC10 Extra coax fed auto tuner, FC800 Extra long wire auto tuner, FIF232C RS-232 interface, FM747 FM unit, FP1023 23A switching power supply with fan, FP1030A 25A power supply with meters, MD100A8X Desk mic with tone control, MLS100 Mobile speaker, MMB20 Mobile mount, SP6 External speaker, SP7 External speaker, T9018320 DC cord, TCXO4 TCXO unit, YF112A 6kHz AM filter, YF112C 500Hz CW filter, YH77STA Stereo headphone

FREE ITEMS included with some radios.
See Price Guide for details.



FT-847 HF/VHF/UHF All Mode Transceiver All mode operation on HF, 50MHz, 144MHz, and 430MHz with full satellite capability • Covers 160–6M, 2M, 70cm and 5.1675MHz (Alaska emergency channel) • General coverage receive: 100kHz–30MHz, 36–76MHz, 108–74MHz, 420–512 MHz • 100W output on HF/6M (25W AM); 50W (12.5W AM) on 2M/430MHz • High resolution 0.1Hz tuning steps • ShuttleJog™ tuning ring • Direct frequency keypad entry • Low noise VHF/UHF preamps built-in • Advanced DSP system enhances signal-to-noise ratio via sophisticated bandpass, noise reduction and automatic notch filters • Cross band full duplex operation • Normal/reverse tracking and dedicated satellite memories • 1200/9600 bps packet ready • CW sidetone/pitch control • Built-in CTCSS/DCS encode/decode • Four antenna jacks on rear panel • Requires 13.8V DC @ 22A • 10.2" w x 3.4" h x 10.6" d, 14.4 lbs. **\$1249.99**

Available Accessories:

ATAS100 HF/6M/2M/430MHz motorized antenna, ATBK100 ATAS100 base kit, CT61 Amp interface cable, FC20 Automatic antenna tuner, FP1023 23A switching power supply with fan, FP1030A 25A power supply with meters, FVS1A Voice synthesizer, MD100A8X Desk mic with tone control, MD200A8X Deluxe high fidelity desk mic, MH36D8 DTMF mobile microphone, MMB66 Mobile mounting bracket, SP8 External speaker with filters, T9018320 DC cord, YF115C 500Hz CW/Collins Mechanical filter, YF115S02 2.5kHz SSB/Collins Mechanical filter, YH77STA Stereo headphone



We accept I.M.P.A.C.® Government Credit Cards



FT-920 HF + 50MHz All Mode Transceiver Direct digital frequency synthesis • Covers 160–6M with 100kHz–30MHz, 48–56MHz general receive • Power output adjustable up to 100W (25W AM) • Multi-function tuning dials and keyboard frequency entry • 127 memories with alphanumeric labels • Multiple scanning functions • Dual watch system • Quick memory bank (QMB) instant memory system • Built-in high-speed antenna tuner, digital voice recorder and electronic memory keyer • DSP speech processor, auto notch filter, noise reduction and VOX control • CW spot and pitch controls IF shift • QSK and built-in electronic keyer • Noise blanker • Dual antenna jack plus receive-only antenna jack • ShuttleJog™ control • Independent RX preamps for high and low bands • OmniGlow™ LCD with twin frequency displays • RS-232 computer control interface • Requires 13.8VDC @ 22A • 15.2" w x 5.3" h x 12.5" d, 24 lbs. **\$1089.99**

Available Accessories:

FM1 FM unit, FP1023 23A switching power supply with fan, FP1030A 25A power supply with meters, LL7 Phone patch unit for SP8, MD100A8X Desk mic with tone control, MD200A8X Deluxe high fidelity desk mic, SP8 External speaker with filters, T9018320 DC cord, TCXO7 TCXO unit, YF116A 6kHz AM filter, YF116C 500Hz CW filter, YH77STA Stereo headphone



FT-1000D 200W HF All-Mode Transceiver Judged "best overall" by top DX'ers worldwide, the FT-1000D delivers optimum receiver performance and real "muscle" on transmit. With a front panel featuring two flywheel weighted tuning knobs and two large displays, it's a perfect blend of ergonomics and electronics. Hear signals you've never heard before. • Direct Digital Synthesis (DDS) • Covers 160–10 meters with 100kHz–30MHz general coverage receive • 100 memory channels store frequency, mode, and filter selection • Up to 200W power output (AM 50W) • True cross-band dual receive (dual receiver front ends and IFs), two large tuning knobs • Front panel receive antenna switch for beverage or loop antenna • Built-in antenna tuner with 32 memories • CW spot and two CW key jacks for maximum convenience • CAT system for computer control • Built-in 110/220VAC power supply • 5.9" h x 16.4" w x 14.8" d, 31lbs. **\$3999.99**

Available Accessories:

DVS2 Voice recording module, FIF232C RS-232 interface, LL5 Phone patch unit, MD100A8X Desk mic with tone control, MD200A8X Deluxe high fidelity desk mic, SP5 External speaker, XF455MC 600Hz CW filter, YF110CN 250Hz CW filter/XFF, YH77STA Stereo headphone

Used & Demo
Equipment lists

Updated regularly on the web.
Check them out and order **On-line**

HF RADIOS

Manufacturer	ALINCO*	ALINCO	ICOM*	ICOM	ICOM	ICOM	ICOM	ICOM	ICOM	KENWOOD	KENWOOD	KENWOOD	KENWOOD	KENWOOD	MFJ
Model	DX-70TH	DX-77T	IC-706MkII G	IC-718	IC-746	IC-756PRO	IC-775DSP	TS-2000	TS-570D(G)	TS-570S(G)	TS-570D(G)	TS-570S	TS-570D(G)	TS-870S	9015
Bands	HF, 6M	HF	HF, 6M, 2M, 70CM	HF	HF, 6M, 2M	HF, 6M	HF	HF, 6M, 2M, 70CM, 1.2GHz	HF, 6M	HF	HF	HF	HF, 6M	HF	15M
Rx Range (MHz)	15-30, 50-54	5-30	.03-200, 400-470	.03-30	.03-200	.03-60	.01-30	.03-60, 142-152 420-450 1240-1300*	.5-30	.5-30	.5-30	.5-30	.5-30, 6M	.1-30	21-21.2
Power (SSB/CW/FM)	100W HF/6M	10-100W	5-100 HF/6M 5-50 2M 2-20 70CM	5-100W ⁿ	5-100 HF/6M/2M	5-100	5-200W	100W HF/6/2M 50W 70CM 10W 1.2GHz*	100W	100W	5-100W	5-100W HF/6M	100W	5W CW	
Power (AM)	40W HF/6M	4-40W	2-40W HF/6M 2-20W 2M 2-8W 70CM	2-40W	5-40W H/6M/2M	5-40	5-50W	25W HF/6/2M 12.5W 70CM 2.5W 1.2GHz*	5-40W	5-40W	5-25W	5-25W	5-25W	25W	No
DSP	No	No	Yes	Optional	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No
Tuner	No	No	Optional	Optional	Internal	Internal	Internal	Yes	No	No	Yes	Yes	Yes	Yes	No
Keyer	No	No	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No
Speech Readout	No	No	Optional	Optional	Optional	Optional	Optional	Yes	No	No	Optional	Optional	Optional	Optional	No
VDX	No	No	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No
Power Requirements	12VDC, 20A	12VDC, 20A	12VDC, 20A	12VDC, 20A	12VDC, 20A	12VDC, 23A	125VAC	12VDC, 20.5A	12VDC, 20.5A	12VDC, 20.5A	12VDC, 20.5A	12VDC, 20.5A	12VDC, 20.5A	12VDC, 20.5A	12VDC, 12A
Antenna ports	2 th	1	2 nd	1	3 rd	2	2	5	1	2	2	2	2	2	1
Computer Port	No	Optional	Optional	Optional	Optional	Optional	Optional	Yes	Optional	Optional	RS-232	RS-232	RS-232	RS-232	No
Height (in.)	2.3	3.7	2.3	3.75	4.7	18.3	5.9	3.75	2.4	3.8	3.8	3.8	3.8	4.8	2.5
Width (in.)	7	9.8	6.6	9.44	11.3	4.3	16.7	10.625	7.1	10.6	10.6	10.6	10.6	13	6.5
Depth (in.)		9	7.9	9.40	12.5	11.2	36.8	12.5	9.2	10.7	10.7	10.7	10.7	13.1	6
Weight (lbs.)	6	8.4	5.5	8.4	19.5	21		17.19	6.4	6.4	15	15	15	25.4	2

Manufacturer	MFIJ	MFIJ	MFIJ	MFIJ	MFIJ	MFIJ	MFIJ	SGC*	SGC*	SGC	YAESU*	YAESU	YAESU	YAESU	YAESU	YAESU
Model	9020	9030	9040	9420X	9440X	9475X	04-01 SG-2000	04-10 POWERALK	05-01/05-02 SG-2020	FT-100D	FT-600	FT-817	FT-840	FT-847	FT-920	FT-1000D
Bands	20M	30M	40M	20M	40M	75M	HF	HF	HF	HF, 6M 2M, 70CM	HF	HF, 6M 2M, 70CM	HF	HF, 6M 2M, 70CM	HF, 6M	HF
Rx Range (MHz)	14- 14.075	10.1- 10.15	7-7.15	14.15- 14.35	7.15-7.3	3.75-4	5-30	5-30	1.8-29.7	1-961 ^(a)	5-30	1-56 76-154 420-470	1-30	1-30, 36-76 108-174 420-512	1-30 48-56	1-30
Power (SSB/CW/PM)	5W CW	5W CW	5W CW	12W SSB	12W SSB	12W SSB	150W SSB/CW	150W SSB/CW	0-20W SSB/CW	100W HF/6M 50W 2M 20W 70CM	100W SSB/CW	5W	100W ^(b)	5-10W HF/6M 50W 2M/70CM	10-100W ^(b)	20-200W
Power (AM)	No	No	No	No	No	No	40W	40W	No	25W HF/6M 20W 2M 12.5W 70CM	25W	1.5W	25W	25W HF/6M 12.5W 2M 12.5W 70CM	2.5-25W	50W
DSP	No	No	No	No	No	No	No	Yes	No	Yes	No	No	No	Yes	Yes	No
Tuner	No	No	No	No	No	No	No	No	No	No	No	No	No	No	Yes	Yes
Keyer	No	No	No	No	No	No	No	No	Yes	Yes	No	Yes	No	Yes	Yes	Yes
Speech Readout	No	No	No	No	No	No	No	No	No	No	No	No	No	Optional	No	No
Voice	No	No	No	No	No	No	No	No	No	Yes	No	Yes	No	No	Yes	Yes
Power Requirements	12VDC 1.2A	12VDC 1.2A	12VDC 1.2A	12VDC 1.2A	12VDC 1.2A	12VDC 1.2A	12VDC 30A	12VDC 30A	12VDC 5A	12VDC 22A	12VDC 22A	12VDC 2A	12VDC 22A	12VDC 22A	FP29 30V 22A (supplied)	125VAC
Antenna ports	1	1	1	1	1	1	1	1	1	2 ^(c)	1	2	1	4 ^(d)	2	1
Computer Port	No	No	No	No	No	No	Optional	Optional	Optional	Yes	Yes	Yes	Optional	RS-232	Optional	Optional
Height (in.)	2.5	2.5	2.5	2.5	2.5	2.5	4.6	4.6	2.75	22	4.2	1.5	3.7	3.4	5.3	5.9
Width (in.)	6.5	6.5	6.5	6.5	6.5	6.5	10	10	6	63	9.7	5.3	9.4	10.7	16.1	16.4
Depth (in.)	6	6	6	6	6	6	15	15	7.25	8	11.5	6.5	9.6	10.6	12.4	14.8
Weight (lbs.)	2	2	2	2	2	2	12	12	2.5	6.6	9.9	2.6	12	14.4	30.8	51

FREE ITEMS included with some radios.
See Price Guide for details.

- 4) Two ports for HF, one dedicated for 2M
- 5) Port per band. HF/6M can be combined
- 6) Cell blocked
- 7) No FM

- *Remotable control head
- *Optional module required
- 1) One port for HF; one port for 6M
- 2) Optional board required for FM
- 3) HF/6M one port, 2M/440MHz second port



FT-1000MP MK V 200W HF All Mode Transceiver Represents the crowning achievement in Yaesu's HF transceiver design history. A unique blend of analog and digital technology, the MARK-V is based on the concept of rigorous filtering in all stages of the receiver and transceiver. Introduces all-new features to the FT-1000 series. • IDBT (Interlocked Digital Bandwidth Tracking), which matches the receiver passbands of the 8.2 MHz IF, 455kHz IF and DSP systems • VRF (Variable RF Front-end Filter), providing a high-Q "Preselector" system protecting the receiver's front end. • 200W MOSFET Final Amplifier, conservatively rated with revolutionary heat sink design • 75W optional Class-A PA operation, providing extraordinary SSB signal purity • Integrated ShuttleJog™ control, combines the access buttons for IDBT and VRF with the convenient frequency control of Yaesu's exclusive ShuttleJog™. • High-speed automatic antenna tuner, beefed up for operation at the 200W level • Separate switching power supply, provides 30V for MOSFET PA transistors, as well as 13.8V for the other circuitry. • 16.4" w x 5.4" h x 13.9" d, 31 lbs. (xcvr), 4.2" w x 5.4" h x 13.6" d, 13 lbs. (power supply) **\$2599.99**

Available Accessories:

DVS2 Voice recording module, FH1 Remote control keypad, FTV1000 200W 6M transverter, LL7 Phone patch unit for SP8, MD100A8X Desk mic with tone control, MD200A8X Deluxe high fidelity desk mic, MH31B8 Extra hand mic, SP8 External speaker with filters, TCXO6 Deluxe TCXO unit, YF110CN 250Hz CW filter/XFE, YF110SN 2kHz SSB filter/XFD, YF114CN 250Hz CW second IF main receive, YF114SN 2kHz SSB second IF main receive, YF115C 500Hz CW/Collins Mechanical filter, YH77STA Stereo headphone



FTV-1000 200W 50MHz Transverter for the FT-1000MP MK V Utilizes the same high-performance power MOS FET transistors as are used in the FT-1000MP MK V. The PA stage operates at 30V DC, provided by the MK V power supply. The output devices, capable of 300W PER, are run well below their max. ratings for high reliability. Also, the thermostatically-controlled cross-flow cooling fan keeps operation cool.

The exclusive Class-A bias capability is now extended to the FTV-1000 50MHz operation giving you the cleanest SSB signal on the band! It also features a High Dynamic Range Receiver Front End, utilizing a high-intercept design with JFETs in a double balanced mixer. Driving the mixer is a low-noise-figure MOSFET preamp, with two gain selections available. For local work, select IPO, which bypasses the internal preamp for direct feed to the mixer. A 12dB input attenuator is also available when working with extremely strong local signals.

The stylish, logically-designed front panel makes operation a breeze! High quality rocker switches control all functions, with convenient LED indicators. Its superb ergonomics are a perfect complement to the FT-1000MP MK V..... **\$899.99**



SINGLE BAND MOBILE RADIOS

The AR-147+, 247 and 447 include features that one would expect to find on a modern amateur mobile including AM air receive (AR-147+ only), direct frequency entry, lots of memory channels and more. Both CTCSS and Digital Coded Squelch to ensure compatibility with all repeater systems. • MARS/CAP capable • 80 multi-function memories plus call channel • Auto repeater offset • 9 DTMF autodialer memories + redialer • Programmable band and memory scan modes • Time-out timer • DTMF paging • Dual frequency watch • PC programming capability • Frequency/channel display modes

AR-147+ 2M Mobile Transmit: 144-148MHz • Receive: 118-171MHz • Three power settings (60, 10, 5W) • 1.5" x 5.5" x 6.25", 2.7lbs **\$149.99**

AR-247 220MHz Mobile Transmit: 222-225MHz • Receive: 216-229MHz • Three power settings (30, 10, 5W) • 1.5" x 5.5" x 6.25", 2.7lbs **\$209.99**

AR-447 70 Centimeter Mobile Transmit: 430-450MHz • Receive: 420-460MHz • 3 power settings (35, 10, 5W) • 1.5" x 5.5" x 6.25", 2.7lbs.. **\$209.99**

Available Accessories:

MTGBKT Mobile bracket, PROG47 PC programming software and cable, PWRCORD DC cable, PREMMC100 Premier sun visor mobile mic

ALINCO
AMATEUR RADIO'S VALUE LEADER™



SINGLE BAND MOBILES

DR-M06TH 6M FM Transceiver Covers 50-54MHz • FM, selectable 20/1W output • 100 memories plus CALL channel • 50 tone CTCSS encoder • Programmable repeater offset for each memory channel • Time-out-timer • 13.8V DC @ 3A • 5.5" w x 1.5" h x 4.5" d, 1.6 lbs • Includes DTMF hand mic.. **\$259.99**

Available Accessories:

HK130 Hardware kit, MB130 Mounting bracket, PC15B DC cable



DR-135TP 2M Mobile/Base Voice/Data Transceiver 144-148MHz tx; 118-135.995MHz (AM aircraft), 136-173.995MHz rx • 50W/10/5W • Wide or narrow FM • 1200/9600bps TNC • 100 alphanumeric memories, 1 call • 7-character, 3-mode display • CTCSS/DCS plus 4 European bursts • Backlit DTMF mic • 10 autodialer memories • Multi scan modes • Front panel GPS input • Rear panel PC connection • Ignition key on/off • Theft alarm • 13.8V DC @ 11A • 5.58" w x 1.57" h x 6.83" d, 2.3 lbs.... **\$269.99**

DR-135T Same, but no TNC..... **\$169.99**

DR-235T Same, except covers 222-224.995MHz tx, 216-279.995MHz rx • 25W/10/5W **\$249.99**

DR-435T Same as DR-135T, except covers 430-450 MHz tx, 400-470MHz rx • 35W..... **\$259.99**

Available Accessories:

EDC37 DC cable, EDC43 Cigarette lighter cable, EJ40U Digital board, EJ41U 1200/9600 TNC (T-series only), HK130 Hardware kit, MB130 Mounting bracket, PC15B DC cable



DUAL BAND MOBILES

DR-605TQ FM Dual Band Mobile 144-147.995 MHz and 430-449.995MHz tx; 136-173.995MHz and 420-470MHz rx • 50W/10/5W (VHF), 35/10/5W (UHF) • 50 memories, 1 call channel per band • Cross band repeat and full duplex modes • Dual VHF/UHF only displays • Multi scan functions • CTCSS encode, 3 European tone bursts • Twin volume controls • Packet compatible • Cable cloning function • Internal antenna duplexer • MARS/CAP capability • 13.8V DC @ 11.5A • 5.58" w x 1.57" h x 6.8" d, 2.4lbs **\$339.99**

Available Accessories:

EDS8 EMS14 to DR605 adapter, EMS14 Desk top mic, HK130 Hardware kit, MB130 Mounting bracket, PC15B DC cable

Look For This

NEW

& Check Out AES' Latest Additions.

we have a

SECURE web site
at **www.aesham.com**

MOBILE DX MASTER

Since its introduction over a year ago, Yaesu's FT-100 HF/VHF/UHF Transceiver has been widely acclaimed for its outstanding performance and flexibility. Now the FT-100D builds on this success story, adding the convenience of factory-installed modules for today's Ham on the go!

FT-100D HIGHLIGHTS

The FT-100D is a high-performance, ultra-compact transceiver operating on the 160-10 meter HF bands, plus the 50, 144, and 430 MHz VHF/UHF bands. Known for its outstanding receiver performance, the FT-100D's easy-to-access DSP system is the cornerstone of the outstanding receiver capability. Providing Noise Reduction, Auto-Notch, and Narrow-Bandwidth Filter selection, the DSP system also includes a Microphone Equalizer for the transmit side.

The new and enlarged speaker of the FT-100D ($\phi 66$ mm) provides spectacularly clean audio output, to help you dig out those weak signals.

Whether at home or away, the fantastic new FT-100D is The Choice of the World's Top DX'ers. Step up to the FT-100D, and enjoy the thrill of the sunspot peak in style!

MICRO MOBILE
FT-100D
Ultra-Compact HF/VHF/UHF Transceiver

YAESU
Choice of the World's Top DX'ers

©2000 Yaesu USA, 17210 Edwards Road, Cerritos, CA 90703. (562) 404-2700
Specifications subject to change without notice. Specifications guaranteed only within limited periods. Some accessories and/or options are standard in certain areas. Check with your local Yaesu dealer for specific details.

For the latest news, hottest products:
Visit us on the Internet! <http://www.yaesu.com>

The Ultimate Backpacker!

FIELD



CAMPING



HOME



Actual Size

Bring Ham Radio along on your next hiking, camping, or business trip with Yaesu's amazing new FT-817 Multimode HF/VHF/UHF Portable Transceiver!

● **ULTRA COMPACT:** Measuring just 5.3"x 1.5"x 6.5" WHD (135 x 38 x 165 mm) and weighing about 2 1/2 pounds (1.17 kg, including the supplied antenna and alkaline cells), the FT-817 is small and light enough to take along wherever you're going.

● **WIDE FREQUENCY COVERAGE:** 160-10 meters on HF, plus the 50, 144, and 430 MHz Amateur bands. Plus FM Broadcast, AM Aircraft, and Public Safety receiver coverage.

● **MULTIMODE DESIGN:** Ready for action on SSB, CW, AM, FM, FM-Wide (Rx), 1200/9600 bps Packet, and Digital, including dedicated USB and LSB PSK-31 configurations.

● **5 WATTS POWER OUTPUT:** Using a new-technology all-band MOS FET power amplifier, the FT-817 provides 5 Watts of power output when using a 13.8 Volt DC source. When using Alkaline batteries or the optional FNB-72 Ni-Cd Battery Pack, power is automatically set to 2.5 Watts; via Menu, this can be changed to 0.5 Watt, 1 Watt, or up to 5 Watts.

● **WIDE CHOICE OF POWER SOURCES:** The FT-817 is equipped with an alkaline "AA" cell battery case, and a 13.8 volt DC cable is also supplied. Available as an option is the FNB-72 Ni-Cd Battery Pack (9.6 V, 1000 mAh), which can be recharged using a 13.8 Volt power supply while the radio is being operated.

● **TWO ANTENNA PORTS:** A "BNC" connector is provided on the front panel, and a type "M" connector on the rear panel, with Menu selection of which connector will be assigned for operation on HF, 50 MHz, 144 MHz, and 430 MHz.

● **OPTIONAL COLLINS' MECHANICAL FILTERS:** An optional filter slot is provided, accommodating either the YF-122S (2.3 kHz) 10-pole SSB filter or the YF-122C (500 Hz) 7-pole CW filter. You get "base station" performance even from a mountain top.

● **INCREDIBLE MEMORY RESOURCES:** You get a total of 208 memories, including 200 "regular" memories which may be separated into ten groups of up to 20 channels each. And you can append an Alpha-Numeric "Tag" to each memory to aid in channel identification.

● **A CW OPERATOR'S DREAM MACHINE:** You get a built-in Electronic Keyer with adjustable weighting, adjustable CW Pitch, CW Normal/Reverse frequency tuning, and you can even use the microphone's UP and DOWN keys to send CW via the Keyer.

● **BUILT-IN CTCSS AND DCS:** The built-in CTCSS and DCS Encoder/Decoder systems provide you with the versatility you need for repeater access or selective calling.

● **DUAL - COLOR LIQUID CRYSTAL DISPLAY:** Select from Blue or Amber display illumination, which can also be switched off to conserve battery life. And while you're away, the Spectrum Scope will provide you with a visual record of activity ± 5 channels from your current operating frequency.

ALL MODE PORTABLE TRANSCEIVER

FT-817

HF/50/144/430 MHz Multimode Transceiver

YAESU
Center of the World's Ham DXers

Vertex Standard
US Headquarters
17210 Edwards Road,
Cerritos, CA 90703 (562)404-2700

For the latest Yaesu news,
Visit us on the Internet: <http://www.vxstd.com>

See the exciting new FT-817 at your Yaesu Dealer's showroom today!

Specifications subject to change without notice. Specifications guaranteed only within Amateur bands. Some accessories and/or options are standard in certain areas. Frequency coverage may vary in your country. Check with your local Yaesu dealer for specific details.

Simultaneous Reception

V_{HF}/V_{HF}

U_{HF}/U_{HF}

V_{HF}/U_{HF}

A New Dual-Band Engineering Milestone: Introducing the Dual Band Mobile for the 21st Century's Active Ham!

The Yaesu Engineering Team has done it again! The exciting new FT-7100M Dual Band Mobile brings you the ruggedness and operating ease of our single-band mobiles, and the convenience of remote-head mounting capability (optional YSK-7100 Separation Kit required), in an all-new 144/430 MHz Dual Band design!

Providing 50 Watts of power output on 2 meters, and 35 Watts on 70 cm, the FT-7100M has power to spare when you're in a fringe area. For repeater access or selective simplex calling, you get built-in encoder-decoder circuits providing 50 CTCSS tones and 104 DCS (Digital Code Squelch) codes. And the FT-7100M's huge 262-channel Memory System lets you store up to six Alpha-Numeric characters, for easy channel identification. Operation of the FT-7100M is simple and straightforward, with separate Volume and Squelch controls for each band during dual-band reception, and eight single-function front panel keys provide the easy feature access you need during mobile operation. What's more, you also get three user-definable keys on the microphone to use for important control functions.

Rugged, reliable, and versatile, the FT-7100M provides the highest cost-performance available among Dual Band FM Mobiles. See your Yaesu Dealer today for a test drive!


FEATURES

- Frequency Range: TX 144-148, 430-450 MHz
RX 108-137 MHz (AM), 137-180 MHz, 320-480 MHz, 810-999.99 MHz (Cellular blocked)
- VHF/UHF, VHF/VHF, and UHF/UHF Dual Receive operation*
- Channel Steps: 5/10/12.5/15/20/25/50 kHz/step
- Power Output: 50 Watts (144 MHz)
35 Watts (430 MHz)
- Power Amplifier Type: 2SK3478 Power MOS FET
- Efficient Cooling System: Direct-flow heat-sink and thermostatically-controlled fan
- 262 Memory Channels: 120 "regular" memories, 5 pairs of band limit memories, and one "HOME" channel on each band
- Alpha-Numeric Memory Labels: 6 Characters on lower display field, 5 Characters on upper
- Smart Search™ Automatic Memory Loading System
- 50 CTCSS Encode/Decode Tones
- 104 DCS Encode/Decode Codes
- CTCSS and DCS Search
- ARTS™ (Auto-Range Transponder System)
- Automatic Repeater Shift (ARS)
- DTMF Microphone (U.S. version): Includes 16-memory Auto-dialer, and Direct Frequency Entry
- Band Scanning, Band-Limit Scanning, and Memory Scanning
- Three Priority Channel Modes: VFO, Memory, and Home Channel Priority
- RF Squelch: Opens at user-defined signal level
- Tx Time-Out Timer (TOT)
- Automatic Power-Off (APO)
- 1200/9600 bps Packet Compatible
- Battery Voltage Meter
- Compact Size: 5.8" x 1.9" x 6.9" WHD
- Large (0.9" x 2.3") Liquid Crystal Display
- Cloning Capability: To other FT-7100M Transceivers
- Optional YSK-7100 Separation Kit
- Optional CT-39A Packet Cable

*Simultaneous reception on two different Frequencies, in-band or Cross-Band. Cross-band Repeater Function not available.

144/430 MHz FM Dual Band
Mobile Transceiver

FT-7100M



Actual Size

For the latest Yaesu news, visit us on the Internet:
<http://www.vxstd.com>

Specifications subject to change without notice. Some accessories and/or options may be standard in certain areas. Frequency coverage may differ in some countries. Check with your local Yaesu Dealer for specific details.

YAESU
Choice of the World's Top DXers™

Vertex Standard
US Headquarters
17210 Edwards Road,
Cerritos, CA 90703 (562)404-2700


Metallic Silver

The VX-5R, the world's most popular Triple-Band Hand-Held FM Transceiver, is now available in a beautifully-crafted Silver version: the VX-5RS! With the legendary VX-5R performance flexibility, the stylish VX-5RS is the shining star for Amateur VHF/UHF operation!

50/144/430 MHz TRIPLE-BAND
HEAVY DUTY FM TRANSCEIVER
VX-5RS
(Silver version)




50/144/430 MHz TRIPLE-BAND
HEAVY DUTY FM TRANSCEIVER
VX-5R
(Black version)



Features

- Ultra Compact: 2.4" x 4.1" x 1.3"
- Aluminum Diecast Case
- MIL-STD 810 Rating
- Optional Barometric Sensor Unit
- 5 W Power Output (430 MHz: 4.5 W)
- AM/Shortwave Receive
- AM Aircraft Receive
- High-Capacity Lithium-Ion Battery: 7.2 V @ 1100 mAh
- CTCSS and DCS Built In
- Dot Matrix LCD
- Dual Watch
- Spectra-Scope™ Graphical Display
- 220 Memories plus "Home" Channels
- Ten Pairs of "Band Limit" Memories
- Ten Auto-Scan Weather Channels (North American version)
- 8-Digit Alphanumeric Memory Tags
- Convenient Icon Display Mode
- Smart Search™ Automatic Memory Loading
- Automatic Repeater Shift
- Auto-Range Transponder System (ARTS™)
- Multiple Battery Savers
- Time-Out Timer (TOT)
- Busy Channel Lock Out (BCLO)
- Versatile High-Speed Scanning
- 16-Digit 9-Memory DTMF Autodialer
- One-Touch Emergency Channel
- ADMS Windows™ PC Programmable
- Innovative Multi-Section Antenna
- Full Line of Accessories



- Frequency Coverage:
 - Wide Band Receive
 - RX : 0.5-15.995 MHz 48-728.990 MHz
 - 800-998.990 MHz (Cellular Blocked)
 - TX : 50-54 MHz 144-148 MHz
 - 430-450 MHz



Vertex Standard
US Headquarters
17210 Edwards Road,
Cerritos, CA 90703 (562) 494-2700

For the latest Yaesu news, visit us on the Internet:
<http://www.vxstd.com>

Specifications subject to change without notice. Some accessories and/or options may be standard in certain areas. Frequency coverage may differ in some countries. Check with your local Yaesu Dealer for specific details.

- ARRL North Florida Section Convention
- 150 Commercial Exhibits
- Over 400 Swap Tables
- Largest Tailgate Area In Florida
- Testing On Saturday
- Free Parking
- RV Camping On Premises (\$16 per night)
- Fox Hunt (5 pm Saturday)
- Guest Friendly Central Florida Atmosphere
- Theme Parks Nearby
- Courtesy Talk-In On 146.76 (Backup Talk-In On 147.015 and/or 146.820)

Get Ready For The

ORLANDO HamCationSM

Amateur Radio & Computer Show

2002

February 8, 9 & 10

AT THE CENTRAL FLORIDA FAIRGROUNDS
4603 West Colonial Drive Orlando, Florida

Fri. 12 noon to 7 pm (swap tables, tail-gating and Commercial II) Sat. 9 am to 5 pm Sun. 9 am to 1 pm

Start off the year 2002 in Orlando, at one of the great hamfests. See the latest equipment. Find swap table bargains. See the largest tail-gating area in the Southeast.

There are base stations, mobile rigs, HT's, amps, antennas, call-letter hats, T-shirts, eye-ball QSO's, QSL cards, food, computers, sun and fun. You'll think it's ham heaven.


Home of some of the best known theme parks on earth, Orlando has all you need to round out your visit. It will be a great vacation for hams and the family. Make your plans now for the 2001 Orlando HamCation.

Advanced tickets: **\$7.00**


Tickets at the gate: **\$9.00**

For current information please visit our web site at www.oarc.org/hamcat.html or call 407-923-8699.

You can write us at: **HamCation**
P.O. Box 547811
Orlando, FL 32854-7811



ICOM



SINGLE BAND MOBILE

IC-2100H 2 Meter Rugged Transceiver Icom's newest and best performer against IMD. Straight-forward, easy-to-use operation • 50/10/5W • 144-148MHz transmit • 136-174MHz receive • One-touch button operation (no function key used) • 113 memory channels • Cool dual display: selectable green or amber backlit display • Large, easy-to-see, user-programmable, alphanumeric display • 4 back-lighting levels • Backlit DTMF microphone with 2 user-programmable keys • Heavy duty, one-piece, die cast aluminum chassis • Adjustable attenuator • CTCSS tone encode and decode built-in (program up to 50 tones) • Tone scan built-in • Auto repeater with busy lockout • Priority watch (3 types) • Cloning capability • Mounting bracket included • Built to MIL STD 810 C/D/E for shock and vibration • Requires 13.8V DC @ 12A • 5.5" w x 1.6" h x 7.1" d, 2 lb, 10 oz. **\$169.99**

Available Accessories:

BC96 Microphone holder, CSW2100 Windows software and cable, CS2100 DOS cloning software, EX1513 Infrared receive range extend, EX1759 Infrared receiver, HM90A Wireless microphone, HM98S Replacement TTP mic, HS62 Flexible mobile mic, MB17A Quick release bracket, MB28H Mobile bracket, OPC346 9.8' DC cable, OPC347 23' DC power cable, OPC440 16.4' mic extension cable, OPC441 Speaker extension cable, OPC474 Radio-to-radio cloning cable, OPC478 PC cable, OPC589 8-pin mic jack adapter cable, OPC647 8.2' mic extension cable



DUAL BAND MOBILES

IC-207H 2M/440MHz Super Compact Dual Bander • 50W (VHF), 35W (UHF) • Transmit 144-148MHz and 440-450MHz • VHF wideband receive: 118-174MHz (includes Air Band) • 162 memory channels • Works one band at a time. Switch between bands with a touch of the large blue button • 9600 baud packet ready • CTCSS encode and decode • Auto repeater function • Multi-function backlit remote control microphone • Optional wireless microphone • 4 power settings per band • Big dials; big keys; big, bright display – easy-to-use on the GO! • Cloneable with optional software and cable • 5.5" w x 1.6" h x 8.4" d, 3.1 lbs **\$299.99**

Available Accessories:

BC96 Microphone holder, CSW207/2710 Windows software, CS207 DOS programming software, EX1513 Infrared receive range extend, EX1759 Infrared receiver, HM90A Wireless microphone, HS62 Flexible mobile mic, MB17A Quick release bracket, MB28H Mobile bracket, MB58 Remote controller bracket, OPC346 9.8' DC cable, OPC347 23' DC power cable, OPC440 16.4' mic extension cable, OPC441 Speaker extension cable, OPC589 8-pin mic jack adapter cable, OPC600 11.5' separation kit, OPC601 23' separation kit, OPC646 Programming cable, OPC647 8.2' mic extension cable, RMK3 MB58/OPC600/OPC647 package



IC-2800H VHF/UHF Dual Band FM Transceiver

Top-of-the-line, advanced 2M/440MHz mobile dual bander. LCD has user-selectable display modes and video capabilities. • 50W (VHF), 35W (UHF) • TX: 144-148MHz and 430-450MHz • VHF wideband receive: 118-174MHz • 232 memories • 3" multi-function TFT color LCD • NTSC video port – display SSTV, CCD camera input, video input • 4 display modes to suit personal preference • Separate control head with connection cable and 2 mounting brackets • Independent tuning controls • Simple band-scope function • 9600 bps packet terminal • CTCSS enc/decoder • Crossband full duplex capability • Built-in duplexer • Selectable squelch attenuator & delay • Remote control capability • Built-in auto repeater • Time-out timer • Auto power off • PC programmable • Full function, backlit mic • Optional wireless infrared mic • Requires 13.8V DC @ 12A • 5.5" w x 2.75" h x 1.3" d, 10.2 oz. (head); 5.5" w x 1.6" h x 6.6" d, 2 lb, 9 oz. (body) **\$499.99**

Available Accessories:

CS2800 Windows cloning software, EX1513 Infrared receive range extend, EX1759 Infrared receiver, HM90A Wireless microphone, MB17A Quick release bracket, MB28H Mobile bracket, MB65 Mounting base platform, MB73 Controller bracket, OPC346 9.8' DC power cable, OPC347 23' DC power cable, OPC440 16.4' mic extension cable, OPC478 PC cable, OPC589 8-pin mic jack adapter cable, OPC647 8.2' mic extension cable, OPC872 Controller extension cable, SP10 Slim-line external speaker, UT49 DTMF decoder

KENWOOD



SINGLE BAND FM MOBILE TRANSCEIVERS

Fully loaded with features and built to demanding MIL-STD specifications. Supremely user-friendly. • High RF output • 61 multi-function memory channels plus 1 call channel • Memory Name (MN) function with 6-digit alphanumeric display • DTSS selective calling • Multi-scan capability • Dual menu system • Multi-function microphone with backlit keys • DTMF memory function • Built-in CTCSS tone encoder (optional decoder) • Tone scan • Wireless cloning function • Repeater reverse switch • Lock function • Busy channel lock out • Auto power-off • Time-out timer • 13.8V DC @ <11A • 5.5" w x 1.5" h x 6.3" d, 2.2 lbs.

TM-261A 2M (pictured) 144-148MHz transmit; 118-174MHz receive • AM Airband receive • 50/10/5W • Auto repeater offset **\$169.99**

TM-461A 440MHz 438-450MHz transmit; 400-470 MHz receive • 35/10/5W • Looks similar to TM-261A except for frequency display **\$439.99**

Available Accessories:

MB201 Mobile brket, PG2N DC cable, TSU8 CTCSS decoder



TM-331A 220MHz FM Mobile Transceiver Rugged and compact with features that guarantee reliable performance. Covers 222-225MHz transmit and receive • 25/10/5W • Easy-to-read illuminated keys plus large LCD display • 20 multi-function memory channels plus call channel • Multi-scan capability • Tone alert with elapsed time indicator • Page function • CTCSS tone encoder • Time-out timer • Lock function • Auto repeater offset • Repeater reverse switch • Multi-function mic supplied • 13.8V DC @ 6.5A • 5.5" w x 1.5" h x 6.3" d, 2.5 lbs **\$499.99**

Available Accessories:

KQT8 CTCSS decoder, MB201 Mobile brket, PG2N DC cable



TM-541A 1200MHz FM Mobile Transceiver Extremely compact and lightweight, perfect for mobile installation. Enhanced night-time operation with its illuminated keys, large LCD, and backlit microphone with DTMF. Covers 1240-1300MHz transmit and receive • 10W RF power output • Easy-to-read, easy to operate illuminated keys plus large LCD display • 20 multi-function memory channels plus call channel • Built-in CTCSS tone encoder • ALT (Automatic Lock Tuning) • Tone alert system with elapsed time indicator • DTSS (Dual Tone Squelch System) • Pager function • Auto-power off • Time-out timer • Multi-scan function • Programmable call • Programmable VFO • Offset and repeater reverse switches • Multi-function backlit DTMF microphone supplied • 13.8V DC @ <6A • 5.5" w x 1.5" h x 6.3" d, 2.4 lbs **\$449.99**

Available Accessories:

DTU2 Digital paging unit, KQT8 CTCSS decoder, MB201 Mobile brket, PG2N DC cable

FREE ITEMS included with some radios.
See Price Guide for details.

Look For This

NEW

& Check Out AES' Latest Additions.

KENWOOD



DUAL BAND UHF/VHF MOBILES

High performance multi-banders that can receive three bands simultaneously (with the addition of an optional band unit). Available detachable front panel kit and wireless remote control functions (by external DTMF signal) add versatility. Triple receive function with triple display • Selectable frequency step • Built-in DTSS selective calling with page • 101 memories and memory bank system • Flexible scan and scan stop modes • Tone alert system with elapsed time indicator • Triple repeater functions • S-meter squelch • Separate antenna and speaker terminals, squelch and volume control per band • Automatic band change • Sub-band muting • Date/time display, stopwatch, alarm • On/Off timer • Time-out timer • Auto power-off • 13.8V DC @ <11A • 5.9" w x 1.5" h x 6.8" d, 3.3 lbs.

TM-642AD 2M/220MHz (pictured) 144-148MHz transmit/118-174MHz receive and 222-225MHz transmit/215-235MHz receive • 50/10W (2m); 25/10W (220MHz)..... **\$739.99**

TM-742AD 2M/440MHz 144-148MHz tx/118-174MHz rx and 438-450MHz tx/410-438MHz rx • 50/10W (2m); 35/10W (440MHz) • Looks like TM-642AD except frequency display..... **\$639.99**

Available Accessories:

DFK3 9' separation display cable kit, DFK4 13' remote cable kit, DFK7 Deluxe 22' remote kit, MB14 Quick release mobile mount, MJ88 Modular/8-pin adapter, PG2N DC cable, TSU7 CTCSS decoder unit, UT1200 10W 1.2GHz unit, UT220S 25W 220MHz unit, UT440S 35W 440MHz unit, UT50S 50W 6M unit



TM-G707A 144/440MHz FM Dual Band Extraordinarily user-friendly with its extra-large detachable control panel. Transmit ranges: 144-148 MHz and 430-450MHz; receive: 118-174 and 410-524MHz • 50/10/5W (VHF); 35/10/5W (UHF) • Detachable control panel with high-visibility amber-colored LCD display • 180 multi-function memory channels with alpha-numeric ID • Multi-scan functions • Priority scan function • Built-in CTCSS encoder and decoder • 1200/9600bps packet ready • Cross band repeater access • Selectable frequency step • S-meter squelch • Time-out timer • Dimmer control • Auto power-off • Multi-function backlit microphone with DTMF • 13.8VDC @ 11A • 5.5" w x 1.5" h x 7.4" d, 2.7 lbs **\$299.99**

Available Accessories:

DFK3C 9' cable kit, DFK4C 13' cable kit, DFK7C Deluxe 23' remote kit, MB201 Mobile bracket, MJ88 Modular/8-pin adapter, PG2N DC cable, PG4S PC interface cable, PG5A Packet data cable, VS3 Voice synthesizer



TM-D700A Data Communicator 144/440MHz Dual Bander Fully equipped to complement SSTV, GPS and APRS® operations. 144-148MHz and 430-450MHz transmit • Wide-band receive: 118-148, 136-175, 300-524 and 800-1300MHz (cell blocked) • 50/10/5W (VHF); 35/10/5W (UHF) • Detached control panel with extra-large backlit LCD and multi-function key display • Backlit microphone with alphanumeric input • Easy-to-use menu system • Advanced APRS-99 features • Built-in 1200/ 9600 bps TNC (AX.25) • DX cluster monitoring • Dual receive on same band for voice and data • 200 memory channels with 8-character alphanumerics • 2 call channels • 10 programmable memory scan banks • Built-in CTCSS and 1750 tone burst • Digital Code Squelch (DCS) • DTMF memory • Cross band and fixed band repeater operation • DCS code scan, tone, CTCSS scan • 10-channel program scan • Visual band scope • 13.8VDC @ 11.5A • 5.5" w x 2.4" h x 1.2" d, 0.4 lbs. (control), 5.5" w x 1.2" h x 7" d, 2.6 lbs. (main)..... **\$599.99**

Available Accessories:

MB201 Mobile bracket, MJ88 Modular/8-pin adapter, PG2N DC cable, PG4X 13' extension cable kit, PG5A Packet data cable, VS3 Voice synthesizer



TM-V7A 144/440 MHz FM Dual Bander Easy-to-operate control panel with dual mode cool-blue reversible LCD, offering both positive and negative display modes. Use with a PC, GPS, packet TNC or operate APRS position reporting and message system locally or nationally. Transmit: 144-148, 430-450MHz; receive: 118-174, 410-470MHz • 50/10/5W (VHF); 35/10/5W (UHF) • Data connector and separate automatic digital channel for APRS® • Detachable control panel • Dual receive on same band • Up to 280 multi-function memory channels (180 with 7-character alphanumerics) • Multi-scan functions • DTSS selective calling with page function • Built-in CTCSS enc/decoder • 1200/9600bps packet ready • Friendly operating menu • Automatic band change • Selectable frequency steps • S-meter squelch • Time-out timer • Audible frequency ID • Auto repeater offset (144MHz) • Auto power-off • Backlit multi-function mic with DTMF • 13.8VDC @ 10A • 5.5" w x 1.5" h x 7.4" d, 2.7 lbs **\$419.99**

Available Accessories:

DFK3C 9' cable kit, DFK4C 13' cable kit, DFK7C Deluxe 23' remote kit, MB201 Mobile bracket, MJ88 Modular/8-pin adapter, PG2N DC cable, PG4S PC interface cable, PG5A Packet data cable, VS3 Voice synthesizer



LOW POWER SINGLE BAND SSB MOBILE TRANSCEIVERS

Easy to operate! No microprocessor – just turn on and tune in. • 20W PEP (Less on VHF models) – plus Constant Current™ syllabic speech processing for an added 4–6dB advantage to cut through noise, fading, and QRM. Includes a handheld dynamic mic that complements the speech processing. • Low drain – 3A from 12V supply or battery. • Low noise preamp and active double balanced mixer front end • Excellent selectivity – Sharp 2.3 kHz SSB crystal ladder filter reduces passband noise, fights QRM, and improves intelligibility • TVI protection (built-in 7 element lowpass filter) • Real S-meter: Position your beam with accuracy and give meaningful reports. Also, monitor speech processing level. • Agile tuning – reduction drive analog VFO lets you scan the band for signals quickly, then zero in smoothly • Amplifier jack • 2.5" h x 6.5" w x 6" d, 2lbs.

9402X 2M SSB Adventure Radio™, 7W.... **\$269.99**

9406X 6M SSB Adventure Radio™, 10W.. **\$249.99**

9410X 10M SSB Adventure Radio™, 20W **\$249.99**

Available Accessories:

1770A 10M dipole for 9410X, 4110 Portable AC power supply, 4114 Rechargeable power pack, 416 CW adapter, 971 200W HF tuner (9410X only)



VHF DATA RADIOS

Don't tie up your expensive rig on a single packet channel, check out these low-cost MFJ Data Radios.

8621 PacketOnly™ 2m Transceiver Compatible with all TNCs with hardware DCDs and most TNCs with software DCDs • 1200/9600 baud • 5W output • Low current drain (15mA on receive and less than 1 amp on transmit) • 5" w x 5" d x 1.5" h • Crystals installed for 145.01MHz **\$139.99**

8621X2 PacketOnly™ 2m Transceiver Ready for APRS use. • Crystalled and aligned for 144.390MHz • 5W output..... **\$149.99**

Available Accessories:

4110 Portable AC power supply, 5100 Data radio cable (MFJ/TAPR), 5100X Data radio cable (PK232), 5100YH Data radio cable (KPC9612), 5100YV Data radio cable (KAM/KPC3), 5106 Open end (6-pin mini Kenwood/Yaesu)

we have a
SECURE web site
at **www.aesham.com**

FREE ITEMS included with some radios.
See Price Guide for details.

RANGER
Communications, Inc.



DUAL BAND MOBILES

RCI-2950DX 10/12 Meter Transceiver An old favorite updated with 12M band, improved receiver, double FET balanced mixer, surface mount components and improved display lighting. Covers 24.8-24.990 and 28.0-29.7MHz • 25W (SSB), 12W (CW), 10W (AM/FM) • Dual VFO • RIT • Noise blanker • Standard repeater offsets • Programmable tone • Large display with 4-step dimmer • Scanning • 10 programmable frequencies • Lockout **\$269.99**

RCI-2970DX Higher power version. 150W (SSB PEP), 50W (CW/FM/AM) **\$399.99**

YAESU

*Yaesu prices beyond 9/30/01 were unknown at press date.



SINGLE BAND MOBILES

FT-1500M 2M FM Transceiver Transmit: 144-148MHz, receive: 134-174MHz • 10 NOAA weather channels with "Weather Search" • 50/25/10/5W • Alphanumeric channel display • 130 multi-function memories with 6-character alphanumeric labels • SmartSearch™ automatic memory loading • Priority channel • 16-digit, 8 memory DTMF autodialer • 50-tone CTCSS enc/decode • Bell alert CTCSS paging • Auto repeater shift • 1200/9600 baud compatible, rear panel data jack • Time-out timer • Auto power off • DTMF direct access mic • MIL-STD 810 D/E • DC voltage display • 13.8V DC @ 9.5A • 5"w x 1.4"h x 4.9"d, 2.2 lbs. **\$149.99**

Available Accessories:

ADMS2F Programming software, MH36C8J Extra TTP microphone, MLS100 Mobile speaker, RA0242900 Mobile bracket, SP7 External speaker, T9021810 DC cable



FT-2600M Heavy-duty 2M FM Transceiver Transmit: 144-148MHz, receive: 134-174MHz • Selectable channel steps • Advanced track tuning • 60/25/10/5W • Alphanumeric channel display • Programming menu holds 33 operational settings • 175 multi-function memories with 8-character alphanumeric labels • High-speed, multifunction scanning • SmartSearch™ automatic memory loading • Auto Range Transpond System™ • CTCSS and DCS encode/decode • Automatic repeater shift (ARS) • 1200/9600 baud compatible, rear panel data jack • Time-out-timer • Auto power-off • Back-lit DTMF direct access microphone provides user-programmable function keys • 8-memory, 16-digit DTMF autodialer • Front mounted speaker • PC programmable with optional software • DC voltage display • MIL-STD 810 rating • 13.8V DC @ 9.5A • 6.3"w x 1.6"h x 6.3"d, 2.9 lbs. **\$169.99**

Available Accessories:


ADMS2E Programming software, MLS100 Mobile speaker, MMB48 Mobile bracket, SP7 Ext. spkr, T9021810 DC cable



FT-3000M High-Powered 2M FM Transceiver Transmit: 144-148MHz • Wideband receive: 110-180, 300-520, 800-824, 849-869 and 894-999MHz (cell blocked) • Sub-receiver (split and full duplex cross band, dual watch) • 70/50/25/10W (twin cooling fans) • Programming menu holds over 50 operational settings • 81 memories • Programmable memory scanning and tuning, SmartSearch™ • Large alphanumeric LCD display • CTCSS and DCS encode • Digital coded squelch (DCS) • Spectrum scope • ARTS™ • 1200/9600 baud compatible ready • Auto repeater shift • Adjustable display brightness • Time-out-timer • Auto power-off • Back-lit DTMF direct-access mic (user programmable function keys) • 13.8V DC @ 15A • MIL-STD 810 rating • 5.5"w x 1.6"h x 7.1"d, 2.8 lbs. **\$399.99**

Available Accessories:

ADMS2D Programming software, CT39 Packet cable, DVS4 Voice recording module, FTS17A Decoder, MLS100 Mobile speaker, MMB36 Mobile bracket, MMB60 Quick release mobile mount, SP7 External speaker, T9021810 DC cable



DUAL BAND MOBILES

FT-90R 2M/440MHz FM Transceiver Micro-sized with built-in cooling fan • TX: (2M) 144-148MHz; (440MHz) 430-450MHz • Wideband rx: 100-230, 300-530, 810-999.975MHz (cell blocked), includes AM aircraft • 50/20/10/5W (2M), 35/20/10/5W (440 MHz) • 186 memories with alphanumeric labels • 5 scanning modes • Built-in CTCSS/DCS enc/dec • ARTS™ • 1200/9600bps compatible • Auto repeater shift • Time-out-timer • Ultra-compact remote-head capability • DTMF direct access mic with user-programmable keys • 8-memory, 16-digit DTMF autodialer • Memory cloning • 13.8V DC @ 9.5A • 3.9"w x 1.2"h x 5.4"d, 1.42 lbs. **\$319.99**

Available Accessories:

ADMS2E Programming software, MEK2 Mic extension kit, MLS100 Mobile speaker, RA0131900 Mobile bracket, SP7 External speaker, T9021810 DC cable, YSK90 Remote separation kit




FT-7100M Dualband Mobile The ruggedness and operating ease of single band mobiles, and the convenience of remote head mounting capability in a 144/430MHz dualband design. • 144-148, 430-450MHz tx; 108-137MHz (AM), 137-180MHz, 320-480MHz, 810-999.99MHz (cell blocked) rx • Dual receive: VHF/UHF, VHF/VHF, UHF/VHF • Selectable channel steps • 50W (144MHz), 35W (430MHz) power output • Efficient cooling system: Direct-flow heat-sink and thermostatically-controlled fan • 262 memory channels (120 regular, 5 pairs of band limit memories, and one "HOME" channel on each band) • Alphanumeric memory labels (6 characters on lower display field, 5 characters on upper) • SmartSearch™ auto memory loading system • 50 CTCSS encode/decode tones and 104 DCS encode/decode codes • CTCSS/DCS search • Auto-Range Transpond System • Band, band-limit, and memory scanning • 3 priority channel modes (VFO, memory, and home channel priority) • RF squelch - opens at user-defined signal level • Auto power-off • 1200/9600bps packet compatible • 5.8"w x 1.9"h x 6.9"d • 0.9" x 2.3" LCD display **\$299.99**

Available Accessories:

AD3 100W 2M/440 duplexer, CT39 Packet cable, MEK2 Mic extension kit, MLS100 Mobile speaker, MMB60 Quick release mobile mount, MMB62 Remote control panel bracket, SP7 External speaker, YSK7100 Remote separation kit

FREE ITEMS included with some radios.

See Price Guide for details.



We accept I.M.P.A.C.® Government Credit Cards

AMATEUR ELECTRONIC SUPPLY
5710 W. GOOD HOPE ROAD.
MILWAUKEE, WISCONSIN 53223
(414) 358-0333

NO. 0000

DATE _____ 19__

THIS CERTIFICATE ENTITLES _____

TO MERCHANDISE

VALUED AT _____

DOLLARS \$ _____

PRESENTED BY _____

AUTHORIZED SIGNATURE _____

Gift Certificates Available For The Undecided

[illegible]

* Remotable control head

- (1) Requires keyboard modification
 - (2) Expanded memory requires optional EI-190
 - (3) 2 Piece configuration only
 - (4) 2M/220MHz Transceiver
 - (5) All models are Cellular Blocked
 - (6) AM aircraft receive mode
 - (7) Does not include projections (knobs, antenna jacks, etc.)
 - (8) Manufacturer only guarantees specs within the ham bands
 - (9) Requires internal modification (available on request)
 - (10) There are gaps in non-voice or data portions in certain bands
 - (11) Control head separate from body
- All radios are cell blocked**

All radios are cell blocked

FREE ITEMS included with some radios.
See Price Guide for details.

Manufacturer	MFJ	MFJ	YAesu	YAesu	YAesu
Model	940EX	941DX	FT-1500M	FT-2600M	FT-3000M
Band	6 meters	10 meters	2 meters	2 meters	2 meters
TX Range (MHz)	50-50.3	28.3-28.6	144-148	144-148	144-148
Rx Range (MHz) ^(a)	50-50.3	28.3-28.6	137-174	136-174	110-180, 300-520, 800-999
Aircraft Rx	No	No	No	No	Yes
Power Output	10W SSB	20W SSB	50/75/10/5W	60W	70/50/25/10W
TPP Microphone	No	No	Yes	Yes	Yes
Tone Encode	No	No	Yes	Yes	Yes
Tone Decode	No	No	Yes	Yes/DCS	FTS-17A
Memories	0	0	130	60	81
Alphanumeric	No	No	Yes	Yes	Yes
PC Programmable	No	No	Yes	Yes	Yes
13.8V DC@	1.2A	2A	8A	10A	15A
Antenna Conn	SO-239	SO-239	SO-239	SO-239	SO-239
Size (h/w/d, in.)	2.5/6.5/6	2.5/6.5/6	1.4/5/5	1.6/6.3/6.3	1.5/5.5/7
Weight (lbs.)	2	2	2.2	2.9	2.75

DUAL BAND MOBILE TRANSCEIVERS

Manufacturer	ALINCO	ICOM*	ICOM ⁽¹⁾	KENWOOD ⁽¹⁾	KENWOOD*	KENWOOD	KENWOOD*	KENWOOD	KENWOOD*	RANGER	RANGER	YAESU	YAESU*
Model	DR-6051Q	IC-207H	IC-2800H	TM-D700A	TM-6707A	TM-642D ^(a)	TM-V7A	TM-642D ^(a)	TM-742D	RCI2950DX	RCI2970DX	FT-7100M	FT-90R
Tx Range ^(5,8)	144-148 430-450	144-148 440-450	144-148 430-450	144-148 438-450	144-148 438-450	144-148 220-225	144-148 438-450	144-148 220-225	144-148 438-450	24.8-24.99 28-29.6999	24.8-24.99 28-29.6999	144-148 430-450	144-148 430-450
Rx Range (MHz) ^(5,8)	136-174 470-470	118-174 ⁽⁶⁾ 440-450	118-174 ⁽⁶⁾ 430-450	118-174 (A band) ⁽¹⁰⁾ 136-175 300-524 800-1300 (B band) ⁽¹⁰⁾	118-174 410-524 ⁽⁶⁾	118-174 213-235 ⁽⁶⁾	118-174 410-470 ⁽⁶⁾	118-174 213-235 ⁽⁶⁾	118-174 410-470 ⁽⁶⁾	24.8-24.99 28-29.6999	24.8-24.99 28-29.6999	108-137 (AM) 137-180 320-480 810-999.99	100-230 300-530 810-1000
Single or Dual Rx	Dual	Single	Dual	Dual	Single	Dual	Dual	Dual	Dual	Single	Single	Dual	Single
Power (2W)	50/5W	50/20/10/5W	50/20/10/5W	50/10/5W	50/10/5W	50/10/5W	50/10/5W	50/10/5W	50/10/5W	150W SSB	150W SSB	50/20/10/5W	50/20/10/5W
Power (440MHz)	35/5W	35/20/10/5W	35/20/10/5W	35/10/5W	35/10/5W	25/10/5W	35/10/5W	25/10/5W	35/10/5W	50W CW/FM/AM	50W CW/FM/AM	35/20/10/5W	35/20/10W
Memories	100	182	232	200	180	101	280	101	101	10	10	262	186
Tone Encode	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes
Tone Decode	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Optional TSU-7	No	No	Yes	DCS
Duplexer	Yes	Yes	Yes	Yes	Yes	No	Yes	No	No	No	No	Yes	Yes
Cross-Band Rpt.	Yes	No	Yes	Yes	No	Yes ⁽⁹⁾	Yes	Yes ⁽⁹⁾	Yes ⁽⁹⁾	No	No	No	No
Alphanumeric	No	No	Yes	Yes	Yes	No	Yes	No	No	No	No	Yes	Yes
PC Programmable	No	Yes	Yes	Yes	Yes	No	Yes	No	No	No	No	No	Yes
9600b Compatible	Yes	Yes	Yes	Yes	Yes	Yes ⁽⁹⁾	Yes	Yes ⁽⁹⁾	Yes ⁽⁹⁾	No	No	Yes	Yes
Separateable	No	Yes	Yes ⁽⁹⁾	Yes ⁽⁹⁾	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes
Height (in.) (Head)	1.6	1.6	1.6 (2.8)	1.6 (2.4)	1.6	1.9	1.6	1.9	1.9	3.875	3.875	1.9	1.2
Width (in.)	5.5	5.5	5.5 (5.5)	5.5 (5.5)	5.5	5.9	5.5	5.9	5.9	7.75	7.75	5.8	3.9
Depth (in.)	6.9	7.3	6.5 (1.3)	7.7 (1.3)	7.4	6.9	7.4	6.9	6.9	9.25	9.25	6.9	5.4
Weight (lbs)	2.4	2.6	2.5 (0.6)	2.6 (6.3)	2.7	3.9	2.7	3.9	3.9	7.4	7.4	2.2	1.4



uniden[®] MARINE

HH-940P Marine VHF Handheld All US, international, Canadian and 10 weather channels • Programmable memory • All channel scan • Instant channel 16 and 9 • Triple watch • Weather alert • Electronic touch controls • Super twist backlit LCD • 1W

• Keypad lockout • Battery charge indicator • Waterproof/submersible • Rechargeable NiCad battery, belt clip, wrist strap, drop-in charger • 2.5" w x 1.25" d x 4.813" h, 8.8 oz **\$149.99**


HH-955 Marine VHF Handheld • All US, international and Canadian marine channels, plus 10 weather channels • Memory scan • Backlit LCD display • Triple watch • Instant Channel 16 and 9 • Weather alert • 5W/1W • Key-pad lockout • Battery charge indicator • Water-tight • Alkaline or rechargeable NiCad battery capability, requires 9 "AA" batteries (not supplied) • AC adapter, wrist strap and belt clip • 2.5" w x 1.75" d x 6.5" h, 19.5 oz **\$99.99**



HH-985 Marine VHF Handheld All US, international, Canadian and 10 weather with S.A.M.E. • All/selectable channel scan • Instant channel 16 and 9 • Triple watch • Electronic touch controls • 5W/1W • Battery charge indicator • Water-tight • Rechargeable NiCad battery, secure latch belt clip, wrist strap, drop-in battery capability (AA's not supplied) • 2.5" w x 1.5" x 5.25" h, 8.8 oz **\$159.99**



MC-535 Marine VHF Radio All USA and International, 10 weather, 80 marine channels • Instant channel 16 • Memory scan • Dual watch • LED channel display • 25/1W • Weather resistant • External speaker jack • 12 VDC @ 5A • 6.125" w x 7.563" d x 2.188" h, 2.4 lbs **Closeout \$99.99**



MC-1010 80 channel Marine VHF • Looks similar to the MC-1020 • All USA, International and 10 weather channels • Ultra-compact • Triple watch feature • Memory/weather scan • 25/1W output • External speaker jack • 12V DC @ 4.5A • 6.125" w x 4.188" d x 2.125" h, 1 lb. 12 oz **Closeout \$129.99**

MC-1020 80 channel Marine VHF • All USA, International and 10 weather channels • Ultra compact • Quik Command™ mic • Touch channel 16 and 19 • Memory scan • Weather scan and alert • 25/1W • Public address • External speaker jack • 6.125" w x 4.188" d x 2.125" h, 1 lb. 12 oz **Closeout \$139.99**

ICOM




MARINE

M-710 SSB Marine Transceivers Rugged, 150W SSB Transceiver, 1136 channels with 160 user-programmable memories, PC programmable, alpha numeric readout on large LCD.

M-710 (21) General version without 2182kHz alarm, marine bands only **Special Order \$1399.99**

M-710-05 (22) Open version, covers 1.6 to 27.5 MHz, has 2182kHz alarm. **Special Order \$1599.99**



IC-M45AW VHF 25W Marine Transceiver Water-resistant gaskets, including mic • Durable, one-piece aluminum diecast chassis • Large backlit display • "Tag" scan system adds/deletes channels at switch push • "Smart" mic changes channels or selects power without using panel • Dual/tri-watch monitors channel 16 while operating another • All international, US channels and 10 weather channels w/alert • Instant access to ch. 16 and call channel • Low battery indicator • 0.79" h x 2.36" w x 5.5" d... **\$179.99**

IC-M402W02 Marine VHF Radio All U.S., Canadian, International and 10 WX channels with alert • Normal/priority scanning • Dual/tri-watch • Large 2-digit LCD with scrolling channels • 4-level backlighting • Key illumination • DSC capability • Built-in SC-101 selective calling - store 30 IDs and incoming messages • GPS repeater (w/GPS unit) • "Tag" scan • 25W/1W • Waterproof • 6" w x 2.6" h x 5.5" d, 2 lbs **\$219.99**

KENWOOD



MARINE

TKM-707 SSB Marine Transceiver A high-performance unit designed to meet the stringent demands of marine operation. Utilizes a heavy duty rustproof aluminum chassis and the highest quality parts to maximize performance • 150W RF output power • 2 MHz-23MHz Marine operation with 500kHz-30MHz general coverage receiver • 198 memory channels • Multi-scanning • 2182kHz emergency alarm built-in • Optional tuner **Special Order \$1249.99**

Used & Demo

Equipment lists
Updated regularly on the web.
Check them out and order **On-line**

IC-M3A Mini Handheld Marine VHF Radio (left) All U.S., International and 10 weather channels with alert • Independent channel 16 • Full function and priority scanner • Dual/tri-watch monitors channel 16 while operating another • 1W/5W • Backlit display • Water resistant • Includes 6 NiCads and wall charger • 2.25" w x 5.5" h x 1.75" d, 14.4 oz **\$159.99**



IC-M1V Marine Handheld (right) All USA, Canadian, International and weather channels with alert • Normal and priority scan • "Tag" scan system • 5W • Dual / tri-watch • PC programmable • Alpha-numeric LCD • Waterproof • 1400mAh lithium-ion battery • 2.1" w x 5.5" h x 1.18" d, 9.9 oz **\$249.99**

AIRCRAFT

A-22 VHF Air Band Transceiver Covers (COM) 118.-136.975, (NAV) 108-117.95 MHz and memory channels Programmed scan, memory scan and lock • 5W output • Instant 121.5MHz • NAV features: 200 channel VOR nav with CDI, radial heading TO/FROM VOR, auto bearing set • Semi-duplex, combines VOR/COM operation • Includes Ni-cad rechargeable battery and wall charger • 2.5" w x 7.75" h x 1.5" d, 1.4 lbs **\$399.99**



YAESU

AIRCRAFT

VXA-120 Aviator Pro II 4W • Direct freq. entry • 3-way display titling • Internal sidetone • 150 memories • 10 NOAA channels • Auto active weather channel scan • Auto Noise Limiter • Priority dual watch • Battery saver • PC programmable • MIL-STD 810 approved • NiCad batt., headset adapter, belt clip, antenna **\$259.99**



VXA-200/16-SU Aviator Pilot II Offering communications, navigation indicator and safety aid in one handheld. • AM: 118.000-136.975 (COM band) tx • AM/FM: 108.00-117.975 (NAV band) rx • 5W/1.5W with supplied battery • 150 memories • Direct freq. entry • NOAA weather receive (U.S. only) • NAV band VOR navigation display • One-touch emergency • ANL • Skip scan • Split channel • Temperature readout • Barometric pressure, altitude and density altitude • MIL-STD 810 • JIS-4 water resistant • External DC input • Helical antenna, rechargeable NiCad battery pack (7.2V, 700 mAh), overnight charger, belt clip, headset cable and manual • 2.02" w x 4.3" h x 1.18" d, 12.2 oz **\$429.99**





1270C TAPR TNC-2 Clone Interfaces computer with RS-232 serial port and terminal program for VHF/UHF, OSCAR and other non-FM packet. Switchable HF/VHF modems. EasyMail™ personal mailbox, WeFAX. KISS interface for TCP/IP, 256K EPROM & 32K RAM. AX.25/Level 2-V2 software. Comes with interface cable, serial port connector and AC adapter. 12 VDC. 9½" x 7½" x 1½" **\$119.99**



1278B Multi-mode Data Controller 10 modes: PACTOR, 16-level FAX, color, SSTV, PACKET, AMTOR, RTTY, ASCII, CW Navtex & memory keyer. Enhanced mailbox • 32K RAM • 16-gray level modem • 20 LED tune indicator • MARS mode • Internal modem header • 10 program message buffers • Dual radio ports • KISS interface • Host mode • Threshold control • RS-232/TTL ports • 12 VDC • 9½" w x 9½" d x 1½" h **\$279.99**

1278B/DSP The 1278B w/DSP filter **\$359.99**

780 DSP Board Plug-in "brick wall" DSP data filter for MFJ-1278B **\$89.99**



781 DSP for all TNCs This separate unit gives your Kantronics, Timewave, etc TNC Digital Signal Processing power **\$119.99**



1272 TNC Switch Pushbutton selection for voice or digital. You specify the radio and TNC connection (multiple models available) (ea.) **\$39.99**



8621 2 meter Packet Data Radio High-performance thru 9600 baud. Plug in TNC cable*, your antenna and power – you're ready for packet. Crystal control on 145.01MHz, 5W output. Requires 12 VDC @ 1A. 5" w x 5½" d x 1½" h **\$139.99**

8621X2 Dedicated VHF Data Radio for APRS Automatic Packet Reporting System transceiver. Ready to go on 144.39MHz **\$149.99**

*See Price Guide for pre-wired 8621-to-TNC cables. Crystals for other packet channels may be ordered from MFJ by calling 1-800-647-1800.




MULTI-MODE DATA CONTROLLERS

KPC-3 Plus/128 1200 bps • Packet, GPS/APRS, Host, KISS and WEFAX modes, use with EMWIN • Personal Mailbox (PBS) now supports multiple calls • Remote access, sensing and control with two A/D and two control lines • PBS 100k, expandable with optional 512k RAM **\$186.99**

9612 Plus/128 1200 port and second port of 4800–38,400 bps • Most modes/capabilities of the KPC-3 Plus and POCSAG (paging) • Unique design allows the addition of another port, high or low speed • Remote access, sensing and control capability • Telemetry transmission capability **\$369.99**

Hostmaster II+ Packet Software A great program to combine with the KAM, KPC-3plus/128 and older TNC's (not for KAM 98 or KAM XL). The program uses split screens, allows for packet and non-packet operations (with KAM) simultaneously and cuts down dramatically on the use of keyboard commands to your packet unit **\$89.99**


KAM 98 Single port multimode TNC for HF and VHF use • Packet, GPS/APRS, Host, KISS, WEFAX, CW, RTTY, AMTOR, PACTOR, G-TOR®. Free signal detection for HF email, A/D inputs/TTL outputs • HC11 for more processing power to accommodate future upgrades • Wider range of speeds; use 1200 bps packet on 10 meters **\$399.99**



KAM XL Multi-Mode DSP Controller Kantronics third generation multimode TNC, a state-of-the-art design giving operations on HF, VHF, and UHF, while supporting DSP modems and popular new modes of operation • Packet 300 or 1200bps • G-TOR • Pactor I • AMTOR ARQ (FEC, SELFEC, CCIR 476 & 625) • PSK31 • RTTY • NAVTEX/AMTEX • ASCII • WEFAX • CW • Dual Port Mailbox • Remote SYSOP Access • GPS NMEA-0183 Compatible • Kantronics Host Mode • KISS **\$399.99**




PK-96/100K 9600/1200 packet TNC 9600 and 1200 bps packet-ready • GPS firmware standard • Remotely program • GPS commands • Stand-alone tracking hardware HDLC for accuracy • True DCD to hear weak signals • Gateway as a node • TheNet X-1J node firmware option available • Full MailDrop facility • PC PackRatt Lite™ terminal control and APRS™ software included • AEA host mode • Advanced command set • Identify TCP/IP, TheNet and NetRom • Separate external TX for 9600/1200 bps adjustments • External reset • Windows™ and Macintosh™ program available • Requires 12V DC • 6.25" w x 7.5" d x 1.375" h, 1.25 lbs. 128K RAM **\$199.99**



DXP-38 Multimode HF Modem Stand-alone DSP modem providing excellent performance on RTTY, CLOVER, ASCII, AMTOR and P-Mode. DOS and Windows (95, 98 and NT 4.0) software are included. Uses the same serial I/O commands as, and will operate with any 3rd-party software written for the DSP-4100. 12V DC @ 0.6A. 3" x 7½" x 10" w **\$395.99**

RTTY-1 Tuning Indicator EZ to use, very accurate, works with any FSK radio modem. Crossed LED bars show correct tuning for FSK modes including Baudot Teletype (RTTY), ASCII Teletype, AMTOR, SITOR, P-Mode, HF Packet Radio. Filters: 2125 Hz (Mark), 2295 Hz (Space) 5.5" w x 3.75" h x 1.25" d, 0.5 lb. Requires +9V-18V DC @ 160 ma **\$99.99**



Host terminal Software – Takes advantage of true multitasking capabilities of Windows 95, 98, ME, NT and 2000. Release 1.5 with PSK-31 support.

PacTerm 98 For Kantronics™ TNCs **\$79.99**

PK-Term 99 For Timewave and AEA TNCs (PK-12/96/232). Support for PK-232/PSK **\$79.99**

PacComm Packet Radio Systems, Inc.
www.paccomm.com




Pico 128K Miniature TNC (bottom right) Z-181 high integration MPU with one meg address space • Online help • Personal message system • APRS • Terminal programs for DOS and Windows • Open squelch DCD circuit included • Optional internal GPS receiver and slide-on battery pack. 1" h x 2.5" w x 3.5" d • Standard model with 128K RAM .. **\$159.99**

Pico Dual 128K Dual Serial Port Model Adds hardware clock and second serial port for GPS or weather station to the standard model **\$209.99**

Tiny-2 MK-2 Multi-Purpose Basic TNC (top) 32K RAM • TNC-2 EPROM compatible WA8DED host mode • KISS mode for satellite and TCP/IP Telemetry via RS-232 or TTL port • Disconnect header • Packet communication for a weather node • 45ma. draw • 5" h x 7" d 1.375" h **\$159.99**

Spirit-2 High Performance Packet Controller (bottom left) Configures by setting jumpers and installing optional logic devices **\$249.99**

HandiPacket Packet controller For portable or mobile operation • Loaded with features • Built-in 10-hr battery pack • 1.25" h x 2.5" w x 4" d. **\$229.99**



Combination Code Practice Oscillator and CW Monitor Volume control, 3" speaker, & headphone terminals. Requires a code key and a 9V battery
OCM-2K Kit \$19.99 OCM-2W Wired \$24.99



K-1 (left) Low-cost general purpose key w/phenolic base, adjustable tension & contact spacing. **\$10.95**
K-4 (right) Deluxe high quality key. Polished brass base, shorting bar. **\$16.95**

BENCHER, INC.



AFFORDABLE STANDARD
 for CW operators world-wide

IAMBIC & SINGLE LEVEL PADDLES


BY-1 Black base **\$99.99**
BY-2 Chrome **\$119.99**
BY-3 Gold **\$279.99**
BY-4 Black and gold **\$169.99**

www.bencher.com

LOGIKEY

IDIOM Press

Full featured version of the famous Super CMOS III keyer design!



K-3 Non-volatile mem. • 6 editable messages, 1,530 characters • Messages can include programmed functions like automatic contest numbers, speed changes and pauses • Message can allow paddle inserted text & loop for continuous replay • Linear speed control - 5-60 WPM • Adjustable weighting and monitor tone • Tune function • Auto character spacing if desired • Can emulate others, including Curtis "A" timing • Ultra Speed Mode for messages up to 99 WPM • Contest serial numbers 001-9999, with push button decrement • Beacon capability • Full compensation for QSK rig timing • Keys solid-state or grid-blocked tube rigs • 12V DC, < 0.1 amp • 4.25" w x 2.25" h x 4.75" d **\$129.99**

HK-3 Hook-up kit for the K3 Includes Paddle-to-Keyer cordset; RCA-to-RCA keyer output cable and 2.5 mm DC power plug cordset for 12V **\$10.99**

MFJ MFJ ENTERPRISES, INC.



FOR LEARNING/PRACTICING CODE

414 Professional Classroom Tutor Features include LCD readout, printer port and audio tape recording output. Build and save three custom sets (16 characters each) for extra practice. Or combine these to give you 48 characters for using the KOCH method. Customize random words for practice, too. Use with 144/440MHz FM HT or HF transceiver for on-air code practice. VECs can give up to 16 exams. Full-featured memory keyer - has 1000 character memory, semi/auto modes, iambic A/B, reverse paddle, change speed and tone on-the-fly. Practice sending into the MFJ-414 with iambic paddle or straight key. Use built-in or external speaker or headphones. Includes serial port cable and open-end patch cable. 12 VDC or 110 VAC. 8.5" w x 2.25" h x 6" d **\$189.99**



554 Code Practice Oscillator Designed for classroom use and abuse with great sound that enhances learning of Morse code. Plenty of volume from a built-in 1W amp and 3" speaker. Volume control and adjustable tone control (400-1000Hz). On/off switch, power ON LED, 1/4" key jack, 3.5mm external speaker jack and DC input jack. Requires 12V DC. All-metal enclosure. 4.25" x 1.5" h x 5" d **\$79.99**

550 Telegraph Key **\$7.99**



AIDED CW SENDING/RECEIVING

452 Super CW Keyboard (left) A stand alone CW keyboard that includes an RFI suppressed keyboard, a two line 16-character non-volatile LCD display. Send effortless CW by just typing the characters as you see what you are sending on the display. No computer to boot up, no program to load. • Speed: 5-100WPM • Weight: 5-95% • Sidetone: 300-3000 Hz sidetone • Serial Numbers (0-9999) • Has buffer and memory full audible indicators. Keys solid-state and tube-type rigs. Requires 12VDC or 110 VAC with MFJ-1312B **\$129.99**


462B MultiReader™ (right) Supply this unit with audio from a receiver or transceiver; tune in CW, RTTY, ASCII or AMTOR (FEC) signals; and read the automatically decoded text directly from the 2-line, LCD display. • Copy most standard shifts and speeds in all modes • AutoTrak™ feature helps track and decode high speed CW • 8K memory stores several pages • PLL modem technology digs out weak signals • Precision tuning indicator • Printer port • 6.25" w x 2.5" h x 6.25" d • Requires 12VDC or 110 VAC with MFJ-1312B **\$169.99**



KEYERS

407D Deluxe Electronic Keyer Features dot-dash mem., self completing dots and dashes; jam-proof spacing. RF proof, instant start. Single squeeze, or straight key. Front panel controls: speed, weight, tone & volume, ON/OFF, tune, auto or semi-automatic. Selectable A or B-type iambic keying. Built-in speaker, uses 9V battery or MFJ-1312B AC adapter. 7" w x 2" h x 6" d **\$69.99**

401D Econo Electronic Keyer II Similar to MFJ-407D but with external speed and volume controls, internal weight and tune controls. Uses 9V battery or MFJ 1312 AC adapter **\$49.99**



492 Menu Driven Memory Keyer No complex sequences. Save messages, enter iambic, semi-auto, handkey, message queue, paddle modes. Select iambic A/B, Morse trainer, store starting serial numbers. Holds 192 characters in 4 memories (expandable to 8K+ characters in 8 memories. Front panel speed (5-100 WPM) and volume control for sidetone speaker. Direct and grid block keying. 9V battery or 110V AC adapter. 6.5" x 2.5" x 6.25" **\$89.99**

493 All features of the 492, but with 32K memory IBM keyboard input, serial port for computer interface and QSO simulator **\$129.99**

451 Morse Keyboard Stand-alone CW keyboard with 200 character type-ahead buffer, and two 100 character messages. Requires 12VDC or MFJ-1312B 110VAC adapter **\$99.99**

452 Morse Keyboard with 16 character LCD display. Comes with keyboard **\$129.99**

422D Keyer-Paddle Combo Keyer unit installs on top of Bencher iambic paddle. Uses Curtis™ chip. 9 to 50 wpm.



Adjustable weight and tone, dot-dash memory and sidetone. Semi-automatic and tune or auto modes. Keys grid block, cathode or solid state. Uses 9V battery or AC adapter. 4.125" x 2.625" x 5.5" d. **\$154.99**

422DX Keyer only **\$79.99**

UM Unified Microsystems

XT-4 CW Memory Keyer Designed for QRP, Field Day, mobile CW county hunting - any portable operation. Also goes well in the shack with smaller rigs. 8-45 WPM.

Memories: 4 with 100 Morse characters each positive keying output only via RCA phono jack output. 1/8" (3.5mm) stereo jack input. Paddle reverse for left or right-hand operation. Auto power save mode w/flashing LED engages after 30 min. of inactivity. Requires 9V alkaline battery **\$69.99**

KC-4 Cable set for XT-4 **\$9.99**



VIBROPLEX

The Original "Bug", c. 1904, is still manufactured today using tools and dies similar to those used by its inventor, Horace G. Martin. Designed for code speeds of 20-50+ wpm.

- 110 Standard** Painted base/chrome top... **\$169.99**
- 105 Deluxe** Polished chrome base and top parts with fine jewel movements..... **\$199.99**
- 100 Presentation** Polished chrome base and 24K gold-plated base plate and chrome top parts, fine jewel movements..... **\$269.99**
- 090 Gold** Gold-plated base, chrome top... **\$309.99**



Vibrokeyers: Single lever paddle (left) initiates automatic dots and dashes of an electronic keyer. Iambic model (right) allows automatic dot/dash insertion.

Vibrokeyer

- 120 Standard** Black base, chrome parts.. **\$149.99**
- 115 Deluxe** Chrome base and top parts with jeweled movements..... **\$184.99**
- 113 Gold** 24K gold-plated base and top parts with jeweled movements..... **\$279.99**

Iambic

- 135 Standard**..... **\$149.99**
- 130 Deluxe**..... **\$189.99**
- 125 Presentation** 24K gold-plated base and top parts with jeweled movements..... **\$249.99**
- 123 Gold**..... **\$279.99**



- 145 Brass Racer Iambic** (left) Solid brass Iambic paddle on a polished hardwood base..... **\$139.99**
- 150 Square Brass Racer** (right) Solid lacquered brass Iambic paddle mounted on a polished hardwood base. Magnetic action, no springs..... **\$139.99**



Straight Keys (left) Unique mechanical action, unlike any straight key ever manufactured.

- 155 Standard**..... **\$149.99**
- 160 Deluxe**..... **\$189.99**
- 153 Gold**..... **\$279.99**

Deluxe Double Keys (right) Choice of iambic and straight or vibrokeyer and straight key. Double keys allow you to instantly switch from using an electronic keyer to the personal touch of a straight key.

- 165 Straight key/Iambic**..... **\$329.99**
- 170 Straight key/Vibrokeyer**..... **\$329.99**

205 Venus Key Fully handcrafted with bright, chrome parts on a heavy 3.5" round, engraved chrome base. Magnetic tension with red paddles and attached cord. These keys will be custom built after special order • 2.4 lbs..... **\$449.99**



TONE SIGNALLING

NC-101 Encoder Micro-mini. CTCSS encoder, field tunable to any of the CTCSS tone frequencies between 67Hz and 254Hz. 5 to 15VDC. 0.60" w x 0.80" l x 0.15" h **NorFax™ #5040**..... **\$21.99**

NC-104

Programmable Encoder Sub-miniature field programmable CTCSS encoder unit for limited space. Provides standard 37 EIA CTCSS tones + 69.37, 97.4 and 205.5Hz. 7 to 24VDC. 0.625" w x 0.80" l x 0.170" d **NorFax™ #5150**..... **\$26.99**

NC-106

Programmable CTCSS Encoder/Decoder A sub-miniature crystal-controlled digital unit. Field programmable with dip switches providing any one of the standard 37 CTCSS tones + 97.4Hz. 6-24VDC. 0.85" w x 1.35" l x 0.28" h **NorFax™ #5230**..... **\$62.99**

NC-401

Touch-Tone® Decoder Unique micro-mini unit combining 2 distinct multi-addressable decoders for control of remote or local applications. Decodes all 16 DTMF characters with an address length of 1-14 characters and features EPROM memory for storage of both primary and secondary codes, input/output functions, deadbeat disable and user outputs, plus default reset. Programming easily performed by means of a conventional DTMF encoder. 6-24VDC. 0.80" w x 1.37" l x 0.23" h. **NorFax™ #5545**..... **\$62.99**
NorFax™ auto fax retrieval system - 530-477-8403

Pipo® Communications

QUALITY DTMF ENCODERS

- PK-1** 12-digit pad • Steel keys • Sealed gold dome contacts • Self-contained • 8.5 to 16VDC • NO RFI • Simple 3-wire connection • Temp: -22 to +160 F • Adjustable level and timing • Front panel adjustable • Includes template, hardware and schematic • 2.65" h x 2" w x .045" **\$71.99**

K-Series: features a built-in keying circuit and relay to automatically key. When any key is depressed, a relay closes for 0-3 seconds, time is adjustable with a trimpot.



- PK-1K** 12-digit key pad..... **\$78.99**
- PK-2K** 16-digit key pad..... **\$83.99**

PK-2M M-Series a special encoder package for mounting PK-1/1K, PK-2/2K encoder to surfaces inaccessible from the rear. Consists of a frame which secures to the mounting surface with the encoder press-fitting into the frame..... **\$76.99**



TONE ENCODERS & DECODERS


SS-64 Programmable CTCSS Encoder Super small for easy install in most HTs. Standard with 64 EIA tones between 33 and 254.1Hz. Individual tones dip-switch selectable 0.66" x 1.08" x 0.21", requires 6-28 VDC..... **\$28.99**



TS-64DS Field programmable CTCSS Encoder-Decoder DIP switch programmable for 64 EIA tones 33-254.1Hz. 1.25" x 2", 0.3", 6-28 VDC..... **\$57.99**

DTD-1



DTMF Decoder Small, high quality, low cost. Decodes any one of 5,040 4-digit codes to provide a latched or momentary open collector output for single function operations. 1.25" x 2" x 0.4", requires 7-16 VDC..... **\$49.99**



TE-32 Multi-tone Encoder Provides direct access from a front dial rotary switch to all EIA CTCSS tones from 67.0 to 203.5Hz, allowing users to access various repeaters. Great for mobile or test bench. 5.25" x 3.3" x 1.7", 6-30 VDC..... **\$49.99**

TE-64

Multi-purpose Encoder Provides 64 tone frequencies. Includes 32 sub-audible, 19 burst-tone, 8 Touch-Tone® and 5 test frequencies. Separate outputs for high and low frequency ranges. 5.25" 3.3" x 1.7", 6-30 VDC..... **Closeout \$49.99**



ID-8 Multi-Featured Automatic Morse ID'er Programmable via 12-button pad • Eight changeable messages • 200 characters total • CW speed: 1-99 wpm • ID interval timing: 1-99 min. • ID hold-off timing: 0-99 seconds • CW tone: 100-3000Hz • 6-20VDC • 1.85" x 1.12" x .035"..... **\$69.99**

Many wiring diagrams for installing ComSpec units in older equipment are available at www.com-spec.com. Also posted is a list of documents that can be obtained from their Fax-on-Demand system.



POWER SUPPLIES

The alternative to costly "matching" Supplies!

- 105-125V AC input, 13.8V DC output; internally adjustable from 11-15V
- Electronic regulation with fold-back current limiting and crowbar overvoltage protection
- Heavy-duty heat sink
- 3-wire cord
- 1-year Warranty
- Made in U.S.A.

Separate volt and amp meters on RS-20M, 35M, 50M and 70M. Separate volt and amp meters, plus voltage adjustment (2-15V DC) on VS-20ML, VS-35M and VS-50M. RM-35M, RM-50M and RM-60M are rack mount models, plus separate meters.

Model	Cont. Amps	ICS Amps	Size (in.) H W D	Shipping weight	Price
RS-7A	5	7	3 1/4 x 6 1/4 x 9	9	\$59.99
RS-10A	7 1/2	10	4 x 7 1/2 x 10 1/2	11	69.99
RS-12A	9	12	4 1/2 x 8 x 10 1/2	13	79.99
RS-20A	16	20	5 x 9 x 10 1/2	18	99.99
RS-35A	25	35	5 x 11 x 11	27	149.99
RS-35A/220V	Same as RS-35A but 220V input				169.99
RS-50A		37	6 x 13 1/2 x 12	46	219.99
RS-70A	57	70	6 x 13 1/2 x 12	48	259.99
With separate Volt & Amp meters					
RS-20M	16	20	5 x 9 x 10 1/2	18	119.99
RS-35M	25	35	5 x 11 x 11	27	169.99
RS-50M	37	50	6 x 13 1/2 x 11	46	239.99
RS-70M	57	70	6 x 13 1/2 x 12	48	289.99
Adjustable output; separate Volt & Amp meters					
VS-20ML	16	20	5 x 9 x 10 1/2	20	139.99
VS-35M	25	35	5 x 11 x 11	29	189.99
VS-50M	37	50	6 x 13 1/2 x 11	46	259.99
Rack mount models; separate Volt & Amp meters					
RM-35M	25	35	5 1/2 x 19 x 12	38	249.99
RM-50M	37	50	5 1/2 x 19 x 12	50	279.99
RM-60M	50	55	7 x 19 x 12	60	359.99



SMALL POWER SUPPLIES

38-384 Light Duty DC Power Supply Input: 115V AC • Output: 13.8V DC regulated @ 4A • Front panel binding posts, • LED "ON" indicator, fuse protection • 7 1/2" d x 4 1/2" w x 3" h, 5 1/2 lbs **\$39.99**




38-305 AC Adapter (left) Provides multiple low-voltage DC to operate various battery powered equipment requiring 3, 4.5, 6, 7.5, 9 or 12V DC with a maximum current rating of 500ma. Multiple application plugs and 9V snaps fit most devices... **\$9.99**

38-312 Regulated AC Adapter (right) Multi-voltage with multiple plugs and 9V snaps. Selectable 1.5, 3, 4.5, 6, 7.5, 9 or 12V DC regulated with a maximum current rating of 1200ma. to operate a wide range of battery operated devices..... **\$29.99**

POWER SUPPLIES WITH ADDED FEATURES

RS-4L Has a built-in cigarette lighter receptacle in the front panel. 13VDC @ 4A peak, 3 Amps continuous. 3 1/2" h x 6 1/2" w x 4 1/2" d, 6 lbs **\$49.99**

RS-12S Power supply with built-in speaker. Rated 13VDC @ 12 Amps peak and 9 Amps continuous. 4 1/2" h x 8" w x 9" d, 13 lbs..... **\$89.99**



SWITCHING POWER SUPPLIES

SS-25 12V DC, rated 20 amps continuous, 25 amps ICS. 3" h x 7" w x 9 1/2" d, 4.2 lbs..... **\$109.99**

SS-25M Same as above, but also includes voltage and amp meters..... **\$129.99**

SS-30 12V DC, rated 25 amps continuous, 30 amps ICS, 3 1/2" h x 7" w x 9 1/2" d, 4 1/2 lbs..... **\$119.99**


SS-30M Same as above, but also includes voltage and amp meters..... **\$139.99**

POWER INVERTERS

12/115 (General Purpose) Converts 12V DC to 115VAC @ 60 Hz. Provides convenient AC house current in your boat, car, truck, camper, etc. Powers your ham rig, small household appliances, TV, tools, radios and lights up to 200W continuous, with peaks up to 240W and overload protected. Note: This unit produces square wave output, not recommended for devices where high transients are not tolerable. 4 1/2" h x 8" w x 9" d, 9 lbs..... **\$69.99**

N2412-12 (28V Aircraft) Converts 22 to 32V DC input to 13.8V DC output @ 9 amps. Eliminates tapping into a 28V battery for 12V power..... **\$49.99**

N2412-24 Same as the model above, but is rated at 16 amps..... **\$79.99**



SEC-1223 Low Cost, Base Station Power Supply for HF, UHF & VHF Transceivers Switching mode design • 23 Amp rating • Current limiting • Short circuit protection • Overvoltage protection • Anodized black chassis and powder coat wrinkle black steel cover • Input: 110-10VAC, 200-240VAC • 4.9A input current • 13.8VDC output voltage • 23 Amps output current (24 max.) • 3-year warranty • 7.2" x 8.7" x 2.2", 33.3 lbs..... **\$89.99**



GZV-4000 Switching Mode DC Power Supply with Built-in Speaker 120V AC input • Variable output: 5-15V DC with center detent at 13.5V DC • 40 amps continuous rating, 100% duty cycle • Over temperature, overload, short-circuit protection with current foldback at approximately 42 amps • Overload indicator • Selectable monitoring of voltage and current • DC terminals on rear • Cigarette lighter jack on front • Filtered AC line • 8 1/2" x 13" x 4 1/2", 8 lbs **\$179.99**



COMPACT INVERTERS

PowerVerter® Ultra These Low Cost DC to AC Inverters give you access to AC power wherever you need it. Harnessing the 12-volt battery power of your automobile, boat, RV or service truck, they let you use power tools at an out-of-the-way work site, household appliances at a campsite, or office equipment on the road.

- Features:**
- Converts vehicle battery power to clean, safe and efficient AC power
 - Ultra compact design
 - Choice of 140w or 300w models
 - Plugs into vehicle cigarette-lighter socket (includes plug)
 - Electronic circuit protection
 - Low battery alarm and shutdown
 - Illuminated On/Off switch
 - Metal housing
 - Built-in high-speed cooling fan (PV-300)

PV-140 Offers 140W maximum continuous power and 200W surge capacity (peak power). This model has a modified sine wave and one AC receptacle. 6" l x 3" w x 1 1/2" d, 1 lb. 4 oz..... **\$42.99**

PV-300 This model is designed to deliver 300W maximum continuous power and 500W of surge capacity. It also offers a modified sine wave and two AC receptacles. 6" l x 4" w x 1 1/2" d, 2 lbs..... **\$65.99**



SURGE SUPPRESSORS

SUPER-7 For spike suppression and noise filtering, 18,000 amp surge suppression, and RFI/EMI filtering. Seven outlets, 7 foot cord, three diagnostic LED indicators..... **\$19.99**

SUPER-7+TEL Same as above, but features fax/modem protection for RJ-11 modular jacks **\$29.99**

ISOBAR-8 ULTRA Premium Surge Protector Rugged all metal housing - won't break or burn • Isolated filter banks to eliminate interference between connected equipment • Massive 1,200 joule, 96,000 amp spike suppression • Diagnostic alarm system indicates wiring faults, protection circuitry and power line status • 8 outlets, extra long 12 foot cord **\$79.99**



MFJ Switching Power Supplies

Power your HF transceiver, 2 meter/440 MHz mobile/base and accessories with these 25 or 45 Amp MFJ MightyLite™ Switching Power Supplies!

No RF hash . . . Super lightweight . . . Super small . . . Volt/Amp Meters* . . .



4125



4225MV



4245MV

MFJ's adjustable voltage switching power supplies do it all! You can power your HF transceiver or 2-Meter/440 MHz mobile or base and accessories with ease.

MFJ's MightyLites™ are so light and small you can carry them in the palm of your hand! Take them with you anywhere – No more picking up and hauling around heavy, bulky supplies.

MFJ's 25 Amp MightyLite™ weighs just 3.7 lbs. -- that's 5 times lighter than an equivalent regular power supply. The 45 Amp'er is just 5.5 pounds!

No RF hash!

Some competing switching power supplies generate objectionable RF hash in your transmitted and received signal. But, these babies are clean!

Low Ripple and Highly Regulated

Less than 35 mV peak-to-peak ripple under 25 or 45 amp full load. Load regulation is better than 1.5% under full load.

Fully Protected

You won't burn up our power supplies! They are fully protected with Over Voltage and Over Current protection circuits.

Worldwide Versatility

MFJ MightyLites™ can be used anywhere in the world! They have switchable AC input voltage and work from 85 to 135 VAC or 170 to 260 VAC. Replaceable fuse.

MightyLites™ . . . Mighty Features

MFJ MightyLites™ model 4225 and 4245MV feature a front-panel voltage control. Lets you vary output voltage from 9–15VDC, highly regulated. You get an easy access front-panel with five-way binding posts for heavy duty use and a cigarette lighter socket for mobile accessories. 4245MV has two sets of quick-connects on the rear for accessories.

Large 3 inch dual meters are brightly illuminated

to make it easy to monitor load voltage and current.

A whisper quiet internal fan efficiently cools your power supply for long life.

MFJ "No Matter What™ Warranty"

MFJ will repair or replace (at MFJ option) your MightyLites™ supply for one full year.

Three models to choose from . . .

4125 (left) Basic, no metering. 25 Amps maximum or 22 Amps continuous. Measures 5½" w x 2½" h x 10½" d. Weighs 3.5 pounds. **\$99⁹⁹**

4225MV (center) 25 Amps maximum or 22 Amps continuous. Weighs 3.7 pounds. Measures 5½" x 4½" x 6 inches. **\$139⁹⁹**

4245MV (right) 45 Amps maximum or 40 Amps continuous. Weighs 5.5 pounds. Measures 7½" x 4½" x 9 inches. **\$189⁹⁹**

*Not included with the 4125

MFJ 35/30 Amp Adjustable Regulated DC Power Supply

Massive 19.2 pound transformer . . . No RF hash . . . Adjustable 1 to 14 VDC . . .

MFJ's heavy duty conventional power supply is excellent for powering HF or 2 Meter/440 MHz transceiver/accessories.

A massive 19.2 pound transformer makes this power supply super heavy duty! It delivers 35 amps maximum and 30 amps continuous without even flexing its muscles. Plugs into any 110 VAC wall outlet.

It's highly regulated with load regulation better than 1%. Ripple voltage is less than 30 mV. No RF hash -- it's super clean!

Fully protected -- has over voltage protection, fold back short circuit protection and over-temperature protection.

You get front panel adjustable voltage from 1 to 14 VDC with a convenient detent set at 13.8

VDC. A pair of front-panel meters let you monitor voltage and current.

Three sets of output terminals include a pair of heavy duty five-way binding posts for HF/VHF radios, two pairs of quick-connects for accessories and a covered cigarette lighter socket for mobile accessories.

A front-panel fuse holder makes fuse replacement easy. Whisper quiet fan speed increases as load current increases -- keeps components cool. 9½" w x 6" h x 9¼" d.


The 4035MV is protected by MFJ's famous No Matter What™ one year limited warranty. MFJ will repair or replace (at MFJ option) your product for 1 full year.



4035MV **\$139⁹⁹**

MFJ High Current Multiple DC Power Outlets

Power two HF/VHF transceivers and six or more accessories from your 12 VDC power supply



1118 (left) This is MFJ's most versatile and highest current Deluxe Multiple DC Power Outlet. Lets you power two HF and/or VHF transceivers and six or more accessories from your transceiver's main 12 VDC supply.

Two pairs of super heavy duty 30 amp 5-way binding posts connect your transceivers. Each pair is fused and RF bypassed. Handles 35 Amps total. Six pairs of heavy duty, RF bypassed 5-way binding posts let you power your accessories. They handle 15 Amps total, are protected by a master fuse and have an ON/OFF switch with "ON" LED indicator.


Built-in 0-25 VDC voltmeter. Six feet of super



heavy duty eight gauge color-coded cable with ring tongue terminals. Binding posts are spaced for standard dual banana plugs. Heavy duty aluminum construction. 12½" x 2¾" x 2½" inches. **\$74⁹⁹**

MFJ HF DC Power Outlet

1117 Similar to 1118 but powers up to 4 different radios at the same time. Two 35A single posts, one 35 amp dual post. Size: 8" x 2" x 3", fits anywhere at your operating position. No meter, power LED or on/off switch. **\$54⁹⁹**



1116 (center) Similar to 1118. No 30 amp posts. Has "ON" LED and 0-25 VDC voltmeter. 15 amps total. **\$49⁹⁹**


1112 (right) Similar to 1116. No on/off switch, LED, meter or fuse. **\$34⁹⁹**

Each has MFJ's famous No Matter What™ one year limited warranty. MFJ will repair or replace (at MFJ's option) your high current multiple DC power outlet for 1 year.



We accept I.M.P.A.C.® Government Credit Cards

MIRAGE



VHF/UHF AMPLIFIERS

Add a MIRAGE amplifier to your rig for 30 to 600 watts of BRUTE POWER! Models for 6M through 70 cm – Base, Mobile, Repeater or ATV operation • 12V DC • FM (SSB/CW on some models) • Continuous duty • 20dB GaAsFET preamp • Overdrive and High-temperature protection • Remote control capability

Model	MHz	Max Input	Max Output	Amps	Pre-amp	Price
A-1015G	50-52	1-15W	150W	23	yes	\$349.99
B-34	144-148	8W	35W	4	no	69.99
B-34G	144-148	8W	35W	4	yes	89.99
B-215G	144-148	0.25-5W	150W	20	yes	339.99
B-1016G	144-148	0.2-15W	160W	25	yes	339.99
B-2518G	144-148	20-35W	160W	25	yes	269.99
B-2530G	144-148	10-35W	300W	48	yes	619.99
B-5018G	144-148	20-60W	160W	22	yes	269.99
B-5030G	144-148	0.5-50W	300W	48	yes	599.99
B-310G	144-148	0.25-8W	100W	15	yes	179.99
B-320G	144-148	2.5-50W	200W	25	yes	399.99
BD-35	144/440	1-7W	45/35W	7	no	149.99
C-22G	222-225	2W	20W	5	yes	154.99
C-211G	222-225	2W	110W	20	yes	299.99
C-1012G	222-225	10W	120W	25	yes	299.99
C-1022G	222-225	10W	220W	20*	yes	589.99
C-2512G	222-225	30W	120W	25	yes	289.99
C-2522G	222-225	30W	200W	42	yes	C/O 519.99
C-5012G	222-225	50W	120W	25	yes	C/O 259.99
C-5022G	222-225	50W	200W	42	yes	C/O 499.99
D-15N	425-450	2W	15W	3	no	169.99
D-26N	430-450	2W	60W	12	no	244.99
D-1010N	430-450	10W	100W	15	no	354.99
D-3010N	430-450	30W	100W	20	no	329.99
D-1010ATVN	430ATV	10W	100W	20	no	369.99

* at 28VDC N denotes Type-N connectors

RC-1 Remote Control Head For most Mirage amps. Controls: Power/preamp On/Off, SSB/FM mode switch. 18" cable. 1.25h" x 3.75w" x 2.25d" **\$45.99**

RC-2 Remote Control Head Same as the RC-1 but works only with the Mirage B2518G and B5018G amplifiers..... **\$45.99**



SG-500 (52-96)

SmartPower Cube™ A fully automatic band switching, microprocessor-controlled, HF linear amplifier. Ideal for fixed, mobile, and marine operation. Nearly indestructible! Cast-aluminum enclosure, extra heavy duty heat sinks, powder coat finish and durable electronic components.

Microprocessor: Automatically adjusts amplifier input sensitivity; Monitors all parameters for faults (heat, VSWR, under-voltage, etc.) Auto selects the correct broadband filter. Operates unattended!

Frequency range: 1.6-24MHz • Power output: 500W PEP with 50-90W input • CW rating: 500W output for 10 min., or unlimited with optional fan installed • 10-18 VDC @ 40A average (SSB), 90A peak, or CW • 6"h x 12.25"d x 11.4"w, 21 lbs **\$1169.99**



MIRAGE



DOCKING BOOSTERS

Slide your handheld into a Mirage docking booster and it instantly becomes a powerful mobile or base!

- Boost your mobile or base station levels, up to 50W
- Replace your HT battery
- Becomes a secure and convenient HT holder

Mirage docking boosters have selectable HT voltages that let you use most handhelds. Place it on your dashboard or desk, or use mounting bracket mount for security and convenience with tilt. Requires 13.8 VDC.

B-24-G For 2m FM handhelds Up to 50W output with 0.5-8W input • 18dB GaAsFET preamp with on/off switch • LEDs show preamp on, on air, and transmit • 4.25"h x 3.35"w x 3.25"d • Choose adapter to fit your handheld* **\$114.99**

BD-25 For 2M/440MHz FM HTs Up to 45W (2M) & 35W (440MHz) with 0.5-8W input • Full Duplex feature lets you simultaneously talk on one band and listen on the other with a compatible HT • Auto band selection • LEDs show band and power-on • Reverse polarity protection • 5.25"h x 3.25"w x 3.35"d • Choose adapter to fit your handheld* **\$164.99**

* See Mirage in the Price Guide for HT adapters, and also a listing of Mirage repeater amplifiers.




DOCKING BOOSTERS

With the appropriate adapter, you can slide on and boost your ICOM, KENWOOD or YAESU handheld radio up to 50W. Forget about the battery pack, the booster will power the HT at 5W. Also works with ADI & RADIO SHACK HTX-202.

MH-A301 2m FM 5W in/50W out, 18dB GaAsFET preamplifier..... **\$115.99**

MH-A302 Dual Bander (2m) 5W in/45W out; (440MHz) 5W in/35W out **\$165.99**



HT AMPLIFIERS

MH-A101 2m FM, 5W in/35W out **\$69.99**

MH-A102 2m FM/SSB, 5W in/35W out, 15dB GaAsFET preamplifier..... **\$89.99**

MH-A103 2m FM/SSB, 5W in/50W out, 15dB GaAsFET preamplifier **\$119.99**

MH-A104 2m FM/SSB, 5W in/100W out, 15dB GaAsFET preamp, adjustable..... **\$229.99**

MH-A201 Dual Bander – 2m 5W in/45W out; 440MHz 5W in/35W out **\$159.99**

TE SYSTEMS



RF POWER AMPLIFIERS

- Linear all-mode operation with automatic T/R or PTT switching and adjustable relay delay control.
- 13.8V DC • SSB, FM or CW operation • Receive GaAs FET low-noise preamp with 18 dbm 3rd-order intercept point for superior weak signal reception and improved strong signal intermodulation rejection • Excellent electrical and mechanical construction integrity. All RF and DC cables attached out of sight on rear panel • Thermal shut-down protection.

TE Model	Freq MHz	In (W)	Out (W)	Amps @13.8V	Preamp NF/Gain	Price
6-meters						
0510G	50-54	10	170	25	.7/15	\$319.99
0552G	50-54	20-25	375	54	.7/15	486.99
2-meters						
1410G	144-148	5-10	160	27	.7/15	328.99
1412G	144-148	25-45	160	22	.7/15	286.99
1452G	144-148	10-25	350	52	.7/15	525.99
3/4-meter						
2212G	222-225	25-45	130	16	.8/14	316.99
70 cm						
4412G	420-450	15-30	100	19	1.2/12	355.99
4452G	420-450	25	185	30	1.2/12	547.99

All models are 3"h x 10"w x 11"d, except 1410G, 2212G and 4412G which are 3"h x 6"w x 11"d. All models have UHF connectors except 4452G which has type-N.



PW-1 HF + 50MHz Solid State Linear Amplifier Frequency range: 160-15m, 6m • Power output with 220V input: 1000 PEP SSB, 1000W CW/RTTY (100% duty cycle, QSK) • 100W drive • Built-in all band automatic antenna tuner • Automatic AC voltage selector and band change • Current, voltage, temperature, SWR, output power protectors • Wide range adjustable ALC allows use with almost any rig • Control head may be detached from main unit (shown) • Built-in 110/220VAC supply • 14"w x 10.5"h x 14.5"d, 56 lbs **Special \$4699.99**

YAESU




QUADRA HF + 50MHz Solid State Amplifier Frequency range: 160-15m, 6m • Power output: 1000W (6m: 500W) • 100W drive • 4 twin MOSFET PA modules • Dot matrix multi-function LCD • Two input and four output jacks for easy connection to station antenna • Built-in high-speed auto antenna tuner • Panoramic SWR display shows "before tuning" and "after tuning" SWR data • SWR protection • Automatic band switching with FT-1000, FT-1000MP, FT-1000MP MK V, and FT-920 • Two input voltages: 117VAC for 500W; 220V AC for 1000W • Separate VP-1000 power supply provides 48 VDC @ 48 amps • 6.25" x 5.375" x 16.25" (each), 59 lbs..... **\$3999.99**

AMERITRON AMPLIFIERS

Ameritron AL-811 amplifiers... a world-wide reputation for legendary quality, flawless performance & proven reliability

AL-811H
\$749⁹⁹

AL-811
\$599⁹⁹



HF Linear Amps with 811A Tubes


Only the Ameritron AL-811H gives you four fully neutralized 811A transmitting tubes. You get absolute stability and superb performance on higher bands that can't be matched by un-neutralized tubes. Delivers 800 watts PEP, 600 watts CW output

Ameritron mounts the 811A tubes vertically – not horizontally – prevents hot tube elements from sagging and shorting out. Others, using potentially damaging horizontal mounting, require special 811As to retard sagging/shorting.

A quiet, powerful computer grade blower draws in plenty of cool air. It pressurizes the cabinet and efficiently cools your 811A tubes. Our air flow is so quiet, you'll hardly know it's there – unlike noisy, poorly chosen blowers.

You also get efficient full size heavy-duty tank coils, full height, computer grade capacitors, heavy-duty high silicon core power transformer, slug tuned input coils, operate/standby switch, transmit LED, ALC, dual meters, QSK compatibility with optional QSK-5 plus more!

Model AL-811 uses three 811A tubes and delivers 600W PEP, 500W CW or 400W continuous output.



AL-800H
\$2299⁹⁹

AL-800
\$1569⁹⁹

HF Linear Amps with the Eimac™ 3CX800A7


Ameritron's AL-800/H amplifiers cover 160-15 Meters including WARC bands. The AL-800 has a single Eimac® 3CX800A7 tube and produces 1250 Watts PEP. Model AL-800H has two 3CX800A7s giving 1500 watts plus.

Both amps have an adjustable slug tuned input circuit, grid protection, ALC control that is front panel adjustable, vernier reduction drives, heavy duty 32 lb. grain oriented silicone steel core transformers & high capacitance computer grade filter capacitors.

These amplifiers have multi-voltage operation (14 user selectable AC line voltage from 90-140; 200-250 VAC), quiet pressurized ventilation systems, dual illuminated Cross-Needle meters that read peak forward and reflected power, SWR, high voltage, grid current and plate current.

Vernier reduction drives make tuning adjustments smooth & easy. Ameritron's exclusive *Step-Start Inrush Protection™* stops damage to your amplifier from inrush current. Amps feature an attractive Lexan front panel decal & superior, all metal construction – it's built to last! Ultra compact desktop size is perfect for your operating station. 8½" h x 16½" w x 14½" d.


AMERITRON offers the best selection of legal limit amplifiers



AL-1500
\$2569⁹⁹

Ameritron's most powerful Linear... single 3CX-1500/8877


Herculean Eimac® 8877 ceramic tube. It's so powerful that 65 watts drive gives you the full legal output – and it's just loafing because the power supply is capable of 2500 Watts PEP.



AL-1200
\$2169⁹⁹

Single 3CX1200A7 linear Amp

Get ham radio's toughest tube with the Ameritron AL-1200 – the Eimac® 3CX1200A7. It has a 50 watt control grid dissipation. What makes Ameritrons stand out from other legal limit amplifiers? The answer: A super heavy duty power supply that loafs at full legal power – it can deliver the power of more than 2500 watts PEP two tone output for a half hour.




AL-82
\$2069⁹⁹

Dual 3-500ZC linear

This linear gives you full legal output using a pair of 3-500s. Most competing linears using 3-500s can't give you 1500 Watts because their lightweight power supplies can't use these tubes to their full potential.


AMERITRON's legal limit amps are 18" h x 17" w x 10" d and weigh approximately 77 lbs. All use a Super Heavy Duty Hypersil® power transformer capable of 2500 WATTS!




AL-80B
\$1199⁹⁹

Desktop Kilowatt Amplifier with 3-500ZC Graphite tube

Full kilowatt PEP output from a whisper quiet compact desktop linear. Only 8½" w x 14" w x 15½" d. Plugs into nearest 120 VAC outlet. Covers all bands 160-15 Meters. 1000 Watts out on SSB, 850 Watts out on CW, genuine Amperex 3-500ZG tube has graphite plate, nearly 70% efficiency, in-rush current protection, multi-voltage transformer.



ALS-500M




ALS-600

ALS-500M Mobile no tune Solid State mobile amp has 500 watts output and covers 1.5-22 MHz

Ideal mobile amplifier uses 13.8 Vdc mobile electrical system, very compact – only 3½ x 9 x 15 inches, extremely quiet, 500 W output, 1.5-22 MHz coverage, instant bandswitching, no tuning, no warm up, no tubes, SWR protected..... **\$699⁹⁹**

ALS-600 No tune Solid State base amp includes heavy duty power supply, delivers 600 Watts output

No tuning, no fuss, no worries – just turn it on and operate. Includes AC power supply, 600 W output, continuous 1.5 to 22 MHz coverage, instant bandswitching, fully SWR protected, extremely quiet, very compact. Amp is 6" h x 9½" w x 12" d..... **\$1129⁹⁹**




AL-572
\$1299⁹⁹

Near Legal Limit™

New class of *Near Legal Limit™* amplifier gives you 1300 Watt PEP SSB power output for about 65% of the price of full legal limit amps! Four rugged 572B tubes. Instant 3-second warm-up. Plugs into 120 VAC. Compact – 8½" h x 15½" w x 14½" d. Covers 160 to 15 meters, delivers 1000 watts CW output. Tuned input, instantaneous RF Bias, dynamic ALC, parasitic killer, inrush protection, two lighted Cross-Needle meters, multi-voltage transformer.



ATP-100



ADL-2500



ADL-1500



QSK-5



ICP-120/240



AWM-30



ATR-30

AMERITRON ACCESSORIES

ATP-100 Tuning Pulser Safely tune amplifiers. Prevents overheating, tube damage, supply stress and component failure..... **\$49⁹⁹**

ADL-2500 Fan cooled 2500 W dry dummy load 2500 Watts average power for 1 minute on, 10 off minutes of, 300W continuous. SWR <1.4:1. Quiet fan..... **\$189⁹⁹**

ADL-1500 Dummy Load with container and oil Oil cooled, 50Ω load handles 1500W for 5 minutes. SWR<1.2:1 to 30MHz, low SWR to 400 MHz..... **\$69⁹⁹**

QSK-5 Pin diode transmit receive Switch Connects externally to most HF amps. Handles 2.5 kW PEP, 2 KW CW. 6X faster than vacuum relay..... **\$329⁹⁹**

ICP-120/240 In-rush current protectors Stops power-up in-rush current. Absorbs momentary high-voltage spikes to 1 amp. ICP-120 for 110-120V; ICP-240 for 220-240V.....ea. **\$79⁹⁹**

AWM-30 Precision SWR Wattmeter Gives true active peak and average readings. Lighted cross-needle meter. 3000/300 Watt ranges..... **\$139⁹⁹**

ATR-30 True Legal Limit Antenna Tuner True high power even on 160M where most others fail. Edge wound, silver-plated AirCore™ inductor..... **\$549⁹⁹**

RCS-8V Remote Coax Switch Replace 5 coax feedlines with a single coax. 1.2 SWR at 250 MHz Useable to 450 MHz. 1 KW at 150 MHz.... **\$139⁹⁹** **RCS-4** 4 position remote switch, wireless.... **\$129⁹⁹**



RCS-4



ARB-702

ARB-702 Amp-to-radio interface Protects transceivers from damage by keying line transients, steady state current & excessive voltages. Specify for Icom, Kenwood, Yaesu or IC-706....ea. **\$39⁹⁹**

Order Toll Free:
1-800-558-0411

M-F 6 A.M. Pacific to
8:30 P.M. Eastern;
Sat. 9 A.M. to 3 P.M.

MIRAGE

Turn your mobile, base or handheld into a Powerhouse and talk further, longer, clearer . . . All modes: FM, SSB, CW . . . GaAsFET preamp . . .

The MIRAGE B-5018-G gives you 160 Watts of brute power for 50 Watts input on all modes -- **FM, SSB or CW!**

B-5018G
\$269⁹⁹



35W for 2M HTs


B-34G
(bottom)
\$89⁹⁹



- Works with 2M handhelds with up to 8W output
 - 35W output • Modes: FM, SSB, CW
 - 18 dB GaAsFET preamp • Reverse Polarity protection
- B-34** (top) 35W, FM only, less preamplifier..... \$69⁹⁹

100W for 2M HTs

B-310G
\$179⁹⁹



Power Curve - typical B-310-G output power

Watts Out	25	50	75	95	100	100	100+	100+
Watts In	1/4	1/2	1	2	4	6	7	8

- For all 2M handhelds .25 - 8W output
- All modes: FM, SSB, CW
- 15 dB GaAsFET preamp
- Reverse Polarity Protection/SWR Protection

Remote Control heads

- RC-1** - Remote control of amp functions: Power and preamp On/Off, and FM/SSB mode select. Only 1.75" x 3.75" x 2.5". Comes with 18 ft. cable. \$45⁹⁹
- RC-2** for models B-2518G and B-5018G \$45⁹⁹



More MIRAGE amps available - including models for 220MHz, 430-440MHz. Also, continuous duty FM/SSB/CW Repeater Amplifiers for 6, 2, 1-1/4 meters, 70 cm, 450 MHz & ATV.

See the Price Guide under MIRAGE

Low Noise GaAsFET preamps

- High gain Ultra Low Noise improves the reception of weak signals
- 15 to 22 dB gain with selectable gain level to prevent receiver overload and intermodulation
- Less than 0.8 dB Noise Figure
- Automatic TR RF switching up to 100W thru put
- In-Shack or Mast-Mount models
- Rugged die-cast enclosures.



In-Shack Models

- KP-1/10M** 28-30MHz; in-shack model.....\$129⁹⁹
- KP-1/6M** 50-54MHz; in-shack model.....\$129⁹⁹
- KP-1/2M** 144-148MHz; in-shack model.....\$129⁹⁹
- KP-1/220** 220-225MHz; in-shack model.....\$129⁹⁹
- KP-1/440** 430-450MHz; in-shack model.....\$129⁹⁹

Mast Mount Models

- KP-2/10M** 28-30MHz; mast-mount.....C/O \$149⁹⁹
- KP-2/6M** 50-54MHz; mast-mount.....\$179⁹⁹
- KP-2/2M** 144-148MHz; mast-mount.....\$179⁹⁹
- KP-2/220** 220-225MHz; mast-mount.....\$179⁹⁹
- KP-2/440** 430-450MHz; mast-mount.....\$179⁹⁹

Power for your MIRAGE Amplifier

MFJ
Adjustable
Regulated
DC Power
Supply
\$139.99



4035MV Massive 19.2 pound transformer - Super Heavy duty! Voltage adjustable 0-15V, 35A maximum and 30A continuous. Volt & Amp meters. Fully regulated, fully overload protected. 110 VAC.

144/440MHz Amp 45/35 Watt Dual Band

BD-35
\$149⁹⁹



Power Curve - typical BD-35 output power

Watts Out (2 Meters)	30	40	45	45+	45+	45+	45+	45+
Watts Out (440 MHz)	16	26	32	35+	35+	35+	35+	35+
Watts In	1	2	3	4	5	6	7	8

- Works with all FM handhelds up to 7W
- 45W output on 2M/35W on 440 MHz
- Auto Band Selection • Full Duplex Operation
- Single connector for dual band radios
- Reverse polarity protection
- Auto T/R Switch • "On Air" LEDs
- 5 x 1 1/4 x 5 inches • Mobile bracket

6 Meter 150W Amplifier

A-1015G
\$349⁹⁹



FCC Type Accepted - The A-1015G is the world's most popular all mode 6M amplifier for 1 to 15W transceivers. Covers 50-52MHz, FM/SSB/CW modes. 150W output with 10W input. Built-in Low Noise GaAsFET receive preamplifier. Adjustable internal T/R switching and remote external keying. 12"d x 3"h x 5.5"w, 5 lbs. 13.8 VDC @ 18-22 Amps.

VECTRONICS

... the finest amateur radio products made!



VC-300DLP
\$149⁹⁹


World's most versatile 300 Watt Antenna Tuner

You'll get everything you've ever wanted: • precise inductance control that rivals roller inductors • the ability to match any real antenna • full 1.8-30 MHz coverage • peak reading backlit Cross-Needle Meter • 8-position antenna switch • built-in 50Ω dummy load • finest components around and world class quality.

More Fine Vectronics Amateur Products

- AT-100** Tuned Active SWL Antenna..... \$79⁹⁹
- CK-200** Deluxe CW Keyer w/Curtis chip..... \$79⁹⁹
- DL-300M** 300 Watt Dry Dummy Load..... \$44⁹⁹
- DL-650M** 1500 Watt Dry Dummy Load..... \$74⁹⁹
- DL-2500** 2500W Dry Dummy/cooling fan.. \$179⁹⁹
- VC-300M** 300 Watt Mobile Tuner..... \$99⁹⁹
- VC-300D** 300 Watt Tuner w/digital graph... \$179⁹⁹
- HPF-1** High Pass TVI filter 52-550 MHz..... \$24⁹⁹
- HPF-2** Deluxe high pass TVI filter..... \$29⁹⁹
- PM-30HF** 1.8-60 MHz SWR/Wattmeter \$79⁹⁹
- PM-30UV** 144/220/440MHz SWR/Wattmeter \$89⁹⁹
- LP-30** Low Pass filter, handles 1500 Watts.... \$69⁹⁹
- LP-2500** Low Pass Filter, 2500 Watts..... \$129⁹⁹
- PS-50F** 35A power supply, 50A surge...C/O \$139⁹⁹

Legal Limit Roller Inductor Antenna Tuner with SSB Digital Bar Graph



HFT-1500
\$399⁹⁹

The HFT-1500 has three continuously variable components - two 4.5 kV capacitors and a roller inductor controlled by a precision crafted crank handle and a gear-driven 5-digit counter. Tune any antenna 1.8-30 MHz, lighted D'Arsonval Cross-Needle SWR/Wattmeter, 28uH roller inductor, 4:1 2.5 kW balun and 20 segment SSB Bargraph display.

See the Price Guide for a list of Vectronics Electronic Kits

KOSS stereophones



SP/5 Sidefiring Portable Stereophone in Sport Yellow Frequency Response: 40-20,000Hz • Straight, dual entry, 4' cord w/3.5mm plug • Sensitivity: 92dB SPL/1mW • Imped: 32Ω • 0.46 oz **Closeout \$4.99**

HP/6 Portable Stereophone Frequency Response: 30-16,000Hz • Dynamic element for full sound • Foam ear cushions for open, hear-through sound • Durable headband adjusts for best fit • Volume control on cord for easy level adjustment • Straight, single entry, 4' cord with 3.5mm plug • Sensitivity: 91dB SPL/1mW • Impedance: 32Ω • 2.5 oz..... **Closeout \$4.99**

KTX/4 Lightweight, Portable Stereophone Frequency Response: 40-20,000Hz • Collapsible design for easy storage and portability • Straight, dual entry, 4' cord with 3.5/6.4mm stereo plug • Volume control on the cord for easy level adjustment • Sensitivity: 95dB SPL/1mW • Impedance: 32Ω • 2 oz. **\$14.99**

SB/30 Dynamic Microphone Stereophone with 600Ω mic for hands-free communications • Closed, leatherette ear cushion for maximum isolation and deep bass • Frequency Response: 40-20,000Hz • Adjustable, padded headband for comfort during extended wearing periods • Straight, dual entry, 8' cord with 3.5/6.4mm Sensitivity: 100dB SPL/1mW stereo phone • Impedance: 100Ω • 9.0 oz **Closeout \$49.99**

QZ/99 Passive Noise Reduction Stereophone with Mono/Stereo Switch Frequency Response: 40-20,000Hz • Coiled, single entry, eight foot cord with 3.5mm/6.4mm plug • Sensitivity: 102dB SPL/1mW • Impedance: 60 Ω • 15 oz..... **\$59.99**

QZ/2000 Noise Reduction Stereophone Revolutionary Active Noise Reduction (ANR) stereophone system reduces harmful/annoying low frequency sounds in noisy environments • >15dB SPL from 40-200Hz; average of 10dB SPL from 30-1000Hz • Frequency Response: 15-20,000Hz • Straight, dual entry, 4' cord • Includes compact control case and collapsible stereophone for convenient travel/portability • Adjustable headband • Includes input jack for audio play-through and 2-prong adapter for in-flight use • Sensitivity: 101dB SPL/1mW • Impedance: 5kΩ • Uses 2 "AA" batteries (incl.) • 2.3 oz..... **\$179.99**

YAESU

Choice of the World's top DX'ersSM

MD-200A8X Ultra-High Fidelity Desktop Microphone Designed for base station use with the MARK V FT-1000MP. Employs a studio-quality, wide range (30-17000Hz) dynamic element optimized for High Fidelity SSB operation. An exclusive Variable Side Pressure Control (VSPC) allows user adjustment of the overall frequency response. Adjustable from a totally-flat, natural, high-fidelity sound for everyday S-9+ rag chewing; or high-articulation with a moderate peak above 1500Hz, for DX or Contests.

- Aluminum die-cast base with locking and momentary PTT switches
- UP/DOWN scanning switches

- Bright red LED • Housing can accommodate addition of favorite DX or Contest microphone element
- Also works with the FT-847, FT-920 and FT-1000MP; also with the FT-1000/FT-1000D, but the "TX" LED will not operate • Includes a dual-connector cable with regular and modular microphone plugs • 4.7" w x 12.6" h x 4.9" d, 2.2 lbs..... **\$379.99**

we have a

SECURE Web site
at **www.aesham.com**

AMATEUR ELECTRONIC SUPPLY
5710 W. GOOD HOPE ROAD.
MILWAUKEE, WISCONSIN 53223
(414) 358-0333

NO. 0000

ATE _____ 19____

THIS CERTIFICATE ENTITLES _____

TO MERCHANDISE
VALUED AT _____

DOLLARS \$ _____

PRESENTED BY _____

AUTHORIZED SIGNATURE _____

Gift Certificates Available For The Undecided

Certificates may be purchased from our Milwaukee store by calling 1-800-558-0411.

PREMIER communications

SPM-100 Small Speaker/Mic This is a lightweight, compact unit. The microphone features a high-quality condenser-style mic element and high-fidelity audio circuit that produces excellent transmitted audio clarity, as well as a powerful speaker. It may be secured to the user's lapel or shoulder **\$21.99**



Lapel Mics The SPM-200 mics are the most comfortable lapel microphones on the market today! Each one features a high quality electret condenser microphone which clips to the user's lapel.

SPM-200 **Closeout \$9.99**



SPM-400A Mini Boom Mics

The SPM-400A headsets include an in-the-ear speaker and a rubber-covered earloop design that adjusts to comfortably fit either the right or left ear of any user. The unit features an in-line Push-To-Talk switch that can be clipped to the user's lapel or belt **\$25.99**



SPM-402 For Yaesu FT-50R, VX-1R, VX-5R **\$29.99**

SPM-500 Throat Mic/Earphone

The SPM-500 throat microphone is the answer to high noise environments. Our SPM-500 rests comfortably against the user's throat, picking up audio directly from vocal cords. This provides outstanding background noise suppression and surprising clarity... **\$19.99**



SPM-700 Clandestine Palm Microphone This earphone/palm microphone combo features flesh colored cord for those "low profile" communications needs. Easily concealed under clothing..... **C/O \$15.99**



See the Price Guide to find correct model numbers for your specific brand of radio.



GOLDLINE

Full Range Dual Element Microphone

Provides full-range, smooth and articulate audio for AM, FM and "Hi-Fi" SSB. The wide 60 to 16kHz frequency response, with a +4 dB midrange peak @ 2kHz, produces a brilliant voice articulation which is so important for clear, understandable SSB audio and adds a well-balanced and robust low end. Its cardioid pattern reduces rear pick-up, helping to reduce fan noise and room echos.

In addition, the GOLDLINE comes equipped with a second element, the HC-4 "DX Dream Machine" or HC-5 "Full Range Articulation" element (described below). For extra punch when a pile-up or conditions get tough, you can switch in the alternate element with a narrower response providing even more speech power.

The diecast body is finished in high lustre black lacquer and topped with a crushproof golden grill. A "Wide/Narrow" switch selects the element and a "soft touch" microswitch provides smooth, noise free PTT operation. Includes a 5/8"x 27 threaded clip. Requires a CC-1 adapter cable listed in the next column.


GM-4 GOLDLINE with Full Range and HC-4 elements .. **\$140.99**

GM-5 GOLDLINE with Full Range and HC-5 elements .. **\$140.99**

GM-V "Vintage" GOLDLINE - A built-in matching transformer allows its use with older rigs like Collins, Hallicrafters, Johnson, etc. Uses the Full Range element and switchable Passive EQ circuit or an alternate narrow, more articulate response **\$155.99**

HM-i Studio Condenser Microphone

HM-i - A single element microphone with the entirely new High output, High Quality electret element designed by HEIL for use exclusively with ICOM radios. Uses the GOLDLINE body with a brushed stainless-steel top. A "Wide-Narrow" switch selects between a full range response, and a response with the high frequencies rolled off. Requires CC1-i adapter cable **\$95.99**



LX-1

SB-1

TB-1

MA-1

SM-1

HEIL HIGH PERFORMANCE MICROPHONE ELEMENTS


If you aren't satisfied with the "sound of your station," or need better audio performance, you can replace the cartridge in your microphone with a Heil - the same elements used in Heil high-performance microphones. Tiny in size, and easily replaces existing cartridges in most microphones.

HC-5 - Full Range Articulation

The replacement microphone cartridge that eliminates the mushy, bassy, paging-type audio produced by most factory supplied microphones. It makes any rig sound better and more intelligible by providing full articulation and improved clarity. The response is 350-4000Hz, with a sharp roll-off under 300Hz and above 3100Hz, with a peak at 2100Hz. The result is very clear, easy-to-understand SSB audio for everyday communications that will get you lots of complements. Its 2000Ω impedance works with low to medium-Z inputs. Size: 0.530"d x 0.850"w x 0.310"h **\$30.99**

HC-4 - The "DX Dream Machine"

The replacement microphone cartridge for HF contest, DX and weak-signal VHF/UHF work. Produces outstanding results on aurora, backscatter, etc. Engineered to produce a high-pitched, pile-up busting 500-3800Hz response with a 10dB peak @ 2000Hz, and a sharp 12dB per octave roll off @ 500Hz. Super clarity with more punch is just what you need for making difficult contacts. It's a penetrating sound, not particularly pleasing for everyday strong signal work, but otherwise - WOW! Its 2000Ω impedance works with low to medium-Z inputs. Size: 0.530"d x 0.850"w x 0.310"h... **\$30.99**



HM-10/HM-10 Dual Studio-style Microphones

Old favorites upgraded with a new body and PTT switch like the GOLDLINE. The HM-10 comes with your choice of a HC-4 "DX Dream Machine" or HC-5 "Full Range Articulation" element.

The HM-10 Dual contains both the HC-5 "Full Range Articulation" element and HC-4 "DX Dream Machine" cartridges, switch selectable, giving you a choice for varying conditions. Both require CC-1 cable.

HM-10 with HC-4 or HC-5 ... **\$65.99**

HM-10 DUAL with HC-4 and HC-5 ... **\$115.99**

HMM Hand Microphones

HMM Dual Element - Heavy duty, commercial quality. Contains an entirely new Full Range Dynamic element and a switch selectable HC-4 "DX" element. Internal noise canceling cavity greatly reduces background pick-up. The coiled cable is terminated with an 8-pin plug for KENWOOD or YAESU (specify) - not for ICOM..... **\$78.99**

HMM-iC Single Element - Same as HMM, but contains the new HEIL Electret Condenser element designed specifically for outstanding performance with ICOM radios; no HC-4 or switch.....**\$58.99**

ADAPTER CABLES & SWITCHES



CC-1 Adapter cable - Required for the GOLDLINE, and HM's. Specify the cable with connectors to match Icom, Kenwood, Ten-Tec or Yaesu radios. The 6 ft. cable is also wired with a 1/4 inch female jack to accommodate the FS-1 Footswitch or HS-1 Pushbutton Hand Switch. Specify radio/plug, see Price Guide ea. **\$30.99**

HS-1 Pushbutton Handswitch - Plugs into CC-1 for PTT control. Fits naturally and comfortably in the hand. A 6 ft. cable terminates into a 1/4" phone plug... **\$25.99**

FS-1 Footswitch - Plugs into CC-1 for "hands-free" PTT operation. Stays put with non-skid pads. A 6 ft. cable terminates into a 1/4" phone plug **\$30.99**

BASE, BOOM/CLAMP ASSEMBLIES

LX-1 Professional Studio Boom by LUXO - The spring loaded arm is balanced for a 1 lb. microphone - reaches 41 in. "C" clamp mount, 5/8" x 27 thread.... **\$95.99**

SB-1 Small Microphone Boom - Extends from 10 to 20 in. Clutch system and "C" clamp mount keeps the microphone in place under any conditions..... **\$33.99**

MA-1 Boom - Telescopes out to 30 in. and attaches to desk or shelf, or hangs from ceiling. Swivels a full 360° to place microphone right where you want it. You can use the FS-1 Footswitch or HS-1 Handswitch for PTT operation..... **\$45.99**

TB-1 Table Base Mount - For HM-10, HM-i or GOLDLINE microphones. Heavy (2 lb-10 oz) cast metal base with non-skid cork feet, 6 inches high **\$25.99**

SM-1 The Ultimate Shock Mount - Mounts on boom, 8-point flexible suspension supports and isolates GOLDLINE or HM's to reduce mechanical vibration ...**\$50.99**

Other ADAPTERS

AD-100 Microphone/Boomset Adapter - Allows use of all HEIL products with the YAESU FT-100 series. Solves the problem of the multiplexed microphone, touch tone audio and control data appearing on the microphone line..... **\$25.99**

HD-AT Headphone Attenuator/Adapter - Allows 1/4" headphone jacks to plug into 1/8". Has -6 dB pad to reduce output for safe use of HEIL headsets with FT-100 or IC-706... **\$5.99**

XT-1 Matching Transformer - A sub-miniature audio transformer for matching Low-Z microphones to High-Z inputs as found in older Collins, Drake, Hallicrafters, etc.. **\$15.99**

HEIL SOLVES THE ICOM PROBLEM!

With the exception of the IC-746 and the IC-756PRO, the mic. preamplifiers in all other ICOM transceivers are down in gain by -10dB, making it difficult to use high quality dynamic mics.

A new series of High Output, High Quality studio condenser electret microphone elements, that work only with ICOM radios are now used in the HM-i, HMM-iC, PRO-SET-iC, PRO-5-iC, BM-5-iC and HS-706

info@heilsound.com



Headsets

MFJ MFJ ENTERPRISES, INC.

HEADSET MICS

PRO-SET/BOOMSETS

Over the years, the HEIL Pro-Set has become the defacto standard for the leading DX-Pedition and Contest operations worldwide. With feedback from those top operators, HEIL has strived to make this great product even better.

- A new fibre reinforced material is now being used for the side pieces with a more rigid swivel stud for the earphone.
- A new smooth leatherette material on the cushioned ear pads give them more life and comfort.
- No increase in price!

PRO-SET Boomset – A rugged, lightweight boomset designed for performance and comfort during extended wearing times. The padded, fully adjustable headband provides maximum comfort. Heavily padded vinyl earpads seal out noise, and are removable for washing. The flexible microphone boom is adjustable to your liking and folds up for convenient storage or transport. Cable is wired with 1/4" stereo plug and 1/8" transmit audio plug.

PRO-SET-4 with HC-4 "DX" element **\$130.99**

PRO-SET-5 w/HC-5 "Full Range" element .. **\$130.99**

PRO-SET-IC with the new FET Electret element for ICOM radios, with AD-1-ic adapter cable..... **\$147.99**

PRO-5 Boomset – If you are concerned about covering both ears and want to monitor your surroundings, the PRO-5 will do the job. Provides all of the quality and performance as the PRO-SET without covering the right ear. Cable is wired with 1/4" stereo plug and 1/8" transmit audio plug.

PRO-5-4 with HC-4 "DX" element **\$120.99**

PRO-5-5 with HC-5 "Full Range" element... **\$120.99**

PRO-5-IC with the new FET Electret element for ICOM radios, with AD1ic adapter **\$137.99**

BM-10 Headset/Boom Microphone – Features a lightweight (8 oz.), soft and comfortable headphone for prolonged use in contest, etc. The high performance boom microphone is available with the Heil HC-5 "Full Range Articulation" element or the HC-4 "DX Dream Machine" element. Cable is wired with 1/4" stereo plug and 1/8" transmit audio plug.

BM-10-4 with HC-4 "DX" element **\$89.99**

BM-10-5 with HC-5 "Full Range" element **\$89.99**

BM-10-IC Headset/Boom Microphone for ICOM only – Utilizing Heil's new FET Electret element, this model produces articulate audio engineered exclusively for ICOM radios. Terminated with 1/4" stereo plug and 1/8" transmit audio plug and supplied with AD-1-ic adapter cable for Icom radios..... **\$106.99**

The BM-5 series – same as the BM-10 but in a single headphone version. Great for mobile and for those desiring just a single side headphone.

BM-5-4 with HC-4 "DX" element..... **\$69.99**

BM-5-5 with HC-5 "Full Range" element..... **\$69.99**

AD-1 Adapter cable – Adapts PRO-SET, PRO-5 and BM-5/10 to Icom, Kenwood, Ten Tec or Yaesu. AD-1 Modular Cable adapts boomsets to Kenwood or Yaesu rigs with modular jack, specify ea. **\$17.99**

BM-5-IC with new FET Electret Element for ICOM radios, with AD-1ic adapter **\$86.99**

HS-706 Single-side Headset/Boom Microphone for the ICOM IC-706 series. A FET electret microphone produces plenty of articulate audio. The headphone is foam padded and vinyl covered for comfort and incorporates a wide-range dynamic unit. The flexible microphone boom rotates 180° and may be worn on the left or right ear. A handy PTT switch is mounted half way down the 6 ft. cable which is terminated with an 8-pin modular plug **\$59.99**



PRO-SET



PRO-5



BM-10/
BM10IC



BM-5



HS-706



ible rubber extension which allows proper positioning of the microphone. The small PTT switch can be held or conveniently attached to your clothing. 6' of cord from headset to plug. **288I** works with ICOM, older Yaesu, Standard, ADI, Radio Shack and compatibles. **288K** works with Kenwood and compatibles. **288Y** works with Yaesu FT-10, 50 and VX transceivers each **\$24.99**


292Y Featherweight™ Earphone/Mic (right) An ear-plug earphone that fits comfortably in your ear. Consists of a tiny thumb size microphone with push-to-talk switch with lapel/pocket clip is built into the 4 ft. cord. The high quality dynamic earphone and electret-type microphone gives your handheld crystal clear audio on receive and transmit. Works with Icom Q7A, Yaesu FT-10R, FT-40R, FT-50R and VX series transceivers **\$17.99**

MICROPHONES



297 Pro Grade Desk Microphone Sensitive, premium grade condenser mic element coupled with a low-noise amp. SSB mode gives smooth, articulate audio

for DX punch or select full-range mode for clear FM/AM operation. Flexible microphone boom, Soft-Touch™ momentary and locking PPT switches. On-the-Air LED indicator. Frequency up/down switch. 4" w x 1.25" h x 6" d base with rubber feet. Requires 2 "AA" batteries. Adapters 5397 Y/K/I/MX/MY (\$15.99 ea.) .. **\$69.99**



295Y Mini Speaker Microphone (left) For tiny popular YAESU handheld transceivers – FT-10R, 40R, 50R, VX-1R and ICOM IC-Q7A. Non-directional electret element gives your radio clear transmit audio. Tx LED. 53dB, Z-1000Ω. For Icom, specify **295I**. For Kenwood, **295K**..... ea. **\$15.99**

296I Deluxe Speaker Microphone for ICOM (right) Electret element. Has PTT lock, volume control and 360 degree rotating lapel clip..... **\$19.99**

HEADPHONES

396 Professional Grade Boom Mic/ Headphone (right) Designed for contesting, DXing and traffic nets. Features a total comfort design with 3/4" thick padding on each ear and headband. Super lightweight! Adjustable headband gives a perfect fit, keeps out noise. Enhanced headphone frequency response brings out speech fidelity, signals never sounded so clear. Flexible mic boom lets you position the mic comfortably at an optimum distance to minimize sibilant sounds. Tailored frequency response microphone element helps bust through noise and QRM. Has a 9 ft. cable with standard 1/4" jack for headphones and 3.5mm jack for microphone. Microphone adapters: order 5396 Y/K/I (\$15.99 each)..... **\$79.99**



394 Single Ear Boom-Mic Headphone Same features as the MFJ-396, but the single-ear design lets you hear your radio and what's going on around you. Perfect for contest groups, mobile operation, DXing, etc **\$74.99**

1709 Foot-Operated PTT Switch For MFJ-396 and 394. Hands free operation improves efficiency and reduces fatigue. Non-skid pad with cushioned pedal. 10 ft. cord with 1/4 in. standard phone plug. 2.5" w x 3.5" d x 1.25" h..... **\$21.99**

392 Communications Headphones (left) Perfect for amateur radio and short-wave listening, great for all modes. Superb padded headband and ear cushion design, plus lightweight (8oz). High-performance driver units with 100Hz-24,000Hz frequency response provide enhanced sound and outstanding speech fidelity. Each earphone has individual volume and bass controls. Comes with gold-plated plug & 9' cord. Power handling: 450 mW Impedance: 16Ω at 1kHz Sensitivity: 102 dB/mW. Mono or stereo. Includes 1/4" adapter..... **\$19.99**

KENWOOD

HS-5 Deluxe Headphones Specifically designed for use with communication systems. It provides natural sound and eliminates uncomfortable pressure feeling which permits long hours of fatigue free listening. To increase the volume level or when you are using the headphones in a noisy room or want privacy, replace the ear-pads with the vinyl leather ones. These are pressure-fit type ear-pads and will increase the sound pressure by about 10dB while sealing out noise. Both types are included. Includes 6 feet connecting cord with plug. Impedance: 8Ω • Maximum input: 200mW @ 1000 Hz • Frequency Response: 150-4000 Hz (-6dB) • Approx. 350g **\$79.99**



HEADSET

53725 FRS Headset with Swivel Boom Mic Allows you to clearly hear messages from Motorola FRS units in high noise areas or in quiet environments without disturbing others. Transmit messages without removing radio from belt or case. Enjoy hands-free talk when used with a Voice Activated Transmission (VOX) capable TalkAbout **\$14.99**



and engine noise • Dual volume control to maximize hearing levels • Includes a 3.5mm Premium Gold right angle plug with a 10 ft. coiled cord.... **\$19.99**



526T Series II SUPER PUNCH® Transistorized Base Station Microphone Adjustable height, dynamic microphone with built-in preamp and output level control. Designed to replace ceramic or dynamic, high or low impedance mics originally supplied with most equipment. The 200 to 6,000Hz frequency response provides optimum intelligibility. Comes with 6-wire cable and triple pole double-throw locking PTT for wide range of mic to transceiver connections. Includes 9V battery ... **\$124.99**



10DA-L High-Z dynamic SSB microphone head. Controlled 300-3000Hz response provides high attenuation of the unwanted sideband and better copy through interference. 2 1/8" w x 1 1/8" h x 3/8" d, 17 oz. Black. Uses T-UG9 stand, below..... **\$69.99**



D-104L The original "super talk power" microphone head. High output and 300-7500Hz response with rising characteristics between 500 and 4000Hz, provides maximum intelligibility. Shock proof cartridge with high-Z crystal element, metal sealed for protection. Solid machined brass parts, heavy mesh grille, all chrome plated. 3" diameter x 1 1/8" d, 14 oz. Uses the T-UG9 stand, below..... **\$42.99**



T-UG9 Accepts D-104L and 10DA-L microphone heads. Built-in adjustable preamp with output impedance, matches most transmitters. Side switch bar for PTT with slide-up locking clamp. 8 3/4" h without head, 5 1/2" dia. base. Chrome and grey, 6-wire coiled cable. Uses 9 volt battery **\$52.99**

Daiwa CN-80IS, CN-465M, CN-103N and CS-201GII are Special Order



Accurate Measurements NO EXCUSES.

Professionally Engineered "Cross Needle" Meters

Forward power, reflected power and VSWR are displayed simultaneously! No calibration required! Daiwa high quality instruments make the tedious measuring of SWR and Power during antenna tests, transmitter matching and tuning a very easy task.



Professional Series

Accurate and dependable featuring a large, easy-to-read lighted meter. 13.8VDC jack on rear panel. 6" l x 4 1/4" h x 4 1/2" d (approx.)

CN-801H

Frequency Range: 1.8-200MHz
Forward Power Ranges: 20/200/2000W

CN-801V

Frequency Range: 140-525MHz
Forward Power Ranges: 20/200W

CN-801S

Frequency Range: 900-2500MHz
Forward Power Ranges: 2/20W



Economy Series

Accurate and dependable bench meters at an economy price. Lighted, 13.8VDC jack on rear panel. 6" l x 3" h x 4" d (approx.)

CN-101

Frequency Range: 1.8-150MHz
Forward Power Ranges: 15/150/1500W

CN-103M

Frequency Ranges: 140-525MHz
Forward Power Ranges: 20/200W
CN-103N (N-Type Conns)



Mobile Series

Compact design, mounting bracket included. Lighted, 13.8VDC jack on back panel. 3" l x 3" w x 4" d (approx.)

CN-410M


Frequency Range: 3.5-150MHz
Forward Power Ranges: 15/150W

CN-460M

Frequency Range: 140-450MHz
Forward Power Ranges: 15/150W

CN-465M

Frequency Range: 140-525MHz
Forward Power Ranges: 15/75W



Coax Switches

Patented design and excellent RF characteristics. Automatic grounding of unused circuits with heavy-duty die cast cavity construction.

CS-201

2-Position 600MHz Switch
Max. Power: 2.5kW PEP/1kW CW
Conns: SO-239

CS-201GII

2-Position 2GHz Switch
Max. Power: 1.5kW CW
Conns: Gold-plated N-Type

CS-401

4-Position 800MHz Switch
Max. Power: 2.5kW PEP/1kW CW
Conns: SO-239



(714) 630-4541 • (800) 962-2611
(714) 630-7024 fax
www.natcommgroup.com

1.8-170 MHz SWR Analyzer™



MFJ-259B
\$239⁹⁹

*plus, the MFJ-269 with
E-X-P-A-N-D-E-D Frequency
Coverage & Added Features*



Analyzer Accessories

MFJ-66 \$19.99. Dip Meter Adapter. Plug a dip meter coupling coil into your MFJ SWR Analyzer™ and turn, it becomes a sensitive, accurate dip meter. Set of two covers 1.8-170MHz.

MFJ-29C \$24.99. Genuine MFJ Carrying Case. Tote the MFJ-259B anywhere with this custom carrying case. Wear it around your waist, over your shoulder, or clip it onto the tower while you work. Has back pocket for carrying dip coils, adapters and accessories. Made of special foam filled fabric to cushion blows and deflect scrapes. Protect knobs, meters and displays from harm.

MFJ-39C \$24.99. Genuine MFJ Carrying Case. Same as MFJ-29C except that it fits the MFJ-269.

MFJ-731 \$89.99. Tunable Measurement Filter™ Allows accurate SWR and impedance measurements 1.8-30 MHz in presence of strong RF fields. Has virtually no effect on measurements. Works w/all SWR analyzers.

MFJ-99 \$54.99. Accessory Package for MFJ-259/B/249/B/209. Includes 29C carrying case, 66 dip meter adapter, 1315 110 VAC adapter. *Save \$4.98!*

www.mfjenterprises.com

The MFJ-259B

*If you are serious about performance ...
you Need one of these!*

You've spent a lot of time and money on your antenna system, so why not make sure it's giving you top performance? An MFJ SWR Analyzer will do that – plus, it will make you very popular because all of your Ham buddies are going to try to borrow it!

The MFJ-259B is a complete Ham radio test station including – Frequency Counter, RF signal generator, SWR Analyzer™, RF Resistance and Reactance Analyzer, Coax Analyzer, Capacitance and Inductance Meter and more!

Take the frustration out of getting your antennas properly tuned up for maximum performance. Gone are the days of using a conventional, sometimes questionable, SWR meter. You will no longer have to drag your rig (RF source) out into the yard. No more risking a heart attack running in and out of the house or up and down the tower to make those seemingly endless readings and adjustments.

The MFJ-259B is an all-in-one unit, with a built-in RF source so you can take it to the antenna, take one reading to get a complete picture of your antenna performance, and make all tuning adjustments on the spot.

Super EZ to use! Connect the feed line, set the bandswitch and tune the dial -- just like a transceiver. All information is clearly displayed instantly on the large, easy-to-read, 2-line LCD screen and side-by-side meters.

Read antenna SWR & Complex Impedance from 1.8-170MHz. Complex Impedance can also be read as series resistance and reactance (R+jX) or as magnitude (Z) and phase (degrees).

When tuning transmission lines or making up phasing harnesses for stacking antennas, you can quickly determine exact 1/4 or 1/2 wavelengths. You can also determine the velocity factor, coax cable loss in dB, length of coax and distance (in feet) to a short or open in coaxial cable.

Read SWR, return loss and reflection coefficient at any frequency, simultaneously; or inductance and capacitance at RF frequencies at a glance.

The MFJ-259B has a built-in frequency counter, Ni-Cad charger circuit, battery saver, low battery warning, and smooth reduction drive tuning.

Overall, Here's what you can do

- Find true resonant frequency of antenna.
- Trim dipoles and verticals.
- Adjust your Yagi, quad, loop and others, change antenna spacing and height. Watch SWR, resistance & reactance change instantly. You'll know exactly what to do, simply watch the display.
- Perfectly tune critical HF mobile antennas in seconds for super DX -- without subjecting your transceiver to high SWR.
- Measure your antenna's 2:1 SWR bandwidth on one band, or analyze multiband performance over the entire spectrum 1.8-170 MHz!
- Check SWR outside the ham bands without violating FCC rules.
- Take the guesswork out of building and adjusting matching networks and baluns.
- Accurately measure distance to a short or open in a failed coax. Measure length of a roll of coax, coax loss, velocity factor and impedance.
- Measure inductance and capacitance.
- Troubleshoot and measure resonant frequency and approximate Q of traps, stubs, transmission lines, RF chokes, tuned circuits and baluns.
- Adjust your antenna tuner for a perfect 1:1 match without creating QRM.

Take it anywhere

Fully portable, take it up towers, to remote sites, or on DX-peditions. It uses 10 AA or Ni-Cad batteries (not included) or 110 VAC with **MFJ-1315, \$14.99.** Its rugged, all metal cabinet is a compact 4" x 2" x 6 1/4".

How good is the MFJ-259B?

Many manufacturers use them in their labs and on production lines -- saving thousands of dollars in instrumentation costs.

MFJ-269 SWR Analyzer™ Covers 1.8-170 MHz plus 415-470 MHz

Looks identical to and has all the features of the MFJ-259B PLUS...

- Covers 1.8 to 170 MHz plus **415 to 470 MHz**.
- Built-in **CoaxCalculator™** -- calculates coax length in feet given coax length in electrical degrees and vice versa, and any velocity factor (great for building matching sections and phasing lines for multiple antenna set-ups).
- New 12-bit A/D converter gives much better accuracy and resolution than common 8-bit A/D converters.

New 1.8 to 170 MHz Range features

- Read Complex Impedance as series equivalent

resistance and reactance (Rs+jXs) or as magnitude (Z) and phase (degrees). Also reads parallel equivalent resistance and reactance (Rp+jXp).

- Measure SWR and loss of coax with any characteristic impedance from 10 to over 600Ω, including 50, 51, 52, 53, 73, 75, 93, 95, 300, 450Ω.

415 to 470 MHz Range features

- Read SWR, return loss, reflection coefficient simultaneously, and cable loss in dB and match efficiency.
- Has LCD logarithmic SWR bargraph and SWR meter for quick tuning.
- Uses MFJ-39C Carrying Case **\$319⁹⁹**

Coaxial Dynamics



ELEMENTS
WORK IN
BIRD METERS!

RF DIRECTIONAL WATTMETERS

81000-A RF Directional Wattmeter Accurate RF Power measurement in 50Ω coaxial systems. Uses an internal line section and "Quick Match" plug in elements in the range of 0.1-10,000 watts full scale, and from 0.45 to 2300 MHz.

Simply plug in the appropriate measuring element and select forward or reflected direction. Measured average RF power is indicated directly on the large 4-1/2 inch "taut-band" meter with three scale display. The meter is also mirrored and shock mounted to provide the most reliable and accurate readings.

Strong shock-proof housing. Supplied with SO-239 connectors (Type-N female Special Order) **\$260.99**

83000-A RF Peak Reading Wattmeter Similar in appearance and operation to the standard Model 81000-A wattmeter. Contains an amplifier which allows measuring of both Average and Peak Envelope Power (PEP) with the flip of a switch. Internal 9V battery is required and supplied for peak reading mode. **\$393.99**

STANDARD PLUG-IN ELEMENTS

82004	2 to 30MHz; 50W	\$87.99
82005	2 to 30MHz; 100W	87.99
82006	2 to 30MHz; 250W	87.99
82007	2 to 30MHz; 500W	87.99
82008	2 to 30MHz; 1000W	87.99
82009	2 to 30MHz; 2500W	125.99
82010	2 to 30MHz; 5000W	125.99
82013	25 to 60MHz; 10W	71.99
82014	25 to 60MHz; 25W	71.99
82015	25 to 60MHz; 50W	71.99
82016	25 to 60MHz; 100W	71.99
82029	100 to 250MHz; 10W	71.99
82031	100 to 250MHz; 50W	71.99
82033	100 to 250MHz; 250W	71.99
82046	400 to 1000MHz; 10W	71.99
82048	400 to 1000MHz; 50W	71.99
82049	400 to 1000MHz; 100W	71.99

ACCESSORIES

88000	Type-N female "QM" connector.....	\$9.99
88800	Carrying case.....	55.99



We accept I.M.P.A.C.® Government Credit Cards

Bel MERIT



DX-405 Multi-function Multimeter (left) 10 functions/39 ranges • 3½ digit, manual ranging • Frequency meter, to 20MHz • 0.25% DCV basic accuracy • Measure voltage, current, resistance and diode • Continuous beeper • Data hold • Auto power off • Input warning • Tilt stand with lead holder • Holster • 4" w x 7.5" h x 1.5" d, 1.5 lb..... **\$69.99**

DX-355 Digital Multimeter (middle) For industrial heavy-duty (all current range fused) extensive overload protection • 0.25% DCV basic accuracy • Measure voltage, current, resistance, diode and freq. up to 20MHz • True RMS reading • Data hold • Auto Off • Tilt stand with lead holder • Protective holster • 4" w x 7.5" h x 1.5" d, 1.5 lbs..... **Closeout \$74.99**

DM-80 Pocket Digital Multimeter (right) 3200 count • 32 segment bargraph • Auto/manual ranging • Auto power off • Data hold • Range • Voltage, AC/DC 450V • Current, AC/DC 300mA • Resistance, 30MΩ • Diode test • Continuity beeper • Over range indication • Low batt. mark • auto polarity • Carrying case incl. • 2" w x 4.1" h x 0.4" d, 3.2 oz..... **\$34.99**

DIAMOND ANTENNA



SWR/POWER METERS

(left) Five models measure power and SWR with 5-10% of F.S. accuracy. Illuminated meter, sensor switch, LED indicator. Power ratings for intermittent operation. For continuous, ratings vary with frequency. SO-239 connectors on all except SX-1000 (type-N). 6" w x 2½" h x 4" d, 2 lbs.

SX-100	1.6-60MHz, 30/300/3kW PEP	\$134.99
SX-200	1.8-200MHz, 5/20/200W PEP	\$94.99
SX-400	140-525MHz, 5/20/200W PEP ...	\$114.99
SX-600	Dual band, 1.8-160MHz and 140-525MHz, 5/20/200W PEP ranges	\$169.99
SX-1000	Dual band, 1.8-160MHz and 430-1300MHz, 5/20/200W PEP ranges	\$214.99

CROSS-NEEDLE SWR/POWER METERS

(right) Indicate forward and reflected power and SWR simultaneously. 50Ω impedance, SO-239 connectors, 10% F.S. accuracy, 3.3" w x 3.4" h x 3.7" d, 9 oz.

SX-20C	3.5-30/50-54 & 130-150MHz ranges; 30/300W. Needs 5W minimum for VSWR ..	\$89.99
SX-40C	144-470 MHz (220 MHz with correction factor); 15/150W (3W minimum power)	\$79.99


DAIWA industry co. ltd.



CROSS NEEDLE SWR/POWER METERS


CN-101 Covers 1.8 to 150MHz, rated at 1500W from 1.8-60MHz and up to 1000W at 144MHz. Shows Forward and Reverse power and VSWR simultaneously. Three Power Ranges: 15/150/1500W (RMS or PEP); ±10% of full scale accuracy. SWR detection sensitivity: 4W minimum. 50Ω impedance, SO-239 connectors. 6" w x 3" h x 3¾" d, 1½ lbs **\$99.99**

CN-103M Same as CN-101, but covers 140-525MHz and rated at 200W. Two Power Ranges: 20/200W (RMS or PEP)..... **\$99.99**



CN-410M Compact Meter For mobile or base use - covers 3.5-150MHz. Two power ranges: 15/150W forward and 50/5W reflected. Backlit meter shows forward and reverse power and VSWR simultaneously. SWR detection sensitivity: 3W mini. 50Ω impedance, SO-239 connectors. Mounting bracket included. 2¾" x 3" d x 3¾" d, 10 oz..... **\$104.99**

CN-460M Compact Meter Same as CN-410M, but covers 140-450MHz **\$104.99**



PROFESSIONAL SERIES

The CN-801 series of cross needle meters features the most accurate meter and largest meter face in the Daiwa line.

The large, easy-to-read meter has .5W increments and is lighted. This is truly a professional quality meter. • 5W SWR detection sensitivity (min.) • 50Ω impedance • 6" l x 4" h x 4.5" w • 2.2lbs

CN-801H 1.8-200MHz, 20/200/2kW **\$149.99**

CN-801V 140-525MHz, 20/200W **\$154.99**

CN-801S 900-2500MHz, 2/20W, Type-N Spec Order

VELLEMAN

DVM-810 Digital Multimeter Compact design makes this meter a perfect fit for any toolbox or even shirt pocket! It features multiple functions and an easy-to-read LCD display. • 3.5 Digits • 19 ranges • Measures voltage, current, resistance, transistor and diode • Battery included **\$19.99**



Service Questions?


414-358-4087
Milwaukee, WI

SWR/POWER METERS

864 (bottom) Covers 1.8-60MHz, 144MHz and 440MHz bands. Dual sensors, connect an HF and VHF/UHF rig at the same time. Monitor SWR and power of either. Lighted cross-needle meter indicates 30/300W forward and 6/60W reflected power simultaneously. Uses 12V DC for meter light. 7 $\frac{1}{4}$ "w x 2 $\frac{1}{2}$ "h x 2 $\frac{1}{4}$ "d..... **\$84.99**

862 (middle) Similar to 864, but for 144MHz, 220 MHz and 440MHz. Ranges: 30/300W forward and 6/60 watts reflected. 5 $\frac{3}{4}$ "w x 2 $\frac{1}{2}$ "h x 2 $\frac{1}{4}$ "d.... **\$54.99**

860 (top) Similar to the 864, but covers HF - 1.8 to 60MHz. Ranges: 30/300 watts forward and 6/60 watts reflected. 4 $\frac{1}{2}$ "w x 2 $\frac{1}{4}$ "h x 3"d..... **\$44.99**



815B Features large 3" cross-needle meter. Gives accurate SWR and peak or average power readings from 1.8-60MHz. Ranges: 200/ 2000W forward and 50/500W reflected. Push buttons 12V DC for meter light. 7 $\frac{1}{4}$ "w x 2 $\frac{1}{2}$ "h x 2 $\frac{1}{4}$ "d **\$79.99**

817 Looks & features similar to 815B but covers 144 & 440MHz bands. Power Ranges: 200/20 forward and 50/5W reflected. 7 $\frac{1}{4}$ "w x 2 $\frac{1}{2}$ "h x 2 $\frac{1}{4}$ "d... **\$89.99**




812B (top/left) Indicates forward and reflected power on 2M and 220MHz and SWR 14-220MHz, plus field-strength 1-220MHz. Ranges: 30/300W ranges. Measures only 4 $\frac{1}{2}$ "w x 2 $\frac{1}{4}$ "h x 3"d... **\$34.99**

816 Toroidal Meter (bottom/right) Indicates forward and reflected power from 1.8 to 30MHz. Ranges: 30/300W. Only 4 $\frac{1}{2}$ "w x 2 $\frac{1}{4}$ "h x 3"d..... **\$34.99**



844 VHF/UHF SWR/Power Meter Covers 144 and 440MHz and handles 200W. Measures SWR and Power in three ranges: 15, 60, and 200W. 50 Ω impedance, SO-239 connectors. Insertion loss is 0.3 dB or less. Measures only 3 $\frac{3}{4}$ "w x 3" h x 1 $\frac{1}{4}$ "d. Easy to read multi-colored meter. Great to take along for those portable, HT or mobile rigs..... **\$69.99**




GrandMaster™ 3 $\frac{1}{2}$ x 1 $\frac{1}{2}$ " meter, forward and reflected. Three ranges. 13.8V/110V. 7 $\frac{1}{2}$ "w x 3 $\frac{3}{4}$ "h x 4 $\frac{1}{4}$ "d.

870 (HF Range) Covers 1.6 to 60MHz. Power ranges: 30/300/3000W **\$124.99**

872 (HF/VHF Range) Covers 1.8 to 200MHz. Power ranges: 5/20/200W **\$94.99**

873 (VHF/UHF Range) Covers 125 to 525MHz. Power ranges: 5/20/200W **\$104.99**


874 (HF/VHF/UHF Range) Covers 1.8 to 525MHz. Power ranges: 5/20/200W..... **\$159.99**



FIELD STRENGTH METERS

801 Super Compact Field Strength Meter (right) You can read relative field strength from your antenna, measure antenna performance and discover how strong your antenna field is. Its super compact size fits in the palm of your hand, only 2 $\frac{3}{8}$ "w x 3 $\frac{3}{8}$ "h x 1"d. Telescopic whip included **\$19.99**


802 Bipolar Field Strength Meter (left) Dual whips are included, 2 $\frac{3}{8}$ "w x 4" h x 1 $\frac{1}{2}$ "d..... **\$39.99**



MISCELLANEOUS

850 Line Voltage Monitor (left) Plug into any 110V AC outlet and monitor the line voltage on an expanded/colored 95 to 135V AC scale. Measures 2 $\frac{3}{4}$ "w x 2 $\frac{1}{4}$ "h x 1 $\frac{1}{2}$ "d..... **\$19.99**

204B Antenna Bridge (right) Quickly optimize 1.8-30MHz antennas for peak performance. Portable - take it to an antenna site. Determine if an antenna is too long or too short, measure resonate frequency and resistance to 500 Ω . Built-in resistance bridge, null meter and tunable oscillator-driver. Requires 9V battery. Measures 4" h x 2" w x 2" d **\$79.99**



224 2M FM SignalAnalyzer™ Measure signal strength over 60dB range; check and set FM deviation, measure antenna gain, beamwidth, front-to-back ratio, sidelobes, feed-line loss. Plot field strength patterns, position antenna, measure preamp gain, tune transmitters and filters. Use scope to analyze modulation wave forms, measure audio distortion, noise and peak deviation. Covers 143.5-148.5MHz. Head-phone jack, battery (9V) check function. 4"x2 $\frac{1}{2}$ "x6 $\frac{1}{2}$ " **\$149.99**



852 Power Line Noise Meter A sensitive (0.3 uV) superhet AM receiver with a wide range noise level meter. Wide-range AGC (over 70dB). Tuned for the 135 MHz region where activity is a minimum and radiation from corona and arcing is far more localized. The telescopic, direction-finding dipole antenna is balun isolated and optimized to give a sharp, clearly defined null for accurately pin-pointing noise sources. Plug in your headphone and hear the noise you're tracking or plug in a tape recorder and record the offending noise for playback to your local power company. Compact size: 2.8" w x 4" h x 1.5" d. Uses a 9 volt battery..... **\$89.99**



805 Pocket-Sized RFI Detector Track down and eliminate RFI caused by radiating cables and wires. Simply clamp the top mounted current transformer over suspected cable or wire (up to 1/4 inch diameter) to detect RFI causing common-mode currents. Useable from VLF to VHF. Uses 9V battery. 2.25" h x 4.75" h x 1" d **\$79.99**

886 Pocket Frequency Counter Covers 1MHz-3GHz • 300MHz direct count with 0.1Hz/second resolution • 10-digit high contrast LCD with 3/4" digits • Impedance: 50 Ω (VSWR @ <2:1) • Sensitivity: 0.8mV @ 100MHz, 7mV @ 300 MHz, 6mV @ 1GHz, 100mV @ 2.3GHz. • Maximum input: 15 dBm • Synchronous detector • Ultra-sensitive RF signal strength LCD bargraph • Four selectable gate times give 1Hz-10Hz resolution (300MHz range) and 10Hz-1000Hz resolution (3GHz range) • Up to 6 hours operation from rechargeable Ni-Cad batteries (included) • Rugged aluminum cabinet, pocket • 2.75" w x 3.25" d x 1.25" d • Includes 110 VAC adapter and telescoping antenna..... **\$109.99**



854 RF Current Meter A top-mounted sense coil snaps over wires and cables, etc. up to 1/2" diameter • Measures actual RF currents in antenna elements, radials, ground wires and on the outside of coax feedlines • Six ranges, 30mA to 3A • Accurate from 1-30MHz • Range with variable sensitivity control, allows tracking down RFI-causing current on household wiring and cables • Press-to-test power circuit turns unit off automatically after 15 seconds to provide long battery life • Built-to-last, all-aluminum case and G-10 PC board • 2.5" w x 5.5" h x 1.5" d, 11 oz..... **\$89.99**

Used & Demo
Equipment lists
Updated regularly on the web.
Check them out and order **On-line**

MIRAGE

Three models all measure RMS, peak forward and reverse power and SWR, directly without charts or calculations. Negligible insertion loss. Remotable coupler, SO-239 connectors. Requires 9V battery, or AC adapter. Low battery indicator. 5 1/2" x 4 1/2" x 5 3/4" d, 3 1/2 lbs.

- MP-1** 1.8-30MHz; 25, 200, 2KW PEP **\$219.99**
MP-2 50-200MHz; 50, 500, 1.5KW PEP. **\$219.99**
MP-3 420-450MHz; 5, 50, 150W PEP **\$249.99**

YAESU



YS-60 Monitors average (CW) and peak (SSB) transmitter power and VSWR. Covers 1.6 to 60MHz, up to 2KW. Ranges: 0/200 & 2000W PEP. 50Ω imped., SO-239 connectors. Requires 12V DC for lamps & internal circuits. 4 3/4" w x 2 3/4" h x 3 1/2" d, 1 1/2 lbs. **\$129.99**

YS-500 Similar to YS-60, but covers 140-525MHz and has 4/20 & 200W PEP ranges **\$109.99**



LOW COST METERS

SWR-1 Field Strength or SWR Meter (left) Range: 3.5 to 150 MHz; Impedance: 52Ω; SWR: 1:1-3:1; Accuracy: 5%; Meter Sensitivity: 300uA. 5" RF pick-up antenna. 6" h x 2" w x 2" d, 14 oz. **\$19.99**

SWR-3 SWR Meter (right) Range: 1.7-30MHz • Impedance: 50-52Ω • SWR: 1:1-3:1 • Accuracy: 5% • Sensitivity: 300uA • 2 1/2" x 3 1/2" x 3", 6oz **\$14.99**



370052 Multi-Meter, Capacity Checker, Temperature Meter 3 1/2 digits • 1 1/2" LCD • DC volts - 200mV, 2000mV, 20V, 200V, 1000V • AC volts - 200V, 750V • DC current - 200uA, 2000uA, 20mA, 200mA, 10A • Resistance - 200Ω, 2kΩ, 20kΩ, 200kΩ, 2MΩ • Capacity - 2000pf, 2nf, 200nf, 2uf, 20uf • Diode test • Transistor hfe • Test leads & 9V battery • 2.6" w x 4.8" h x 1" d ... **\$19.99**

MFJ ENTERPRISES, INC.



DUMMY LOADS (OIL FILLED)

250 Versaload (right) 50Ω oil-filled dummy load providing low VSWR to 400 MHz. Rated at 1 KW CW or 2KW PEP for 10 min., with 50% power rating for 20 minutes and 200W CW (400W PEP) continuous. 7 1/4" h x 6" diameter **With oil \$59.99**
250X Same as above, but requires oil **\$39.99**
(DRY LOADS)

(left) Air cooled, non-inductive 50Ω resistor mounted in a metal housing. Full rated load for 30 seconds with derating curve to 5 minutes.


260C (HF/VHF) Rated at 300W. 1:1 SWR to 30MHz, .5:1 to 650MHz. 2 1/2" x 2 1/2" x 7" **\$34.99**

260CN With type "N" connectors **\$39.99**

264 (UHF) Performs from 1.3 to 650MHz, usable to 750MHz. Rated at 1.5KW for 10-seconds and 100W for 10-minutes. 3" w x 3" h x 9" d **\$69.99**


264N With type "N" connectors **\$79.99**

VECTRONICS



DUMMY LOADS

DL-300M Dry Dummy Load Simulates an accurate 50Ω antenna up to 150MHz. Test or tune up your transmitter without radiating a signal on the air. Power handling curve rated at 300W for 15 seconds, to 100W for 40 seconds. VSWR <1.3:1 at 150MHz. 5" h x 2" d x 2 1/2" h, 8 oz. **\$44.99**



DL-650M Dry Dummy Load (left) Good all the way up to 650MHz. Power handling curve is rated at 1500W for 10-seconds, down to 100W for 10 minutes. VSWR <1.3:1 at 500MHz **\$74.99**

DL-2500 Dry load (High-Power) (right) A fan cooled heavy-duty load for up to 150MHz. Power handling curve rated at 2500W for 1 minute, down to 500W for 10 minutes **\$179.99**

SWR/POWER METERS

PM-30HF Similar to pic. RMS or PEP forward and reflected power and SWR simultaneously. Lighted cross-needle meter. Covers 1.8-60MHz, 300/3000W ranges. 5" w x 3 1/2" h x 5 1/2" d, 1.2 lbs. **\$79.99**

PM-30UV (shown) Same features as the PM-30HF, but covers 144, 220 and 450MHz bands **\$89.99**



VFD-VHF VFD Wattmeter 50-225MHz, 5 to 300W. Feature a 2 line x 16 character vacuum fluorescent display, tuning and operate modes and a settable VSWR limit. Provides real time peak and hold display of actual power and VSWR every transmission. Select a quick update for the displayed power. The sensor uses large cores that will not saturate. Know that the VSWR has exceeded a preset limit with the alarm indication. Display: 5.75" w x 3" h x 2" d. Coupler: 4" w x 3.5" h x 2" d **Closeout \$169.99**



ARR 317 Technician Video Course Contains 3 VHS video cassettes, CD-ROM and course book. Everything you need to earn your first Amateur Radio license. • Lively video instruction presented in bite-sized segments • Colorful graphics, animation and close-up video bring ham radio to life • Complete course book with detailed notes • The entire examination question pool • Practice tests • No surprises on exam day • Personal graduation certificate suitable for framing **\$149.00**

ARR 318 Tech Course Book Same book as supplied with the complete video course. CD-ROM included **\$29.00**

Look For This

NEW

& Check Out AES' Latest Additions.



We accept I.M.P.A.C.® Government Credit Cards


K-COM



RF-1/Single line



RF-2 hard-wired



RF-1 coiled

TELEPHONE RF INTERFERENCE FILTERS

Cure telephone RF interference in the most irritating cases even when dealing with transmitters with full legal power output. Use any number of filters with no adverse effect on telephone performance.



RF-1 For single line equipment including wired and cordless phones, answering/fax machines, modems, etc. Uses standard modular connectors..... **\$16.99**

RF-1/2-LINE For 2-line or multi-line, multi-station electronic key phone systems..... **\$22.99**

RF-1/COILED For use when RFI enters thru coiled telephone cord between base and handset. **\$22.99**

RF-2 Hard-wired, provides a wide range of installations optional to add RFI rejection at a variety of physical/electrical locations in the system; inside jacks, behind wall mounts, etc..... **\$10.99**

PAR ELECTRONICS



INTERMOD FILTERS

Solve most intermod or front end overload problems from paging systems, etc. with these asymmetrical, 45-54dB notch filters. Centered on the offending pager spectrum of 152-153MHz, they work effectively with a loss of ≤ 0.5 dB and a 1.25:1 VSWR. Works with dualbanders by providing a low-loss pass-thru of 70cm signals.

VHFDN152 2m base/mobile intermod filter, rated 50W, SO-239 connectors, 2" h x 1" d x 2 1/2" w. **\$62.99**

VHFTN152-158 Triple Cavity Similar to the VHFDN152 except it places a second notch in the 158MHz pager band in addition to the dual notch in the 152 MHz band. 2 1/2" h x 1" d x 3" w..... **\$82.99**

VHFDN152HT 2m intermod filter for handhelds BNC connectors, 20W. 1 1/2" h x 3/4" d x 2" w..... **\$68.99**


UHFDN450 UHF intermod filter for base or mobile. Blocks pagers & two-way transmitters that cause 70cm intermod; transparent to 2m.. **\$62.99**

UHF-12 12" Belden RG-58/U jumper cable with silver/gold/teflon PL-259's on each end..... **\$9.99**



020-001 Low Pass Filter Install between transmitter and antenna to reduce or eliminate TVI caused by harmonics from transmitters operating from 1.8 to 30MHz Rated 2KW, 5KW SSB peak. Over -65dB attenuation above 57MHz. SO-239 connectors..... **\$56.99**

BENCHER INC.




The Best General Purpose Low Pass Filter Available

Check the specs!

YA-1 1kW, 80db attenuation @ 50MHz..... **\$75.99**

www.bencher.com

MFJ MFJ ENTERPRISES, INC.



713 IntermodFighter™ Eliminate intermod in your 2M HT. Three high-Q bandpass filters and two L-sections give razor sharp selectivity to knock out interfering signals below and above 2M. BNC connectors for HT use. Self-contained, and uses a 9-volt battery. To eliminate intermodulation, remove the rubber duck and replace it with the MFJ-713. Re-install the duck - no more intermod! RF tight, rugged aluminum case..... **Closeout \$39.99**

704 50Ω Low Pass Filter

Install between HF transmitter and antenna to reduces TVI from harmonics that fall in the TV band. Handles 1kW from 1.8 to 30MHz **\$49.99**



711 75Ω High Pass Filter Install at TV or VCR antenna input to reduce or eliminate interference from HF transmitters operating up to 30MHz **\$24.99**

RF Inquiry



HI-Q Common-Mode™ Filters For tough RFI problems. Lowpass filters eliminate harmonic-type interference but are not capable of filtering out "Common-Mode" (differential noise energy transfer between transmitter and ground including stray capacitance). For cleaner signals, add an RF Inquiry filter.

- Operating Frequency: 1.8-70MHz • Common Mode Attenuation: -50 to -60db below 250MHz
- Insertion Loss: Less than 0.1dB • Impedance: 50Ω
- Connectors: SO-239 teflon

CF250E-UHF 250W, .98 x 10 in. 0.5 lb... **\$89.99**

CF5KV-UHF 5kW, 2.1 x 12.6 in., 1.3 lb **\$124.99**

we have a

SECURE web site
at www.aesham.com

DCI DIGITAL COMMUNICATIONS



BANDPASS FILTERS

Install between your 2m, 220 or 440MHz rig and antenna to reduce strength of out-of-band interfering signals while allowing signals you want to hear to pass through at full strength. Eliminate random squeals, squawks, beeps and strange voices from your UHF or VHF radio caused by intermodulation from strong, nearby pagers, police radio, etc. Also effectively reduces spurious emissions on transmit.

- Hear desired signals even in crowded urban centers with high-powered commercial systems
- Design: 2M/220MHz - four helical resonators with aperture coupling; 440MHz - four 1/4-wave linear resonators with aperture coupling • VSWR 1.5:1
- 200W rating • Made of extruded aluminum, copper and brass • 12w"x 3h" x 5d" • 2 lb, 11oz

146-4H Passband: 144-148; Loss <1 dB; Selectivity: -57dB @ 136MHz and -43dB @ 156MHz. SO-239 silver-teflon connectors **\$89.99**

145-2H Passband 144 to 146 MHz **\$89.99**

223.5-3H Passband: 222 to 225MHz; Loss 1 dB; Selectivity: -33dB at 233 3MHz and -28dB at 233 MHz. SO-239 silver-teflon connectors **\$89.99**

445-10C Passband: 440-450MHz; Loss 1dB; Typical selectivity: -47dB at 425MHz and -50dB at 456 MHz. Type-N silver-teflon-gold connectors **\$109.99**

435-10C Passband 430 to 440MHz **\$109.99**

Upgrade to type-N connectors on 2m and 220MHz models - add \$10 to price; Special Order



High Pass Filters Stop TV, FM and VCR interference caused by harmonics or overload from HF amateur radio transmissions, etc. Installs at TV or VCR antenna terminals or connector. Sharp frequency cutoff at 52MHz with 70dB attenuation below 50MHz.

HP-300T (300Ω) or **HP-75T** (75Ω)ea. **\$12.99**

VECTRONICS®



LP-30 (right) Low Pass Filter Suppress TV interference from HF transmitters. Use between transmitter and antenna or tuner. Up to -70dB attenuation of harmonics falling in TV bands. For 52Ω, up to 30MHz and 1500W RF continuous power... **\$69.99**

LP-2500 Rated for 2.5KW continuous ... **\$129.99**

HPF-1 (left) High Pass Filter Install at TV antenna terminals. Stops interference caused by overload and harmonics from HF transmitters operating below 30MHz. High harmonic attenuation but low loss in the 52-550MHz TV passband. For 300Ω, but balun and Type-F connector are supplied for 75Ω **\$24.99**




High Quality Instruction! Your ARRL video course was produced in conjunction with King Schools—a world leader in the production of exam preparation video courses. You will enjoy the enthusiastic instruction and talent of John, KD6SCY & Martha King, KD6SCZ, as they lead you to passing your license exams.

Technician and General courses available NOW!

The Fastest Way to License Success!

ARRL Video Courses




Why do things the hard way? Sit back, relax and learn everything you need to know. Each ARRL video course gives you everything you need to ace your written license exam.

HERE'S WHAT YOU GET!

Included with EVERY course! Practice Exam Software

Every video course includes the ARRL Computerized Exam Review CD-ROM*. Use it with your video course to emphasize important points, and to provide practice using questions from the actual examination question pool! View detailed explanations for questions that cause you difficulty. The computer will record your answers, and issue a Report Card. We'll make sure you're ready on exam day!



- **Complete Technician Class Video Course.** Includes 3 videotapes, coursebook, and software. Third edition....ARR 317 \$149
- **additional Technician Class Coursebook.** Includes coursebook and practice exam software. Third edition....ARR 318 \$29
- **Complete General Class Video Course.** Includes 3 videotapes, coursebook, and software. Third edition.....ARR 175 \$149
- **additional General Class Coursebook.** Includes coursebook and practice exam software. Third edition.....ARR 176 \$29



Your Complete License Course

Look at all you get with your ARRL Video Course:

- **3 Videos**—over 5 hours of fast, fun instruction
- **Coursebook** with detailed notes
- **Every exam question**, with thorough step-by-step explanations
- **3 Practice Exams** (test yourself before exam day)
- **ARRL's Computerized Exam Review CD-ROM**
- **Personalized Graduation Certificate** (suitable for framing)

*Requires Microsoft Windows, Pentium 133 (minimum) or compatible computer, and 50 MB available hard drive space.

SCORE 90, 95 AND EVEN 100%!
OUR GRADUATES EARN TOP SCORES!


STUDY GUIDES

Now You're Talking

Used by 1000's of hams to study for the first license level exam ARR 235 \$19




Ameco's complete Morse Code Instructor for IBM PC/XT/AT or compatible
Menu-driven, on-line "help" screens. Generates random charac., no., punctuation and QSO's. Similar to FCC/VEC exams.. AME 107-PC-2 \$29.95



General Class License Manual

All study material needed for the test ARR 169 \$15




Extra Class License Manual

Complete source for test material..... ARR 155 \$19



ARRL's TECH Q&A The 2nd edition of your authoritative guide to every question in the Technician (Element 2) question pool. Filled with everything you need to pass your first Amateur Radio license exam! Brief, clear explanations to all questions ARR 315 \$12.95




Your Introduction to Morse Code

A cassette tape or CD series from ARRL to teach Morse code in order to pass the General exam. Set includes plain-language practice text & Morse code exams using the format of a typical amateur contact..... ARR 195(tapes)/ARR 192(CDs) \$14.95

GENERAL

Operating Manual

The best one-stop book of radio operating information that is available ARR 241 \$25



The best way to prepare for all your Amateur Radio exams

Gordon West Study Books

Gordon West books include all the possible FCC test questions, explanations of correct answers, charts, diagrams, and more. His unique writing style makes learning easy and fun – and helps you understand answers for test success.

Technician Class	W5Y GWTM	\$11.99
General Class	W5Y GWGM	\$12.99
Extra Class	W5Y GWEM	\$14.99

Theory Tapes by Gordon West

Each 4-tape audio set recorded by Gordo walks you through what you need to know for the Technician, General and Extra Class written exams. Great study companions to the Gordon West books.

Technician Theory	W5Y GWTW	\$19.99
General Theory	W5Y GWGW	\$19.99
Extra Theory	W5Y GWEW	\$19.99

Learn the Code the right way with

Gordo's 6-tape sets

Gordo's Morse Code tapes offer the in-depth training you need to successfully learn the code for your General Class upgrade – and for higher speeds!

W5YI Morse Code software is a Windows-based program that allows you to practice code at 0-48 wpm on your PC.

Morse Code 0-5	W5Y GW05	\$29.99
Morse Code 5-16	W5Y GW13	\$29.99
Morse Code 10-28	W5Y GW20	\$29.99
Morse Code Software	W5Y WMC	\$12.99

Technician Class Videotape & Book

Easy-to-follow video course is the ideal companion to the Gordon West Technician Class book. Covers Element 2 Q&A to reinforce book. Comes with free Part 97 rule book.

W5Y NCVF \$29.99

W5YI Computer-aided license study software packages

Learn at your IBM-compatible PC! Each package contains two 3 1/2" discs with the FCC Q&A and answer explanations. Each package includes the appropriate Gordon West study manual, W5YI CW software, and a free Part 97 rule book. Study the book and take practice exams until you know the material! For Windows 3.1 and higher.

Technician Class	W5Y NCS	\$34.99
General Class	W5Y GUS	\$34.99
Extra Class	W5Y ECS	\$34.99

Ham Operator Software

Includes all written and code exams plus CW software and free Part 97 rule book (no books).

W5Y HOS \$39.99

Tech Plus General

Includes Technician & General Class books and exams, W5YI CW software, and free Part 97 book.

W5Y TPG \$49.99



2002 Radio Amateur's Handbook, 79th edition

From antennas to zener diodes, DSP technology & transceivers to switching power supplies, HF/VHF propagation to power amps – all a radio buff could be interested in. • New chapter on widely-used wireless technology covering cell phones and pagers • Revised chapter on DSP • New versatile, compensated wide-range modular RF voltmeter project • Supporting software/data downloadable from ARRLWeb • 1200-page softcover... **ARR 100 \$34.95**


2002 Radio Amateur's Handbook CD 6.0

Complete text of the 2002 Handbook • View, search and print from the entire edition • Usable with Macintosh or Windows.. **ARR 103 \$39.95**



Lightning Protection and Grounding Solutions for Communication Sites

Written in a non-technical manner so anyone can understand and install appropriate protection/grounding systems to guard their communications equipment against adverse pulses..... **PLY GLEP \$20**





Pocket REF

Chapters on air and gas, carpentry, chemistry, computers, electricity, math, hardware, plumbing, steel and materials surveying, welding, general information and more. 100's of tables and charts, 1000's of conversions. Everything you need to know! **SEQ POCKET REF \$9.99**

Stealth Amateur Radio

8 chapters on how to get on the air and enjoy ham radio using low profile tactics to circumvent CCN&Rs and other restrictive ordinances. Interference solutions, mobile operation, antenna systems and components..... **ARR 310 \$14.95**



Understanding Basic Electronics

For beginners and those who want to brush up on electronic principles. Clear, simple explanations and loaded with illustrations..... **ARR 328 \$20**

ARRL RFI Book

318 pages of step-by-step interference solutions covering: telephones, power lines and electrical devices, TVs, cable systems, VCRs, stereos, computers, VHF intermod, mobiles and more..... **ARR 261 \$20**



Hints and Kinks 15th Edition

Want to improve your station's performance or solve a problem? This is the book!..... **ARR 187 \$12**

QRP Power

Learn about low power transverter design, transceivers, transmitters & more..... **ARR 256 \$12**

Log Book

This universal log suits all amateur radio operations, DXing contests, rag-chewing, 8 1/2 x 11". **ARR 201 \$5**

Minilog Log Book

For portable operation, 6.5 x 4"..... **ARR 205 \$4.95**

Grid Locator Atlas

A must have for all contesters..... **ARR 180 \$5**




ARRL RF Exposure & You

Explains how to meet the FCC requirements using tables, graphs and worksheets to guide you through the process. If it turns out you aren't meeting new requirements, this book suggests what to do..... **ARR 258 \$15**

The New Shortwave Propagation Handbook

A "must read" for amateurs, shortwave listeners or any radio communicators who need to make the most productive use of radio spectrum, regardless of sunspot cycle... **CQX SHORTWAVE \$19.99**



FCC Rule Book

Complete guide to all FCC regulations pertaining to amateur radio..... **ARR 161 \$12**



On the Air with Ham Radio

A guide to the ways hams communicate. Provides recently licensed hams with all the info they'll need in making choices to get active on various ham bands and modes. Information on repeaters, satellites, television, HF digital modes, VHF FM, CW and phone, APRS, or HF phone and CW. 192 pages..... **ARR 240 \$17.95**

Buckmaster HamCall CD-ROM for IBM PC Compatibles

Updated Frequently! Search over 1.5 million listings by name, address, city, state/province, zip, county, country and license class. Also displays license issue date, expiration, previous call and class, area code, e-mail address, URL, county, time zone, lat/longitude, grid square, beam heading and distance. Other features: DOS, Windows 3.1, 95 and 98 compatible • Extensive international listings • Label printing routine • Over 4,000 photos and QSL cards • Interfaces with most logging programs • Calculates beam heading **BUC HAMCALL \$50.99**



SPECIAL INTEREST

Summer 2001 Radio Amateur Callbook CD

Access callsigns, names and addresses of more than 1.6 million listings world-wide covering more than 250 countries.

- **NEW** Amateur radio prefix maps
- Over 54,000 QSL manager listings
- Print program with multiple entries to customize a mailing label or logging format
- Windows or DOS platform for US and International data retrieval
- Windows driven by mouse; DOS via menu
- Data display by callsign, last name, city, license class issue and expiration date
- Morse code sound output to PC speaker
- Search: U.S. data by callsign, last name, county, city and zip; International data by callsign
- Search clubs, military and silent keys
- US data includes time zones, latitude/longitude and area codes **RAC 087611 \$49.99**

QRZ! Ham CD

Brings over 1,170,000 callsigns from stations around the world to your fingertips (60,000 from Russia and other CIS countries). Includes the latest FCC listings. • Over 182,000 e-mail addresses • Morse code training

software • On-line FCC exam training software • Computer radio control programs • Over 11,300 digital QSL images • Supported by most logging and contest programs • Compatible with Windows 3.11/95/98/NT/2000, MS-DOS, OS2, Linux, and most UNIX **WAL HAMQRZ \$29.99**

WeFax Program for IBM (v 3.1)

A full-featured facsimile reception program for use with the Kantronics line of Terminal Node Controllers (TNCs). Improved for more enjoyable WeFax reception **KAN SuperFax II \$59.99**

CSS Log Windows

Logging as easy as 1-2-3! Type in the callsign, press enter, and press save and you've logged your contact! Log Windows runs under Microsoft Windows 95, 98, Me and Windows NT, 2000 and the newly released Windows XP. Keep track of DXCC, WAS, Counties, IOTA and more. Computer control of your Icom, Kenwood, Yaesu, Ten-Tec, Kachina, JRC or Elecraft radio! Rotor control for Hy-Gain, Yaesu, Heath, M2, Rotor-EZ and Sarteki interfaces. Internet and radio DxCluster support, as well as syncing and autologging from Pacterm '98, PkTerm '99 and MultiComm Host Multimode **\$69.99**

CQ Getting Started in Ham Radio

A fast-paced video intro to the fascinating world of ham radio. CQ's experts show how to select equipment, which bands to use, how to use repeater stations for improved VHF coverage, the importance of grounding and the basics of soldering. Get the most out of your station, whether it's home-based, mobile or HT **Closeout CQX HAMVIDEO \$12.99**

Radio Amateur's Satellite Handbook

A beginners guide to satellite operating, tracking and antennas. Detailed appendices and glossary **ARR 264 \$22**

ARRL Weather Satellite Handbook

Types of satellites currently in orbit and how they operate. How to buy or build weather satellite receivers and antennas. How to build an interface to view images received from satellites or shortwave WEFAX on a PC. And more **ARR 342 \$20**

Satellite Anthology 5th edition

A compilation of QST articles dealing with satellites like Amsat-Oscars 10 and 13, Russian RS series and Microsats **ARR 277 \$15**

Getting Started in Amateur Satellites

Learn how veteran operators set up satellite stations. Find out how to locate and track ham satellites. Watch as operators access current satellites and contact far ranging stations world-wide. This video is full of easy to understand advice that can't be found anywhere else **C/O CQX HAMSATVIDEO \$12.99**

LOGSAT PRO Satellite Tracking Software

If it Orbits the Globe Logsat Can Track it! Track hundreds of satellites in dozens of windows. Features: KANSAS CITY TRACKER support • Complete multi-tasking • Unlimited number of satellite windows can be opened at the same time • Voice alarms when satellite window becomes visible • 5 map projections, high or low resolution for 486DX2 and Pentium PC's or slower 386's • 3D antenna radiation diagrams can be displayed • On-line help • Includes The Satellite Encyclopedia. **Minimum Requirements:** Windows® 3.1/95/NT compatible • Mouse or compatible pointing device • Standard keyboard • 286 processor • 4MB RAM • 15MB hard disk space. **Optional:** PC compatible sound card with speakers • 486 with 32MB RAM • Kansas City Tracker rotor interface **LOG LOGSAT PRO \$69.99**

Pocket PC REF, 11th edition

Concise computer reference for the novice and professional. Contains hard to find information for IBM's and compatibles. Includes DOS commands, ASCII codes, numeric prefixes, video standards, decimal/hex conversions, error codes, memory/address/IO maps, modem commands & switch settings, scan codes, CPU types, DOS/Windows history, PC industry phone book **SEQ POCKET PC REF \$14.99**

PRACTICAL PACKET RADIO

Practical Packet Radio

Everything you need to know including setting up a station, getting on DX packet cluster, & others **ARR 253 \$15.95**

CQ Getting Started in Packet Radio

Help de-mystify the exciting, but sometimes confusing, world of packet radio. Learn how to get started using your computer on the radio. Included are step-by-step instructions on making packet contacts and using packet bulletin boards, networks and satellites **Closeout CQX PACKETVIDEO \$12.99**

MapSource CD

Provides owners of compatible Garmin GPS units with maps to get where they are going. Using a computer and Map-Source software, enjoy high-speed transfer of maps from CD to GPS. For GPS-III Plus, e-Map Deluxe, NavTalk and Street Pilot **GAR 010-10215-00 \$99.99**

MapSource Metroguide

Contains detailed US map with business and residential streets and address lookup capability once downloaded to a compatible Garmin GPS unit. Shows highways, local roads, interstates and exit services for all 50 states.

Displays points of interest and emergency services. Also includes marine navais and inland cartography. Designed for the Garmin Street Pilot and eMap Deluxe **GAR 010-10215-03 \$149.99**

2001/02 Repeater Directory

More than 20,000 listings for voice and digital repeaters and propagation beacons located in North, Central and South America. Lists more than 500 beacons from 14 to 24 GHz, band plans, tone chart, committees, clubs and more! **ARR 270 \$9**

The DXCC Companion

Practical, easy-to-understand information on every aspect of DXing. Learn about equipment, antennas, propagation and pile-ups **ARR 146 \$8**

Passport to Worldband Radio

2002 shortwave listening guide containing data on all international broadcast stations; names, locations, frequencies, times, coverage, target area, transmit power and more. What to buy, how to listen.. **ARR 243 \$19.95**

CQ Getting Started in DXing

Top DXers share their experience with equipment, antennas, operating skills and QSLing. You'll see hams work rare DX around the world. This valuable information gives you the competitive edge needed to master DXing ... **C/O CQX DXINGVIDEO \$12.99**




2001/02 TravelPlus for Repeaters™ v5.0

Trace a route on color maps with major and state highways in the US and major highways in Canada, and identify repeaters along the way. Travel-Plus™ includes the

entire ARRL Repeater Database and 2001-2002 Net Directory. Use on-screen compass rose to scroll maps.

- Display repeater location icons on maps
- Print maps/lists based on route
- Customize info
- Use with GPS receiver to locate open repeaters, repeaters near current location or to return home
- Export lists in popular file formats
- Import routes created in DeLorme® Street Atlas USA® **ARR 321 \$39.95**



Monitor America

A complete listing of public safety and business radio communications of almost every community in the nation. Includes maps, tone codes and repeater input/output frequencies. Listings of AM and FM radio stations with frequencies and formats. Race car teams, sections of Disney and other places ... **C/O \$19.99**

CQ Getting Started in Contesting

Whether a newcomer or experienced veteran, this video is for you! Get advice and tips from some successful competitors: Ken Wolff, K1EA; Dick Newell, AK1A; and CQ's own, John Dorr, K1AR. Explanations of jargon, tips for beginners, how to compete from a small station, operating secrets from "pros" and live QSOs ... **C/O CQX CONTESTVIDEO \$12.99**



UHF/Microwave Projects Manual


Volume 2 of practical projects including microwave antennas, transverters, noise measurements and more. Includes a project for using a DSS dish on 5.7 and 10 GHz! **ARR 324 \$15**

CQ Getting Started in VHF

An ideal intro to VHF. See demonstrations of the latest radios. Also, learn about repeater usage as well as the more exotic VHF operating modes, whether interested in packet, satellite or simply using your local repeater **C/O CQX VHFVIDEO \$12.99**

Celestron Sky Map

Big, durable, 11½" x 13½", spiralbound, book. Contains a basic star map and glow-in-the-dark star finder, seasonal star charts and the constellations and characteristics of stars **CEL 93722 \$19.99**



Planisphere and Planet Finder

Spin disk until time of night lines up with the time of month. Place planets using guide on the back. Facing south, hold guide overhead with "south" at the bottom of the chart. The star and planet positions will match **CEL 93720-40 \$9.99**

Geochron World Watch Software & Screen Saver

See time for locations that you create, or select from over 475 predefined cities. Illuminates areas currently experiencing daylight (sunrise/set), also highlights changing seasons. Global daylight savings time auto adjusts. Options to change colors and features. Requires Windows® 95 or later, 4MB memory (16MB recommended), 5MB free space **GEO WORLDWATCH \$49.99**



PERIODICALS



ARRL Periodicals on CD-ROM

Complete text and illustrations for all articles in QST, QEX and NCJ for a full year. CD-ROM includes:

- Search engine
- Tools to create bookmarks
- Nearly 1,000 ads

• Windows printing and clipboard support. Find info by entering titles, call signs, names, keywords or click "hotspots" to reference the Web. For Microsoft Windows™ 3.1 or higher. 1995-00 (1 year/CD) **ARR 254, 257, 259, 263, 266, 267 (ea.) \$19.95**

QST Views

Back issues of QST available in full years on CD-ROM. Every page is stored as a black-and-white image that can be read or printed. Easy to use software allows you to:

- Search by title & author
- Select by year and issue
- Browse individual articles.

For Windows™ 3.1 or higher. 1970-94; 5 years per CD . **ARR 108, 107, 106, 105, 104 (ea.) \$39.95**




ANTENNAS



The Amateur Radio Vertical Antenna Handbook

A vertical antenna may be the thing for your area's conditions. Covering all aspects of vertical theory and design, this belongs on a serious amateur's shelf **C/O CQX VERTICALBOOK \$6.99**




Antenna Compendium 5 or 6 with software

Baluns, HF beams, yagis and quads are just some of the subjects covered. Articles on antennas, transmission lines and propagation. Projects to build. Includes IBM software for plotting antenna model data files **ARR 139/ARR 137 ea. \$20**

Antenna Book with IBM software

This book covers all aspects of design, theory and construction, with software for design, propagation forecasting and much more **ARR 126 \$30**




W6SAI HF Antenna Handbook

Lots of inexpensive, practical projects that work. Great guide for constructing loops, yagis & verticals.. **CQX W6SAIHANT \$19.99**

Antenna Impedance Matching

Use the Smith Chart to develop even the most complex matching network to maximize antenna effectiveness by minimizing feedline loss. **ARR 140 \$20**





McCoy on Antennas

Pull up a chair and learn from the master! Loaded with antenna projects for Tech thru Extra class **CQX LEWMCCOY \$15.99**



Vertical Antenna Classics

A wide range of articles from QST and the ARRL Antenna Compendium series. Selected tips and techniques from QST's "Hints & Kinks" column. Includes theory and modeling, VHF and UHF, HF, directional arrays, reduced size, radials and ground systems, antenna product suppliers **ARR 329 \$12**



Yagi Antenna Classics

A collection of articles from QST, QEX, NCJ and other ARRL publications. Provides a fascinating historical perspective, novel and ambitious ideas, as well as computer-optimized designs. Chapters on mono/multibanders; HF, VHF and UHF beams; computer modeling; towers; masts and guys **ARR 350 \$17.95**



Wire Antenna Classics

Wire antennas ranging from simple to complex. Find one to deliver the performance you want. Dipoles, broadband and multi-band dipoles, loops, collinear, rhombics, wire beams, vertically polarized and receive antennas are all featured, even a chapter on tree-mounted antennas **ARR 344 \$14**

More Wire Antenna Classics

Enjoy even MORE wire antennas! Filled with innovative designs from the pages of QST and other ARRL publications **ARR 208 \$14**

105C 24 Hour Quartz Wall Clock
Black, 10" diameter face, sweep second hand. Uses one "AA" battery .. **\$19.99**



Small 24-hour Clocks: A Dual Clock with separate UTC and local time display modules, and a Single Clock with 24 hour time only. Heavy brushed aluminum frame, 5/8" high LCD numerals, sloped face. Flashing seconds colon, battery included.

107B (left) Single, 2 1/4" w x 1" h x 2" d..... \$9.99

108B (right) Dual, 4 1/4" w x 1" h x 2" d..... \$19.99



112B DX'er's World Map Clock Shows time at any QTH throughout the world on an attractive LCD world map. Also shows day, month, date and year. Choose 12 or 24 hour. Daylight saving time feature. Grey, cool blue backlight for night viewing 4.25" w x 3.3" h x 2.25" d..... **\$24.99**





113 12/24 Hour Desk Clock Switchable 12/24 hour display • 9-minute ID timer • Alarm function • 9V battery back-up for power failures • 110 VAC, 60Hz • 9" w x 4" h x 2.5" d..... **\$19.99**


114B Giant LED 24/12 hour clock Has four HUGE 2.3" high digits. The 12 or 24-hour display format is visible 50 ft. away or more! Operates from 110VAC and has battery back-up feature. 6 1/2" h x 13" w x 1" d..... **Closeout \$49.99**



115 WORLD Map 24 hour Quartz Wall Clock Set it to GMT and you'll know what time it is in designated areas of the world any time of day. Premier cities outline the trim of the 12" diameter. Operates on "AA" battery (not included)... **\$24.99**



116DC 12 VDC, 12 Hour LCD Travel Alarm Clock Great for motor homes and trucks! Green 5/8" LED digits show 12 hour time format. Ten minute ID buzz, two-level alarm (100dB - high) low/high @ 110dB) 9V back-up battery. Power cord with cigarette lighter adapter attached. Compact, 4.5" w x 2" h x 4" d, 17 oz.. **Closeout \$9.99**



118 Jumbo LCD™ 24/12-hour clock 1.25" high with high contrast LCD numerals. Shows year, month, date and day in four different languages. Includes 100 year calendar and flip stand. Uses one "AAA" batt. (not incl.). 5 1/2" h x 3 3/4" w x 1 1/2" d.. **\$24.99**




GIANT Display™ 12/24 Hour Calendar/Clocks Easily visible from 15-20 ft. away. Shows 12 or 24 hour time, digital calendar (year, month, date, day), and Celsius or Fahrenheit temperature. Looks good in the hamshack and all other environments.

119 (left) Silver/white, 8.5" w x 9" h x 1.2" d, operates on (2) "AAA" batteries (supplied). **Closeout \$24.99**

119B (right) Silver/green, 8.25" w x 8.25" h x 1" d, uses (2) "AA" batteries (not supplied)..... **Closeout \$29.99**

123 Eternity Atomic Clock™ Solar powered and automatic time set by radio signals received from WWVB. Large (6 1/4" w x 2" h) LCD display, selectable 12/24 hour time format, digital calendar. Ordinary room light powers the solar cells and also replenishes a built-in rechargeable battery; also uses (2) "AAA" batteries (not included) for back-up power. Metallic tan, 9" w x 3.5" h..... **\$79.99**




125 DX'er's Dream 24-hour Quartz Wall Clock 12" diameter face shows 24 hour format with smaller day, date and 12 hour indicators. All dials set independently as desired. Uses a single "AA" battery (not included)..... **\$29.99**



126 12 Hour Quartz Wall Clock A beautiful Quartz accurate wall clock with a clear, clean and highly visible 12 inch diameter face that's easily seen from 15-20 feet away. Features 12 hour digits on a clean, white face, with a 24 hour trimline reversed in a handsome green and including red stop points and seconds digits. Operates for long periods on a single "AA" battery (not included)..... **Closeout \$19.99**

128 US Atomic Wall Clock Huge, 14 inch diameter with 12/24 hour and seconds dials on a white face. Automatically synchronizes to time signals from WWVB. Uses (2) "AA" batteries (not included)..... **\$59.99**



We accept I.M.P.A.C.® Government Credit Cards



134AT (24-hour), 132AT (12-hour) See Thru™ LCD Clock Transparent display makes the high-contrast, 1.75" digits appear to float in the air. Very loud alarm with snooze function. Silver-tone, 9" w x 3.5" h. Uses 2 "AA" batt. (not incl.). **Closeout ea. \$19.99**



152B ThermometerClock™ Shows outdoor/indoor temperature & time. Huge LCD multiple display shows 12/24 hour time and Celsius/Fahrenheit. Auto daily update of min/max temp. readings and memory function that recalls readings during a selectable period. Wall mount or desktop display. Includes outdoor sensor and 10' wire. Requires "AA" batt. 5" h x 2 3/4" w x 3 1/2" d..... **\$24.99**

Benjamin Michael Industries INC.



972A (left) Battery operated 12-hour time quartz controlled clock with sweep-second hand. Huge 12" dial allows excellent visibility in large rooms. Black textured case and clear glass crystal. Uses "AA" battery (not incl.). 14" dia. x 1.75" d.. **Closeout \$19.99**



973A (right) 24-hour version of 972A..... \$49.99

972AD 14" dia., 12/24 hr. wall clock, sweep-second hand. Uses "AA" battery (not included) **\$32.99**



STD BLK/GOLD or STD OAK/GOLD A framed, lighted world map which is a continuous belt of mylar film in constant motion synchronized with Earth's orbit. Displays current time world-wide, sunrise/set, and current season everywhere via an illuminated pattern • Allows for calculation of time in non-standard zones • Shortwave radio prefixes • Standard model in black or oak with gold trim • 3' x 2', wall mounting..... **Drop Shipped \$999.99**

Available by Special Order in numerous trims/finishes, and in 3 other models (with analog 0-60 min. scale).

Used & Demo
Equipment lists

Updated regularly on the web.
Check them out and order **On-line**

BUSHNELL

TELESCOPES

Professional Series of astronomical telescopes are engineered with unparalleled structural and optical quality. These top-of-the-line models will give many long years of reliable, dependable use and a lifetime of journeys to the stars. This series is highlighted by a professional quality format: Professional format 1.25" Kellner eyepieces • Aluminum optical tube assembly • High quality glass optic objectives • Full-length, heavy-duty, variable-height aluminum tripods • Clock drive ready deluxe metal equatorial mounting • Pro format 6x30 finderscopes • 6-point finderscope adjustments • Metal access. trays • Pro counterweight system • Fine-adjustment controls.

78-0040 90 refractor • Focal length: 1,000 • 25mm eyepiece • Magni.: 40 • Multi-coated objective lens • Flexible fine tracking cables.... **\$439.99**

78-0200 (right) 4.5" reflector • Focal length: 900 • 9mm and 25mm eyepieces • Magnifications: 36, 72, 100, 200 • 2x Barlow lens **\$349.99**



Voyager® Series Engineered to exacting standards with exclusive features: the first astronomical zoom telescope • Penta mirror technology that yields right to left correct views of the night sky • High quality metal easy-track and metal equatorial mounts • Innovative adjustable aluminum tripods • Exclusive Rotary Power turret eyepieces.

78-9440 (top) 60mm refractor • Focal length: 700 • 8, 12.5mm eyepieces • Magni.: 56, 88, 168, 263, 280, 440 • Penta mirror, Easy Track® mount • Adjustable hardwood tripod • Erecting lens **\$89.99**

78-9470 (bottom) 60mm refractor • Focal length: 750 • Zoom, 8, 15mm eyepieces • Magnifications: 50, 94, 50-150, 250, 470 • Penta mirror • Easy Track® mount • Adjust. tripod **\$129.99**

78-9675 (middle) 4.5" reflector • Focal length: 900 • 4, 12, 20mm eyepieces • Magnifications: 45, 75, 135, 225, 675 • Clock drive equatorial mount • Adjustable aluminum tripod • 6-point finderscope mount • Fine tracking..... **\$229.99**

New Voyager® Quality Dobsonian telescopes with all metal tube assemblies and innovative mounts will satisfy anyone just getting started to the advanced amateur astronomer. The new additions include a precision rack and pinion focuser and are engineered with a 1.25" format.

78-6000 6" refl-ector • Focal length: 1,200mm • 25mm eyepiece • Magnification: 48 • Dobsonian mount • 6 x 30 Finderscope • 6-point finderscope mount..... **\$299.99**

78-8000 Looks the same as 78-6000 • 8" reflector • Focal length: 1,200mm • 25mm eyepiece • Magni.: 48 • Dobsonian mount • 6 x 30 Finderscope • 6-point finderscope mount..... **\$399.99**

TELESCOPE ACCESSORIES

(See Price Guide to match access. to correct telescope model)

78-0101 1 1/4", 9mm Kellner eyepiece..... **\$29.99**

78-0102 1 1/4", 25mm Kellner eyepiece..... **\$29.99**


78-0103 1 1/4" format erecting prism..... **\$69.99**

78-0105 1 1/4" format 2x Barlow lens **\$39.99**

78-0106 Clock drive (DC/battery power) . **\$89.99**


BINOCULARS

Powerview® Truly the "best of both worlds." Contemporary styling and design combined with legendary Bushnell quality and durability. The easy-to-hold and easy-to-use aspect of these binoculars also converge to make Bushnell Powerview binoculars an excellent value for the general and outdoor user. Powerview comes with soft rubber covering and the patented "Insta-Focus®" system. Each binocular comes with a neck strap and carrying case.



13-1226 (left) Compact binocular with folding roof prism. Designed in camo. Features include: 12x25 magnification • 240 ft. field of view at 1000 yds. • 2.1mm exit pupil • 9.7oz **\$29.99**

13-0430 (right) LiteVision™ • 4x30 magnification • 650 ft. field of view at 1000 yds. • 7.5mm exit pupil • 7.5oz..... **\$18.99**



13-1250 (right) InstaFocus® • 12x50 magnification • Porro prism • 265' field of view (1000 yds.) • 4.2 mm exit pupil • Adapts to tripod • 27oz ... **\$59.99**

13-2514 (left) Compact, folding binocular • 8x21 magnification • Roof prism • 375 ft. field of view at 1000 yds. • 2.6mm exit pupil • 7oz **\$24.99**

Legacy® binoculars feature old world craftsmanship with new world styling. Designed for those who appreciate modern styling, but still want the unsurpassed performance of traditional optics. Legacy includes multi-coated optics, BAK-4 prisms, soft durable rubber armoring and gold trim. Designed with outdoor enthusiasts' needs in mind, the 8x24 and 10x24 compacts are O-Ring sealed and nitrogen purged for water/fogproof protection. This line offers standard, zoom, high power, extra wide angle, and compact configurations along with sleek ergonomic styling, case, and neck strap.

12-1025 Compact, rubber-armored binocular • 10 x 25 magnification • Porro prism • 262' field of view (1000 yds.) • 2.5mm exit pupil • 8.3oz... **\$119.99**

InstaVision® This line features convenient focus free operation, amber-coated optics, & rubber armoring for durability. The InstaVision action package comes complete with a binocular belt pack case for convenient around-the-waist carrying. They also come equipped with Bushnell's exclusive Sportview® handstrap.

17-7351 Wide angle, focus-free binocular • 7x35 magnification • Porro prism • 490 ft. field of view at 1000 yds. • 5mm exit pupil • Handstrap and belt pack included • Adapts to tripod • 21oz.... **\$49.99**

Falcon is feature packed and value priced. Perfect for sporting events, sightseeing, nature study, backpacking, concerts and theater. The line includes the Bushnell patented InstaFocus® focusing system, coated optics, carrying case, & strap.




13-0721 (right) Compact binocular featuring 7x21 magnification • Porro prism • 340 ft. field of view • 3mm exit pupil • 4.7oz **\$39.99**

13-3410 (left) InstaFocus® • 7x35 magnification • Porro prism • 420' field of view (1000 yds.) • 5mm exit pupil • Adapts to tripod • 21oz **\$29.99**

NIGHT VISION

26-3652 Night Vision Scope Collects & amplifies existing light, allowing you to see in low-light conditions too dark for the naked eye. Included Infrared Illuminator allows operating even in complete darkness. • 3.6x image magnification • Brightness control • 52mm objective for enhanced brightness • Includes comfortable adjustable hand strap and carrying bag • Rugged construction for travel and outdoor • Requires 2 "AA" batteries (not included) • 3 lbs..... **\$199.99**





DIGITAL ELECTRONIC TELESCOPES

All models in this line come with a full length, aluminum, adjustable tripod with accessory shelf.

20060 DS-60 60mm Refractor Ideally suited to beginning astronomers or terrestrial observers • 5x24mm viewfinder • Multi-coated, achromatic objective lens (D=60mm, F=700mm f/11.7) • Two 1.25" eyepieces: MA25mm, MH9mm • Rack-and-pinion focuser with sleeve lock and eyepiece holder • Altazimuth mount with variable-tension locks on both axes • StarNavigator™ PC software (database of over 10,000 celestial objects) • 9 lbs. **\$99.99**

20061 DS-60EC 60mm Altazimuth Refractor (left) Identical optically and mechanically to the DS-60 (above), but includes the dual-motor electronic control system (EC). This system comes with a control panel and 4-speed electronic controller. Runs on 10 "AA" batteries (not included) • 10 lbs **\$179.99**

20071 DS-70EC 70mm Altazimuth Refractor (right) The multi-coated 70mm optics captures 136% more light than a 60mm. • 5x24mm viewfinder • 2 eyepieces (MA25mm, MH9mm) • Dual-motor electronic control system (EC) with 4-speed electronic controller • 2" rack-and-pinion focuser with sleeve lock • 1.25" and 2" eyepiece holders • Achromatic objective lens (D=70mm, F=700mm f/10) • Altazimuth mount with variable tension locks on both axes • StarNavigator™ PC-compatible software (database of over 10,000 celestial objects) • 10 "AA" batteries required • 11 lbs. **\$199.99**



20091 DS-90EC 90mm Altazimuth Refractor (left) The ultimate scope for high-definition imaging. Ideal for deep-space observations of galaxies and nebulae. • 6x30mm viewfinder • Two eyepieces (MA25mm, MH9mm) • Multi-coated, achromatic objective lens (D=90mm, F=1000mm f/11.1) • Rack-and-pinion focuser with sleeve lock with 1.25" and 2" eyepiece holders • Altazimuth mount with variable-tension locks on both axes • Cradle ring assembly • Dual-motor electronic control (EC) system • StarNavigator™ PC-compatible software (database of over 10,000 celestial objects) • Ten "AA" batteries required • 15 lbs **\$399.99**

20114 DS-114EC 114mm Newtonian Reflector (right) The 114mm aperture greatly enhances viewing structural galaxy, nebula or stellar detail. • 6x30mm viewfinder • Two 1.25" eyepieces (MA25mm, MH9mm) • Aluminized and multi-coated primary mirror and matching elliptical flat secondary mirror (D=114mm, F=910mm f/8) • Rack-and-pinion focuser with sleeve lock with 1.25" and 2" eyepiece holders • Altazimuth mount with variable-tension locks on both axes • Cradle ring assembly • Dual-motor electronic control (EC) system • StarNavigator™ PC-compatible software (database of over 10,000 celestial objects) • Ten "AA" batteries required • 18 lbs **\$299.99**

ASTRONOMICAL TELESCOPES

0605-04-01 ETX-60AT 60mm Achromatic Refractor (pictured) Excellent portable for beginners. Observe all major planets, except Pluto, easily. Also great for birdwatchers or naturalists. • 2 eyepieces (MA 9mm/39x and MA 25mm/14x) • Multi-layer coated, achromatic optical tube assembly (D=60mm, F=350 mm f/5.8) • Internal flip-mirror system for either straight or 90° observing • Fork mount with electric slow motion controls, setting circles and locks on both axes • Electronic control panel • 9-speed, dual-axis motor drive system with Autostar™ control • Sidereal-rate tracking • Requires 6 "AA" batteries • Includes #882 tripod • 6.7 lbs **\$299.99**

0705-04-01 ETX-70AT 70mm Achromatic Refractor Identical to above except for optical tube (D=70mm, F=350mm f/5) • 7 lbs **\$299.99**



3514-03-04 ETX-90EC 96mm Maksutov-Cassegrain (left) The perfect ultraportable field telescope. • 8x21mm erect-image viewfinder • Series 4000 Super Plossl 26mm eyepiece (1.25") • Super multi-coated optical tube assembly (D=90mm, F=1250mm f/13.8) • Internal flip-mirror system for straight or 90° observing • Fork mount with electric slow-motion controls, setting circles and locks on both axes • Electronic control panel • 4-speed (8x, 32x sidereal, 0.75"/sec, 5"/sec), dual-axis motor drive system with electronic hand controller • 8 "AA" batteries required • 9.2 lbs **\$495.99**

0515-03-01 ETX-125EC 138mm Maksutov-Cassegrain (right) Same as above, but with larger optical assembly (D=127mm, F=1900mm f/15) and 8x25mm right-angle viewfinder. • 19 lbs. **\$895.99**



NOCC-3 Cyclops Compact™ Precision optics in the smallest, lightest, full-featured night scope. Unique self-contained device with powerful integrated infrared illuminator. • Image Tube Gain: 15,000 • Magnification: 3.1 • FOV @ 1000 yards: 628 ft. • Focusing Range: 8 ft. to infinity • Power: 2 "AA" batteries • 7.2" x 2.4" x 3.2" • 16 oz. **\$199.99**



BINOCULARS

A reputation for excellence. Synonymous with lasting quality. Carefully selected materials, outstanding optics, precision engineering and life long reliability.

Designed with the most modern techniques, their precisely computed prisms and lenses, minutely adjusted optical elements and the famous anti-reflection coating give outstanding high contrast image quality over the entire field of view.

Optical components are fitted to be fully impact-resistant and are sealed against dust and humidity. The Zeiss multi-layer "T" coating gives impressive brilliance with superb light transmission, high contrast and excellent low light performance.

All models come with straps, case or soft leather pouch and lifetime transferable warranty.

52 20 47 10x25 B T* DesignSelection Pocket Binoculars High power, center focus, T* coated. Magnification: 10x25 • Field of view at 1000 yards: 285 ft. • Roof prism system • Exit pupil: 2.5 • 7.1 oz **Closeout \$349.99**



52 40 07 7x45 B T* DesignSelection (left) High twilight, wide-angle. Magnification: 7x45 • Field of view at 1000 yards: 151/453' • Roof prism • Exit pupil: 6.4 • 42.3 oz. **Closeout \$929.99**

52 40 13 10x40 B/GA T* ClassiC (right) Rubber armored, center focus, wide-angle. Magnification: 10x40 • Field of view at 1000 yards: 330' • Roof prism • Exit pupil: 4 • 26.8 oz. **Closeout \$819.99**

52 56 59 8x56 B T* DesignSelection (left) Day/twilight, wide angle. Magnification: 8x56 • FOV @ 1000 yards: 132/396' • Roof prism • Exit pupil: 7 • 51.5 oz **Closeout \$1049.99**

Look For This

NEW

& Check Out AES' Latest Additions.

we have a

SECURE

web site
at **www.aesham.com**

TELESCOPES

11011 NexStar 8 All of the standard features of the NexStar 5 with the addition of 8 inch optics with StarBright multi-coating. Offers images twice as bright as a 5" telescope. A four element fully multi-coated reducer/corrector increases the brightness to f/6.3 while reducing focal length by 37% for more visual coverage of wide field objects. Features: 8" aperture • Focal length of 2032mm • Focal ratio of f/10 • StarBright multi-coated 8" Schmidt-Cassegrain optics • Adjustable aluminum tripod • Premium 1.25" Plossl eyepiece • StarPointer™ Finderscope • AC adapter • 32 lbs..... **\$1499.99**

11015 Celestar 8 Engineered for optical performance in an affordable, full-featured Schmidt-Cassegrain scope of large enough aperture to do serious deep-sky observing. Features: 8" (203mm) aperture • 2032mm focal length • f/10 focal ratio • 6x30 finderscope • Standard 1.25" accessories include: 25mm SMA eyepiece (81x), Star diagonal and visual back • Fork mount and wedge pod • 41 lbs..... **\$1099.99**

11032 NexStar 5 Easy to set-up – no need to polar align, just set it on a table top. Using the hand control you can select a catalog, change the slew (motion) rate, get information on an object, or simply tell if an object is visible. The NexStar's database contains over 18,000 objects including all of the popular catalogs. Comes with regular tripod (93593 deluxe tripod optional accessory). • 5" (127mm) aperture • Focal length of 50" (1250mm) • Focal ratio of f/10 • 6x30 Finderscope • 25mm Plossl eyepiece • 25x camera • Schmidt-Cassegrain optics • Battery operated motor drive • 11" optical tube • 17.6 lbs **\$1149.99**

11051 G-5 An ultra-portable telescope with optics made in the U.S.A. Serious performance, razor sharp images. Single axis motor drive operates on four D-cells and allows automatic tracking of celestial objects. Features: 5" (127mm) aperture • Focal length of 1250mm • Focal ratio of f/10 • 6x30 Finderscope • 25mm (50x) SMA 1.25" eyepiece • 1.25" eyepiece • 1.25" 90° diagonal • Multi-coated Schmidt-Cassegrain optics (U.S.A. made) • Battery operated motor drive • German EQ mount with adjustable height • 24 lbs..... **\$749.99**

11052 NexStar 8 GPS The ultimate in "go-to" technology and astro-imaging, this 8" Schmidt-Cassegrain boasts an integrated GPS & electronic compass, combined with the NexStar™ system. So advanced that as it turns on, the GPS and compass system automatically points to the first alignment star. • Auto guider port • 2 auxiliary ports for expandable accessories • PC port/RS232 compatible • GPS align mode • 2000mm focal length (f/10) • 5-step multi-layer StarBright® coatings • 40mm NexStar Plossl (50x) • 9x50 Finderscope • Fastar compatible • External 12V DC • AC adapter included..... **\$2499.99**

21072 Firstscope 80 EQ WA A wide angle, rich field scope with a short tube. Easily captures breathtaking, wide views of large deep-sky objects. German equatorial mount and tripod. Super portable for easy traveling. • 80mm (3.1") aperture • 400mm focal length • f/5 focal ratio • Fully multi-coated optics • High quality 6x30 Finderscope • Standard 1.25" accessories include: 25mm SMA eyepiece (16x), Focuser & 90° diagonal • Adjustable wood tripod with accessory tray • 13 lbs **Closeout \$249.99**

22062 NexStar 60GT Views of the lunar landscape, phases of Venus, Mars resolved as an orange disc, Jupiter and its 4 moons, Saturn with its rings plainly visible, some deep sky objects, plus terrestrial views. Comes with a fully-computerized hand control with database of over 4,000 objects. Includes three 1.25" eyepieces for magnifications of 35x, 70x and 175x. With its pre-assembled, adjustable aluminum tripod, the NexStar 60GT can be up and ready to use in a matter of minutes. A Star Pointer finderscope with red LED makes centering a breeze. • 60mm (2.4") diameter refractor • Focal length of 700mm • Focal ratio of f/11.7 • 1.25" star diagonal • The Sky Level I CD-ROM • 9.5 lbs..... **\$249.99**

22082 NexStar 80GT With an 80mm aperture and 3.25° field of view, the 80GT is capable of capturing the largest deep-sky objects. Provides 80% brighter views than 60mm scopes. This short-tube, 400mm focal length, refractor telescope has 16x (25mm) and 40x (10mm) magnification 1.25" SMA eyepieces. • 80mm (3.1") diameter refractor • f/5 focal ratio • Complete "go-to" computer hand control • StarPointer Finder-scope • 1.25" star diagonal • The Sky Level I CD-ROM • Adjustable aluminum tripod with accessory tray • 11 lbs..... **\$349.99**

31034 Tabletop 76 Small, but powerful, this ultra portable telescope is ideal for traveling and quick set-up. The handy but sturdy table top mount provides steady viewing. Features include: 76mm (3") aperture • 600mm focal length • f/8 focal ratio • Standard 0.96" accessories include: 4mm SR (150x), 20mm H (30x) and 2x Barlow eyepieces • 5x24 right-angle Finderscope • 15 lbs..... **\$99.99**

31052 Firstscope 114 Premium A high quality, economical telescope w/superb optical system housed in glossy black metal. The stable equatorial mount has setting circles and slow motion controls on both axes for easy, smooth tracking. Features include • 114mm (4.5") aperture • 900mm focal length • f/8 focal ratio • 6x30 Finderscope • 1.25" Focuser with 0.96" adapter • 20mm Plossl and 10mm SMA eyepieces • Sturdy, adjust. wood tripod with accessory tray • 19 lbs..... **Closeout \$299.99**

31056 C150-HD Mounted on a rigid CG-4 equatorial mount. Counter-weight, latitude scale, setting circles and slow motion controls on axes are standard. Features include: 150mm (6.0") aperture • Focal length of 1000mm • Focal ratio of f/7 • Standard 1.25" accessories include: 20mm Plossl eyepiece (50x) and Focuser • 6x30 Finderscope • CG-4 EQ mount • Sturdy, adjustable metal tripod with accessory tray • 41 lbs..... **\$449.99**

31142 NexStar 114GT Computer compatible Newtonian reflector with a compact design and exceptional light-gathering ability. • 114mm (4.5") diameter • 1000mm focal length (f/9) • StarPointer™ finderscope • 25mm (40X) and 10mm (100X) SMA eyepieces • Motorized mount • Computerized hand controller with "go-to" database. Includes GuideStar™ software to use with your personal computer, fully assembled adjustable aluminum tripod, battery pack and The Sky Level I CD-ROM..... **\$439.99**

TELESCOPE LENSES

Some models in stock. Call our sales staff for details.



LAB GRADE MICROSCOPES

4020 Dissecting Microscope This provides an introduction to the world of micro-scopy. It uses a 45° inclined, 360° rotatable mono-cular head which can move up and down on the metal pillar for small or large item viewing. The eyepiece is a 10x-18mm with a 4x-58mm objective, giving 40x power. The all-metal unit comes with a 60mm black-and-white viewing plate and smooth rack and pinion focuser..... **\$79.99**



focuser with a safety rack stop..... **\$119.99**

4030 Educational Microscope Feature-packed and a great educational tool. It has a fully coated optical system, with H10x and H12.5x eyepieces and 35mm 4x, 10x, 40x objectives giving powers of (40x, 100x, 400x) 10x and (50x, 125x and 500x) 12.5x. This unit uses positive click stops on the turret, a five aperture diaphragm, a plano-concave 50mm mirror, and a smooth rack and pinion



4050 Biological Microscope Using fully coated optics, with a mechanical tube length of 160mm, its achromatic objectives promises great observing sessions. The unit has a monocular 45° inclined, 360° rotatable head, positive click stop nosepiece with three objectives, 4x, 10x, 40x, a metal 110mm x 120mm stage and a five aperture diaphragm. It uses coarse and fine focus with electrical illumination with a tungsten 20w bulb and .65 single lens condenser. Powers are 40x, 100x and 400x using the 10x eyepiece **\$199.99**



SPOTTING SCOPES

50025 30mm Mini Brass Spotting Scope A unique, lightweight and versatile spotting scope with a magnification of 15x and a total weight of just 4 ounces! This special spotting scope has an attractive black finish with brass accents and comes with a mini tripod. Fully coated optics, remarkable 3.5° field of view. For traveling, this ultra compact spotter can't be beat and it comes with a case for secure transporting. It also makes an excellent gift for tabletop or desk display. • Fully-coated optics • Extraordinarily compact • Tripod and carrying case included **\$59.99**



52200 (top) 60mm Pro Zoom Spotting Scope This powerful spotting scope's large 60mm aperture makes it perfect for bird watching, photography, nature study, hunting, scenic observing – any type of terrestrial observing. The carefully crafted, multi-coated optics provide excellent contrast and clarity, and the lens hood that comes standard reduces glare. The zoom and focus controls are exceptionally smooth, convenient and easy to use. The ability to zoom from 15 to 60 power with speed, control and precision means you'll be able to focus on and follow interesting subjects with ease. • Multi-coated optics • Power range zooming from 15 to 60 power • 24' near focus at 15 power • 15mm eye relief at 15 power • 30° field of view at 15 power..... **\$199.99**

52211 (bottom) 60mm Wildlife Zoom Spotting Scope A great all-around optic designed to perform well in a range of viewing situations. Great for bird watching, observing nature and long distance spotting. The focus and zoom controls are easy to use and well placed for fast, convenient image acquisition. It offers long eye relief of 33mm at 15 power. With fully coated lenses, it's totally reliable and an excellent performer. • Power range that zooms from 15 to 45 power • Near focus: 42' at 15 power • Field of view: 2.25' at 15 power • Mini table tripod and carrying case included • 25 oz **\$169.99**



We accept I.M.P.A.C.® Government Credit Cards

M ANTENNAS - POSITIONERS - ACCESSORIES


AMATEUR

We have always offered performance and we have held that standard as our line grew. We continue to expand our line with innovative, longer lasting, trouble free antennas. In some models we bridge from amateur to commercial notably with our 23CM22EZ and EGGBEATER antennas. You have to look long and hard to find this much high performance variety!



COMMERCIAL



GOVERNMENT




SCIENTIFIC



* NEW KT36XA TRIBANDER *



2M HO LOOP



144 MHz 220 MHz 132 MHz 982 MHz 1296 MHz



OR2800PDC


See the Price Guide for more products or check out the M² Website at www.m2inc.com

Why do I need Alpha Delta Protection?..

Dangerous static charges are developed from thunderstorms, high wind driven snow or desert sand, and have been measured to 1,000s of volts; so potent, they can actually puncture the dielectric of unterminated coaxial cable. Modern solid-state transceivers and other equipment in your ham shack are very vulnerable to these high-voltage charges and you should take every precaution to protect equipment from serious damage... and, Alpha Delta can help!

Alpha Delta's Arc-Plugs used in their coax switches, surge protectors and DELTA-C center insulator "bleed off" slow rising static electricity charges from the feed line, routing them harmlessly to ground. This is far more effective than DC grounded baluns or chokes, which can be "popped" by static charges. Even as effective as these devices are, you still need to pay attention to proper grounding procedures as outlined in the ARRL Handbook and other technical publications.

Lightning Surge Protected 2 & 4 Position Coax Switches



An extremely high quality custom design featuring a cast aluminum housing with constant impedance micro-strip cavities which provide outstanding low-loss, high isolation performance through the UHF frequencies.

A solid positive detent roller bearing switch snaps positively into each position. An Alpha Delta Arc-Plug™ Cartridge provides continuous surge protection for the antenna in use and at the same time the unused antenna circuits are automatically grounded to reduce antenna interaction, noise and the effects of lightning. Whether an antenna is switched in or out, you're protected.

If needed, the Arc Plug™ is easily replaced from the front without disassembly. Two and four position models available, both handle full legal power.

DELTA-2 2-position coaxial switch with SO-239 connectors, rated for up to 500MHz..... **\$49⁹⁹**

DELTA-2/N 2-position coaxial switch with N-type connectors, rated for up to 1.3GHz..... **\$64⁹⁹**

DELTA-4 4-position coaxial switch with SO-239 connectors, rated for up to 500MHz..... **\$79⁹⁹**

DELTA-4/N 4-position coaxial switch with N-type connectors, rated for up to 1.3GHz..... **\$89⁹⁹**

Surge Protected Console Coax Switch




Built into a heavy 3/16 inch thick aluminum cast console weighing 2-3/4 lbs. Attractive, no nonsense design sits conveniently right on the operating desk and stays put. The switch is the same as the Delta-4 4-position models above – micro-strip cavity, positive detent switch, high isolation, Arc-Plug™ surge protection and grounding of unused positions.

Console DELTA-4C w/SO-239 connectors... **\$139⁹⁹**

Console DELTA-4CN with N connectors... **\$149⁹⁹**

Low Loss, Broadband, Coax Surge Protector



UL listed – Provides greater protection for your equipment from lightning and static charges much more effectively than the lower cost air-gap types.

The heart of this protector is an Arc-Plug™, which consists of two electrodes hermetically sealed in a gas filled ceramic cylinder. Acting like a voltage dependent switch, the Arc-Plug™ can repeatedly carry large currents for brief periods of time. If an excessive voltage appears on your feedline line, due to lightning and static charges, the Arc-Plug™ is activated forming a momentary arc to ground, protecting your valuable equipment from damage.

After repeated zaps the Arc-Plug™ may need replacing. It's indicated if your receive is suddenly down or the feedline VSWR has increased. The top mounted "O" ring sealed knurled knob allows replacement without tools and without removing the protector from the circuit.

If you are running control voltages through the coax, the impedance compensated thru-line cavity design allows it pass thru, instead of having to "wire around" as with some other DC-blocked designs.

Frequency Range: DC thru 3 GHz – better than narrow band DC blocked or stub designs. **Typical Insertion Loss:** 0.1dB @ 1 GHz; 0.2dB @ 2 GHz; and only 0.5dB @ 3GHz.

ATT-3G50 N Females, 3.0GHz (200W)..... **\$59⁹⁹**

ATT-3G50U UHF Females, 500MHz (200W) . **\$49⁹⁹**

2KW versions of both models available at no extra cost; add HP suffix to the model number.

Antenna Hardware Kit with Protection



Don't assemble your next dipole without one of these CENTER/END insulator combos!


Designed for strength, and to provide equipment protection with a built-in replaceable SEP Arc-Plug® Static Electricity Protector. Ideal for dipoles, Vees, zepps and all kinds of SWL receive antennas. Feeds with either coax or balanced line. Rated for full legal power. Both the DELTA-C Center Insulator and DELTA-CIN End-Insulators are made from an extremely rugged UV and RF resistant DELTALLOY material so tough it's virtually unbreakable. Stainless steel hardware is used in the center insulator, and all internal connections are hard soldered.

DELTA-C Antenna hardware kit Contains DELTA-C Center insulator, (2) end-insulators and a SEP ARC-PLUG Protector..... **\$29⁹⁹**

DELTA-CIN End-insulators (separate)..... ea. **\$1⁹⁹**

High Performance Antennas for Limited Space


The following slopers have no traps or capacitors to break down under high RF voltages. Unique "ISO-RES" inductors and #12 insulated solid copper wire handle full-legal power. Factory assembled with stainless hardware. SO-239 connector, direct 50Ω coaxial feed, no tuner required.



DX-A 1/4-wave Twin Slop – A top performing 160, 80 and 40 meter DX antenna. Combines the DX firepower of the 1/4-wave sloper with the wide bandwidth of a 1/2-wave dipole. The legs are 67 and 55 ft. long and installs like an Inverted-V with the ground return thru tower or down-lead **\$59⁹⁹**

DX-B 1/4-wave DX sloper – A single wire with high performance on 160, 80, 40 and 30 meters in a limited space. Requires only 60 ft. space for amazing DX performance with the feed-end at 35 ft. and the low end only 8 ft. above ground.... **\$69⁹⁹**

The following dipoles are factory assembled using insulated #12 high-strength copper wire and stainless hardware, DELTA-C static protected center insulator, DELTA-CIN end insulators and 50 ft. nylon rope. Unique "ISO-RES" inductors replace traps and capacitors allowing full power operation. Direct 50 ohm coaxial feed.



Shortened Multi-band Dipoles

DX-CC Dipole or Inverted-V – Covers 80-40-20-15-10 meters. Overall length is 82 ft..... **\$119⁹⁹**

DX-DD Dipole or Inverted-V – Covers 80-40 meters. Overall length is 82 ft..... **\$89⁹⁹**

DX-EE Dipole or Inverted-V – 40-20-15-10 meters. Also covers 30-17-12 meters with wide range tuner. Overall length is 40 ft..... **\$99⁹⁹**



DX-LB Dipole or Inverted-V – 160-80-40 meters, overall length 100 ft. Typical 2:1 SWR bandwidth: 160M/20kHz, 80M/40kHz, 40M/300kHz. Full band coverage with wide range tuner. **\$119⁹⁹**

DX-LB PLUS Dipole or Inverted-V – Same as DX-LB, but covers 160-80-40-20-15-10M..... **\$149⁹⁹**

The following dipoles are factory assembled using #12 insulated high-strength solid copper wire, CIN end insulators, Delta-C static protected center insulator and 50 ft. nylon of support rope. Direct 50Ω coaxial feed.

Full-Size Monoband Dipoles

DX-80 3.5 MHz (75-80M), 134 ft. long..... **\$49⁹⁹**

DX-40 7 MHz (40M), 67 ft. long..... **\$39⁹⁹**

DX-20 14 MHz (20M), 34 ft. long..... **\$39⁹⁹**

OUTbacker



The Outbacker™ – Constructed of fiberglass with pre-tuned copper helical windings and covered with smooth epoxy-resin and a coating of polyurethane for strength, and durability. The mounting ferrule is nickel-plated brass with a standard 3/8" x 24 stud.

Bands are changed manually by simply plugging the unique OUTBACKER "Wander lead" into the proper tap.

Frequency coverage is broadbanded but the top whip section is adjustable, allowing tuning for the lowest VSWR.

Sleek black finish, 8 models with optional spring/base, mount and cable.



Outbacker Model	Description	AES Model	Price
OUTBACKER PERTH	75-10M + WARC's, 150W P.E.P.; 7.5' tall; 3' stinger retracts into the 4' mast. Most efficient for HF mobile ..	Perth	\$289⁹⁹
OUTBACKER PERTH PLUS	75-10M + 6 & 2M; 6 ft. tall; Perfect for HF + VHF radios: IC-706 Series, DX-70T Series, FT-100, etc.	Perth Plus	\$299⁹⁹
OUTBACKER 8	75-10M, 300W P.E.P.; 6 ft. tall	OB-8	\$279⁹⁹
OUTBACKER HP	75-10M; HIGH POWER – 500W P.E.P. rating; 6 ft. tall	OB-8HP	\$299⁹⁹
OUTBACKER SPLIT	75-10M, 300 W P.E.P.; 6 ft. tall; Breaks down into two 3 ft. sections, comes with carrying pouch	OB-S8	\$299⁹⁹
OUTBACKER TRI-SPLIT	Same as OUTBACKER SPLIT except breaks down into three 2 ft. sections, storage pouch included	OB-8TRI	\$329⁹⁹
OUTBACKER MARINER	Covers ITU Marine: 2.182, 4.1, 6.2, 8.2, 12.4, 16.5, & 22.1MHz and Ham bands: 75, 40, 20, 17 & 10M ...	OB-M	\$429⁹⁹
OUTBACKER STEALTH PLUS	75-10M + 6 & 2M; 4 ft. tall, 150W PEP; Perfect for use w/HF + VHF radios: IC-706, DX-70T, FT-100.	Stealth PLUS	\$269⁹⁹
OUTBACKER Spring/Base	HEAVY DUTY; Nickel/zinc plated; 3/8-24 threads; SO-239 connector; Requires 1/2" mounting. hole	OB-SB	\$99⁹⁹
DIAMOND K-4003/8C	Diamond 3/8" x 24 thread trunk-lip mount with 6 ft. coaxial cable for all OUTBACKER models	DIA K400-3/8C	\$69⁹⁹
DIAMOND C-110	Diamond 10 ft. extension cable for K-400-3/8C trunk-lip mount	DIA C-110	\$14⁹⁹
OUTBACKER JOEY	QRP, 20W HF/VHF portable system; 80-2M, + 30, 17 & 12M; 30 in. shaft, 20 in. stinger	JOEY	\$249⁹⁹

The Outreach™ ... \$399⁹⁹

A complete efficient portable antenna system to meet the needs of those who have limited space or are deed restricted. Ideal for backyard, patio, woods or field day. Covers all bands from 160 thru 10 meters, providing an exceptional level of performance. The perfect companion for the Outpost Tripod mount. Black, heavy duty epoxy finish looks great! The slim design makes it nearly invisible to your neighbors.




- Covers all amateur bands, 160 thru 10 meters
- Overall Length: 12 ft.
- Weight: 4 lbs.
- Exceptional performance! 10, 12, and 15 meter bands are electrical 5/8 wavelength – all bands are center loaded for peak performance.
- Rated at 300W PEP.
- Utilizes the time proven OUTBACKER® band tap system.
- Split 8 ft. shaft and 4 ft. stinger
- Breaks down into (2) 4 ft. sections for portability; comes with a protective carrying case.
- Terminates into a standard 3/8" x 24 threaded base.

The Outreach 500™ ... \$439⁹⁹

The mechanical specifications are exactly the same as for the standard Outreach model, however it does not cover 160 meters, but includes 6 meters in addition to all other HF bands including the WARC bands. A band tap is provided for both 80 and 75 meters, allowing coverage of the entire 3.5 to 4.0 MHz range. Power handling capability has been increased to a robust 500W CW and 600W PEP SSB.

The Outrunner™ ... \$329⁹⁹ Closeout

It's like the standard Outreach model, except it's a single 6 ft. shaft (instead of 12 ft.) with a 3 ft. stinger. Coverage is 160 thru 10 meters including WARC bands, and lower rated at 150 Watts PEP. The base terminates into a standard 3/8" x 24 threaded base.



ALP Outpost™ ... \$199⁹⁹ Tripod/Ground Coupler Mounting System

- The fold-out legs and blades act as a large capacitor to improve ground coupling for a better impedance match and antenna efficiency
- Matches the base impedance of all Outbackers
- Compact, fold-up design sets up quickly. Stands alone, no digging, no holes, no concrete. Collapse it, throw it in the trunk, take it with you!
- Fold-over top bracket. Mobile-type mount with SO-239 connector accepts a standard 3/8" x 24 stud. Antenna is easily removed or folded down for changing bands, or to be out of view when not in use.
- Constructed of aircraft 6061-T6 aluminum, stainless steel hardware and wing nuts. All assembled, no tools required. • Weight: 18 lbs

OUTbacker



Outbacker Joey...\$249⁹⁹

The "Outbacker Joey" is an efficient QRP HF/VHF Portable Antenna System that will really enhance the portable performance of your QRP rig

Perfect for the FT-817, 2020, K1/K2 & Similar Rigs!

Utilizes the famous Outbacker band tap system. Change bands without having to remeasure or reset the stinger – unlike some other designs.

Covers the complete HF/VHF range from 80– 2M, including 30, 17 and 12M. It even has separate taps for 80 CW and 75 SSB. Each band hand tuned at Outbacker for peak performance. Rated at 20W, all modes.

Even though it's a smaller antenna, the Joey maintains the mechanically rugged, reliable design all Outbackers are known for. This one won't come apart with field or backpack use. When not in use, the Joey easily jumps back in its included cloth pouch for easy transport.

The unique design, with its optimum shaft length to stinger ratio and careful band tap placement, radiates an extremely effective signal. It compares favorably to some other Outbacker models. Shorter shafts used in some other designs can be very inefficient, wasting more of your precious QRP Watts.

When we say "Antenna System," we really mean it! The Joey system comes complete with a durable copper braid counterpoise, and is terminated in a PL-259 connector and includes a 90° PL-259/SO-239-adaptor so the antenna will fit directly on the back of the FT-817.

The antenna has a 30 inch shaft and a 20 inch stinger when fully extended, and weighs just over 1 lb.

MicroMount Lightweight Miniature Desktop Tripod for the Joey – only 8 in. tall (fixed) with a 12 in. diameter foot print. An articulated pan head mount allows the JOEY to be adjusted to any angle. Very rugged, made of tough fiberglass-reinforced plastic. The MicroMount comes with a 12" velcro strap so it can be mounted on posts, tree branches, fences desk or picnic table tops, etc. Complete with mounting adapter and 12 ft. counterpoise.

ALP MICROMOUNT... \$49.99



KENT Paddles by **ALPHA DELTA**



Titanic Key

Reasons for Buying KENT Paddles:

- Delicate, smooth feel due to sealed ball bearings instead of simple spring-loaded pivots • Free movement, minimum friction sideplay
- Precise gap alignments with instrument knurled heads on fine pitched screws and locking nuts.
- Rugged components made from machined, polished solid brass contained within a permanent brass housing.
- Silver contacts • Non-slip feet • Weighted for stability • Paddle models use heavy steel bases
- Designed and produced by *R.A. Kent Engineers, England*. Imported, fully assembled and tested by *Alpha Delta*.

Model SK-1 Straight Morse Key (top)\$129⁹⁹

Model SP-1 Single Paddle Morse Key (bottom/left)..\$139⁹⁹

Model TP-1 Twin Paddle Morse Key (bottom/right)..\$149⁹⁹

Robert Kent of Kent Engineers in England did meticulous research on the code key that was used on the Titanic, and has produced a beautiful crafted machined brass, working replica to be marketed by Alpha Delta. Each key has a serial number, a matching certificate telling of the event, and are individually signed by Kent for authenticity. The key provides extremely smooth operation and is a great addition to any station or collector's desk.

TK-1 Titanic Morse Code Key ... \$149⁹⁹

Basic Technology for the Amateur Radio Enthusiast




A simple, straight forward Video and Book program that takes you on a journey, explaining the wonderment of the amateur radio hobby.

The 24-minute video illustrates radio fundamentals, and explains everyday electronic terms you'll hear relating to the hobby. You will even go with a miniature "tour guide" on a walk through a receiver printed circuit board. The guide will show you how amplification, power supplies, radio frequency and audio amplifiers and other parts of a radio work, and an explanation of what "semiconductors" are all about. Neither the video nor the book get into math or formulas – it's been kept simple.

The book is designed for the non-technical person interested in joining the hobby or the amateur operator who would like to know more about "what's behind the dials" and explains the fascination of the hobby in detail.

ALP BASIC TECH \$39.99




HY RANGE EXTENDERS

1714 Long Ranger™ 2M Halfwave For really long range, this MFJ end-fed half-wave is hard to beat. It out performs a 5/8 wave on a handheld because it does not need a ground plane. The 1714 is shorter (40" extended), lighter, has more gain & places less stress on your antenna connector. When collapsed (10.5"), it performs like a rubber duck **\$16.99**

1712 Dual Bander™ 2M & 440MHz New dualband handheld or separate units? One antenna fits all. It's 1/4 wave for 2m and 5/8 wave with gain for 440MHz. 7.25" collapsed, 19" extended **\$14.99**

1710 Pocket Linear™ 3/8 Wave, 2M Carry in your pocket like a ballpoint pen. When using your rubber duck, on the fringe and noisy, put on the Pocket Linear, extend to 24.5" and carry on your QSO. Pocket clip. 5.25" collapsed **\$9.99**



RUFFRIDER™ MOBILE ANTENNAS

(mounts not included)

This series features quality construction using precision machined components. Designed to battle the elements, rugged rides and highway abuse.

Dual band 144/440MHz mobiles have stacked stainless steel elements with high-Q phasing coils resulting in outstanding gain. Phased radiators flatten radiation patterns and concentrate transmit power at the horizon for maximum distance.

All models are factory tuned for SWR less than 1.5:1 and have 50Ω impedance. Each comes w/SO-239 base, but also includes a **FREE** NMO adapter.

1402 Junior 16 1/2" ant. fits in any garage on any vehicle. 3dB gain on 2M, 5.5dB gain on 440MHz. Handles 100W. No fold-over **\$34.99**

1412 High Power Only 40" long but handles a full 200W. Great for high power mobile & amp. 3dB on 2M, 5.5dB on 440MHz **\$49.99**

1422 High Gain 41 1/2" long giving you extra gain with little increase in height. Handles 150W. 3.2dB on 2M, 5.7dB on 440MHz **\$49.99**

1432 Highest Gain Tall 62 1/2" brute gives you a whopping 5dB gain on 2M, 7.6dB gain on 440MHz. Handles 150W **\$69.99**

RUFFRIDER™ MOBILE MOUNTS

Super heavy duty antenna mounts with SO-239 base. Use adapter for NMO. Includes 10 ft. of low loss coaxial cable with PL-259 connector. Bases are heavy duty and super rigid to reduce SWR flutter due to wind vibration. Double Allen set screws fasten the radiator and a specially treated center pin provides excellent electrical connection. Allen wrenches, protection caps and locking screws included.

340 Mirror/Luggage Pipe Clamp Mount Mounts on support rod of mirror, luggage rack or spare tire carrier of a truck, van, RV or SUV. Mounts on any horizontal, vertical or angled rod/pipe up to 5/8" in diameter. Secures VHF, UHF and medium HF antennas even at highway speeds. Convenient thumb and finger turn knob makes fold-over operation quick and easy. Locks in 12 different positions **\$34.99**

345 Trunk/Hatchback Lip Mount Mounts to any lip on your vehicle. Extra-wide 4" lip and large reinforcing tabs on each side safely distributes the load. Secures large VHF, UHF and medium size HF antennas even at highway speeds. Scratch-proof rubber guard protects vehicle's finish..... **\$34.99**

1910 Telescoping Fiberglass Mast (right) Great for portable and temporary use – traveling, camping, from hotels, hamfests, field day, DX-peditions. Use to construct loops and quads. Pull out each section and twist to lock, strong fiberglass, flexes to resist breaking. Extends to 33 ft. and collapses to 3.8 ft. Bottom section 1.75 in. diameter. 3.3 lbs..... **\$79.99**



1778 MFJ's G5RV Antenna Covers 80–10M bands and 160M operated as a Marconi with a tuner and ground connection. Shorter than an 80 meter dipole – 102 ft. long. Flat top with a length of twin-lead matching section. Requires 50Ω coaxial feed line. Use as an inverted vee or sloper where space is a problem. Full legal power limit. Coax cable not included. **\$39.99**

NEW

1899T Walkabout™ Multi-band Telescopic Antenna Designed specifically for the Yaesu FT-817 multi-mode HF/VHF/UHF portable transceiver or other QRP portables. Covers all bands (including WARC bands) from 80 to 6 meters. Power rating is 25 Watts. When fully extended it is just over 5' long and is fitted with a BNC connector. Band changing is achieved by plugging a lead into the appropriate socket on the base coil, and fine tuning using the 10-section telescopic whip. The whip unscrews from the base matching coil, so, collapsed, the antenna measures only about 8 inches..... **\$129.99**

Service Questions?

414-358-4087

Milwaukee, WI

COMET™

HF/VHF/UHF MOBILE ANTENNA

For radios that operate HF/6M/2M/70cm

UHV-6 Designed for 6 and 2M and 70cm basic operation without tuning. Additional coverage for 40, 15 and 10 meters may be added by installing the supplied coils for those bands. Coils for 20 and 17 meters are optional. Choose either one, two, or three coils and add one to the top, and one or two to the side, in any combination. Automatic bandswitching. Each HF element tunes independently without effecting VHF/UHF.

Only 7 1/2" tall with the 40M coil attached to the top. A unique fold-over hinge pivots approximately 5 inches from the bottom for garaging, entering parking structures, etc.

Installs on any standard SO-239 (PO) type mount; no special brackets are needed. Several duplexers/ triplexers are available for all multi-band radios. – see the index under duplexers for selection..... **\$149.99**

L-14 20M coil **29.99**

L-18 17M coil **29.99**

CF-530 1.3-90/125-470MHz duplexer **69.99**

CF-706A 1.3-56/75-470MHz dupl **69.99**

CA-52HB4 Wide Band 6 Meter Beam

- HB9CV, 4-element • 50MHz band frequency • 50Ω impedance • <1.5:1 (50-54 MHz) VSWR • 10.4 dBi gain • Half power angle <54° • Over 19dB F/B ratio • 400W maximum power, SSB • Boom length, 10.5 ft. • 7.3 ft. turning radius • SO-239 connector • 1.0 to 2.5 in. mast diameter • 4 lbs, 14 oz..... **\$119.99**

GH-50 6M Vertical Antenna Omni-directional

- 50MHz band frequency • One-piece white fiberglass with tuning stub on top • 7'10" long • 50Ω impedance • 1.5:1 or less VSWR • 1MHz, tunable • 2.15dBi gain over 1/4-wave • Max. power: 120W, SSB/60W, FM • SO-239 connector • 2 lbs, 10 oz **\$99.99**

Maldol™ NEW

Three-band Rubber Duck Antennas for the Yaesu FT-817 The first telescoping tri-band antenna designed to increase 6M/2M/70cm performance on the popular Yaesu FT-817 as well as tri-band HTs. Choose either the BNC or SMA connector depending on your radio. • Gain: 6M 0dbi, 2M 2.15dbi 1/2 wave, 70cm 5.5dbi 2-5/8 waves in phase • 3.2 oz

AH-510R 36 inches extended, 9.5 inches collapsed, BNC connector..... **\$59.99**

AH-510R/SMA Same antenna as above with SMA connector **\$59.99**




We accept I.M.P.A.C.® Government Credit Cards



A-99 10M Base Antenna with Twin Ring Adjust-A-Match Tuning Voltage-fed, half wave variable, mutual transfer inductance tuned antenna. It's economical and easy to use! The SOLARCON sealed base unit is tuned with external inductance rings. Impedance remains constant over the tuning range. Simple Tuning! Raising the tuning rings raises the frequency and lowering the rings lowers the resonant frequency.

Rugged, three-piece, white fiberglass construction with triple-plated brass fittings. It's easy to assemble and install. The optional GPK-1 ground plane radial kit makes it perform even better!

Three sections • 10 meters • 3 dBi gain • 2000W power limit • Radiation angle of <20° • DC ground mounting • 1½" mast • 52Ω coaxial cable • SO-239 connector • 17 ft. 8 in. length..... **\$64.99**



GPK-1 Groundplane Kit • 30% more power gain and lower angle of radiation for greater range • Kit includes 1 collar and 4 fiberglass radials..... **\$39.99**

Lakeview Co., Inc.

WD4BUM HAMSTICKS® Two-Piece Monoband Mobile Antennas Hamstick 75 thru 10 meter models consist of a 47 inch long x 1/2 inch diameter fiberglass base section with the loading coil wound over its length and covered with black PVC shrink tubing. It's fitted on one end with a 3/8" X 24 brass base fitting that fits most amateur mobile mounts. A black 48 inch tempered stainless steel whip telescopes into the top of the base section and provides for frequency adjustment. The 6 meter model has a 34 inch base section and whip. Convenient frequency vs length graphs are included with the instructions.

If the antenna shows a SWR of 1.5 to 1 or better, no matching should be necessary. However, if it is, which may be especially true on 40 and 75m, you can capacitively match the base using values recommended in the instructions. If you frequently change bands you can use the **WD4BUM INDUCTI-MATCH (IM-1)** which consists of an impedance matching coil that simply installs at the base of the antenna. Using the supplied clip lead, you just tap up the coil for the best match.

Models

9106 (6M)	9110 (10M)	9112 (12M)
9115 (15M)	9117 (17M)	9120 (20M)
9130 (30 M)	9140 (40M)	9175 (75M)

All Hamsticks.....each **\$24.99**

901 Dipole Mount for 2 Hamsticks..... **\$13.99**

IM-1 Inducti-Match..... **\$17.99**

TM-1 License Plate Mount 3/8" x 24"..... **\$44.99**

TM-1 PLUS License Plate Mt SO-239. **\$44.99**

PREMIER communications



RD-78 RD-8 RD-98 RD-9 AL-800

HANDHELD ANTENNAS

RD-2 Short Duck Antenna (not pictured) Perfect fit for the new micro-sized handhelds such as the VX-1R, VX-5R, IC-Q7A, etc. Only 2" tall, but gives big performance. Operates on both 2M and 440MHz and also works great for out of band scanning. Choice of BNC connector..... **\$14.99**

RD-2SMA Or SMA connector..... **\$15.99**

RD-78 Extended Duck Antenna 15" tall, provides an improvement over stock, steel, spring-type antennas. Hit local repeaters solidly, access distant machines, talk extended simplex. Has 2.5dBi gain on VHF, 3.2dBi on UHF. Also includes 800/900MHz receive capability. Flexible, but doesn't droop. Gold-plated BNC connector..... **\$19.99**

RD-8 Duck Antenna 6.5" tall and very flexible. Improves your signal over any manufacturer's stock duck. The perfect companion to any 2M/440MHz handheld, including those with 800/900MHz receive. Gold-plated BNC connector..... **\$14.99**

RD-98 Thin Whip Antenna A 2M/440MHz HT antenna that is 17" long with a diameter of only 1/16th of an inch. Made of extremely strong and very flexible material - ties in a knot without damage! Available with a BNC connector..... **\$24.99**

RD-98SMA Or SMA connector..... **\$27.99**

RD-9 Flexible Duck Antenna An extremely flexible 7" tall rubber duck that will improve handheld performance on both 2M and 440MHz. while providing 800/900MHz receive capability. Connector is protected by a moisture shield and is molded to sit firmly on the connector, preventing excessive wear and tear. Choice of BNC connector..... **\$18.99**

RD-9SMA Or SMA connector..... **\$20.99**


AL-800 Telescoping Antenna Useful whenever you need extra performance for satellite work, or when on the fringes of a repeater. Telescopes to 34" or collapses to 10". Has 3.2dBi gain on VHF, 5.5dBi on UHF. For convenience and/or shorter range operation, the telescoping section unscrews and may be replaced with the included 9" rat tail. Gold-plated BNC connector..... **\$29.99**



UNADILLA

W2AU/W2VS 5-Band

Antenna Kit A 110 ft. long, trapped dipole that provides low SWR on 80 and 40 meters and resonant performance on 10, 15 and 20 meters. Includes two traps, W2AU 1:1 balun, end insulators, 120 ft. of #14 stranded copper wire and instructions. Rated for 2KW PEP. **\$85.99**



Shakespeare®

VHF MARINE ANTENNAS

4187 Ratchet Mount (above) Stainless steel. 4-way ratchet design with handle for deck or bulkhead mounting. Standard 1"-14 male threads..... **\$36.99**

396-1 Center-fed 1/2 Wave Coaxial Sleeve Antenna Basic 3dB antenna designed to reduce signal fading when working in rough seas. Widely used by the Coast Guard. 5MHz bandwidth, 3dB gain, 50W • White Shakespeare fiberglass • Brass and copper elements • Deluxe chrome-plated brass ferrule • One section • 5 ft. length, 15' RG-58 cable with PL-259. Use 4187 ratchet mount..... **\$59.99**

420 Skipper™ Center-fed 1/2 Wave Coaxial Sleeve Antenna Economical, and a good basic 3dB antenna for steady, day-to-day cruising in calm to moderate seas. Includes a polycarbonate lift/lay deck mount, leveling plate and hardware. 5MHz bandwidth, 3dB gain, 50W • White Shakespeare fiberglass • Brass and copper elements • Polycarbonate ferrule • One section • 5 ft. length, 15' RG-58 cable with PL-259..... **\$59.99**

5101 Centennial™ End-fed Antenna with Matching Stub High-end features in an 8' antenna with a brass element and a smooth, high gloss, polyurethane finish that won't turn yellow in the sun. 5MHz bandwidth, 6dB gain, 50W • One section • Brass and copper elements • Chrome-plated brass ferrule with standard 1" x 14 thread • 8 ft. length • Includes 15 ft. RG-58 cable and a PL-259 coaxial connector. Use with 4187 ratchet mount..... **\$49.99**

5206-C End-fed Antenna with Matching Stub Economical, lightweight and self-supporting antenna for good communications where range is not the predominant factor. 3MHz bandwidth, 6dB gain, 50W • White Shakespeare fiberglass • Chrome-plated brass ferrule • One section • DC grounded • 8' length, 15' RG-58 cable with PL-259. Use with 4187 ratchet mount..... **\$39.99**

5202 Collinear-phased 5/8 Wave Elements A rugged, professional quality antenna featuring a heavier duty radome and tough brass and copper construction for maximum efficiency and extra range. 3MHz bandwidth, 6dB gain, 50W • White Shakespeare fiberglass • Chrome-plated brass ferrule • One section • DC grounded • 8' length, 20' RG-58 cable with PL-259. Use with 4187 ratchet mount..... **\$69.99**

Look For This

NEW

& Check Out AES' Latest Additions.

Go Mobile, get there with  **COMET!**

Build your own antenna mounting system with the lip mounts and cable assemblies below.

Choose a Lip Mount



RS-730
Multi-adjustable heavy duty lip mount, up to 70" antenna



RS-720 • RS-720 NMO
Multi-adjustable lip mount, up to 60" antenna RS-720 NMO accepts an NMO mount



RS-520
Multi-adjustable lip mount, up to 45" antenna



3D5M Standard low loss cable assembly. Gold plated SO-239/PL-259 connectors. 17' length

3D4M Same as 3D5M, but 13.5' length



CK-3M5 Deluxe cable assembly 17' length including 17" of RG-188A/U for easy entry from a lip mount without causing water leak, wind noise or coax damage
CK-3M Deluxe cable assembly same as CK-3M5, but 9'9" total length

Create an antenna mounting system just for your vehicle!

Attach the chosen mount to the trunk, door, hood, hatch or rear door of your car, van or SUV. Any lip 1/4" or less in thickness will do. Tighten the setscrews and adjust the mount to vertical. **Installation takes only a few minutes.**

NO HOLES TO DRILL!




Additional available mounting assemblies with cable included!



CQ-5M
Deluxe "Quick-Disconnect" trunk lip mount with CK-3M5 cable included. With a flip of a lever, the antenna and coax are easily removed and stored in the trunk for car washes, theft prevention or any reason.



GR-5M
Deluxe stainless steel trunk lip mount with CK-3M5 deluxe cable included. Fully adjustable.



A 106

B

COMET™



1275 N. Grove Street • Anaheim • California 92806
(714) 630-4541 • (800) 962-2611
Fax: (714) 630-7024 • www.cometantenna.com

Go Mobile, get there with

COMET!

NEW MH-209SMA • Dual-band 146/446MHz HT Antenna w/SMA Conn
Gain & Wave: 0 1/4 wave • Length: 3" • Flexible rubber • Conn: Male SMA • Max Pwr: 5W

NEW SMA-503 • Dual-band 146/446MHz HT Antenna w/SMA Conn
Length: 8.75" • Conn: Male SMA • Max Pwr: 10W

NEW MH-510 • Tri-band 52/146/446MHz HT Antenna w/SMA Conn
Gain: 0/0/ 3.2dBi • Length: 20.75" • Conn: Male SMA • Max Pwr: 10W

SB-15 • Tri-band 52/146/446MHz w/fold-over
Gain & Wave: 52MHz 0dBi 1/4 wave • 146MHz 4.5 dBi 6/8 wave • 446MHz 7.2dBi 5/8 wave x 3 • Length: 58" • Conn: PL-259 • Max Pwr: 120W

NEW BLACK COLOR

SBB-7 SBB-7NMO • Dual-band 146/446MHz w/fold-over
Gain & Wave: 146MHz 4.5dBi 6/8 wave • 446MHz 7.2dBi 5/8 wave x 3 • Length: 58" • Conn: SBB-7 PL-259/SBB-7NMO NMO • Max Pwr: 70W

NEW BLACK COLOR

SBB-5 SBB-5NMO • Dual-band 146/446MHz w/fold-over
Gain & Wave: 146MHz 2.5dBi 1/2 wave • 446MHz 5.5dBi 5/8 wave x 2 • Length: 39" • Conn: SBB-5 PL-259/SBB-5NMO NMO • Max Pwr: 120W

T750 • Dual-band 146/446MHz w/fold-over • Includes COMET exclusive theft-resistant lock!
Gain & Wave: 146MHz 2.15dBi 1/2 wave • 446MHz 5.5dBi 5/8 wave x 2 • Length: 39" • Conn: Gold-plated PL-259 • Max Pwr: 200W

T780 • Dual-band 146/446MHz w/fold-over • Includes COMET exclusive theft-resistant lock!
146MHz 6/8 wave 4.5dBi • 446MHz 5/8 wave x 3 7.2dBi • Length: 62" • Conn: Gold-plated PL-259 • Max Pwr: 150W

B-20 B-20NMO • Dual-band 146/446MHz w/fold-over
Gain & Wave: 146MHz 2.15dBi 1/2 wave • 446MHz 5.0dBi 5/8 wave x 2 • Length: 30" • Conn: B-20 PL-259/B-20NMO NMO • Max Pwr: 50W

B-10 B-10NMO • Dual-band 146/446MHz cellular look-a-like •
Gain & Wave: 146MHz 0dBi 1/4 wave • 446MHz 2.15dBi 1/2 wave • Length: 12" • Conn: B-10 PL-259/B-10NMO NMO • Max Pwr: 50W

NEW UHV-6 • HF/6M/2M/70cm Mobile Antenna 40" * 20" * 17/15/10/6/2M/70cm
Gain & Wave: 2M 2.15dBi 1/2 wave • 70cm 5.5dBi 5/8 wave x 2 • VSWR: HF 1.6:1 or less • 6M-70cm 1.5:1 or less • Length: 44" (min), 78" (max)
• Max Pwr: HF 120W SSB • 6M 200W SSB/100W FM • 2M/70cm 100W FM • *L-14 Optional 20M coil • *L-18 Optional 17M coil

NEW UHV-6
Fold-Over Position

*** NEW MSG-1000C** • Dual-band 146/446MHz w/spring whip
Gain & Wave: 146MHz 2.15dBi 1/2 wave • 446MHz 5.5dBi 5/8 wave x 2 • Length: 39" • Conn: PL-259 • Max Pwr: 120W

*** NEW MSG-1100C** • Dual-band 146/446MHz w/spring whip
Gain & Wave: 146MHz 3.5dBi 1/2 wave • 446MHz 6.0dBi 5/8 wave x 2 • Length: 43" • Conn: PL-259 • Max Pwr: 150W

NEW MSG SERIES*

Performance and Durability!
Designed with a spring in the whip to absorb impacts.

For a complete catalog of NCG/COMET Antenna products call or visit your local dealer. Or contact NCG Company at **800/962-2611**.

Use NCG/COMET products, and enjoy amateur radio to it's fullest!



COMET™
*Maldol Product

1275 N. Grove Street • Anaheim • California 92806

(714) 630-4541 • (800) 962-2611

Fax: (714) 630-7024 • www.cometantenna.com

R6000 MULTIBAND VERTICAL



6 - 20 Meters

The Shape of Things to Come

The R6000 is a 6 through 20 meter, no ground radial antenna. It includes many of the features of the R8, R7 and R5 antennas. R6000 means excellent performance, easy installation and use, slim silhouette and high reliability.

There are no traps used on 6, 10 and 15 meters for maximum efficiency and power handling.

► EASY INSTALLATION

For typical use, tuning is not required

► AUTOMATIC BAND CHANGING

To any band 6 through 20 meters

► SLIM SILHOUETTE

Gain favor of family and neighbors with the slim, low profile of the R6000

► 6 METER OPERATION

Join the fun of the "Magic Band" and take advantage of the new HF/50MHz transceivers

► AFFORDABLE PRICE







Cushcraft delivers the best quality and performance at a price no one else can match.

SPECIFICATIONS	R6000
Frequency, meters	6, 10, 12, 15, 17, 20
Gain, dBi	3
VSWR minimum	1.2:1 typical
2:1 bandwidth, KHz	6m >1300 10m >1700 12m >100 15m >450 17m >100 20m 300
Power, Watts output	1500
Radiation angle, deg.	16
Horizontal rad, deg	360
Height, ft (m)	19 (5.8)
Mast size range, in (cm)	1.5 - 1.75 (3.8-4.4)
Wind load, ft ² (m ²)	1.5 (.14)
Weight, lb (kg)	12.5 (5.6)


The R6000 employs quarter wavelength stubs on 10 and 15 meters to replace standard trap coils. The result is lower loss and wider bandwidth. The R6000 covers all bands 6 through 15 meters at a VSWR under 2:1. On 20 meters you can select the top 300 KHz or bottom 300 KHz of the band.

The R6000 weighs only 12-1/2 pounds (5.6 kg). It is lightweight and easy to mount for portable or permanent installations. Machined aluminum clamps and UV stable insulators guarantee years of reliable service. The R6000 comes with the standard Cushcraft warranty of one year from purchase - plus the industry's leading technical support team stands behind each Cushcraft antenna.

The R6000 makes an excellent diversity antenna to complement even the most complete stations, or pack up the R6000 for a trip to the DX location of your dreams.



CUSHCRAFT
COMMUNICATIONS ANTENNAS





6 - 40 Meters

R8 MULTIBAND VERTICAL

HF Multiband Vertical Antenna

6, 10, 12, 15, 17, 20, 30, 40 Meter

Cushcraft is pleased to announce the introduction of the R8, it's newest multiband HF vertical antenna. This most contemporary of multiband vertical designs provides 8 band coverage encompassing the 6, 10, 12, 15, 17, 20, 30 and 40 meter bands.

Cushcraft has achieved a major breakthrough in the development of an HF multiband vertical antenna that has been specifically designed for use with a tuner and amplifier. As a result, the antenna more accurately addresses the needs of the contemporary ham shack.

Multiband vertical antennas have always been complicated designs with components as likely to be damaged by high levels of mismatched transmit power as the rigs they are attached to. Before the use of tuners became widespread, the antenna was protected by the same safety mechanisms that protected the rig. Now, the automatic power reduction circuits of the past have actually become a second layer of protective circuitry. Although the auto-tuner provides the ham with a more versatile device as well as protecting the rig's components, the antenna is more vulnerable than ever. With the press of a button, unmanageably high loads can be transmitted up to the antenna. The result to the antenna can be catastrophic failure in some instances.

The R8 is the first multiband vertical designed for the rigors of contemporary operating conditions. Although the antenna is best operated within it's 2.0:1 VSWR bandwidth, it can sustain a 3.0:1 VSWR mismatch at full power for typical operating intervals. Now the ham can take full advantage of the versatility that a tuner used in conjunction with a multiband HF vertical antenna can give him.


- ▶ **RUGGED CONSTRUCTION**
- ▶ **AUTOMATIC BAND CHANGING**
- ▶ **SLIM, LOW PROFILE SILHOUETTE**




SPECIFICATIONS

R8

Frequency, meters	6,10,12,15,17,20,30,40
Gain, dBi	3
VSWR 2:1 bandwidth, KHz	40m (150) 30m (>50) 20m (>350) 17m (>100) 15m (>450) 12m (>100) 10m (>1500) 6m (>1500)
VSWR at resonance (typical)	1.3:1
Power Rating, Watts CW	1500
Vertical Radiation angle, deg.	16
Horizontal rad, deg.	360
Height, ft(m)	28.5 max. (8.7)
Wind survival	80 mph
Weight, lb. (kg)	23 (10.5)



R8's Rugged Design




Generous use of stainless steel machine screws guarantees base integrity

Dual plate I/G rod mount allows for easy assembly of ground components


Plate interfaced mounting system uses aluminum components and stainless steel hardware

Even if you aren't using a tuner and amplifier, you will appreciate this antenna's rugged, heavy duty components. The R8 is easy to assemble and is built to provide years of trouble free service and satisfaction.

Typical elevation radiation pattern



R8 Matching Network



Matching

Broadband matching transformer maintains low VSWR at feed point

Coaxial balun is employed to keep RF off from the exterior of your feedline

All stainless steel hardware

RF choke

effectively DC grounds the radiator to help prevent static electricity from entering your shack

High strength, high power, low dielectric PC board material


Moisture release vent

Feedpoint (SO239)



CUSHCRAFT
COMMUNICATIONS ANTENNAS

INTRODUCING, MA5V VERTICAL



NEW




MA5V, High Performance Multiband Vertical Antenna

The latest addition to Cushcraft's line of high performance, HF multiband verticals allows the occasional user to become the neighborhood BIG GUN. Cushcraft's MA5V is ideal for temporary or portable 5 band operation. The antenna offers 5 band coverage from 10 through 20 meters and is ruggedly constructed, easy to install and just about disappears against the horizon. The antenna does not require radials and can be dismantled in a flash, making it the perfect choice for patios, small backyards, condominium and townhouse balconies or any other environments where permanent antenna use is restricted by covenant or rule. The MA5V will handle all the power you will ever need to work the world from the comfort of your own communications center. And when you're done, just store it away for next time or keep it installed if you wish.

The MA5V from Cushcraft...
Ham radio, "just for the fun of it".

- ▶ 5 band coverage
- ▶ Lightweight
- ▶ Perfect for temporary or permanent mounting
- ▶ Work from condos', apartments, motor homes



Typical elevation radiation pattern

SPECIFICATIONS	MA5V
Frequency, meters:	20, 17, 15, 12, 10
Gain, dBi:	1-2
VSWR minimum:	1.2:1 All bands
Maximum Wind Surface:	.82 ft ² (.076 m ²)
Wind Survival, mph:	>80
Maximum Power Handling:	250 SSB
Height, ft (m):	14.7 (4.48)
Mast size, in (cm):	1.25 -2.0" (3.18-5.1)
Weight, lb (kg):	6.5 (2.95)

HF MULTIBAND BEAM



10-20 Meters

MA5B



**High Front To Back Ratio
On 10/15/20m**

The Director, Small Footprint-Big Signal

MA5B. Cushcraft's newest multiband HF antenna provides 5 band directivity in a package small enough to mount to a tripod. The MA5B is a design that does not sacrifice ruggedness, performance and power handling for size and ease of installation.

- I am delighted with the performance compared with other HF antennas I have been using!

Bob Swannell, MOBYA

- Thank you for making a fine quality, powerful mini beam that can fit anyones budget.

Phil West, KF2WL

SPECIFICATIONS	MA5B				
Frequency, MHz	10	12	15	17	20 Meters
Elements	2	1	2	1	2 per band
Gain	5.3	1.0	4.8	1.0	3.6 dBi
Front to Back Ratio	10	0	12	0	22 dB
Sidelobe Attenuation	25	25	25	25	25 dB
VSWR 2:1 Bandwidth	665	>110	255	>100	90 kHz
Longest Element	17.1ft (5.2m)				
Turning Radius	8.8ft (2.7m)				
Boom Length	7.3ft (2.2m)				
Boom Diameter	1.5in (3.8cm)				
Max. Wind Surface Area	3.22 ft ² (3m ²)				
Max. Power Handling	1.2kw				
Weight	26.5 lbs. (12kg)				

• **Easy To Tune**
No complicated gamma matches to adjust.

• **Low VSWR**
Flat response across all 5 bands. VSWR minimum 1.2:1.

• **Single Feed Point**
Only one coaxial feed line is necessary for all 5 bands.


• **Rugged Construction**
Cushcraft's tried and true stainless steel mounting hardware and heavy wall aluminum tubing make for a rugged, long lasting antenna.

• **Easy To Turn**
With a boom length of 7 feet and a longest element length of 17 feet, a lightweight TV rotor will do the trick.

BIG THUNDER TRIBANDER



- ▶ **New High Efficiency Computer Optimized Design for Maximum Gain and Ultra Clean Radiating Pattern**
- ▶ **100+ MPH Construction for Best Reliability and Long Life**
- ▶ **NEW 4L Log Cell Driven Elements for better VSWR Bandwidth**
- ▶ **Trapless Driven Elements and Reflectors for Reliable Power Handling**
- ▶ **Interleaved Element Design for Mono-Band Performance**
- ▶ **Add-on kits available for 40 Meters**



Element Hardware Boom-to-Mast

40 Meter Add On Kits


MODEL	X740
Band	7 MHz
Element Length ft. (m)	41 (12.5)
Power (W)	2KW
Weight	20lbs. (9.1 kg)

X7

The X7 Triband Yagi is geared to set new standards in both radiating performance and mechanical reliability. Cushcraft's product development team has employed the latest computer modeling technology to achieve a superior electrical design as well as elegant new mechanical hardware and assembly techniques.


Each mechanical component was designed to 100+ MPH wind survival with a 1.25 safety factor. Traps were eliminated from the high current driven elements and reflectors using the new 4L Log Cell design, which yields virtual monoband performance and maximum power handling capability. Traps are employed only in the lower current directors for increased gain and sharper pattern. The result is a truly high performance antenna which will easily handle the legal limit.

X7



Azimuth

Typical radiation patterns.
Height: One wavelength.
Frequency: 20 M



Elevation

SPECIFICATIONS	X7
Frequency Coverage (Meters)	10, 15, 20
Total number of Elements	7
Maximum Gain (dBi)	20M 12.5 @ 14 deg
@ One Wavelength	15M 13.0 @ 12 deg
	10M 12.9 @ 14 deg
Maximum Front to Back Ratio (dB)	30
Number of Elements per Band	3
VSWR Minimum	1.1:1
VSWR 1.5:1 Bandwidth (KHz)	20M 600
	15M 750
	10M 1700
Longest Element, ft (m)	37.2 (11.33)
Turning Radius, ft (m)	20.0 (6.09)
Boom Length, ft (m)	18 (5.49)
Boom Diameter, in (cm)	2-1/2 (6.35)
Maximum Mast Diameter OD, in (cm)	2-1/2 (6.35)
Maximum Wind Survival, mph (kph)	>100 (>161)
Maximum Wind Surface Area, ft ² (m ²)	7.9 (.73)
Windload @ 80 mph, lb (kg)	202 (92)
Maximum Power Handling (KW)	2
Weight, lb. (kg)	60 (27.2)


ASL670 LOG PERIODIC ANTENNA

6 Meter - 70 CM




The antenna exhibits excellent gain and f/b with good VSWR bandwidth to boot. Get one today and enjoy the fun of high performance operation and multi-frequency listening all in one compact antenna.

- ▶ **Rugged construction**
- ▶ **Wide band Log Periodic**
- ▶ **Easy to install**
- ▶ **Easy to turn**



E-Plane



H-Plane


ASL670 Log Periodic

Cushcraft's new ASL670 is the ultimate multi-use antenna. Since the antenna is a log periodic, it offers continuous coverage through the 2 and 6 meter bands as well as 220 and 440 MHz. So, while being a terrific antenna for operating on those bands, it is also a great aviation and public safety band monitoring antenna. Use the antenna for contesting and mountain topping if you like. The antenna is compact and easy to assemble and disassemble with no tuning required. Yet it is rugged enough for permanent installation. The ASL670 really shines in its performance specs.

MODEL	ASL670
Frequency, MHz:	50 - 450, Continuous
No. Elements:	14
Forward Gain, dBi, dBd:	6.5, 4.5
Front to Back Ratio, dB:	20
SWR:	1.5:1 Average
Power Rating, Watts PEP:	300
3dB Beamwidth, Degrees, H-Plane:	110
E Plane:	80
Boom Length, ft (m):	6'-8" (1.9)
Boom Size, in (cm):	1.0 x 2.75 (2.54 x7)
Longest Element, ft (m):	126.6" (3.22)
Turning Radius, Horizontal Mtg. ft (m):	6'-3" (1.9)
Turning Radius, Vertical Mtg. ft (m):	3'-9" (1.15)
Mast Size Range, in (cm):	1.5"-2.5" (3.8-6.4)
Wind Load, ft ² (m ²):	3.0 (.28)
Weight, lb (kg):	11-1/4 (5.15)



- ▶ **Continuous five band coverage from 13.5 to 32 MHz**
- ▶ **Constant over entire frequency range**
- ▶ **6.4 dBi gain, 65 degree beamwidth**
- ▶ **High efficiency design, antenna stays cool and VSWR steady**
- ▶ **18 foot boom and 19.5 foot turning radius**



Skylog

The ASL2010 log periodic antenna is the most cost effective, high gain, five band antenna solution on the market today. Skylog offers continuous operation from 13.5 to 32 MHz. Antenna gain and beamwidth are constant for uniform coverage from 10 through 20 meters. The ASL2010 is rated for continuous duty at full legal power. Skylog is designed for maximum gain on a manageable 18 foot boom with only 10.1 square feet of wind surface area. All stainless steel hardware and rugged element design are only some of the many features that provide years of superior antenna performance. Skylog ASL2010 is the smart choice for multiband HF operation.

MODEL	ASL2010
Frequency, MHz	13.5-32
No. Elements	8
Forward Gain, dBi	6.4
Front to Back Ratio, dB	15-20
SWR 1.2:1 Typical	
2:1 Bandwidth	18.5 MHz
Power Rating, Watts PEP	2000
3dB Beamwidth, Degrees	
E Plane	65
Boom Length, ft (m)	18 (5.48)
Boom Diameter, in (cm)	2.0 (5.08)
Longest Element, ft (m)	38 (11.58)
Element Ctr Dia., in (cm)	1.25 (3.18)
Turning Radius, ft (m)	19.25 (5.86)
Mast Size Range, in (cm)	1.5-2 (3.8-5.1)
Wind Load, ft ² (m ²)	10.1 (.93)
Weight, lb (kg)	55 (25.5)






10 - 40 M

WORLD RANGER MULTIBAND HF YAGIS

A4S Four Element Beam - 10, 15 & 20 Meters

With stainless steel hardware.

The A4S is the true, high performance tribander. Precisely tuned high-power traps, carefully selected element lengths, and proper spacing combine to make the A4S the preferred antenna for your HF work! This is the premium antenna with all the features that you want. High gain, low SWR, and wide bandwidth keep the contacts coming in. All U-bolts, clamps and hardware are stainless steel. The A4S has pinned boom sections and formed aluminum brackets to keep elements straight under all conditions. Our solid construction keeps the A4S on the tower! Add 40 meters with A744 kit.



A3S Three Element Beam - 10, 15 & 20 Meters



With stainless steel hardware.

The A3 World Ranger, our top selling tribander, has become the A3S with all stainless steel hardware. It's a real power-house in a small space and lets you work the pile-ups with confidence. All you need is a lightweight tower and rotator to enjoy the benefits of the A3S. It's a proven performer in DX-peditions and contests and handles full power from your linear. Construction features include pinned boom sections, heavy duty element clamps with backing plates plus all stainless steel hardware. When space is at a premium, but you want the benefits of a full-size tribander, the A3S is right for you! Add 40 meters with A743 kit.



A3WS WARC Bands 3 Element - 12 & 17 Meters

Enjoy the excitement of the WARC bands with this popular beam. The A3WS gives full performance on 12 and 17 meters. With the addition of our easy-to-use A103 add on kit, it will also cover 30 meters. A3WS needs only a lightweight tower and rotator or you can mount it above an existing tribander. Construction features include pinned boom sections, heavy duty element clamps with backing plates plus all stainless steel hardware.



MODEL	A4S	A3S	A3WS
Frequency, MHz	28, 21, 14	28, 21, 14	24, 18
No. Elements	4	3	3
Forward Gain, dBi	8.9	8.0	8.0
Front to Back Ratio, dB	25	25	25
SWR 1.2:1 Typical			
2:1 Bandwidth KHz	>500	>500	300
Power Rating, Watts PEP	2000	2000	2000
3 dB Beam Width, Deg. E Plane	58	60	60
Boom Length, ft (m)	18 (5.48)	14 (4.27)	14 (4.27)
Boom Diameter, in (cm)	2 (5.10)	1.5 (3.81)	1.5 (3.81)
Longest Element, ft (m)	32 (9.75)	27.75 (8.45)	25.1 (7.66)
Element Center Dia, in (cm)	1.25 (3.18)	1.25 (3.18)	1.25 (3.18)
Turning Radius, ft (m)	18.4 (5.49)	15.5 (4.72)	14.4 (4.4)
Mast Size Range, in (cm)	1.25-2.00 (3.18-5.08)	1.25-2 (3.18-5.08)	1.25-2 (3.18-5.08)
Wind Load, ft ² (m ²)	5.50 (0.51)	4.36 (0.47)	4.1 (0.38)
Weight, lb (kg)	37 (16.8)	27 (12.9)	22.5 (10.2)

30 & 40 Meter Add-On Kits - For A3S, A4S & A3WS

40 meters will come alive by adding one of these kits to the dipole of your A3S or A4S. The kits include high power traps with heavy wall fiberglass insulator and all hardware. A simple adjustment allows 30 meter operation. For our newest beam, the A3WS, we have a 30 meter add on kit the A103.

A743 7 MHz/10 MHz kit for A3S
A744 7 MHz/10 MHz kit for A4S
A103 10 MHz kit for A3WS

MODEL	A743/A744	A103
BAND	7 MHz (40 m) 10 MHz (30m)	10 MHz (30m)
Driven Element with Adapter kit, ft (m)	33.19 min. 27.12 min. 35.33 max. 28.4 max. (10.12-10.77) (8.27-8.66)	32.1 (9.8)
Windloading ft2 (m2)	.58 (.05) .27 (.03)	.45 (.04)
Bandwidth, KHz	125 150	250
Power Rating, Watts	2000 PEP 2000 PEP	2000 PEP
Side Rejection, dB	20 20	20
Weight, lb (kg)	3.44 (1.56) 2.29 (1.04)	3.25 (1.47)

Rotatable Dipoles

Our World Ranger Dipoles give bi-directional patterns and rotatable convenience. You can mount them high and away from the trees for better performance than a wire dipole. These single and multi-band dipoles feature high-performance traps, heavy wall tubing, and rugged hardware for years of enjoyment.



MODEL	D40	D4	D3	D3W
Frequency, MHz	7	28,21,14,7	28,21,14	24,18,10
SWR 1.2:1 Typical				
2:1 Bandwidth, KHz	200	>350 40>125	>500	>200
Power Rating				
Watts PEP	2000	2000	2000	2000
Length ft (m)	42.25 (12.88)	35.8 (10.92)	25.8 (7.86)	34.0 (10.37)
Mast Size, in (cm)	1.5-2 (3.8-5)	1.5-2 (3.8-5)	1.5-2 (3.8-5)	1.5-2 (3.8-5)
Wind Load, ft2 (m2)	1.3 (.12)	1.3 (.12)	.9 (.08)	.9 (.08)
Weight, lb (kg)	12 (5)	13 (6)	9 (4)	11 (5)

CUSHCRAFT

MULTIBAND DIRECTIONAL YAGI

6/2 Meter, 70 CM,



A627013S 6 Meter/2Meter/70 CM

Cushcraft's newest multiband directional yagi is designed to provide hobbyists who have limited tower or mast space with directional antenna performance on three of the most popular bands. The A627013S combines 6 meters, 2 meters and 70 centimeters on one boom. Since the three antennas were designed to share a common boom, the A627013S solves the often encountered problem of degraded antenna performance due to inadequate spacing when using separates.

MODEL	A627013S		
Frequency, MHz	50-54	144-148	430-450
No. Elements	3	5	5
Forward Gain, dBi	8	10	10
Front to Back Ratio, dB	20	20	18
SWR 1.2:1 Typical			
2:1 Bandwidth, MHz	>1	>4	>10
Power Rating, Watts PEP	1000	350	350
3dB Beamwidth, Degrees			
E Plane		48.5	48.5
H Plane		60	60
Boom Length, ft (m)		8.66 (2.66)	
Longest Element, in (cm)		117 (300)	
Turning Radius, ft (m)		6.16 (1.87)	
Mast Size Range, in (cm)		1.25-2 (3.2-5.1)	
Wind Load, ft ² (m ²)		2.52 (0.23)	
Weight, lb (kg)		9.5 (4.3)	

- ▶ Outstanding performance thanks to Cushcraft's unmatched multiband design technology and experience.
- ▶ Rugged stainless steel mounting hardware is easy to install and maintain.



Big Thunder Monobander

Cushcraft's XM240 monobander utilizes rugged Big Thunder hardware that combined with high strength aluminum tubing affords the antenna outstanding wind survivability. Phillystran boom trusses are used in the XM240 design for extra boom stability. The feed system is a 50 ohm direct feed with dual driven elements. VSWR is flat across the band. A high power 1:1 balun is included. The XM240 is field-proven for reliability and performance. Excellent front to back ratio and gain makes the XM240 the right choice for DX and for stacking as well.



Boom-to-Mast



Element Hardware

MODEL	XM240
Frequency, MHz	7.0 - 7.3
Number Elements	2
Forward Gain Free Space, dBi	6.0
Fwd Gain @ 1 Wavelength Ht, dBi @ 14 deg	12.5
Front to Back Ratio, dB	20-25
VSWR Typical Minimum	1.1:1
VSWR 1.5:1 Bandwidth, KHz	150
Power Rating, Watts Output	1500
3dB Beamwidth, Degrees	70
Side Lobe Attenuation, dB	>35
Boom Length, feet (m)	22 (6.7)
Boom Diameter, inches (cm)	2.5 (6.3)
Longest Element, feet (m)	43 (13.1)
Turning Radius, feet (m)	24.3 (7.4)
Max Mast Size, inches (cm)	2.5 (6.35)
Wind Surface Area, sq ft (sq m)	5.5 (.51)
Wind Load @ 80 mph, lbs (kg)	142 (64.4)
Weight, lbs (kg)	55 (25)

RINGO RANGER II, RINGO RANGER, RINGO


 70 CM, 1'¼M, 2 M



ARX450B



ARX220B



ARX2B

Some hams comment on the ARX2B:

"Since I put this antenna up I have received many compliments on the improvement of my signal." (N3LHP)

"The only antenna I ever installed that worked like it should the first time." (N7PGH)

"ARX2B is a good antenna for my use on 2 meters FM...Several on the air in my area." (N9OPL)

"ARX2B...the best antenna." (XE2CLB)

Our Ringos are Number One.


Tough performers at a good price! The Ringo family of dependable, cost-effective antennas has served more hams - from novice to veteran extra - than any other amateur antenna made. Simple, straightforward design, light weight and quick, easy installation make the durable Ringo family right for you. Ringo's top performance and low cost mean more dB per dollar - an equation anyone can appreciate.

Ringo Ranger II


Our Ringo Ranger II has more gain, less windload, and more mechanical integrity than other two meter antennas. You'll quickly appreciate the benefits of this amazing antenna! Based on the original W1BX Ringo, the Ringo Ranger II is the latest design featuring three 5/8 wave radiating elements and an adjustable 1/8 wave phasing stub. The result is a very low angle of radiation over your coverage area.

The Ringo Ranger II has built-in lightning protection, UV-stabilized insulators, heavy wall tubing, improved decoupling radials to eliminate feedline radiation, and all-weather performance.


MODEL	ARX2B	ARX220B	ARX450B
Frequency, MHz	135-160	222-225	435-450
SWR 1.2:1 Typical			
2:1 Bandwidth, MHz	>3	>5	>10
Gain, dBi	7.0	7.0	7.0
Power Rating, Watts FM	1000	500	500
Radiation Angle, Deg.	7	7	7
Horizontal Radiation			
Pattern, Degrees	360	360	360
Ring Diameter, in (cm)	5 (12.7)	5 (12.7)	3.5 (8.9)
Radiator Base Dia, in (cm)	.75 (1.9)	.75 (1.9)	.50 (1.2)
Height, ft, (m)	14 (4.3)	9.3 (2.8)	4.9 (1.5)
Mast Size Range, in (cm)	1.0-1.25 (2.54-3.1)	1.0-1.25 (2.54-3.1)	.75-.88 (1.9-2.22)
Radial Length, in (cm)	20.5 (52.1)	13.75 (33.7)	6.75 (17.1)
Wind Load, ft ² (m ²)	0.5 (0.05)	0.3 (0.03)	0.2 (0.02)
Weight, lb (kg)	6 (2.7)	5 (2.3)	1 (.45)



AR2



AR6



AR10

Ringo

These are the original W1BX FM Ringos. If you want a combination of compact size, wide bandwidth, a low radiation angle, these economical antennas are just for you. Since radials are not needed, you can even use our Ringos indoors.

Our Ringos are 1/2 wave and include built-in lightning protection. Put up one of these easily installed antennas and start enjoying FM!

MODEL	AR2	AR6	AR10	AR450
Frequency, MHz	135-160	50-54	28-29.7	440-460
SWR 1.2:1 Typical				
2:1 Bandwidth, MHz	10	2	>1.5	20
Gain, dBi	3	3	3	3
Power Rating, Watts FM	1000	1000	1000	500
Radiation Angle, Deg.	16	16	16	16
Horizontal Radiation				
Pattern, Degrees	360	360	360	360
Ring Diameter, in (cm)	5 (12.7)	13 (33)	13 (33)	3.5 (8.9)
Radiator Base Dia, in (cm)	.75 (1.9)	1 (2.5)	1 (2.5)	.5 (1.3)
Height, ft, (m)	3.9 (1.2)	10.1 (3.1)	17.6 (5.36)	1.4 (.43)
Mast Size Range, in (cm)	1-1.25 (2.54-3.1)	1-1.25 (2.54-3.1)	1-1.25 (2.54-3.1)	.75-.88 (1.9-2.22)
Wind Load, ft ² (m ²)	.21 (.02)	.37 (.03)	1.68 (.16)	.1 (.01)
Weight, lb (kg)	1.5 (.68)	2.5 (1.1)	4 (1.8)	1 (.45)


CUSHCRAFT

Cushcraft Corporation, Manchester, NH



6 Meter Yagis - SSB/CW/FM

Computer-aided modeling and test range techniques were used by Cushcraft engineers to further optimize the performance of our popular 6 meter Yagis. This process means more gain and cleaner patterns with excellent front-to-back ratios. S-models have very broad bandwidth so they will not detune in bad weather. They feature stainless steel hardware for long trouble-free life. Enjoy the new popularity and exciting contacts on the 6 meter band with one of the S-series Cushcraft Yagis. The A503S, A505S and A506S may be mounted vertically for FM use.



10 Meters

Looking for a lightweight, economical alternative to the 10 meter big boys? Choose the TEN3. Although it's popular with novices and technicians, this antenna is for any ham who wants more gain with a good front to back ratio on 10 meters. This antenna has an 8 foot boom (2.4m) making it easy to install on a very simple mount with only a light rotator. The matching system is our proven Reddi-Match for 50 Ohm no balun feed and SO-238 connector. Make more positive contacts with the TEN3.

MODEL	A503S	A505S	A506S	TEN3
Frequency, MHz	50-54	50-54	50-54	28-29.7
No. Elements	3	5	6	3
Forward Gain, dBi	8	10.5	11.6	8
Front to Back Ratio, dB	20	24	26	25
SWR 1.2:1 Typical				
2:1 Bandwidth, MHz	>1	>1	>1	>1.5
Power Rating, Watts PEP	1000	1000	1000	2000
3dB Beamwidth, Degrees				
E Plane	76	56	48	64
Boom Length, ft (m)	6 (1.8)	12 (3.7)	20 (6.1)	8 (2.44)
Longest Element, in (cm)	117 (300)	123 (312)	119 (302)	18 (5.49)
Turning Radius, ft (m)	6 (1.8)	7.8 (2.37)	11.5 (3.5)	9.8 (3.0)
Mast Size Range, in (cm)	1.5-2	1.5-2	1.5-2	1.5-2
	(3.8-5.1)	(3.8-5.1)	(3.8-5.1)	(3.8-5.1)
Wind Load, ft ² (m ²)	1.80 (0.17)	2.9 (0.273)	4.46 (.41)	2.0 (.20)
Weight, lb (kg)	7 (3.2)	11 (5.0)	18 (8.2)	9.9 (4.45)



BOOMER SIDEBAND/CW YAGIS



2 Meters

13B2



13B2 - 13 Element Wideband Boomer

The 13B2 is as versatile as the 17B2 is specialized. 13B2 will be your choice for high performance across the entire 2 meter band. New and experienced hams will enjoy 15.8 dBi gain on FM, packet, CW, or sideband across the 4 MHz operating range. The 13B2 is easily mounted vertically or horizontally for maximum performance on your favorite mode. Its optimum boom length makes it a popular antenna that fits just about anywhere. The new UltraMatch balanced feed on the 13B2 provides a 50 Ohm match via a standard SO-239 UHF female connector. Model 13B2N has N connector.

17B2 - 17 Element CW/SSB Boomer

The serious two meter operator who is interested in EME, aurora, scatter, SSB, CW, tropo etc, will choose the 17B2. It has 17 elements on a 4.5 wavelength boom. Our computer-aided design supported by precise test range data and the latest manufacturing technology gives you a cleaner pattern and 18 dBi gain in this long boom design. Significant enhancement is provided by the new UltraMatch balanced feed system with N-connector.




The new Cushcraft UltraMatch is a modified T-match system that provides a balanced current distribution on your Boomer. It uses UltraLink teflon® dielectric cable allowing for low loss high power applications. UltraMatch is completely enclosed for weather proofing. UltraMatch features an N-connector on the 17B2 and UHF SO239 on the 13B2. When all weather performance is important, you will choose the new UltraMatched Boomers everytime.

17B2



26B2




26B2 - 26 Element Wideband Boomer

This antenna offers the highest gain of any 2 meter FM antenna in the world. The 26B2 includes two complete 13B2 antennas, stacking boom and phasing harnesses.

124WB - 4 Element Wideband Boomer

This is the right choice for packet systems and other applications requiring a dedicated directional antenna.



A14810S & A1483S 2M Yagis

These antennas are the newest computer optimized models of our 2 meter Yagis. We have improved both the pattern and gain to give you better FM coverage.

The A1483S is the low priced quality leader for Packet, FM or even portable use. It is easily rear mounted.

A14810S is one of our best value designs with excellent gain and front-to-back ratio. Use it for long range FM or full band 2 meter operation.



MODEL	13B2	17B2	124WB	26B2	A1483S	A14810S
Frequency, MHz	144-148	144-145	144-148	144-148	144-148	144-148
No. Elements	13	17	4	26	3	10
Forward Gain, dBi	15.8	18.0	10.2	18.8	7.8	13.2
Front to Back Ratio, dB	26	26	19	26		
SWR 1.2:1 Typical						
2:1 Bandwidth, MHz	>4	>2	4	>4	>5	≥4
Power Rating, Watts PEP	2000	2000	2000	2000	1000	1000
3 dB Beamwidth, Degrees						
E Plane	2 x 18	2 x 14.5	60	2x18	66	40
H Plane	2 x 19	2 x 15	88	2x9.5	108	46
Side Lobe Atten., dB, E Plane	>60	>60	40	>60		
Boom Length, ft (m)	15 (4.57)	31 (9.45)	4 (1.22)	15 (4.57)	2.8 (.85)	12 (3.6)
Electrical Wavelength	2.2	4.5	.5	2.2		
Longest Element, in (cm)	39.75 (101)	40.75 (103.5)	40.75 (104)	39.75 (101)	41 (104.1)	40.3 (102.4)
Tuning Radius, ft (m)	8.9 (2.7)	17.25 (5.26)	4 (1.22)	10.4 (3.18)	2.8 (.8)	6 (1.8)
Mast Size Range, in (cm)	1.5-2	1.5-2	1.25-2	1.5-2	1.25-2	1.25-2
	(3.8-5.1)	(3.8-5.1)	(3.2-5.1)	(3.8-5.1)	(3.2-5.1)	(3.2-5.1)
Wind Load, ft² (m²)	1.8 (.17)	3.9 (.36)	.34 (.034)	4.84 (.45)	.27 (.02)	1.21 (.11)
Weight, lb (kg)	6.7 (.31)	15.75 (7.14)	3 (1.36)	21.5 (9.75)	1.5 (.7)	6 (2.7)

CUSHCRAFT

Cushcraft Corporation, Manchester, NH

A14820T 2 Meter Hi-Lo Cross Yagi

Here's the antenna that solves multi-mode problems! Ten vertically polarized and ten horizontally polarized elements provide 11.1 dBi gain covering 144-148 MHz. The horizontal elements handle your CW and SSB needs, while the vertical elements cover FM. Hardware is stainless steel. Separate coax feeds allow polarization changes.

A14820T has a boom length of 11 ft. (3.4m), longest element length of 40.6 in. (103cm), wind area of 1.21 ft² (.11m²), and a mast size of 1.25-2 in. (3.2-5.1 cm).



MODEL	224WB	A14820T
Frequency, MHz	222-225	144-148
No. Elements	4	10/10
Forward Gain, dBi	10.2	13
Front to Back Ratio, dB	24	24
SWR 1.2:1 Typical		
2:1 Bandwidth, MHz	>5	>4
Power Rating, Watts PEP	2000	1000
3dB Beamwidth, Degrees		
E Plane	60	45
H Plane	88	50
Side Lobe Attenuation, dB E Plane	40	40
Boom Length, ft (m)	3 (.91)	11(3.4)
Electrical Wavelength	0.5	1.6
Longest Element, in (cm)	26.7 (68)	40.6 (103)
Turning Radius, ft (m)	3 (.91)	7.5 (2.3)
Mast Size Range, in (cm)	1.25-2 (3.2-5.1)	1.25-2 (3.2-5.1)
Wind Load, ft ² (m ²)	.23 (.021)	0.39(0.11)
Weight, lb (kg)	1.7 (.77)	7 (3.15)

A4496S/A44911S

Use one of these 440 MHz beams for your FM/Packet needs. Both work great for vertical or horizontal polarization.



MODEL	719B	A4496S	A44911S
Frequency, MHz	430-450	440-450	440-450
No. Elements	19	6	11
Forward Gain, dBi	15.5	10.5	13.2
Front to Back Ratio, dB	25	18	20
SWR 1.2:1 Typical			
2:1 Bandwidth MHz	20	>10	>10
Power Rating, Watts PEP	2000	350	350
3 dB Beamwidth, Degrees			
E Plane	24	60	48
H Plane	19		
Side Lobe Atten., dB, E Plane	60		
Boom Length, ft (m)	13.5 (4.1)	2.9 (0.89)	4.2 (1.35)
Electrical Wavelength	6		
Longest Element, in (cm)	13.75 (34.9)	13 (33)	13 (33)
Turning Radius, ft (m)	7.25 (2.2)	2.9 (.89)	2.8 (.85)
Mast Size Range, in (cm)	1.25-2 (3.2-5.1)	1.25-2.0 (3.2-5.1)	1.25-1.5 (3.2-3.8)
Wind Load, ft ² (m ²)	1.2 (.11)	0.30 (0.03)	0.39 (0.04)
Weight, lb (kg)	5.6 (2.55)	3 (1.4)	4 (1.8)

719B FM, CW and SSB 15.5 dBi


Looking for an antenna to enhance performance on all modes of the 70 CM band? The 13.5 foot long 719B is the right choice. Mount it vertical for FM or horizontal for CW and Sideband. The 719B joins the 2 meter 13B2 as a classic for improved performance.



ISOTRON BILAL COMPANY

Antennas for Very Limited Space
Simple & Effective...



2001 - Our 21st Year!



Common Specifications: 1000W PEP power rating (300W, CW, AM, FM, RTTY) • 50-75Ω coax feed • Omni-directional radiation pattern • Bandwidth shown is within 2:1 SWR but may vary with environment • Stainless steel fasteners • Zinc plated u-bolts • Tempered aluminum components • Cast acrylic and PVC insulators • THHN #14 solid copper coils • 85 mph wind rating

Individual Specifications:

Model	ISO 160C	ISO 80	ISO 40	ISO 20	ISO 15	ISO 10	ISO 6
Band	160 meters	80 meters	40 meters	20 meters	15 meters	10 meters	6 meters
Freq.	1.8-2.0MHz	3.5-4.0MHz	7.0-7.3MHz	14-14.35MHz	21-21.450MHz	28-30MHz	50-54MHz
hwxwd (in.)	114 x16x15	32x16x15	22x16x15	21x8x4	21x1½x4	16x1½x4	16½x2x4
BW	100 KHz	110KHz	250KHz	350KHz	450KHz	1MHz	1.25MHz
Windload	1.697 sq. ft	1.37 sq. ft.	1.0 sq. ft.	0.23 sq. ft.	0.23 sq. ft.	0.16 sq. ft.	0.13 sq. ft.
Weight	7 lbs.	6 lbs.	4 lbs	2 lbs	2.0 lbs	1.5 lbs	1.5 lbs.
PRICE	\$173.99	\$98.99	\$88.99	\$78.99	\$78.99	\$78.99	\$78.99



Multiband Models (top & right)

ISO 80/40 COMBO Same as individual model specifications above. Operate 80/40 meters with one feed line 32"x16"x30", 2.37 sq. ft. 10 lbs..... **\$169.99**

SPECIAL ORDER! - You can make up your own combination. Substitute 30m for 40m in the 80/40 Combo or 17m for 12m in the 20/15/10 Combo. MARS, CAP & Commercial models available.

PAR

OMNIANGLE ANTENNAS

For 10, 6 and 2m, 220 and 440MHz (fixed or mobile). The perfect complement to high-gain directional arrays, allowing all-direction local work and monitoring for DX. Outperforms halos, loops and turnstiles! It's considerably longer than a halfwave dipole, and coupled with the unique triangle shape, yields a horizontally polarized antenna whose pattern is within 0.8dB of being a perfect circle, and exhibiting wide bandwidth.



Rated at 150W, it's built-in matchbox and current balun allow feeding with 52Ω coax and easy tuning to desired frequency with a perfect match. The design virtually eliminates detuning due to moisture. Stack two or four OMNIANGLES for 3 to 6dB omni-directional gain and lower angle of radiation.


OA-28 10m, 28-30MHz.....	\$74.99
OA-50 (bottom) 6m, 49.5-54MHz.....	63.99
OA-144 (middle) 2m, 138-150MHz.....	54.99
OA-222 222-224MHz.....	54.99
OA-432 (top) 420-450MHz.....	54.99

Stacking Harnesses for 2 OmniAngles (3dB Gain)
Made of Belden 8213 and silver/gold/teflon connectors, 70cm model uses N connectors.

SK-50 for OA-50.....	\$36.99
SK-144 for OA-144.....	34.99
SK-222 for OA-222.....	Closeout 29.99
SK-432 for OA-432, type-N.....	54.99

See product reviews 73 Magazine: Oct. '84, Sept. '85, Mar. '86, Nov. '94, Apr. '96. CQ magazine: Dec. '88. WR: Mar '91.
Copies available send SASE: **BILAL COMPANY**
137 Manchester Dr. Florissant, CO 80816 • 719/687/0650

- Solve restricted space problems.
- Easy, quick, and simple installation.
- Handles up to 1,000 watts PEP.
- Excellent portable operation - emergencies, RV's, field day, motels, Maritime operation.
- Not dependent on a grounding system for performance.
- Unobtrusive appearance, making a very discreet looking installation.
- Very Stealth.
- Excellent Low Noise reception and transmitting quality performance is not compromised by its compact design.
- Tunes and performs without radials.
- Multi-band operation on one feedline with back to back mounting. Any other combination of three bands may be substituted on special order.
- Durable construction, can be used in extreme weather conditions, will not bend in high winds. No motors or mechanical tuning devices to fail.



Van Gorden Engineering



DIPOLE ANTENNAS

Complete with Hi-Q 1:1 balun, #14 stranded copper antenna wire, plastic insulators, and 100 ft. of nylon rope. Rated for full legal power. May be used in an inverted-V configuration.

D-80 80/75m, 130'.....	\$32.99
D-40 40m, 66'.....	\$29.99
D-20 20m, 33'.....	\$28.99
D-15 15m, 22'.....	\$27.99
D-10 10m, 16'.....	\$26.99

Shortened Dipoles Construction is the same, and includes traps as shown above.

SD-80 75/80m, 90'.....	\$36.99
SD-40 40m, 45'.....	\$34.99



ALL BANDER All Bander Dipole Covers 160 to 10M using an antenna tuner with balanced output. Full 135 ft. long (or less, as an inverted V or sloper). Trim to fit small lots. Assembled, with #14 gauge copper wire, center and end insulators and 100 ft. of 450Ω balanced line. 2KW PEP..... **\$29.99**

SHORTY All Bander As above, but with loading coils to shorten the length to 70 ft. overall **\$44.99**



MULTIBAND ANTENNAS

G5RV Covers 3.5 to 30MHz, +1.8MHz as a Marconi-type antenna with a tuner. Consists of a 102 ft. flat top with a 31' long section of 300Ω (450Ω for models below) KW twinlead, a transformer/coupler and 70 ft. of RG-8X coax and connector. 2KW PEP, assembled..... **\$50.99**

G5RV JR 7-30MHz, 52', 17' twinlead.....	\$24.99
G5RV-E 3.5-30MHz, 102', 31' twinlead.....	\$28.99
G5RV-M 1.8-30MHz, 204', 65' twinlead....	\$50.99

Ventenna

Ventenna™ Get around those antenna restrictions and finicky neighbors. The Ventenna is virtually unnoticeable. It looks like part of a normal structure. To install, just slip over an existing 1"-2" plumbing vent pipe, connect the coax - you're on the air. Ready to go! No tuning or measuring required. Single band models for 2m, 220MHz or 440MHz.

VT-44 440MHz, 14", 2.6dB. C/O.....	\$39.99
VT-15S 3' scanner, 2.6dB... C/O.....	\$39.99



DIAMOND ANTENNAS

The Standard By Which All Others Are Judged.

Acclaimed as the technological leader in single & multiband antennas

- Wide-band Performance • Factory Adjusted—No Tuning Required • Highest Gain
- UPS Shippable • High Wind Rating • Fiberglass Radome • DC Grounded • Stainless Hardware

X500HA (UHF-Conn.) X500HNA (Type-N Conn.) Ruggedized Base/Repeater Antenna

X50NA

The X50NA is an excellent choice where ruggedness is required in a medium-gain, dual-band, base/repeater application.

Features

- Wide frequency bandwidth
- Heavy duty fiberglass radome
- Stainless steel mounting hardware and radials
- Type-N Cable connection
- Compact size for easy mounting/installation

Specifications:

Freq.: 2m: 144–148MHz
70cm: 440–450MHz
Gain: 2m: 4.5dB; 70cm: 7.2 dB
Power: 200 watts
Wind Rating: 135 MPH (no ice)
Height: 5.6 feet

X500HNA


Diamond Antenna's best base station repeater antenna. Designed for strength and performance, the X500HNA is pretuned to achieve maximum gain in both the 2m and 70cm amateur bands.

Features


- Heavy duty fiberglass radome
- Overlapping outer shells for added strength
- Stainless steel mounting hardware and radials
- Strong, waterproof joint couplings
- Type-N Cable connection
- Wide band performance

Specifications:


Freq.: 2m: 144–148MHz 70cm: 440–450MHz
Gain: 2m: 8.3dB; 70cm: 11.7 dB
Power: 200 watts
Wind Rating: 90 MPH (no ice)
Height: 17.8 feet



X50NA X500HNA



A502HB



A504HB




A14455

NOTES:

- 1 Heavy duty aluminum construction.
- 2 F-718A: 440–450MHz, F718L: 420–430MHz.
- 3 X510NJ: 144–147/430–440MHz.
- 4 $1/4\lambda$ rated in dBi.
- 5 2m: 146–148; 100 watts
- 6 52–54MHz only


BAND: 144=144–148MHz, 222=222–225MHz,
420=420–430MHz, 430=430–440MHz,
440=440–450MHz, 1240=1240–1300MHz.



COAX CONNECTION
AT BASE END



HEAVY DUTY BASE/
RADIAL ASSEMBLY



STRONG JOINT
COUPLINGS

DIAMOND Mono-Band Base/Repeater Antennas

MODEL	BAND (MHz)	GAIN (dB)	WATTS	CONN.	HT. FT.	RATED WIND MPH (No. Ice)
CP22E ¹	144	6.5	200	UHF	9.0	90
DPGH62 ¹	50	6.0	200	UHF	21.0	78
F22A	144	6.7	200	UHF	10.5	112
F23A	144	7.8	200	UHF	15.0	90
F718A ²	440	11.5	250	N	15.0	90
G200	2.4GHz	11 dBi	—	N	4.8	135

DIAMOND Dual-Band Base/Repeater Antennas

MODEL	BAND (MHz)	GAIN (dB)	WATTS	CONN.	HT. FT.	RATED WIND MPH (No. Ice)
X50A	144/440	4.5/7.2	200	UHF	5.6	135
X50NA	144/440	4.5/7.2	200	N	5.6	135
X200A	144/440	6.0/8.0	200	UHF	8.3	112
X510NA ³	144/440	8.3/11.7	200	N	17.2	90
X510MA	144/440	8.3/11.7	200	UHF	17.2	90
X500HNA	144/440	8.3/11.7	200	N	17.8	90+
X700HNA	144/440	9.3/13.0	200	N	24.0	90
X2200A	144/222	6.0/7.8	150	UHF	11.5	112
U200	440/1240	8.3/11.7	100	N	5.9	135

DIAMOND Tri-Band Base/Repeater Antennas

MODEL	BAND (MHz)	GAIN (dB)	WATTS	CONN.	HT. FT.	RATED WIND MPH (No. Ice)
V2000A ^{4,6}	52/144/440	2.1/6.2/8.4	150	UHF	8.3	110
X3200A ⁵	146/222/440	6.0/7.8/8.0	100/200	UHF	10.5	112
X6000A	144/440/1240	6.5/9.0/10.0	100/60	N	10.5	112

Most requirement: 1.4"–2.4"


DIAMOND Yagi Antennas

MODEL	BAND (MHz)	GAIN (dBi)	WATTS (PEP)	CONN.	BOOM LNTH.	ELEMENT PHASING
A502HB	50	6.3	400	UHF	2.6'	2 element
A504HB	50	10.8	400	UHF	10.7'	4 element
A144S5	144	9	100	UHF	37.5"	5 element
A430S10	432	13	100	UHF	43"	10 element

DIAMOND'S STATE-OF-THE-ART

VHF/UHF And HF/VHF Mobile Antennas— Maximum Performance Without Compromise

You've seen the rest...now own the BEST!



SPECIAL FEATURES:

- Factory pre-tuned/no adjustment
- Highest Performance antennas
- NMO and UHF (PO) base styles
- 24 Kt gold plated connector pin
- No grounding required unless noted
- Fold-over feature on most models

MODEL	BAND (MHz)	GAIN (dB)	WATTS	CONN.	HT. IN.	ELEMENT PHASING
MR77	2m/70cm	2.15/3.4	70	MAG	20	1/4λ, 1/2λ
NR72BNMO* ⁶	2m/70cm	2.15	100	NMO	13.8	1/4λ, 1/2λ
NR73BNMO	2m/70cm	2.15/5.3	100	NMO	33.5	1/2λ, 1-5/8λ
NR770HA ⁷	2m/70cm	3.0/5.5	200	UHF	40.2	1/2λ, 2-5/8λ
NR770HBNMO ⁸	2m/70cm	3.0/5.5	200	NMO	38.2	1/2λ, 2-5/8λ
NR770RA	2m/70cm	3.0/5.5	200	UHF	38.6	1/2λ, 2-5/8λ
SG7000A* ⁶	2m/70cm	2.15/3.8	100	UHF	18.5	1/4λ, 6/8λ
SG7500A	2m/70cm	3.5/6.0	150	UHF	40.6	1/2λ, 2-5/8λ
SG7500NMO	2m/70cm	3.5/6.0	150	NMO	41.0	1/2λ, 2-5/8λ
SG7900A*	2m/70cm	5.0/7.6	150	UHF	62.2	7/8λ, 3-5/8λ
SGM510	2m/70cm	2.15/5.5	100	UHF	37	1/2λ, 2-5/8λ

* Not recommended for Magnet Mount

⁶ Grounding required.

⁷ NR770HB same specifications but in black finish.

⁸ NR770HBNMO same specifications but in black finish.

⁹ 52-54MHz only

1/4λ rated in dBi.

HV7A Mobile Antenna System For New HF/VHF transceivers (Such as: IC706 series and FT100)

The NEW HV7A has 5 band capability: 70cm, 2m, 6m, and 2 HF bands through use of loading coils. Foldover feature allows for easy access into low overhead buildings. Ideal for users of IC706 series and FT100 radios.


NEW!

Bands Supplied: 10m/6m/2m/70cm
Opt. Loading Coils: 40m/20m/17m/15m
Power, P.E.P.: HF 120w/VHF 200w
Mount Connection: UHF
Length: 54"
SWR: 1.5:1 nominal

Optional Loading Coils

HVC7 40m
 HVC14 20m
 HVC18 17m
 HVC21 15m

Recommended Antenna Mounts: K400C or K600M



FOLD-OVER

Patented One-Touch Fold-over Feature
 (Not available on NR72BNMO, NR73BNMO, & NR770SA.)


MODEL	BAND (MHz)	GAIN (dB)	WATTS	CONN.	HT. IN.	ELEMENT PHASING
NR2C	2m	4.1	150	UHF	55.5	1/2λ+1/4λ
SG2000HD*	2m	5.2	250	UHF	62.6	1/2λ+3/8λ
CR320A* ⁶	2m/1-1/4m 70cm	2.15/3.8 5.5	200/100 200	UHF	37.4	1/4λ, 1/2λ, 2-5/8λ
CR627B* ^{6,9} CR627BNMO* ^{6,9}	6m/2m 70cm	2.1/4.5 7.2	120	UHF/NMO	60	1/4λ, 1/2+1/4λ, 2-5/8λ
HF6FX* ⁶	6m	2 dBi	250	UHF	40	1/4λ
HF50CX* ⁶	6m	3.5 dBi	200	UHF	75	3/8λ
NR22L*	2m	6.5	100	UHF	96.8	2-5/8λ
NR2000NA	2m/70cm 23cm	3.15/6.3/9.7	100	N	39	1/2λ, 2-5/8λ, 5-5/8λ
M285	140-174	3.4	200	UHF	52.4	5/8λ
M685* ⁶	6m	2.15 dBi	200	UHF	52.4	1/4λ
MG200	2.4GHz	7 dBi	-	N	23.6	3-1/2λ
SGM911* ^{6,9}	6m/2m/70cm	2.15/3/5.8	60	UHF	41	1/4λ, 1/2λ, 2-5/8λ

DIAMOND Antenna Accessories

High Efficiency HT & Scanner Antennas HF Multiband Vertical Antenna Duplexers & Triplexers Dummy Loads & Coaxial Switches

RH Series

High quality, high gain HT antennas for mono, dual, and tri-band handheld radios. Available in both BNC and SMA connections. Increase the performance on your handheld or wideband scanner with a Diamond RH Series antenna.



MODEL	DESCRIPTION	RELATIVE GAIN*
D130J	Wideband discone 25-1300 MHz. 200 W transmit 50-1300 MHz. No cable.	N/A
RH3	2m/70cm dual band "Black Bullet" HT antenna. 1.75" BNC. 120 to 900 receive	-2 dB
RH77CA	High gain 2m/70cm dual band HT antenna. Receive range to 900 MHz. BNC.	+6 dB
RH205	2m HT antenna, telescopic, 5/8λ fully extended, 47.5"; 1/4λ retracted, 9"	+9 dB
RH519	2m/70cm slim dual-band HT antenna. Flexible. 8" BNC, 10 watts.	+3 dB
RH707	2m/70cm dual-band tiltable whip - HT antenna. 8 1/4" BNC.	+3 dB
RH951S	High gain 2m/70cm/23cm slim tri-band HT antenna. Flexible. BNC (Wide band receive)	+6 dB
SRH519	2m/70cm dual-band HT antenna. Flexible. 8" SMA, 10 watts.	+3 dB
SRH805	2m/70cm/23cm tri-band HT antenna. 1.75" SMA, 10 watts.	-2 dB
SRH815	2m/70cm/23cm tri-band HT antenna. Flexible. 6" SMA, 10 watts.	+3dB
SRH999	6m/2m/70cm/23cm quad-band HT antenna. Flexible. 19.5" SMA, 10 watts.	+3dB

*Rated against typical stock HT antennas.

DL30A/DL30N



CX210A/CX210N



CX310A




MODEL	DESCRIPTION
CX210A	Heavy duty wideband coax switch, DC-1000 MHz. 1.5 kW, 50-239
CX210N	Heavy duty wideband coax switch, DC-1500 MHz. 1.5 kW, Type N
CX310A	Heavy duty wideband coax switch, 3 position, DC-800MHz, 50-239
DL30A	Dummy load, DC-500 MHz. 15w average/100w peak. PL-259
DL30N	Dummy load, DC-500MHz. 15w average/100w peak. Type N

CP6A HF MULTIBAND VERTICAL

The New CP6A multi-band trap-vertical antenna for HF bands, covering the 75*, 40, 20, 15, 10 and 6m amateur bands. Made from heavy-duty aluminum, the CP6A assembles easily, yields excellent performance and reliability from a compact base station antenna. Its compact size allows for many mounting options. Minimum 15 feet diameter required for mounting radials. No additional ground radials required. Mounting hardware included.


*75m requires a tuner.



Specifications

Frequency:	75*/40/20/15/10/6m
Power:	200w PEP
Impedance:	50Ω
VSWR:	1.5:1 nominal
Element:	1/4 wave trap vertical
Radials:	Trap design, six
Grounding:	Direct grounding. Antenna element & radials connected to mounting pipe.
Max. Wind Rating:	80mph (no ice)
Mast Diameter	
Accutance:	1.2-2.4"
Overall Length:	15.10' (4.6m)
Weight:	9.9lbs. (4.9kg)
Connector:	50-239 female UHF
Bandwidth:	75m 20kHz
(for nominal	40m 40kHz
1.5:1 VSWR	20m 100kHz
without	15m 200kHz
antenna	10m 500kHz
tuner)	6m 3.5MHz

Duplexers/Triplexers



MODEL	MX72D	MX72H	MX72N	MX2000			MX62M	
FREQUENCY BAND (MHz)	LPF 1.6-30	140-150	HPF 400-460	LPF 1.6-60	BPF 110-170	HPF 300-950	LPF 1.6-56	HPF 76-470
PWR CW (ICAS) WATTS P.E.P.	400 1000	150 400	100 250	800 800	500		600	
THRU LOSS/dB	0.15	0.15	0.25	0.15	0.2	0.25	0.2	0.3
ISOL	60dB			60dB			50dB	
VSWR	1.2:1			1.2:1			1.2:1	
CONNECTOR COMPLEMENT	MIX 144 430	MIX 144 430	MIX 144 430	MIX 50 144 430			MIX HF VHF	
CONNECTOR	Direct	12" Cable w/Connectors		12" Cable w/Connectors			12" Cable w/Connectors	

DIAMOND'S Premium Antenna Mounts & Cable Assemblies

Designed for today's high performance antennas

K9000

Motorized Mount

Raise and lower your antenna with a touch of a button. Vertical adjustment 0-9". Accepts "ground independent" antennas up to 45". Recommended antennas: SG7500NMO, NR73BNMO, SG7500A, NR2C and NR770 series.

K9000TM Trunk/Hatchback Mount
K9000LRM Luggage Rack Mount

* Use C-Series cable assemblies.



K412


Light Duty Hatchback/Door Trunk Lid Mount

Two-axis adjustable mount for light weight antennas. 1.5 inch mounting width. Ideal for tight mounting options. Recommended for antennas under 45".

K412C SO-239 base, 6.5' coax & PL-259
K412CNMO NMO base, 6.5' coax & PL-259

* Use C110 for front radio installations.

NEW!



K601

Hide-Away Mount

Folds antenna safely into trunk. Fully adjustable, fits most vehicles. Recommended antennas: NR2C, NR73BNMO, NR770HNMNO, NR770HA, NR70HBNMO, NR770HB, NR770RA, SG7500A, SG7500NMO and SGM510.

K601M SO-239 base, 6.5' coax & PL-259
K601NMO NMO Base, 6.5' coax & PL-259



* Use C110 for front radio installations.

K600

Variable Angle Trunk Mount

Deluxe aerodynamic trunk mount. Vertical adjustment 0-9". 4" wide mounting base with 4 set screws for maximum strength. Recommended for high gain VHF/UHF antennas.

K600M SO-239 base, 16.5' coax & PL-259



K550

Luggage Rack Mount

Adjustable luggage rack mount for new mini vans. Recommended for antennas under 45".

K550KM SO-239 base, 13' coax & PL-259
K550 Mount Only

K400

Hatchback/Door Trunk Lid Mount

Diamond's deluxe heavy duty mount. Two-axis adjustable. 4" wide mounting base with 4 set screws for maximum strength. Recommended for high gain VHF/UHF antennas.

K400C* SO-239 base, 6.5' coax & PL-259
K400CNMO* NMO base, 6.5' coax & PL-259

* Use C110 for front radio installations.





K540

Mirror/Luggage Rack Mount

Adjustable Mirror/Luggage rack mount accepts 1/2" to 7/8" tubing. Fits most mirrors and utility racks. Recommended for antennas under 45".

K540KM SO-239 base, 13' coax & PL-259
K540 Mount Only



K702M

Magnet Mount Base

Deluxe low profile magnet mount with high holding power. Aerodynamic styling, large 6 3/8" diameter, 3/4" height. For VHF/UHF antennas up to 50" height. Includes thin mylar protective sheet to enhance grip and protect vehicle paint. Cable: 13' RG58A/U & PL-259.

C-SERIES CABLE ASSEMBLIES



C101

SO-239 base, 6.5' RG316 Teflon coax & PL-259. Ideal cable assembly for trunk mount radios.

C101NMO

Same as C101 with NMO base. For Diamond's K-Series mounts.

C213

Same as C101, 13.5' length.

C213NMO

Same as C101NMO, 13.5' length.



C110

Extension for C101. 10' RG8X coax w/mini UHF Conn. Use C110 to extend cable for front radio installations.

C110BNC

10' assembly similar to above, uses RG316 Teflon coax terminating in BNC-male.

C1105MA

Similar to C110BNC, terminating in SMA male.



C211

SO-239 base, 16.5' cable assembly & PL-259. Combination of C101 & C110.

C1045MA

4' extension cable for HT's with SMA connector. For existing cable assemblies with PL-259. UHF female (SO-239) to right angle SMA male.

C1055MA

5' extension cable for C101. RG58/U cable, terminating in right angle SMA male.

K400-3/8 C


Special Trunk Mount for 3/8 x 24 Thread Antennas

Ideal mount for Outbacker Perth, OB Jr., and other medium weight antennas.

Note: Use C110, 10ft extension for front radio installation

Adjustment: 2 axis
Power: 350 watts RMS
500 w P.E.P.
Cable 6 1/2' RG316 Teflon coax w/PL-259

Spring recommended for stiff/heavy antennas



SPM35

Magnet Mount Base

Heavy duty 2.2 lb./4" magnet mount rated 25-500 MHz. Cable: 13' coax and PL-259. Recommended for antennas under 45".


SPM-NMO

Magnet Mount Base


Similar to the SPM35, but has NMO mount.

GAP: THE PERFECT ANTENNA


We at GAP realize there isn't a perfect antenna. No singular antenna will scream DX on 80 and be the best for local nets on 10. If anyone tells you there is, beware! The perfect antenna does not exist, but the right one for you may. If you want something to bust the pile on the low bands, then consider the Voyager. Just starting out in ham radio and need a great general coverage antenna, the Challenger is easy to assemble and for little effort will yield superior performance, especially on DX. Maybe you knowingly or unknowingly moved into one of those "restricted areas" where the Eagle's limited visibility, but unlimited ability is desired.



Eagle DX



Challenger DX



Voyager DX

This chart helps you select the right GAP antenna. When comparing GAPs, bandwidth is not a concern. With few exceptions, a GAP yields continuous coverage under 2:1 for the ENTIRE BAND.

All antennas utilize a GAP elevated asymmetric feed. A major benefit is the virtual elimination of the earth loss, so more RF radiates into the air instead of the ground. This feed is why a GAP requires **NO RADIALS**. Just as elevating a GAP offers no significant improvement to its performance, adding radials won't either, making set up a breeze.

A GAP antenna has no traps, coils or transformers. This is important. The greatest sources of failure in multiband antennas are these devices. Perhaps you heard someone discuss a trap that had melted, arced or became full of water. Improvements to these inherent problems are the focus of the antenna manufacturer, while the basic design of the antenna remains unchanged. **GAP improved the trap by eliminating it!** Removing these devices means they don't have to be tuned and, more importantly, won't be detuned by the first ice or rain. The absence of these devices improves antenna reliability, stability and increases bandwidth.

Another major advantage to a GAP antenna is its NO tune feature. Screws are simply inserted into predrilled holes with a supplied nutdriver.

The secret is out and people in the know say:


CQ—“The GAP consistently outperformed base-fed antennas...and was quieter.”

73—“This is a real DX antenna, much quieter than other verticals.”

RF—“To say this antenna is effective would be a real understatement. Switching back and forth on 40m between another multiband HF vertical and the GAP, there was no comparison. Signals were always stronger on the GAP, sometimes by 5 units, not just DBs.”


Worldradio—“These guys have solved the problem associated with verticals. That is, an awful lot of RF is wallowing around and dropping into the dirt instead of going outward bound. A half-wave vertical does need radials if it is end fed (at the bottom). But the same half-wave vertical does not (as much, hardly at all) if it is fed in the center.”

IEEE—“Near field and power density analyses show another advantage of this antenna (asymmetric vertical dipole): it decreases the power density close to the ground, and so avoids power dissipation in the soil below it. The input impedance is very stable and almost independent of ground conductivity. This antenna can operate with high radiation efficiency in the MF AM standard broadcast band, without the classical buried ground plane, so as to yield easier installation and maintenance.”



Latest Release: TITAN DX

This all purpose antenna is designed to operate 10m-80m, WARC bands included. It sits on a 1-1/4" pipe and can be mounted close to the ground or up on a roof. Its bandwidth and no tune feature make it an ideal antenna for the limited space environment as well as a terrific addition to the antenna farm.



ANTENNA PRODUCTS, INC.
99 N. Willow Street
Fellsmere, FL 32948
tel: (561)-571-9922
web: gapantenna.com

TO ORDER, CALL AES...

1-800-558-0411

MODEL	BANDS OF OPERATION										HT	WT	MOUNT	COUNTER-POISE
	2m	6m	10m	12m	15m	17m	20m	30m	40m	80m	160m			
Challenger DX	■	■	■	■	■	■	■	■	■	■		21 lbs	Drop In Ground Mount	3 Wires @ 25'
Eagle DX			■	■	■	■	■		■			19 lbs	1-1/4" pipe	80" Rigid
Titan DX			■	■	■	■	■	■	■	■		25 lbs	1-1/4" pipe	80" Rigid
Voyager DX							■		■	■	■	39 lbs	Hinged Base	3 Wires @ 57'

See Price List for GAP Quick-Tilt Mounts, Counterpoise and Guy Kit Prices



VHF and UHF Omni Directional Fixed Station Vertical Antennas

Model G3-144

The G3-144 is the newest addition to the Hustler Base Station line. Designed with the cost conscious amateur in mind, this small, inexpensive antenna delivers more gain than other antennas in its price range. Ideal for a home or emergency command post.


**Model
G3-144**

ELECTRICAL

- Frequency Range: 144 - 148 MHz.
- Gain: 3 dB
- Maximum Power: 1 KW FM
- Bandwidth: 6 MHz
- VSWR: < 1.5:1 @ resonance
- Impedance: 50 ohms

MECHANICAL

- Termination: SO-239
- Length: 7' 5"
- Weight: 2.0 lbs
- Wind Survival: 100 mph.
- Wind Area: 0.5 ft.²
- Mounting: 1 to 1 3/4"
- Construction: High strength fiberglass & aluminum.



Model G7-144 Two Meter


The G7-144 is totally self supporting and is easily assembled. When disassembled the longest part is approximately 4' which makes it easy to handle and ship via UPS.

ELECTRICAL

- Frequency Range: 144 - 148 MHz.
- Gain: 7 dB
- Maximum Power: 1 KW FM
- Bandwidth: 4 MHz.
- VSWR: < 1.5:1 @ resonance
- Impedance: 50 ohms

MECHANICAL

- Termination: N female
- Length: 15' 4"
- Weight: 10.0 lbs.
- Wind survival: 100 mph
- Wind Area: 0.96 ft.²
- Mounting: Up to 1 3/4"
- Construction: High strength fiberglass & aluminum.



Model G6-144B Two Meter (see photo above)

ELECTRICAL

- Frequency range: 143 - 149 MHz.
- Gain: 6 dB
- Maximum power: 1 KW FM
- Bandwidth: 6 MHz.
- VSWR: < 1.5:1 @ resonance
- Impedance: 50 ohms

MECHANICAL

- Termination: SO-239
- Length: 9' 9"
- Weight: 6.8 lbs.
- Wind survival: 100 mph.
- Wind Area: 1.4 ft.²
- Mounting: Up to 1 3/4"
- Construction: High strength fiberglass & aluminum.

Model G7-220 (see photo above)

ELECTRICAL

- Frequency range: 220 - 225 MHz.
- Gain: 7 dB
- Maximum power: 1 KW FM
- Bandwidth: 5 MHz.
- VSWR: < 1.5:1 @ resonance
- Impedance: 50 ohms

MECHANICAL

- Termination: Type N female
- Length: 10' 2"
- Weight: 7.0 lbs.
- Wind survival: 100 mph.
- Wind Area: 0.96 ft.²
- Mounting: Up to 1 3/4"
- Construction: High strength fiberglass & aluminum.

The Spirit Series


Omnidirectional base station antennas with a frequency range of 136 MHz to 2 GHz. These fiberglass enclosed antennas have significant advantages over exposed element arrays and provide better electrical performance. We offer three models HS, HD, and HX depending on the application. When ordering specify frequency and dB gain requirement. Not all dB gains are available with all frequencies. CALL AES FOR A QUOTE.

Fixed Station Multi-Band HF Vertical Antennas

Our exclusive trap design offers the lowest loss possible. A special extrusion process allows us to produce trap covers to an otherwise unattainable close tolerance, assuring accurate and permanent resonance. Our highly accurate traps provide top signal reports and consistent contacts.

Accurate tuning is made possible by the wide range of tuning flexibility designed into our verticals. Not only can you use the normal adjustable tubing to change resonance, but the traps themselves can be field tuned for an additional 2 MHz. shift. This flexibility will enable you to achieve a good S.W.R. even if your installation is not ideal.

- Broadbanded - low VSWR at band edges
- Power capability - full legal limit on SSB or CW
- Solid one inch fiberglass trap forms for optimum electrical and mechanical stability
- Heavy wall, high strength aluminum tubing, heavy duty aluminum mounting bracket and low loss, high strength insulators.
- Stainless steel clamps and hardware.
- Easy assembly and tuning.
- Single line feed with any length of 50 ohm coax.
- Use as ground mount with or without radials, or elevated mount with radials.
- All of the BTVs can be mounted in a piece of PVC and disguised as a flagpole in deed restricted neighborhoods.



Model 6-BTV

Bands 10-15-20-30-40 & 75 or 80 meters
Length/weight 24 ft. / 16.5 lbs.
Mounting Vertical support up to 1.75" O.D.
Wind Load 29 lbs. @ 70 mph.
Power capability Full legal limit SSB/CW
VSWR at resonance 1.15 to 1 or better
Bandwidth VSWR 2:1 or better at band edges on 10-40 meters (100 KHz. On 75 or 80 meters)

Model 5-BTV

Bands 10-15-20-40 & 75 or 80 meters
Length/weight 25 ft. 1 in. / 16.5 lbs.
Mounting Vertical support up to 1.75" O.D.
Wind Load 29 lbs. @ 70 mph.
Power capability Full legal limit SSB/CW
VSWR at resonance 1.15 to 1 or better
Bandwidth VSWR 2:1 or better at band edges on 10-40 meters (100 KHz. On 75 or 80 meters)


Model 4-BTV

Bands 10-15-20-40 meters
Length/weight 21 ft. 5 in. / 15 lbs.
Mounting Vertical support up to 1.75" O.D.
Wind Load 28 lbs. @ 70 mph.
Power capability Full legal limit SSB/CW
VSWR at resonance 1.15 to 1 or better
Bandwidth VSWR 1.6:1 at band edges

30 Meter Add-on Kit for 4-BTV and 5-BTV

Model 30-MTK

Full 30 meter band coverage
Will not affect normal operation
Easy installation
All hardware included




Model G6-270R Dual band 2 Meter & 440 MHz

ELECTRICAL

- Frequency range: 144-148 MHz, 430-450 MHz.
- Gain: 6 dB
- Maximum power: 100 Watts
- Bandwidth: 2 MHz - 2 Meters
10 MHz - 440 Meters
- VSWR: < 1.5:1 @ resonance
- Impedance: 50 ohms

MECHANICAL

- Termination: N female
- Length: 7' 6"
- Weight: 5.3 lbs.
- Wind Survival: 100 mph
- Wind Area: 1.4 ft.²
- Mounting: Up to 1 3/4"
- Construction: one piece radome



G6-270R

Model G6-440

(see photo above)

ELECTRICAL

- Frequency range: 440 - 450 MHz.
- Gain: 6 dB
- Maximum power: 1 KW FM
- Bandwidth: 8 MHz.
- VSWR: < 1.5:1 @ resonance
- Impedance: 50 ohms

MECHANICAL

- Termination: Type N female
- Length: 7' 3"
- Weight: 5.0 lbs.
- Wind survival: 100 mph.
- Wind Area: 1.4 ft.²
- Mounting: Up to 1 3/4"
- Construction: one piece radome

New-Tronics Antenna Corporation

One New-Tronics Place

Mineral Wells, Texas 76067-9563

Phone: **940.325.1386**

Toll Free: **877.994.9499**

Fax: **940.328.1409**

www.new-tronics.com



VHF and UHF Mobile Antennas

MX Series NMO Magnetic Mount Antenna

- 3.4 dB gain, 144 - 149 MHz
- Power rating: 200 watts
- NMO style magnetic mount.



NEW!

MX-220
220 MHz., black & chrome

MX-440
440 MHz 5 dB gain

MX-2
2 meter, black and chrome

MX-2B
2 meter, all black

Unity Gain

THF

VHF/UHF Trunk Lip Mount Antenna



UHT-1

VHF/UHF Roof/Deck Mount Antenna

Collinear

CGT-220

5.2 dB Gain $5/8 \lambda$ over $1/4 \lambda$ for collinear trunk lip mount antenna.

- 1.1:1 SWR (typical) at resonance
- 4 MHz. Bandwidth under 1.5:1 SWR
- Power Rating: 200 watts FM
- Height: 4 ft. 9 in. including mount
- Spin knob to remove antenna
- 17 ft. of low loss coax with connector

CG-220 (not pictured)

This model has identical characteristics at the CGT-220 but with a $3/8 \times 24$ threaded base.


CGT-144 (as pictured)

5.2 dB Gain, $5/8 \lambda$ over $1/4 \lambda$ collinear trunk lip mount antenna.

- 6 MHz bandwidth
- 1.5:1 SWR
- Power rating: 200 watts FM
- Length: 7 ft. 1 in. including mount
- 180° swivel ball for vertical positioning
- 17 ft. coax with connector

CG-144 (not pictured)

Same as CGT-144 but has $3/8 \times 24$ threaded base.



Dual Band 2 meter/ 70cm Mobile Antennas

Hustler's new Dual Band antennas are designed to perform even in the toughest environments. Base coils are ultrasonically welded to ensure mechanical integrity and durability. Coils and contacts are silver plated for excellent electrical connections.

- MX-270** (far right)
- 2.4 dB/ 4dB gain
 - Power Rating: 100 watts
 - NMO style magnetic mount
- MX-270B** (near right)

Black version of MX-270, and uses high quality black power paint.



Check out our prices!

LMB-270* (above)
Black version of above, and uses high quality black power paint.

BBG-144 (far right) & **BBGT-144**

- 3.4dB gain
- Power rating- 200 watts
- NMO style coil
- includes swivel ball and spring

BBGT-440-5 & **BBG-440-5**

- 440 MHz versions of above
- 5dB Gain

BBGT models include trunk mount and 17' RG-58 coax →



LMB, LMC, LMG and BBG

Antennas are coil & whip only and require an NMO mount. All 144 models are 2m.

LMG-144

- 3.4 dB gain
- Power rating: 200 watts
- NMO style coil
- Contact: silver plated push pin

LMG-440-5

- 440 MHz version of above
- 5db gain
- Power rating: 200 watts
- NMO style coil
- Contact- silver plated push pin

LMB-144

- 3.4dB gain
- Power rating: 200 watts
- NMO style coil
- All Black

LMB-440-5

- 440 MHz version of above
- 5db gain
- Power rating: 200 watts
- NMO style coil
- All Black

NOTE: All NMO style antennas available in frequency ranges 150-174 MHz and 450-470 MHz

LMB-144
LMB 440-5



UGM

VHF/UHF Magnetic Mount Antenna

Extend the range of handheld or portable radios. Trimmable 17-7 PH stainless steel radiator is cut to $1/4$ wavelength for low SWR and unity gain from 140 to 500 MHz. Trim chart included. Highly efficient mylar protected magnetic mount attaches conveniently to magnetic compatible surfaces. No drilling! Supplied ready for operation with 10 ft. of mini-coax with BNC connector.



SF-2

Low Cost 3.4 dB Gain, 2 meter $5/8 \lambda$ for $3/8 \times 24$ thread mounts.

- 1.2:1 SWR at resonance
- Power rating: 100 watts FM
- Tapered stainless radiator
- Length: 4 ft.

SF-220

Low cost 3.4 dB gain 220 MHz. $5/8 \lambda$ for $3/8 \times 24$ thread mounts.

SF-2



MKR-2 Radial Kit

Contains three de-coupling radials and mount to convert series fed mobile VHF antennas to fixed operation. Performance is comparable to many regular base antennas. Suitable for permanent installations of portable use. Heavy duty zinc plated mast bracket and hardware. Accepts antennas with standard $3/8 \times 24$ threaded base.




MKR-2

New-Tronics Antenna Corporation
One New-Tronics Place
Mineral Wells, Texas 76067-9563

Phone: **940.325.1386**
Toll Free: **877.994.9499**
Fax: **940.328.1409**

Amateur HF Mobile 10, 12, 15, 17, 20, 30, 40, 75 and 80 Meters



If you are serious about HF mobile operation the **Hustler** HF Mobile System is the obvious choice. **Hustler** manufactures and sells more HF mobile antennas world wide than anyone. No other manufacturer offers the convenience, the flexibility or the pure performance that **Hustler** does. Our HF Mobile System offers a wide variety of components which enable you to customize your installation to fit your present and future needs. A choice of four different support masts provides an installation solution for every vehicle. A selection of seventeen interchangeable resonators in high and moderate power levels and varying bandwidths are available. A full complement of accessories such as springs, a multiband adapter and a quick disconnect device complete the system. Experience the satisfaction that comes with owning the best in the world — the **Hustler** HF Mobile System.

Mobile HF Antennas

Hustler Masts

MO-1

Mobile mast 54" high, for deck or fender mounting. Folds over at 15" above base. Made of highest quality heat treated aluminum and chrome plated brass.

MO-2

Mobile mast, 54" high, for bumper mounting. Folds over at 27" above base.

MO-3

Mobile mast, 54" high, solid aluminum with white vinyl coating. Does not fold over.

MO-4

HF Mobile mast only 22" long. Suitable for trunk or deck mounting. Included three new tip rods. 3/8" X 24 threads on both ends.



MO-4

Hustler Resonators

Standard Resonators

Power rating — 400 watts SSB


Part	Description	Approximate Bandwidth (KHz.) 2:1 SWR or Better
RM-10	10 Meter	150-250
RM-11	11 Meter	150-250
RM-12	12 Meter	90-120
RM-15	15 Meter	100-150
RM-17	17 Meter	100-150
RM-20	20 Meter	80-100
RM-30	30 Meter	50-60
RM-40	40 Meter	40-50
RM-75	75 Meter	25-30
RM-80	80 Meter	25-30



Super Resonators

Power rating — full legal limit. Super Resonators also offer wider bandwidth, especially on 40, 75 and 80 meters.

Part	Description	Approximate Bandwidth (KHz.) 2:1 SWR or Better
RM-10-S	10 Meter	250-400
RM-11-S	11 Meter	250-400
RM-15-S	15 Meter	150-200
RM-20-S	20 Meter	100-150
RM-40-S	40 Meter	50-80
RM-75-S	75 Meter	50-60
RM-80-S	80 Meter	50-60




Professional Series Heavy Chrome Model C-32

Hustler professional ball mount. Furnished complete with rubber pad, steel backup plate, all mounting hardware, and a hex wrench.

C-29

Stainless steel, corrosion resistant and electroplated spring complete with 3/8" x 24 coupling stud.



C-30

Chrome plated steel spring complete with 3/8" x 24 coupling stud.



Resonator Spring RSS-2

RSS-2

Finest quality stainless steel spring for use between resonator and Hustler antenna mast. This 3/4" x 3" x 1/2" spring absorbs shock when the antenna strikes overhanging obstructions. Supplied ready for easy installation with 3/8" x 24 threads, female on one end, and male on the other.



MBM "Super" Magnet

- 95 lbs. Pull strength
- Powerful 5 inch diameter magnet
- 16 feet RG 58 coax with PL-259 connector.
- 3/8" x 24 female threads
- Recommended for antennas up to 48" in length.




Stainless Steel Mounts

- Exceptional performance and quality
- 180° adjustable reinforced stainless steel ball.
- Professional quality Lexan base for greatest mechanical stability
- Exclusive "C" backup plate allows external installation
- Supplied with all mounting hardware and cork pad
- Applicable with all Hustler and other 3/8" x 24 thread.


Quick Disconnect QD-2

QD-2

100% Stainless Steel. Remove antenna from mount in seconds with push and twist release. Every part including the compression spring is manufactured from the best available 100%



stainless steel. Special design of enclosed compression and lock assembly assures freedom against ice and dirt jam up. Accommodates small, medium and large mobile antennas. Equipped with 3/8" x 24 threads, female on one end and male on the other.



SSM-1 Professional Ball Mount and Spring.

SSM-2 Ball mount.

SSM-3 Stainless Steel Spring with Coupling Stud.



Bumper Mount BM-1

Design is rugged for supporting Hustler antennas with the Standard or Super resonators. Heavy stainless steel strap, stronger than chain, fits most bumpers inconspicuously. Assembly is easily installed and held rigid by "J" bolts at the top and a bumper strap clamp at the bottom.

Dual Band Series

Larsen dual band antennas provide excellent performance for simultaneous use of VHF and UHF amateur frequencies. Each Larsen dual band antenna is factory preset to guarantee optimum performance with no tuning required.



NMO-2/70-SH\$38.99

Freq: 144-148/440-450 MHz
Gain: Unity
Power: 100 Watts
Type: VHF: Center Loaded 1/4
UHF: Center Loaded 3/4
Base: NMOUHFBASEB w/spring
Height: 17"
Whip: WNM02/70SH

Lower profile amateur 2m/70cm dual band antenna with spring for NMO mounts.



NMO-2/70B (black)\$64.99

Freq: 144-148/440-450 MHz
Gain: 2.4/4dB
Power: 100 Watts
Type: VHF: 5/8 Wave
UHF: Collinear
Base: NMO2/70BCO
Height: 33.5"
Whip: W2/70B

Amateur 2m/70cm dual band antenna for NMO mounts. Available in chrome (below).



NMO-2/70C (chrome)\$59.99

Freq: 144-148/440-450 MHz
Gain: Unity
Power: 100 Watts
Type: VHF: 5/8 Wave
UHF: Collinear
Base: NMO2/70BCO
Height: 36.75"
Whip: W2/70

Amateur 2m/70cm dual band antenna for NMO mounts. Available in black (above).



MM-2/70\$48.99

Freq: 144-148/440-450 MHz
Gain: Unity
Power: 100 Watts
Type: VHF: Center Loaded 1/4
UHF: Center Loaded 3/4
Base: 3' Round Mag Mount
Height: 17"
Whip: WNM02/70B

Complete 2m/70cm magnetic mount antenna with 12' of RG58A/U coax.



NMOQ-2/70-B (black)\$34.99

Freq: 144-148/440-450 MHz
Gain: Unity
Power: 100 Watts
Type: VHF: Center Loaded 1/4
UHF: Center Loaded 3/4
Base: NMOUHFBASEB
Height: 18"
Whip: WNM02/70B

Kulglass Series

Larsen's Kulglass™ (KG) series uses a patented low impedance design and advanced materials to produce the world's best on-glass antenna. The KG uses advanced resin polymer plastic to completely enclose the circuit board or loading coil for mechanical durability and weather resistance. 3M's best adhesive tape, plus Larsen's unique bonding enhancer ensure the best possible grip to the glass.



KG-2/70-CX-PL\$111.99

Freq: 144-148/442-448 MHz
Gain: 2.4/4.5dB*
Power: 50 Watts
Type: VHF: 1/2 Wave
UHF: Collinear
Base: KG2/700/S
Height: 32.5"

*Ground plane required for gain

Glass mount dual band antenna for 2m/70cm amateur radio frequencies.



KG-144-UD-PL\$76.99

Freq: 144-160 MHz
Gain: 2.4dB
Power: 100 Watts
Type: 1/2 Wave
Base: KG1440/S
Conn: PL-259
Height: 48"
Whip: WKG144

Complete KG glass mount antenna.



KG-220-UD-PL\$76.99

Freq: 220-225 MHz
Gain: 2.4dB
Power: 100 Watts
Type: 1/2 Wave
Base: KG2200/S
Conn: PL-259
Height: 26.5"
Whip: WKG220

Complete KG glass mount antenna.



KG-440-UD-PL\$70.99

Freq: 440-460 MHz
Gain: 2.4dB
Power: 100 Watts
Type: 1/2 Wave
Base: KG4400/S
Conn: PL-259
Height: 15"
Whip: WKG440

Complete KG UHF glass mount antenna with coax and connector.

Kulduckie Portable Series

Superior transmit range and tough mechanical durability are the hallmark of Larsen portables. All center cores are made of brass or copper plated steel to maximize RF emission. Fully soldered connections and silver-plated components improve electrical efficiency. Double spring BNC's also reduce wear on the mount. Other mounting styles available.




KD4-146\$19.99

Freq: 144-148 MHz
Gain: Unity
Power: 25 Watts
Type: 1/4 Wave Helical
Conn: BNC
Height: 8"



KD4-146-HQ (2m)\$24.99

Freq: 144-148 MHz
Gain: Unity
Power: 25 Watts
Type: 1/4 Wave Helical
Conn: BNC
Height: 8"



KD-14-2M-HW\$37.99

Freq: 144-148 MHz
Gain: Unity
Power: 25 Watts
Type: 1/2 Wave Telescoping
Conn: BNC
Height: 8.5 to 42"
Whip: WKD142MHW



KD4-2/70\$33.99


Freq: 144-148/442-448 MHz
Gain: Unity
Power: 25 Watts
Type: VHF: Loaded 1/4 Wave
UHF: 1/4 Wave
Conn: BNC
Height: 8"

Impedance matching transformer provides high Q and deeper resonance.

Hear The Difference

NMO Mobile Antennas

Larsen's own version of the standard 3/4" Motorola TAD/TAE type mount uses advanced design, materials and construction to provide a premium mount. For demanding outdoor applications, the chemical resistant NMO series is housed in a resin polymer plastic shell which is completely molded around the nickel plated brass whip stud to eliminate moisture damage. Our superseal gasket also greatly reduces water intrusion under the base.



NMO-27C (chrome) \$33.99

Freq: 27-31 MHz
Gain: Unity
Power: 200 Watts
Type: Loaded 1/4 Wave
Base: NMO27BCO
Height: 53"
Whip: W490



NMOQ-SPEC \$12.99

Freq: 136-512 MHz
Gain: Unity
Power: 200 Watts
Type: 1/4 Wave
Height: 21"

NMO-150C (chrome) \$30.99

NMO-150B (black) \$33.99

Freq: 144-174 MHz
Gain: 3dBd
Power: 200 Watts
Type: 5/8 Wave
Base: NMO150BCO
Height: 51.75"
Whip: W490

NMO-220C (chrome) \$30.99

NMO-220B (black) \$36.99

Freq: 220-225 MHz
Gain: Unity
Power: 200 Watts
Type: 5/8 Wave
Base: NMO220BCO
Height: 34.5"
Whip: W400

NMO-440C (chrome) \$29.99


NMO-440B (black) \$35.99

Freq: 440-460 MHz
Gain: 4.5dBd
Power: 200 Watts
Type: 5/8 over 1/2 Wave
Base: NMOUHFBASEB
Height: 33"
Whip: W154



Base Station Antennas

Larsen manufactures a variety of small base station for directional and omni-directional applications. Each base station antenna is designed with premium materials to withstand the most demanding weather conditions. All base station antennas come with mounting hardware to attach to a pole up to 2" in diameter.



BSA-K \$50.99

Freq: 144-512 MHz
VSWR: 1.5:1 or less
Power: 200 Watts
Conn: UHF Female
Whip: 51-3/4"

Complete base station kit for designing a base station unit from 144-512 MHz. Comes with mounting hardware (antenna is extra). Works with NMO and UHF mount antennas.


Mounts

Larsen has a full line of permanent and temporary mounts to solve nearly every installation problem. Each mount is manufactured of the highest quality materials, including premium coax.

NMO-K \$15.99

Motorola style
roof mount

Size: 3/4"
Coax: 17' RG-58A/U
Conn: PL-259



NMO-MM \$31.99

Motorola style
magnetic mount

Size: 3-1/2" x 3"
Rectangle
Coax: 12' RG-58A/U
Conn: 58FCP
Pull Strength: 90 lbs.



NMO-TLP \$29.99

Motorola style trunk
lip bracket, black


Size: 1-3/4" x
1-3/4"
Coax: 17' RG-
58A/U
Conn: PL-259



PO-K \$27.99

SO-239 female type roof
mount


Size: 3/4" hole
Coax: 17' RG-58A/U
Conn: PL-259



PO-MM \$35.99

SO-239 female type magnetic mount

Size: 3-1/2" x 3"
Rectangle
Coax: 17' RG-58A/U
Conn: 58FCP
Pull Strength: 90 lbs.



TMB-34 (chrome) \$5.99

TMB-34B (black) \$7.99

Trunk mounting bracket
for NMO antenna.



Size: 1-5/8" x 1-5/8"
Mount: NMO

Parts and Accessories

W-490 \$9.99

Chrome .100 tapered replacement whip
for 144 MHz. (49")

W-490B \$12.99

Black .100 tapered replacement whip
for 144 MHz. (49")

W-2/70B \$24.99


Black .100 dia. replacement whip
for NMO 2/70B (approx. 31")

RADIAL/LARSEN
antenna technologies

Radial/Larsen Antenna Technologies

3611 NE 112th Avenue
Vancouver, WA 98682
360 944-7551, Fax: 360 944-7556
Email: info@radiallarsen.com
Web: www.radiallarsen.com

THE SMILEY ANTENNA CO.



HAND TUNED ANTENNAS FOR HANDHELD RADIOS

Each Smiley antenna is individually tuned to resonance at band center under normal operating conditions (no ground plane, no radials). They're manufactured from the finest heat-treated copper plated spring steel coils. Cold rubber compound is used for coil insulation with a neoprene heat-shrink coating applied for strength and endurance. All have BNC connectors.

TS Thin Stick 1/4-wave telescoping dual band antenna for 144 and 220MHz bands **\$16.99**

SS-II Super Stick II (A) 2M, 5/8-wave, flexible base loaded telescoping antenna. 6-9db gain fully extended. Usable fully collapsed, or one section 1/4 wave. 54" extended, 10" collapsed **\$19.99**

SS-II/COMBO Super Stick II Combo Same as above, but includes a 2m stubby duck **\$26.99**

5/8 SLD-2 5/8 Slim Duck (B) 2m, 5/8-wave, 7db gain, flexible base loaded ant. 12" long **\$17.99**

5/8 SLD-2 COMBO 5/8 Slim Duck Combo As above, but includes a 2m stubby duck **\$24.99**

RD-2 Regular Duck (C) For 2m. Tuned ducks show a 3db gain over other rubber ducks because they are impedance matched for HTs **\$14.99**

RDS-2 Stubby Duck (D) Tuned, for 2m... **\$14.99**

SS-III Super Stick III 220MHz 5/8-wave, flexible base loaded telescoping antenna. 6-9db gain extended; usable collapsed, or a one-section 1/4-wave. 36" extended, 8" collapsed **\$19.99**

SS-III/COMBO Super Stick III/Combo As above, but incl. a 220MHz stubby duck **\$26.99**

5/8 SLD-220 5/8 Slim Duck (E) 220MHz, 7db gain, flexible base loaded 9" antenna **\$17.99**

5/8 SLD-220 COM 5/8 Slim Duck Combo Same as above, but includes a 220MHz stubby duck antenna **\$24.99**

RD-220 Reg. Duck (F) 220MHz, tuned.... **\$14.99**

RDS-220 Stubby Duck (G) As above **\$14.99**

SS-IV Super Stick IV (H) 440MHz 5/8-wave, flexible telescoping ant. 6-9db gain extended; usable collapsed. 18" extended, 5 3/4" collapsed **\$19.99**

SS-IV/COMBO Super Stick IV Combo Same as above, plus has 440MHz stubby duck **\$26.99**

SL-440 Slimline (I) 440MHz, 1/4-wv. flex. **\$12.99**

5/8 SLD-440 5/8 Slim Duck (J) 440MHz, 7db gain, flexible base loaded 5" antenna **\$17.99**

5/8 SLD-440 COM 5/8 Slim Duck Combo As above, plus has a 440MHz stubby **\$24.99**


RDS-440 Stubby (K) 440MHz, tuned..... **\$14.99**

RDMD-440 Mini Duck (L) As above..... **\$14.99**

FLX 1/2 WAV-2M Flex-Coil (M) 2M, 1/2-wave, 7-9db gain, flexible base, 35" fully extended **\$25.99**

270A (N) Telescoping 2m/440 gain antenna. 1/4-wave (2m) 5/8-wave (440MHz). The 270A is also available with SMA **\$19.99**

TAQ 1/4-wave whip antenna, specify for 2M, 220 or 440MHzeach **\$10.99**



Double Bazooka Half Wave Antennas are constructed with a flat-top of 50Ω coax and a section of 300Ω transmission line at each end. The shield is split in the middle, but the center conductor and insulation are left intact. The feedline connects to the split shield which becomes the radiating element. This results in quiet, broadband operation with 98% efficiency and a 50Ω balanced feedpoint without a balun. Mount it horizontally or as an inverted V. Handles legal RF power limit. Has weatherproof center insulator, feeds directly with 50Ω coax with PL-259 connector. The 80m version will operate efficiently on 80-10m with antenna tuner.

160M Bazooka 1.8MHz (160M), 248'... **\$214.99**

80M Bazooka 3.5MHz (75-80M), 121'... **\$150.99**

40M Bazooka 7MHz (40M), 64'..... **\$126.99**



20M Bazooka 14MHz (20M), 32'... **Special Order**

Half Sloper Antennas An extremely broad-banded antenna that can operate efficiently across an entire Ham band with less than a 2:1 VSWR. It's a quarter wave length long, constructed from 50Ω coax in combination with a 300Ω transmission line end section. (looks like one-half of the Double Bazooka pictured). Mounts from a tower or vertical metal support for optimum results. Feeds directly with 50Ω coax with PL-259. Ground return is accomplished through the metal support. Handles full legal power.

160M-S 160M, 127 ft **\$140.99**

80M-S 75-80M, 67 ft., operates 80-10m with antenna tuner **\$115.99**

40M-S 40M, 33 ft..... **Closeout \$79.99**



Freedom Antenna A concealed, disguised antenna system that mounts on-glass inside the vehicle. It uses an advanced, copper-etched serpentine array contour design. At .013" thick, its ultra-thin interior-mount design virtually disappears into your windshield. At only 3 3/8" square, its "stealth-like" finish blends totally into the glare band. Simply locate the recommended area on your windshield interior. Then, apply like a decal, route the cable and connect it to your radio. No holes to drill, no magnet scratches, no suction cup smudges and no clips. It's limited to 75W of power.

HVA-146 140-155 MHz **\$69.99**

HVA-460 435-480 MHz **\$69.99**



The Eavesdropper Shortwave Broadcast Receiving Antenna A 42 ft. long center-fed dipole with 8 automatic bandswitching trap circuits which electrically separate the antenna segments - just tune your receiver to the desired band. The Eavesdropper covers the 11, 13, 16, 19, 21, 25, 31, 41, 49, 60, 75 and 90 meter bands. Includes **The Zap-Trapper®** gas-tube lightning arrestor for receiver protection and 50 ft. of 450-pound test support rope. Completely assembled, ready to use. Two models:

EAVES TWIN with 100' of 72Ω twin lead **\$89.99**

EAVES SO239 with weatherproofed SO-239 coaxial center connector, coax not included **\$89.99**



We accept I.M.P.A.C.® Government Credit Cards



D-130J Super Discone Copied by many, equaled by none. Professional quality. Ultra-Wideband Omnidirectional - receives amateur, air traffic control, police, fire and other utilities from 25-1300MHz. Can transmit 80-1300MHz (50MHz with adjustment). Rustfree stainless steel employed in major component parts. Ideal antenna for scanners and receivers including Icom R100/7000/8500 & AOR AR5000/8200. Use standard RG213 or RG8X coax. Mast mounting U-bolts included. 67" h, 2.2 lbs ... **\$89.99**

Service Questions?

414-358-4087

Milwaukee, WI




146/437-10 Pictured is Gerald Schmitt, KKSYY, working VE6EGN on the AO27 amateur radio satellite using a Yaesu VX-1R with 500mW output and connected to an Arrow 146/437-10 antenna. KKSYY worked from many Alaskan grid squares during his 1998 trip, including a contact from the Arctic Circle. The Arrow is designed specifically to allow portable satellite operation using just an HT. This means engineering it to provide maximum gain and efficiency in the smallest practical size and weight.

The boom construction is 3/4" square aluminum stock, 37 1/2" long with a foam grip on the back end for comfort. The three VHF and seven UHF Gamma matched elements with separate BNC connectors are aluminum arrow shafts which are strong and lightweight, and plastic tipped for safety **\$73.99**

146/437-10BP Split boom model..... **\$79.99**

ANTENNA SPECIALISTS



"ON-GLASS"™ MOBILE ANTENNAS

No holes to cut! The small Tuning Unit attaches to the glass inside the vehicle, and couples capacitively through-the-glass to the Radiating Element mounted on the outside. Installs with easily removable adhesive. Includes adhesive, 15 ft. of coaxial cable with PL-259 connector • 100W • 144-174MHz (APR-151.3), 138-150MHz (AP-143) • 6MHz, tunable bandwidth • Less than 1.5:1 VSWR • 50Ω nominal impedance • Electrical 1/2-wave radiator • Shunt fed, DC ground coupling unit • 33" (APR-151.3) 23" (AP-143) stainless steel, black DURA-COAT™ finish whip • 15' RG-58/U cable with PL-259

APR-151.3 (left) 2m, On-glass, 33" high ... **\$69.99**

AP-143 (right) 2m cell "look-alike," 23" **\$69.99**

BENCHER, INC.



TRIBAND YAGI

Put a design breakthrough on your tower.

SKYHAWK 3X10 3 band, 10 element, 20/15/10M, 100% rust free Drop Ship **\$999.99**

VERTICALS

Simply the best, yet competitively priced.



HF-2V 80/40 vertical, 32' **\$249.99**
HF-6VX 6-band vertical, 26' **\$329.99**
HF-9VX 9-band vertical, 26' **\$389.99**

www.bencher.com

Maldol

A Tradition of Consistent Quality

HAND CRAFTED ANTENNAS

From Professional Engineers

MK-30H Motorized Mount

The ultimate in convenience.

12VDC Heavy Duty Motor with Remote Switch. Attaches easily to trunk lids or the rear door of Vans/SUVs. 360° adjustable. Slip-clutch protects the motor gears from stripping. Max Antenna Height: 62 inches. Max Antenna Weight: 16oz. Accepts standard SO-239 cable assembly (FVS-50) for mounting PL-259 type antennas. (NMO antennas require SO-239 cable assembly and Comet AD-25M adapter)



PRM-T Heavy Duty Lip Mount

Attaches to a trunk or rear door of Vans/SUVs. Holds antennas up to 85 inches securely. Completely adjustable, rubber gasket protects vehicle paint.

FVS-50 Deluxe Coax Cable Assembly

Attach the FVS-50 to the PRM-T heavy duty adjustable mobile mount. 16 feet 9 inches total length with 18 inches of RG-188 type coax for easy entry into the vehicle without causing wind noise, water leaks or coax damage. PL-259 barrel is detachable for easy installation, weather cap included.

NEW FOR THE YAESU FT-817!

Complete Telescoping HF Antenna w/BNC Conns & Removable Whip

AH-28 (10 meter) **AH-14** (20 meter)

Length: 48 inches Max Pwr: 10W

Optional loading coils and whip.

AH-C7 (40 meter) **AH-C14** (20 meter)

AH-C21 (15 meter) **AH-C28** (10 meter)

AH-R Optional stainless steel telescoping whip



MOBILE ANTENNAS



EX-104B/EX-104BNMO

2M/70cm Dualband Antenna

Gain: 0/2.15dBi Length: 15 inches

Max Power: 50W Conn: PL-259 or NMO

EX-107RB/EX-107RBNMO

2M/70cm Dualband Antenna

Gain: 2.6/4.9dBi Length: 29 inches

Max Power: 80W Conn: PL-259 or NMO

Ground Independent

SHG-140B/SHG-140BNMO

2M Mobile Antenna

Gain: 4.1dBi Center Loaded 5/8 wave

Length: 56 inches Max Power: 200W

Conn: PL-259 or NMO

Ground Independent

SHG-1500B/SHG-1500BNMO

2M/70cm Mobile Antenna

Gain: 4.5/7.5dBi Length: 59 inches

Max Power: 200W Conn: PL-259 or NMO

Ground Independent




1275 N. Grove Street • Anaheim • CA 92806
 (714) 630-4541 • (800) 962-2611
 Fax: (714) 630-7024 • www.cometantenna.com

Cover the entire HF band with one antenna - *The Easy Way*

True continuous freq coverage from 1.8-30 Mhz

These antennas are so unique that they were even patented! They can offer operation over the entire HF band *without need for an antenna tuner*. Work any frequency you want without going through a lot of knob twirling and measurements to get a good SWR match - *just set your frequency and go!*

Tens of thousands of these antennas have been supplied to the US military, NATO, UN, Red Cross, and other similar agencies. They can be found on every continent in the world.



- ✓ True continuous freq coverage
- ✓ 1.8 - 30 Mhz in only 90 Feet
- ✓ SWR less than 2:1 from 1.8 - 30 Mhz
- ✓ No antenna tuner required
- ✓ Very low noise for superior receive

- 2 KW PEP SSB/CW ICAS
- #14 stranded copperweld or stainless wire
- 50 Ohm input with SO-239
- Comes completely assembled, only 7 Lbs
- Install as flat top, inverted Vee, or sloper

AC-5-30 5.0 to 30 Mhz, 65 ft., Copperweld wire **ACS-5-30** same, but stainless steel
BWD-1.8-30 1.8 to 30 Mhz, 90 ft., Copperweld wire **BWDS-1.8-30** same, but stainless steel

NO YARD? DEED RESTRICTED? NO PROBLEM!

WINDOW MOUNT / PORTABLE ANTENNA

2 - 40 METERS • 300 WATTS


AP-10A Designed especially for people that cannot erect a permanent antenna. Easy tuning to *any frequency continuous* from 10-40M. Will also operate 2 and 6M. Mounts to a window, table, balcony, etc. Base loaded unit includes telescopic whip, window mount bracket, single coil with flylead/clip, insulated counterpoise wire, 10 Ft of coax with PL-259, hardware. Whip collapses to 23" for easy transport.



Quality Communications Products Since 1932
 All Products Proudly Made in the USA

Broadband End-Fed Vee - 1.8 - 30 Mhz

All of the same unique broadband characteristics of our folded dipole antennas, except in a grounded configuration. Good for metal roof tops, and low to ground installations.




AC-1.8-30 Copperweld Wire
ACS-1.8-30 Stainless Steel Wire

PolyPhaser[®] CORPORATION

GROUNDING PANEL

CU-SPGP A .062" thick copper plate mounted on a melamine covered board. For mounting protectors and establishing a single grounding point for all station equipment. Comes with concrete anchors, mounting screws, two rolls of 10' x 1.5" copper grounding strap and 2 copper sandwich bars. 18" w x 12" h, 16" on-center mount **\$69.99**



LOW INDUCTANCE COPPER STRAP

An advantage over wire for grounding. Lower inductance and cannot be fused open by lightning. Usable above or in-ground, #26 AWG thickness. Available in 1.5, 3 or 6 inches wide and 25, 50, 75 or 100 ft. rolls **See Price Guide**



ROTOR CONTROL PROTECTOR

IS-RCT (left) 8-wire protection for rotor and other nearby equip. Water tight w/mount. stud... **\$54.99**



IN-LINE PHONE LINE PROTECTOR

IS-SPTL (right) Multi-stage protection for telephone trunk lines. Handles ring voltages up to 105V, surges up to 36kA **\$57.99**

POWER LINE EXTENSION PROTECTOR

In-line, multi-stage protectors provide multi-strike line protection, filtering and proper grounding. 2 outlets, master on/off switch, and circuit breaker. All aluminum grounded enclosure, 4.75" wide.

IS-PLDO-120-15A 15' cord, 120V/15A. **\$172.99**
IS-PLDO-120-20A 6' cord, 120V/20A... **\$215.99**

BROADBAND COAXIAL PROTECTORS

Low loss • Multi-strike capability with low strike throughput energy • Aluminum enclosure • VSWR: ≤1.1 over freq. range • Bulkhead or flange mount

Flange Mount

IS-50UX-C0 1.5-400MHz. Power: HF 2KW; VHF 375W; UHF 125W **\$61.99**
IS-50UX-C1 50-700MHz. Power: VHF 375W; UHF 125W **\$61.99**
IS-50NX-C2 125-1000MHz. VHF 375W; UHF (low) 125W; 800MHz-1GHz 50W. Type-N **\$61.99**


Bulkhead Mount

IS-B50LU-C0 1.5-400MHz. Power: HF 2000W; VHF 375W; UHF 125W **\$64.99**
IS-B50LU-C1 50-700MHz. Power: VHF 375W; UHF 125W **\$64.99**
IS-B50LN-C2 125-1000MHz. VHF 375W; UHF (low) 125W; 800MHz-1GHz 50W. Type-N... **\$64.99**
IS-IE50LN-C1 Deluxe 50-700MHz. Power: VHF 375W; UHF 125W. Type-N **\$117.99**
IS-IE50LU-C0 Deluxe 1.5-400MHz. Power: HF 2KW; VHF 375W; UHF 125W **\$129.99**




TV-2900 Weatherproof Transformer 82 channel, matching transformer for indoor or outdoor use. Adapts 75Ω coaxial cable with F-connector to terminals of a 300Ω TV antenna, TV set or coupler. Includes F-connector and boot..... **\$2.99**

RG-6 75Ω TV Coaxial Cable—with cellular poly dielectric, #20 copperweld center conductor, 100% aluminum foil shield and 40% aluminum braid shield provides low-loss, good conductivity, flexibility and tensile strength. Weather-proof F-connectors installed.



CX-0625 25 ft. length..... **\$10.99**
CX-0650 50 ft. length..... **15.99**
CX-0675 75 ft. length..... **19.99**
CX-6100 100 ft. length..... **24.99**


CASTLE RIDGE PRODUCTS, INC.



COPPERWELD® Antenna Wire FORGE-WELDED makes the two metals inseparable! Solid bare copper-over-steel wire – the Best for antennas. Very strong, the steel core has very little stretch and long service life. The copper covering provides low RF resistance and is easy to solder. Choice of 12, 14 or 18 gauge.

AN-122 100 ft. #12..... **\$24.99**
AN-123 150 ft. #12..... **34.99**
AN-124 250 ft. #12..... **49.99**
AN-126 500 ft. #12..... **89.99**
AN-128 1000 ft. #12..... **149.99**
AN-142 100 ft. #14..... **19.99**
AN-143 150 ft. #14..... **24.99**
AN-144 250 ft. #14..... **34.99**
AN-146 500 ft. #14..... **59.99**
AN-148 1000 ft. #14..... **104.99**
AN-181 250 ft. #18..... **14.99**
AN-182 500 ft. #18..... **24.99**


Connecting you to the World™



FLAT GROUNDING BRAID

Flat, flexible, & tinned for easy soldering. 1" size primarily used for grounding tower legs to ground rods or central point in a shack. From the central point, use 1/2" size to all equipment separately for best protection.

2332 1/2", 10 gauge, rated at 53 amps.. per ft. **59¢**
2332 100 100 foot roll of above..... **\$52.99**
235 1", 7 gauge, rated at 85 amps..... per ft. **99¢**
235 100 100 foot roll of above..... **\$92.99**



COAXIAL CABLE

See Belden in the Price Guide

Model	Type	Dia. (in.)	Center conductor	Insulation type	Shield coverage	Jacket type	Imp. (Ω)	Vel. factor	Loss/100' 100 MHz
8216	RG-174 Sub-miniature	.11	26 AWG bare copper coat steel	Solid polyethylene	90% tinned copper braid	Black PVC	50Ω	66%	8.4 dB
8219	RG-58A/U	.195	20 AWG solid bare copper	Foam polyethylene	96% tinned copper braid	Black PVC	53.5Ω	73%	4.5 dB
8240	RG-58/U	.195	20 AWG solid bare copper	Solid polyethylene	95% tinned copper braid	Black PVC	51.5Ω	66%	3.8 dB
8259	RG-58A/U	.193	20 AWG stranded tinned copper	Solid polyethylene	95% tinned copper braid	Black PVC	50Ω	66%	5.4 dB
8262	RG-58C/U non-contaminating	.195	20 AWG stranded tinned copper	Solid polyethylene	95% tinned copper braid	Black non-contaminating PVC	50Ω	66%	5.4 dB
9201	RG-58/U	.193	20 AWG solid bare copper	Solid polyethylene	78% bare copper braid	Black PVC	52Ω	66%	4.2 dB
9258	RG-8X Mini-8	.242	16 AWG stranded bare copper	Foam polyethylene	95% bare copper braid	Black PVC	50	82%	3.1 dB
8214	RG-8/U	.403	11 AWG stranded bare copper	Foam polyethylene	97% bare copper braid	Black PVC	50Ω	78%	1.7 dB
8237	RG-8/U	.405	13 AWG stranded bare copper	Solid polyethylene	97% bare copper braid	Black PVC	52Ω	66%	1.9 dB
	RG-213/U non-contaminating	.405	13 AWG stranded bare copper	Solid polyethylene	97% bare copper braid	Black non-contaminating PCV	50Ω	66%	2.1 dB
9913	Low loss semi-flexible RG-8/U	.405	10 AWG solid bare copper	Semi-solid polyethylene	100% bonded foil plus 90% tinned copper braid	Black PVC	50Ω	84%	1.3 dB
9913F7	Low loss flexible RG-8/U	.405	10 AWG stranded bare copper	Gas-injected foam polyethylene	100% bonded foil plus 90% tinned copper braid	Black Belflex®	50Ω	84	1.5 dB
9251	RG-8A/U non-contaminating	.405	13 AWG stranded bare copper	Solid polyethylene	97% bare copper braid	Black non-contaminating PVC	52Ω	66%	1.9dB
8241	RG-59/U	.242	23 AWG solid bare copper	Solid polyethylene	95% bare copper braid	Black polyethylene	75Ω	66%	3.4 dB
8213	RG-11/U	.405	AWG 14 solid bare copper	Gas-injected foam polyethylene	97% bare copper braid	Black polyethylene	75Ω	84%	1.3 dB
8238	RG-11/U	.405	18 AWG stranded tinned copper	Semi-foam polyethylene	97% bare copper braid	Black PVC	75Ω	66%	2.0 dB

PREASSEMBLED COAXIAL HOOK-UP CABLES

9349 3 ft. of RG-58A/U low-loss foam with PL-259s installed..... **\$16.99**
9352 50ft. of RG-58A/U low-loss foam with PL-259s installed..... **\$28.99**
9354 50 ft. of RG-8/U low-loss foam with PL-259s installed..... **\$52.99**
9355 75 ft. of RG-8/U low-loss foam with PL-259s installed..... **\$74.99**
9356 100 ft. of RG-8/U low-loss foam with PL-259s installed..... **\$89.99**

See Belden in the Price Guide



For quick, clean preparation of coaxial cable without damage. Insert coax, turn clockwise 4 or 5 times.

24-7735P for RG-58, RG-59, RG-62..... **\$21.99**
24-7736P for RG-6, RG-59, 8281..... **21.99**
24-7739P for RG-8, RG-11, RG-213..... **28.99**
HT-332 (right) for RG-6/58/59/62.... **Closeout 9.99**

ROTOR CABLE

8448 Standard duty, 8 wire For runs up to 100 ft. Consists of (6) #22 and (2) #18 AWG tinned copper conductors. PVC insulation and PVC jacket.

9405 Heavy duty, 8 wire. For runs over 100 ft. Consists of (6) #18 and (2) #16 AWG tinned copper conductors. PVC insulation and PVC jacket.

8484 Standard duty, 4 wire Consists of (4) #20 AWG tinned copper conductors. PVC insulation and PVC jacket.

ANTENNA & GROUND WIRE


8000 #14 AWG (7x22) stranded bare copper-covered steel antenna wire.

8018 #8 AWG (solid) soft annealed aluminum ground wire – multiples of 50 ft.



Black Dacron® Polyester Antenna Rope Constructed of strong, double braid Dacron® Black for UV protection. Resistant to mildew & abrasion. Ties and cuts easily, sealing effectively with a hot knife.

100' 100 ft., 3/32"..... **\$6.99**
100' 3/16 100 ft., 3/16"..... **14.99**
100' 5/16 100 ft., 5/16"..... **19.99**
350' 350 ft., 3/16"..... **39.99**



Ready-Made Coaxial Cable Assemblies

RG8/U-Foam PE
 .9db @ 30MHz
 95% braid coverage
 Light weight
 Ultra-violet resistant
 jacket
 With PL259 each end

9913 Flexible
 2.8db @ 450MHz
 Low loss
 Double-shielded
 Non-contaminating &
 direct burial jacket
 With PL259 each end
 or "N" male ea. end

RG8X/Mini Foam
 2.0db @ 30MHz
 95% braid coverage
 Low power
 Small diameter
 Ultra-violet resistant
 jacket
 With PL259 each end

RG213/U Mil-Spec
 1.2db @ 30MHz
 High power capabilities
 Non-contaminating &
 direct burial jacket
 With PL259 each end

For optimum performance from your communications equipment. These precision USA made and tested assemblies will provide years of great service. Guaranteed to perform to specifications. For excellent cabling results, you can depend on

CABLE X-PERTS, INC.

jake



Made In USA




Connecting you to the World™

CABLE X-PERTS INC.

www.cablexperts.com

See Price Guide for
 Cable X-perts pricing.

MFJ MFJ ENTERPRISES, INC.



Permanent Mobile Hard Mounts A top quality SO-239 or NMO-type antenna mount with 14 ft. of RG-58A/U coaxial cable and PL-259 connector attached. Easily snakes around a vehicle to the best operating position. Perfect for MFJ RuffRider™ or other brands of mobile VHF/UHF antennas.

341S for SO-239 base connector..... **\$19.99**

341M for NMO base connector..... **19.99**



High Performance Baluns • State-of-the Art • 0.5 to 50MHz performance with advanced toroid transformer • 3KW SSB rated • Extended performance in hostile environments • Stainless steel hardware • Heavy-duty body materials • Military grade internal components • Dimensions: 3"dia. x 7"

B11W10-50 1:1, dipole..... **\$54.99**

B11Y10-50 1:1, yagi..... **54.99**

B41Y10-50 4:1, yagi..... **69.99**

B41LW10-50 4:1, ladderline to coax..... **69.99**

Van Gorden Engineering

BALUNS & INSULATORS

Hi-Q 1:1 or Hi-Q 4:1 Baluns

For dipoles, yagis, inverted vees and doublets. Provides 1:1 or 4:1 impedance ratio for matching unbalanced coaxial cable to balanced antennas. Covers 3-40MHz with a 1.5KW rating. Reduces feedline radiation for more power into antenna, and reduced TVI/BCI problems. Built-in DC ground reduces static noise and provides some lightning protection. Convenient SO-239 connector and center support eye hook. Weatherproof .. ea. **\$14.99**


ANTENNA CENTE Hi-Q

Antenna Center Insulator

Insulator only, no balun. Replaces egg-type center insulator. Small, rugged, lightweight, weatherproof, SO-239 connector, center supporting eye hook..... **\$6.99**

ANTENNA END IN End insulators pair **\$4.99**

DOG BONE Antenna insulators..... each **99¢**



LADDER LINE

450 OHM 100 18 ga. 100' insulated..... **\$14.99**

450 OHM 14 100 14 ga. 100' insulated..... **29.99**

450 OHM 1,000 18 ga. 1000' insulated.. **109.99**

450 OHM 14 1000 14 ga. 1000' insul.... **229.99**

WHITE NYLON ROPE

NR-100 100' roll, antenna guy rope **\$4.99**

NR-1,000 1000' roll, antenna guy rope **44.99**

N CONNECTOR

N CONNECTOR Male connector for Belden 9913 and 8214 COAX **\$4.99**

PREASSEMBLED COAXIAL HOOK-UPS

8X-3ST 3' RG-8X w/silver-teflon PL-259s..... **\$8.99**

8X-6ST 6' RG-8X w/silver-teflon PL-259s.... **10.99**

8X-12ST 12' RG-8X, silver-teflon PL-259s .. **11.99**

8X-25ST 25' RG-8X, silver-teflon PL-259s .. **15.99**

8X-50ST 50' RG-8X, silver-teflon PL-259s .. **24.99**

8X-75ST 75' RG-8X, silver-teflon PL-259s .. **31.99**

8X-100ST 100' RG-8X, silver-tef. PL-259s .. **37.99**

213-25ST 25' RG-213, silver-tef. PL-259s .. **25.99**

213-50ST 50' RG-213, silver-tef. PL-259s .. **38.99**

213-75ST 75' RG-213, silver-tef. PL-259s ... **54.99**

213-100ST 100' RG-213, sil.-tef. PL-259 **72.99**



UNADILLA

W2VS ANTENNA TRAPS

Add these traps to your dipole for multiband operation.

KW-80CW 80m CWpair **\$48.99**

KW-30 30 meterspair **42.99**

KW-12 12 meterspair **41.99**

KW-10 10 meters.....pair **41.99**



W2AU FERRITE BALUNS

These baluns replaces center insulator and provide a smooth transition from unbalanced coaxial transmission lines to balanced antennas; dipoles, quads and yagis. Produces proper current distribution resulting in reduced feedline radiation for maximum power transfer, gain and reduced TVI/BCI. DC grounded for lightning protection, center eye hook for support. Usable from 1.8-40MHz, 2KW PEP, So-239 connector..

W2AU 1:1 1:1, 1.8-40MHz ferrite**\$24.99**

W2AU 4:1 1:1, 1.8-40MHz ferrite **\$24.99**

W2AU BEAM 1:1, Beam balun..... **\$24.99**



W2DU NON-TRANSFORMER CHOKE BALUNS

High efficiency, transformerless 1:1 baluns. The HF model is the only one available that works on 160 meters! They all handle a VSWR up to 5:1 at the legal power limit, allowing use with antenna tuners. The VHF model eliminates the usual rod and tube hardware balun assembly normally used at those frequencies.

W2DU-HF 1:1, 1.8-30MHz choke balun....**\$26.99**,

W2DU-VHF 1:1, 30-250MHz choke balun**\$26.99**,

W2DU BEAM 1:1, 40-10m choke balun....**\$26.99**

Order Toll Free!



We accept I.M.P.A.C.® Government Credit Cards

ANTENNA TUNERS

922 VHF/UHF Dual Band Antenna Tuner Great for HTs, mobile rigs or amps up to 150W. Using the included tool, adjust your antenna system for a low SWR on VHF from 136-175MHz and UHF from 420-460MHz. Meter reads both SWR and power in two ranges: 60W or 150W. Only 4 x 2 x 1.25". carry it in your car, on camping trips, etc..... **\$79.99**

945E Mobile Tuner Covers 1.8-30 MHz, and rated at 300W PEP. Matches coaxial cable only. Extends mobile antenna bandwidth and eliminates having to stop and adjust the whip length when making frequency changes. Lighted Cross-Needle SWR bridge & Power meter with 50/300 and 5/30W ranges. 8"w x 2"h x 6"d **\$99.99**

941E Versa Tuner II Covers 1.8-30 MHz and rated at 300W PEP. *Matches everything!* - coaxial fed dipoles, vees, whips, verticals, beams, random wires and balanced lines, has a built-in 4:1 balun, Lighted Cross-Needle SWR/Power meter with 300/50W and 30/5W ranges. Convenient 8-position antenna selector for 2 coax lines, random wire or balanced line or an external dummy load. 10.625"w x 2.875"h x 7"d **\$109.99**

934 Antenna Tuner/Artificial Ground Makes a random wire an effective antenna. Combines the best features of the MFJ's 941E and 931 into one unit. A full-featured 1.8 to 30MHz, 300W antenna tuner with Cross-Needle meter and *Ground Matching* knob that lets you switch in inductance to bring an attached random length wire to a low impedance current point, forming an artificial ground. 10.625"w x 3.5"h x 7"d **\$169.99**

948 Has all the features of the 941E but without the dummy load. Has larger lighted peak reading Cross-Needle SWR/Power meter **\$119.99**


949E Deluxe Versa Tuner II The same power, tuning and switching capability as the 941E. Has a larger, lighted peak or average reading Cross-Needle SWR/Wattmeter. *PreTune™* feature allows off-the-air tune-up into a built-in 50 ohm dummy load. 10.625"w x 2.875"h x 7"d. **\$139.99**

969 Deluxe Versa Tuner II Covers 6 thru 160 meters and rated at 300W. Features a roller inductor coil with a spinner knob and 3-digit turns counter. Lighted peak or average reading Cross-Needle SWR/Wattmeter with 30/300W ranges. Tunes coaxial cable, random wire or balanced feed-line, has a built-in 4:1 balun. *QRM-Free Pre-Tune™* feature allows off-the-air tune-up into a built-in 50 ohm 300W dummy load. Convenient 8-position antenna selector switch. 10.5"w x 3.875"h x 9.5"d. **\$189.99**

962D Versa Tuner III Covers 1.8-30 MHz and rated at 1.5KW PEP. Matches coaxial fed antennas, random wire or balanced line, has a built-in 4:1 balun. Lighted peak or average Cross-Needle SWR/Wattmeter with 200/2000W ranges. Six position selector for two coax lines (direct or thru tuner), random and balanced lines. 10.5"w x 3.875"h x 15"d **\$249.99**

986 Differential-T Tuner™ Covers 1.8-30MHz, rated at 3KW PEP. Uses a broadband T-network with roller inductor and differential capacitor. Tunes most antennas using only two knobs. Lighted peak or average reading cross-needle SWR/wattmeter with 200/50W and 2000/500W ranges. Inductor spinner knob, 3-digit turns counter, 6-position antenna selector, ext. dummy load switch, 4:1 balun. 10.75"w x 4.5"h x 15"d..... **\$299.99**

989C Versa Tuner V Covers 1.8-30 MHz and rated at 3KW PEP. Super duty components. Matches nearly every type of antenna. Roller inductor with spinner knob and three-digit turns counter. Lighted peak or average reading cross needle SWR/wattmeter with 200/2000W ranges. Built-in 50Ω 300W dummy load, 3KW 4:1 balun and six-position antenna selector switch. 10.75"w x 4.5"h x 15"d..... **\$319.99**



922

AMERITRON



ATR-30 True Legal Limit™ Antenna Tuner Covers 1.8-30MHz, including all MARS and WARC bands. Designed for sustained RF output of over 1500W CW and 3000W SSB, also 160m. Uses High-Q, high-current, edge-wound arc-free roller inductor with super heavy-duty 500pf capacitor in T-match network. Matches nearly any type of antenna using either coax or balanced feedlines. Cross-needle peak-reading SWR/wattmeter with 3000/300W ranges measures peak or average forward/reflected power plus VSWR, illum. Includes three-core choke balun, six-position antenna switch and 6:1 vernier reduction drives, turns counter. Optional external 12 VDC or internal 9V battery required **\$549.99**

Palomar Engineers



PT-340 Tuner-Tuner Eliminate QRM, overheated final tubes and devices by adjusting your station antenna tuner without transmitting. Installs permanently between rig and antenna tuner. Just turn it on, and listen to the noise output in your receiver, then adjust your station tuner controls for a dip in the noise (a null). Covers 1.7 to 30MHz. Uses 9V battery. Dimensions: 6"w x 5"h x 3"d..... **\$99.99**

VECTRONICS




ANTENNA TUNERS


VC-300M Mobile Tuner Compact, lightweight and economical for base or mobile use. Tunes verticals, dipoles, inverted Vs, beams and mobile whips fed by coaxial cable. Covers 1.8 - 30MHz at 300W continuous power. The dual-movement cross-needle meter simultaneously monitors RF power output and SWR. Size: 7.25"w x 3.5"h x 8.75"d, 2.5 lbs..... **\$99.99**



VC-300DLP Antenna Tuner A quality, economical tuner. Covers 1.8-30MHz at 300W continuous power capability from 3.5-30MHz and 150W on 1.8 MHz. Built-in dummy load, dual-movement cross-needle peak or average reading meter. Compatible with most antennas - coax-fed, balanced or single wire. Built-in 4:1 balun and 6-position antenna switch. 10.25"w x 9.5"d x 3.5"h, 3.5 lbs... **\$149.99**



VC-300D Antenna Tuner Same functions and specifications as the VC-300DLP above, but has the additional capability to show a peak power indication by using an instantaneous responding digital bargraph meter display. A level and delay control has been added to calibrate the display to the meter, and to vary the delay response..... **\$179.99**



HFT-1500 Antenna Tuner Rated for 1500W from 1.8-30MHz; 1000W (2KW PEP) on 160 and 10M. Features a cranked continuous roller inductor with a numerical turns counter and vernier tuning on the antenna and input capacitors. The dual-movement cross-needle meter shows average forward and reverse power and SWR while a 21-segment bargraph indicates the peak power. A true RF directional coupler sensor is used for the wattmeter circuitry. Includes a built-in 4:1 balun for balanced antenna systems and six-position antenna selector switch. 5.5"h x 12.5"w x 12"d, 10 lbs **\$399.99**

we have a


SECURE web site
at **www.aesham.com**

ICOM

AH-2B Antenna Element Provides 7-50MHz mobile operation when used with the AH-4 antenna tuner. Includes hardware to mount to a tow bar, 8.2 ft. antenna **\$299.99**




AH-4 Automatic Antenna Tuner Fully automatic – covers all amateur bands from 3.5MHz through 54MHz with a 23 ft. or longer wire antenna, or 7-54 MHz with optional AH-2B antenna element. Compact yet durable, it measures only 6.7" w x 2.7" h x 9" d for easy installation in a variety of locations – outdoors, on a back porch or in your vehicle. Weather-resistant construction, using rubber gasket seals, enables operation in all conditions. Handles 120W PEP, requires only 5-15W for tuning. Designed for use with ICOM HF transceivers. Just push the transceiver [TUNER] switch and the AH-4 automatically adjusts to the minimum SWR in less than 2.5 seconds. Up to 45 memory channels store settings to provide 1-second re-tuning. Supplied with mounting kit, 16 ft. control and coaxial cables, PL-259s. Requires 13.8 VDC. **\$269.99**



MB-V-A Heavy-Duty Antenna Tuner 1.8 to 30 MHz continuous tuning. Silver plated variable inductor with 25:1 vernier dial. 7kV variable capacitor and 15kV switch selected fixed output capacitors. Tunes most antennas 1/4-wave length or longer from 40-2000Ω (some may not tune at 1.8 MHz). Automatic SWR metering without calibration. Separate automatically switched 300W/3KW RMS wattmeter. Quality 2 1/2" backlit meters continuously display SWR and power. Silver plated 5-position pushbutton antenna switch selects from four antennas: two coaxial, single wire and balanced line, and bypass. Trifilar-wound 3KW toroid balun provides balanced output from 200 to 1000Ω, and unbalanced output down to 20Ω. Requires 9V battery for metering and external 12VDC for meter lights. 14.75" w x 6.75" h x 12.25" d, 18 lbs **\$879.99**

DC SALES




TENNA HITCH A heat treated, high strength aluminum bracket with insulated 3/8" x 24 mounting stud. Installs under the ball of any Class-I or II hitch. Handles the largest mobile antennas, and does not interfere with trailer towing capability. No holes to drill. All hardware is supplied **\$38.99**



Z-11-ASM QRP Auto Antenna Tuner Perfect for the Yaesu FT-817 and other QRP. Designed with regard to reducing size and power consumption. A high efficiency, microprocessor controlled, switched "L" network designed to work with dipoles, verticals, vees, beams or other coax-fed antennas. • 1.8-30 MHz coverage • 0.1 to 30W continuous • Tunes 6 to 800Ω loads • Tuning time: 0.1-3 seconds (1.5 average) • Requires 11-15 VDC @ 10-190mA (75mA average) • 5" x 6.5" x 1.3", 15 oz **\$169.99**



AT-11MP-ASM Automatic Antenna Tuner Microprocessor control merged with a proven switched "L"-network design. Automatically analyzes SWR and quickly adjusts discrete components to achieve, in most cases, an SWR of 1.5:1 or less. For dipoles, verticals, vees, beams and other coax-fed antennas. Optional external 4:1 balun for tuning of random length, long wire, and other systems. Dual cross-needle meter simultaneously shows forward/reflected power and SWR. Built-in interface for operation with Alinco and Icom radios (cable required). • 1.8-30MHz coverage • Power range: 5 to 150W • Tunes 6 to 800Ω loads • Tuning time: 0.1-5 seconds (3.0 average) • Requires 11-15 VDC @ 15-500 mA (250mA average) • 9.5" x 8.25" x 2.5" **\$219.99**



CS-201 2-Position Coaxial Switch (right) A high quality coaxial switch with excellent high frequency RF characteristics due to cavity and heavy diecast metal construction. Frequency range up to 600MHz with less than 0.12 VSWR, less than 0.2dB insertion loss and 60dB isolation between terminals. Rated at 2.5 KW PEP or 1KW CW. Auto grounding of unused terminals, SO-239 connectors. **\$26.99**

CS-401 4-Position Coaxial Switch (left) Same features as CS-201, but rated to 800MHz **\$149.99**

WA1FFL



Ladder-Loc® Center Insulator & Support Provides a convenient means of attaching 450Ω ladderline to various dipole antennas. This sturdy support minimizes feedline flexing at the antenna feedpoint and ensures a long lasting, trouble-free installation. A top attachment point is provided for attaching a center support rope. UV stabilized for long life **\$12.99**

MFJ MFJ ENTERPRISES, INC.

COAXIAL SWITCHES





1702C Antenna Switch Two positions plus center ground, 50Ω. Rated to 500MHz with <0.2dB loss, 2.5KW PEP or 1 KW CW. >60dB isolation @ 300MHz or >50 dB @ 450MHz. Unused terminal automatically grounds for lightning protection **\$24.99**


1702CN Lowest loss on UHF. Uses Type N connectors which are good up to 1.1 GHz **\$34.99**

1704 Antenna Switch Four positions, plus center ground. 50Ω, rated to 500MHz with <0.2dB loss. Handles 2.5KW PEP, 1KW CW, >50dB isolation @ 500MHz. Includes a replaceable lightning protection device **\$64.99**

1704N with Type N's **\$74.99**



1701 Antenna Switch Six positions, for 50-75Ω systems. Rated for 2KW PEP or 1KW CW from 1.8-30MHz. Unused positions are grounded for lightning protection. 10" w x 3" h x 1.5" d **\$49.99**



1700B Antenna and Transceiver Switch Select up to six antennas and six rigs in any combination – tuner, SWR meter, linear, etc. Can be left in line to operate with any combination 50 or 75Ω. Handles 2KW PEP or 1KW CW from 1.8 to 30MHz. Unused positions are automatically grounded for lightning protection. 10" w x 3" h x 1.5" d **\$79.99**



270 Lightning Surge Protector Safeguard your ham gear from damage due to dangerous static charges and lightning induced surges. Replaceable ultra-fast gas discharge tube safely shunts up to 5000 amps of peak impulse current to an independent ground. Rated to 400W PEP, usable up to 1000MHz **\$29.99**

ANTENNA MOUNT

310 HT Antenna Window Mount Clip Your HT rubber duck antenna radiates poorly inside your car due to the shielding effect of the roof, doors, etc. Detach the duck from your HT and install on this handy BNC window mount clip. It holds your antenna securely on the outside of your car's window where it can radiate freely. It's quick and easy to install and remove. Comes with 10 ft. feet of flexible mini-coaxial cable. **\$14.99**




AMERITRON

REMOTE CONTROLLED SWITCHES

RCS-4 Select up to 4 different HF antennas while using just one coaxial feed line. The weatherproof switch box locates out on the tower, mast or other remote location. The control box locates at your operating position and switches antennas with a control voltage routed directly through the coaxial cable without a separate control wire. Rated 1.8-30MHz, 2KW..... **\$129.99**

RCS-8V Independently or simultaneously select up to 5 different antennas using just one coaxial feedline and 8-wire control cable. Internal wiring allows user to ground or float unused terminals as required. Rated at 5KW below 30MHz, and 1KW up to 150MHz **\$139.99**

COAX-SEAL



UNV 104 Hand Moldable Plastic for Antenna Component Protection The quick and effective way to seal and protect all types of coaxial fittings, baluns, antenna parts and connectors. Simply wrap it on like regular tape, then mold it to any shape. It adheres tightly to metal, vinyl and polyvinyl coax outer jackets. Stays flexible and sealed at any temperature for years to resist moisture penetration and deterioration. Its permanent flexibility makes it possible to remove and re-install fittings, then re-seal just by re-forming the same material. Non toxic and non-contaminating roll, 1/2" w x 60" **\$3.99**

PENETROX™

PENETROX® A Recommended for use on aluminum-to-aluminum and aluminum-to-copper connectors, on bare conductors, and bus bars. Good for all voltages. Assures a high conductivity joint by sealing out air and moisture to prevent corrosion and reformation of oxide film. Apply to mating pieces of antenna components, tubing, etc. during assembly to provide a non-corrosive, low resistance and air tight seal. Makes later disassembly a breeze (4oz bottle) **\$12.99**




STUF Dielectric Water-proof Connector Filler Seals out moisture. High purity macroscopic foam that dielectrically simulates the coaxial cable core. Fill coax connectors and tighten. The filler material hydraulically channels into all connector voids and points of moisture entry. Non-hardening, easy to remove. No silicones, or other additives to harm coax cable material..... (tube) **\$4.99**

DUPLEXERS

Type	S0239 PL259/PL259	S0239 PL259/Nfemale	S0239 S0239/S0239	S0239 PL259/PL259	S0239 PL259/Nfemale	Nfemale PL259/Nfemale	PL259 S0239/S0239
Leads	No	No	No	Yes	Yes	No	Yes
2m/440	Comet CF4160K Diamond MX72D MFJ 916	Comet CF4160I	Comet CF4160J Valor D270	Comet CF416A Comet CF530 Diamond MX72H	Diamond MX72N Yaesu AD3	Comet CF416C Comet CF416W	
2m/220	Diamond MX214D			Comet CF142			
HF/6 to 440				Comet CF360A			Comet CF360B
HF to 6/2m				Comet CF706A Diamond MX62M			

TRIPLEXERS

Type	Leads	HF/6/2/440/1200	HF/6/2/440	2/220/440
Nfemale PL259/PL259/Nfemale	No	Comet CFX4310C		
S0239 PL259/PL259/PL259	Yes	Diamond MX2000	Comet CFX514	Comet CFX324A Diamond MX324
S0239 PL259/PL259/PL259	No		Comet CFX5140	Comet CFX324B Diamond MX324D
Nfemale PL259/PL259/Nfemale	Yes	Diamond MX3000		
S0239 PL259/PL259/Nfemale	Yes		Comet CFX514N	
Nfemale PL259/Nfemale/Nfemale	Yes	Diamond MX3000N		
S0239 S0239/S0239/S0239	No		Comet CFX514J	



For duplexer and triplexer prices, see the Price Guide under each respective manufacturer.



PT-3 Preamplifier Covers 2-54MHz and useable with either a receiver or transceiver. A tunable low noise dual-gate FET circuit provides >20dB gain, low N.F. and improved spurious and image rejection. An RF sensed switch with variable delay automatically bypasses to antenna on transmit. Second receiver or antenna capability. 12V DC, or use P-12T AC adapter (\$9.99). 2.5"h x 8.75"w x 6.5"d **\$124.99**



TPA Tunable Preamplifier /Active Antenna Use as a preamplifier to improve receiver gain, or as an indoor active antenna. Covers 0.22-30MHz in 5 bands. A dual-gate FET device provides an excellent N.F. and >20 dB gain. As a preamplifier, the input matches most antennas; long wire, 300Ω and random lengths. When no external antenna is available, the preamplifier's built-in 30 in. collapsible whip gives great results. Uses 9V battery or PT-9T AC adapter (\$9.99). 1.5"h x 8"w x 6.5"d..... **\$76.99**



NEW WAVE Antenna



PORTABLE COLLAPSIBLE MASTS


For Portable or Temporary antenna installations 7-section, telescoping masts manufactured from 6061-T6 polished aircraft aluminum with a 2" to 1.25" taper. Light-weight, easily raised by one person at ground level in seconds. Each section joint has a 4" overlap and snaps into place. Rotates at any section along its length, or securely locks into place. Snap-on antenna and park-on steel mount options.

ADVENTURER 47" to 12 ft, 4.5 lbs **\$109.99**
TRAVELER 59" to 19 ft, 6.5 lbs **\$124.99**
ROVER 71" to 26 ft, 8.5 lbs..... **\$149.99**
EXPEDITIONER 83" to 33 ft, 10.5 lbs..... **\$174.99**
EXPLORER 95" to 40 ft, 12.5 lbs..... **\$199.99**
BIG FOOT Park-on steel mount. 8.5 lbs **\$119.99**
SNAP ON MOUNT Antenna Mount Attach antennas to portables without tools. Adds 12" **\$19.99**

EASY-UP

ANTENNA IRIPEDS

UPS SHIPPABLE



The use of a self-supporting antenna mount makes a neat and attractive installation without guy wires. EZ-Ups are Heavy-Duty and Self-supporting - made out of 1 1/4" tubular steel with triple corrosion protection inside and out. Double embossed collars with six locking screws hold masts up to 1 1/4". Fast, one-man installation, the legs extend to any rafter spacing. Shipped completely assembled and includes a pitch pad kit and lag screws.

EZ 48-3ABX (right) 3 ft. high, 8.5 lbs **\$24.99**
EZ 48-5ABX (right) 5 ft. high, 12 lbs **\$34.99**
EZ 5-16 5' 16 ga. steel mast (Pick-up only). **\$7.99**
EZ 29-24 Heavy-duty Double-strap Chimney Mount (left) Mount includes two "Y" type mounts and 24' of galvanized strap **\$12.99**

hy-gain[®] ROTATORS

... the first choice of hams around the world!



\$529⁹⁹

The HAM-IV

is the most popular rotator in the world! It is designed for medium communications arrays of up to 15 square feet wind load area. New low temperature grease permits normal operation down to -30 degrees F. New alloy ring gear gives extra strength up to 100,000 PSI for maximum readability. New indicator potentiometer, new ferrite beads reduce RF susceptibility, new cinch plug connector plus 8-pin plug at control box. Dual 98 ball bearing race for load bearing strength and electric locking steel wedge brake prevents wind induced antenna movement. North or South center of rotation meter scale, low voltage control, 2.063" max. mast size.

Ham IV Specifications

Wind Load cap.(inside tower)	15 square feet
Wind Load (w/mast adapter)	7.5 square feet
Turning Power (in lbs.)	800
Brake Power (in lbs.)	5000
Brake Construction	Electric Wedge
Ball Bearing Assembly	Dual race/96 bearings
Mounting Hardware	Clamp plate/steel U-bolts
Control Cable Conductors	8 (Belden 8448 or 9405)
Shipping Weight (lbs.)	24
Effective Moment (in tower)	2800 ft/lbs.




\$1229⁹⁹

The HDR-300A

is for King-sized antenna arrays up to 25 sq.ft. wind load area. Control cable connector, new hardened stainless steel output shaft, new North or South centered calibration, new ferrite beads on potentiometer wires to reduce RF susceptibility, new longer output shaft keyway for added reliability. Heavy-duty self-centering steel mast clamp and hardware. Digital heading display accurate to one-degree. Machined steel output gear.

HDR-300A Specifications

Wind Load capacity	25 square feet
Wind Load (w/mast adapter)	N/A
Turning Power (inch lbs.)	5000
Brake Power (inch lbs.)	7500
Brake Construction	Solenoid operated locking
Bearing Assembly	Bronze sleeve w/rollers
Mounting Hardware	Stainless steel bolts
Control Cable Conductors	7 (Belden 8448 or 9405)
Shipping Weight (lbs.)	55
Effective Moment (in tower)	5000 ft/lbs.



\$619⁹⁹

The DCU-1 PATHFINDER

Digital Rotator Control unit compatible with T2X & HAM IV

- Automatic Operation of brake and rotor • Computer control with RS232 pass through • Compatible with many logging and contest programs • 6 presets for your favorite beam headings • one-degree heading • Automatic 8-second brake delay • 360 degree choice for center of rotation • Shipping weight: 8 lbs.

The TAILTWISTER SERIES II

T2X
\$619⁹⁹
T2XD
\$979⁹⁹



is designed for medium communications antenna arrays of up to 20 square feet wind load area. Available with DCU-1 Pathfinder digital control box (T2XD) or standard analog control box (T2X). Low temperature grease, alloy ring gear, indicator potentiometer, ferrite beads on potentiometer

wires, new weatherproof AMP connectors plus 8-pin plug at control box, triple bearing race with 138 ball bearings for large load bearing strength, electric locking steel wedge brake, north or south center of rotation scale on meter, low voltage control, max mast of 2.063".

TAILTWISTER Specifications

Wind Load cap.(inside tower)	20 square feet
Wind Load (w/ mast adapter)	10 square feet
Turning Power (in lbs.)	1000
Brake Power (in lbs.)	9000
Brake Construction	Electric Wedge
Ball Bearing Assembly	Triple race/138 bearings
Mounting Hardware	Clamp plate/steel U-bolts
Control Cable Conductors	8 (Belden 8448 or 9405)
Shipping Weight (lbs.)	28
Effective Moment (in tower)	3400 ft/lbs.



\$269⁹⁹

The AR-40

is for large FM-TV and compact communication antenna arrays up to 3.0 square feet wind load area. Dual 12 ball bearing race is exclusive in its class. Automatic position sensor never needs resetting. Fully automatic control - just dial and touch for any desired location. Solid state, low voltage control, safe and silent operation. Maximum mast size of 2.063". Includes MSLD light duty lower mast support.

AR-40 Specifications

Wind Load cap.(inside tower)	3.0 square feet
Wind Load (w/mast adapter)	1.5 square feet
Turning Power (inch lbs.)	350
Brake Power (inch lbs.)	450
Brake Construction	Disc Brake
Ball Bearing Assembly	Dual race/12 bearings
Mounting Hardware	Plated clamps/steel bolts
Control Cable Conductors	5 (Belden 8448 or 9405)
Shipping Weight (lbs.)	14
Effective Moment (in tower)	300 ft/lbs.



\$899⁹⁹

THE HAM-V

is the rotor for the new millennium. Designed for medium communications antenna arrays of up to 15 square feet wind load area. Includes the innovative DCU-1 Pathfinder control unit. A new alloy ring gear with 100,000 PSI tensile strength and new indicator potentiometer have been added for improved reliability. No more terminal strips! New Cinch® connector plus 8-pin plug at control box. Ferrite beads reduce RF susceptibility. New powder coated finish. Maximum mast size of 2.063" inches.

HAM-V Specifications

Wind Load cap.(inside tower)	15 square feet
Wind Load (w/mast adapter)	7.5 square feet
Turning Power (in lbs.)	800
Brake Power (in lbs.)	5000
Brake Construction	Electric Wedge
Ball Bearing Assembly	Dual race/96 bearings
Mounting Hardware	Clamp plate/steel U-bolts
Control Cable Conductors	8 (Belden 8448 or 9405)
Shipping Weight (lbs.)	24
Effective Moment (in tower)	2800 foot/lbs.



\$369⁹⁹

The CD-45II

handles 8.5 sq. feet mounted inside a tower, or 5 sq. ft. with mast adapter. Low temperature grease good to -30 F degrees. Bell rotator design gives total weather protection, dual 58 ball bearing race gives proven support. Die-cast ring gear, stamped steel gear drive, heavy duty, trouble free gear train, North center scale, lighted directional indicator, 8-pin plug/socket on control unit, snap-action control switches, low voltage control, safe operation, takes masts up to 2.063". Includes MSLD light duty lower mast support

CD-45II Specifications

Wind Load cap.(inside tower)	8.5 square feet
Wind Load (w/mast adapter)	5.0 square feet
Turning Power (inch lbs.)	600
Brake Power (inch lbs.)	800
Brake Construction	Disc Brake
Ball Bearing Assembly	Dual race/48 bearings
Mounting Hardware	plate clamps/steel U-bolts
Control Cable Conductors	8 (Belden 8448 or 9405)
Shipping Weight (lbs.)	22
Effective Moment (in tower)	1200 ft/lbs.

Rotator Accessories

- MSHD Heavy duty lower mast support for Ham IV/V, T2X.....\$81.99
- MSLD Lower mat support for CD-45II, AR-40\$29.99
- TSP-1 Tower spacer plate.....\$29.99

<http://www.hy-gain.com>

K-Factor: Multiply turning radius times weight; add K-Factors for each antenna in multi-antenna installations. The results of the calculation should not exceed the K-Factor rating of the rotator.

ROTATORS



Precision designed for a wide variety of antenna installations • Strong, weatherproof, die-cast aluminum enclosures • Permanently lubricated for years of smooth, quiet operation • 450° Rotation • Selectable north or south center • Quiet, gear reduction braking • 117/220 VAC • Fits most USA-made tower shelves. Recommended Belden cables listed below.

G-2800DXA (left) The top-of-the-line rotator for extra heavy-duty applications. Total rotation range 450°, with presets • 34 sq. ft. wind load • K-factor of 6870 ft. lbs. • 1808 ft. lbs. of stationary torque • Rotation torque: 57.8-181 ft. lbs., rotation speed and torque vary with the speed control setting • Maximum vertical load of 661 lbs. • $\pm 1/2^\circ$ backlash • $1\frac{1}{2}$ " mast size • 48-150 second 360° rotation • Optional GS-232A computer interface • Requires 6-wire cable • 8" dia. x 13" h • 13.2 lbs **\$1139.99**




G-800SA (left) High performance for medium-duty applications. Total rotational range 450°, No presets • 17 sq. ft. wind load • K-factor of 1299 ft. lbs. • 288 ft. lbs. of stationary torque • Rotation torque: 43-79 ft. lbs., rotation speed and torque vary with the speed control setting • Max. vertical load of 440 lbs. • $\pm 2^\circ$ backlash • 1.5-2.5" mast size • 44 second 360° rotation • Quick-disconnect plug • Requires 5-wire cable • 7.5" dia. x 12.5" h • 7.5 lbs **\$339.99**

G-450A (middle left) For HF/VHF light to medium-duty applications, without presets • 10 sq. ft. wind load • K-factor of 722 ft. lbs. • 217 ft. lbs. of stationary torque • Rotation torque: 43 ft. lbs. • Maximum vertical load of 220 lbs. • 1.5-2.5" mast size • 53 second 360° rotation • Requires 5-wire cable • 7.5" dia. x 12.5" h • 7 lbs **\$259.99**



G-1000DXA (middle) High-performance for medium and heavy-duty applications. Total rotational range 450°, with presets • 23 sq. ft. wind load • K-factor of 2020 ft. lbs. • 433 ft. lbs. of stationary torque • Rotation torque: 43-79 ft. lbs., rotation speed and torque vary with speed setting • Max. vertical load: 440 lbs. • $\pm 2^\circ$ backlash • $1\frac{1}{2}$ " mast size • 35-74 sec. 360° rotation • Opt. GS-232A interface • Requires 6-wire cable • 7.5" dia. x 12.5" h • 7.7 lbs **\$519.99**

G-800DXA (right) High-performance for medium-duty applications. Total rotational range 450°, with presets • 17 sq. ft. wind load • K-factor of 1299 ft. lbs. • 288 ft. lbs. of stationary torque • Rotation torque: 43-79 ft. lbs., rotation speed and torque vary with the speed control setting • Maximum vertical load of 440 lbs. • $\pm 2^\circ$ backlash • $1\frac{1}{2}$ " mast size • 35-74 sec. 360° rotation • Opt. GS-232A interface • Requires 5-wire cable • 7.5" dia. x 12.5" h • 7.5 lbs **\$429.99**



G-550 (right) Elevation rotator, for satellite earth station and other space communication antennas • 12 sq. ft. wind load • K-factor of 578 ft. lbs. • 101 ft. lbs. of stationary torque • Rotation torque: 73 ft. lbs. • Maximum vertical load of 440 lbs. • $\pm 3\%$ backlash • $1\frac{1}{2}$ " mast size • 67 second 180° elevation • $1\frac{1}{2}$ " boom diameter • Requires 6-wire cable • 10.5" dia. x 7.5" h • 7.3 lbs **\$299.99**

G-5500 (middle right) Azimuth-Elevation rotator combination for satellite earth station & other space communication antennas • 11 sq. ft. wind load • 578 ft. lbs. K-factor • 145 ft. lbs. stationary torque • Rotation torque: 44 ft. lbs. • Max. vertical load: 440 lbs. • $\pm 4\%$ backlash • $1\frac{1}{2}$ " mast • 58 sec. 360° rotation • 67 sec. 180° elevation • Opt. GS-232A interface/C-1000 cable • $1\frac{1}{2}$ " boom dia. • Requires 2 x 6-wire cable • 12.5" dia. x 7.5" h, 20 lbs **\$629.99**

ROTATOR ACCESSORIES

GA-2500 Tower absorb. (G-450A/800) **C/O \$79.99**

GA-3000 Tower absorb. (G-1000/G-2800) **119.99**

GC-038 Mast clamp (G-450/G-800/G-1000/G-5500) **31.99**

GC-048 Mast clamp (G-2800) **47.99**

GS-050 50mm thrust bearing for 1.25" to 2" masts.. **31.99**


GS-065 65mm thrust bearing for 1.5" to 2.5" masts. **47.99**

GS-232A Interface for DXA rotators **539.99**

C-1000 Cable to interface the GS-232A and any SDX rotator or G-5500 **29.99**

GS-680U Universal, self-adjust. bearing **99.99**

SEP KIT Separation kit for the G-5500 **23.99**



SATELLITE TRACKING WITH A PC

GRA KCT Kansas City Tracker Package A hard/software package connecting directly to a rotor controller and IBM XT AT, or clone. Controls antenna array, letting a PC track any satellite or orbital body • Custom serial interfaces • Does not use COMM ports • Runs in "spare time," a PC can run other programs at the same time • Load tables with more than 50 satellite passes using QuikTrak or GrafTrak • Use pop-up to work an antenna rotor (compatible with all DX logging programs) • Morse-code sender section announces rotor position and status • Half-size interface card that plugs into a PC • Interface cable, connector, software, Yaesu/Kenpro 5400/5500/5600 cable and rotor interface option • Compatible with DOS 2.0 or higher **Closeout \$229.99**


GRA KCT/T Kansas City Tracker Package Plus Tuner The tuner option provides automatic doppler-shift compensation for digital satellite work. Compatible with most rigs and controls a radio thru the radio's serial computer port or the up/down mic-click interface. Perfect for low-orbit digital satellites like the NOAA and Microstat satellites **\$329.99**

Used & Demo Equipment lists

Updated regularly on the web.
Check them out and order **On-line**



OR-2800PDC Heavy-duty Rotator Powerful and reliable, rotates multiple HF antennas or large VHF or UHF arrays with ease. The control box provides manual features plus heading preset, 10 programmable presets, programmable ramped start/stop, 1/2-degree target accuracy. Includes RS-232 port for computer control • Precision worm-gear drive, not reversible by mast torque • Non-slip, ductile iron mast clamps • Large drive plate for masts up to 3" • Heat-treated steel gear train, hardened driveshaft • Prop-pitch style torque plate • Fits inside most popular towers and mates to standard towers and rotator plates • Motor-mounted digital pulse switch for accurate, closed loop control and heading display • 35 sq. ft. wind area • 1800 lbs. vertical load • $1\frac{1}{2}$ "-3" O.D. mast size • 55-270 second rotation speed • 0.1°/0.5° travel resolution • 110/220V AC, 50/60Hz input • 28-42V DC motor Requires 4-wire rotor cable, it's recommended to use Belden 8448 or 9405 (8-wire) and double up • 15.75" h total, 9.75" h rotor • 42 lbs **\$1572.99**





Never Climb A Tower Again!

With Martin Towers & the Hazer

Roof-Top Towers


- High Quality Anodized Aluminum/Satin Finish
- Lightweight & Extra Heavy Duty. No Guying!
- Stainless Steel Hardware. Will Not Rust!
- Ideal for support of Ham Antennas, AMSAT, Scanners, Weather Monitors, etc.!
- Free 48 State Shipping!

Model	Height	D	Base Width	Wind Load	Max Ant. Load	Lbs.
RT-424	4.5	34.75"	24"	6 sq. ft.	100 lbs.	18
RT-832	8.0	43.75"	32"	8 sq. ft.	120 lbs.	30
RT-936	9.0	43.75"	36"	18 sq. ft.	130 lbs.	54
RT-1832	17.5	37.62"	32"	12 sq. ft.	110 lbs.	62
TB-25	Premium thrust bearing, max mast 2.5"					3
MC-10	Mast clamps, 2 required, non-rotating.					2
LR-8400	Lightning Rod Kit (order ground cable separately)					12
RA-6048	48" Long side arm, 7" high by 1.31" dia.					13

1 Distance from top mounting surface to rotator plate. 2 Wind load rating at 87 miles per hour.

You may have a mechanical ground, but do you have an electric ground? Lightning rods provide protection against damaging lightning which can greatly effect antennas, rotators and other components. Order GME's complete kit which provides everything needed to ensure a proper ground (Lightning rod, mast clamp, terminal lug, ground rod, and ground rod clamps included).

ORDER# LR-8400



Assorted Masts					
Model#	Description	Dia.	Wall	Length	Lbs.
M-1040	10' Heavy Duty Galv. Steel Mast	2"	.145	120"	31
MA-1040	10' Med. Duty Aluminum Mast	1.92"	.145	120"	11
M-1049	9' Heavy Duty Galv. Steel Mast	2"	.145	106"	30
MA-1049	9' Medium Duty Aluminum Mast	1.92"	.145	106"	9
MA-5050	5' Light Duty Aluminum Mast	1.31"	.145	60"	5
MA-1050	5' Medium Duty Aluminum Mast	1.92"	.145	60"	7

Hazer Tram System

For Rohn 20/25G Towers

- **The Hazer Eliminates Tower Climbing**
Brings antennas and rotors down to the ground for safe and convenient maintenance and installation!
- **Quick & Easy Access to Antennas in Minutes**
Lower your antennas completely to the ground in a matter of minutes. The Hazer comes with everything you need to get started!

How does it work?

The Hazer works like a simple elevator designed to provide horizontal mobility to your antennas, measuring instruments, rotators, etc. The Hazer is designed to wrap around the tower. A pulley at the top of the tower, along with a winch and wire rope is used to raise and lower the antenna. It's as simple as raising a flag up a flag pole. Never climb your tower again. Let the Hazer do the climbing for you!

Each Hazer Kit Includes the following:

Top and bottom plates for a rotator and thrust bearing, standard winch (W-1101), 100 feet 1/8 inch cable (50' tower), top pulley, and all mounting hardware (stainless steel).

HAZERS for Rohn 20/25G & 45G/55G				
MODEL	Max. Ant. Load	Wind Ability	Material	Lbs.
H-2	175 lbs.	12 Sq. Ft.	Heavy Aluminum	32
H-3	150 lbs.	8 Sq. Ft.	Aluminum	27
H-4	200 lbs.	16 sq. Ft.	Galv. Steel	49
VH8-60	60' Hazer for Rohn 45, 22 sq. feet @ 87 mph			
VH9-70	70' Hazer for Rohn 55, 18 sq. feet @ 87 mph			
HR-2040	Roller Bearing Set for H-2,3,4. Improves Hazer performance.			


Martin Tower Packages

See price list for a complete list of products and prices.

- Pre-Assembled sections made of strong anodized aluminum
- Convenient / Affordable tower packages- everything you need!
- No Climbing- includes the world famous Hazer™ Tram System!
- All-bolted construction- no welds to break, stainless hardware
- Safe, Easy "Walk-Up" Tower Installation- No gin poles!
- Lifetime investment- no rust, chipping or freeze breaks
- Quality Engineering & Competitive Pricing!

MARTIN TOWER PACKAGES COMPLETE WITH: 10' sections, footing assembly, hinge base for easy walk-up installation, Hazer (w/cable, winch, etc.), Kevlar Cable guy kit, turnbuckles, earthscrew anchors, grounding kit, stainless steel hardware, and FREE 48 state motor freight shipping!*

FREE CATALOG!



Notice Hinging Base & Leveling Bolts.

Complete Martin Tower & Hazer Packages					
Model#	Description	Width	80 MPH Winds	87 MPH Winds	Price
M-1330A	30' Hazer Tower Package	13"	16.8	14	\$1609.99
M-1340A	40' Hazer Tower Package	13"	15.6	13	\$1829.99
M-1350A	50' Hazer Tower Package	13"	14.4	12	\$2069.99
M-1840A	40' Hazer Tower Package	18"	20.4	17	\$2149.99
M-1850A	50' Hazer Tower Package	18"	19.2	16	\$2409.99
M-1860A	60' Voyager Tower Package	18"	19.2	16	\$3356.99
M-1870A	70' Voyager Tower Package	18"	18	15	\$3659.99

Martin Tower Specifications		
Model #	M-13 Towers	M-18 Towers
Weight	33 lbs.	35 lbs.
Length	10 feet (7'6" & 8'9" available also)	
Tower Width	12-3/4" Equal Triangle	17-3/4" Equal Triangle
Material	6061-T6 Anodized Aluminum	
Hardware	18-8 Stainless Steel, 1/4-20 nylon insert lock nuts	
Tower Brace Dia.	1/2" OD x .062 wall	5/8" OD x .062 wall
Cubic Yds. Concrete	1 1/4 Yards	2 1/2 Yards
Footing Width	15.5"	20.75"
Footing Height	36 1/2"	44 1/2"

Free Shipping!



Check out our full line of accessories including: Tower Motor Drives
5 ft. to 20 ft. Antenna Masts • 20 ft. Chromolly Masts • Thrust Bearings • Mast
Raising Fixtures • Rotating bases • Coax support arms • Limit Switch Packages

MA SERIES CRANK-UP TUBULAR TOWERS

Will handle 10 sq. ft. antennas at 50 MPH winds.

MODEL NO.	HEIGHT MAX.	HEIGHT MIN.	NUMBER SECTIONS	WT #	SECTION OD Top	SECTION OD Bot.	BASE SIZE	AES PRICE
MA-40	40 ft.	21' 6"	2	242	3" sq.	4 1/2"	12" x 12" x 12"	\$ 899.99
MA-550	55 ft.	22' 1"	3	435	3" sq.	6"	18" x 18" x 18"	1499.99
MA-550MDP*	55 ft.	22' 1"	3	620	3" sq.	6"	3' x 3' x 5'	2932.99
MA-770	70 ft.	22' 10"	4	645	3" sq.	8"	3' x 3' x 6'	2529.99
MA-770MDP*	70 ft.	22' 10"	4	880	3" sq.	8"	3' x 3' x 5 1/2'	3999.99
MA-850	85 ft.	23' 6"	5	943	3" sq.	10"	4' x 4' x 6'	3909.99
MA-850MDP*	85 ft.	23' 6"	5	1128	3" sq.	10"	4' x 4' x 6'	5391.99

*Standard bases and eave mounts included with all towers (except MA-770, 770-MDP and 850 MDP)

• MDP models complete with heavy-duty motor drive with positive pull down.

FREE STANDING CRANK-UP TOWERS

Will handle 18 sq. ft. antennas at 50 MPH winds.

MODEL NO.	HEIGHT MAX.	HEIGHT MIN.	NUMBER SECTIONS	WT #	SECTION OD Top	SECTION OD Bot.	BASE SIZE	AES PRICE
TX-438	38 ft.	21' 6"	2	355	12 1/2"	15"	3' x 3' x 5'	\$1142.99
TX-455	55 ft.	21' 6"	3	670	12 1/2"	18"	3' x 3' x 6'	1699.99
TX-472	72 ft.	22' 8"	4	1040	12 1/2"	21 1/2"	4' x 4' x 7'	2832.99
TX-472MDP*	72 ft.	22' 8"	4	1210	12 1/2"	21 1/2"	4' x 4' x 7'	4549.99
TX-489MDPL*	89 ft.	23' 4"	5	1800	12 1/2"	25 1/2"	4' x 4' x 8 1/2'	7390.99

*TX-472MDP includes heavy duty motor drive with positive pull down. *TX-489MDPL comes with heavy duty motor drive with dual level wind and positive pull down. MDPL models include fully operational limit switch packages.

FREE STANDING HEAVY-DUTY CRANK-UP TOWERS

Will handle 30 sq. ft. antennas at 50 MPH winds.

MODEL NO.	HEIGHT MAX.	HEIGHT MIN.	NUMBER SECTIONS	WT #	SECTION OD Top	SECTION OD Bot.	BASE SIZE	AES PRICE
HDX-538	38 ft.	21' 6"	2	600	15"	18"	3' x 3' x 6'	\$1477.99
HDX-555	55 ft.	22'	3	870	15"	21 1/2"	4' x 4' x 6'	2569.99
HDX-572MDPL*	72 ft.	22' 8"	4	1600	15"	25 1/2"	4' x 4' x 8 1/2'	6775.99
HDX-589MDPL*	89 ft.	23' 8"	5	2440	15"	30 5/8"	5' x 5' x 8 1/2'	8869.99
HDX-689MDPL*	89 ft.	23' 8"	5	3450	18"	37 1/8"	5' x 5' x 9 1/2'	17,135.99
HDX-5106MDPL*	106 ft.	24' 8"	6	3700	15"	37 1/8"	5' x 5' x 9 1/2'	18,647.99

*Includes heavy-duty motor drives with dual level wind and positive pull down. MDPL models include fully operational limit switch packages. *HDX-689MDPL rated 60 sq. ft. of antenna at 50 mph winds. HDX-5106MDPL rated at 35 sq. ft. of antenna at 50 mph winds

FREE STANDING "LOW-PROFILE" COMPACT CRANK-UP TOWERS

The SS will handle 18 sq. ft. and HD, 24 sq. ft. antennas at 50 MPH winds.

MODEL NO.	HEIGHT MAX.	HEIGHT MIN.	NUMBER SECTIONS	WT #	SECTION OD Top	SECTION OD Bot.	BASE SIZE	AES PRICE
TMM-433SS*	33 ft.	11' 4"	4	315	10"	18"	3' x 3' x 4'	\$1219.99
TMM-433HD	33 ft.	11' 4"	4	400	12 1/2"	20 7/8"	3' x 3' x 5'	1477.99
TMM-541SS	41 ft.	12'	5	430	10"	20 7/8"	3' x 3' x 4 1/2"	1599.99

* Rotators must be top mounted on SS models. Yaesu G800S/SDX will fit in and nest.

*** Any tower purchased with a MDP-750 or MDPL-1000 motor drive MUST be purchased with either the MCL-100 or the RMC-1000.

SEE
PRICE GUIDE
FOR
COMPLETE
LIST OF
ACCESSORIES

WRITE OR
CALL FOR A
COMPLETE US
TOWER
CATALOG -
FREE!

All towers are drop shipped direct from the factory. Shipment is FOB Visalia, CA via truck.
Additional freight charges will apply. Ask for details.



tilt-over base


UNIVERSAL TOWERS

FREESTANDING


LIGHTWEIGHT • RUST FREE • EASY TO ASSEMBLE • RUGGED STRENGTH
for AMATEUR RADIO • TV • FM • INDUSTRIAL • FIRE • POLICE • MARINE




TOP SECTION




TAPER SECTION



STRAIGHT SECTION



50 ft. UNIVERSAL
Self-Supporting
Aluminum Tower
installed at K9KHW
Milwaukee, WI



Antennas
(2M) ~~M~~ 2M-5WL
17 elements, 33 ft. boom
(6M) ~~M~~ 6M-7JHV
7 elements, 31 ft boom
(6M) ~~M~~ 6M-50's
omni, side mount/stacked

Write or
Call for a
complete
UNIVERSAL
TOWERS
Catalog
FREE!

SECTIONS

Universal Aluminum Tower sections are an equilateral triangular welded truss, 10 ft. in length and available 11, 14, 18, 22, 26 or 30 inches wide.

CHOOSING THE PROPER TOWER

- (1) Determine the projected surface area of the antenna that you intend to mount. This figure is often in the literature that comes with the antenna. Otherwise: standard TV antennas are about 2 sq. ft. in area; 6/10 meter beams and large TV antennas, 5 sq. ft.; 20/40 meter beams, 9 sq. ft.; large 20/40 meter beams or multiple antenna arrays, 18 to 26 sq. ft. Also, when using a rotator to add 1 sq. ft. plus 1 sq. ft. for the mast to whatever size antenna you intend to use.
- (2) Decide on the tower height that you want. Universal towers are made in 10 foot sections to give you many possible sizes and the ability to add sections later.
- (3) Choose the tower model based on height and windload. The model number is merely the wind loading followed by the height. For example, if your antenna calculation resulted in a tower designed for 5 sq. ft. and you wish it to be 50 ft. high, the model you want is a **5-50**.

No Guys!

Self-Supporting at the Rated Load

BEFORE BUYING A TOWER

Consider the advantages of -

ALUMINUM

It's Strong, Lightweight, Rust Free and easy to assemble and erect.

UNIVERSAL offers 10' sections or complete towers ranging from 30 to 100' with a choice of wind load ratings and accessories.

All towers are drop shipped direct from the factory. Shipment is FOB Mt. Clemens, MI via truck, COD for freight charges only. Freight charges will be collected upon delivery by the carrier.

The Pouch


A protective carrying case for H.T.'s made of water-resistant neoprene & nylon. "Bungee type" restraining strap. Belt loop has secure "spear-in" clasp.



Make/Model	Pouch#	Price
ADI		
AT-201/401/600	T-2A	17.99
PR-52/222	PR	14.99
ALINCO		
DJ-C1T/C4T/C5T	AF-738	12.99
S11/S41/S46	P-5	14.99
X2T	510	12.99
195/196T	95T	14.99
180TH/280TH/480T	VX-3T	14.99
V5TDCH/V5TH/G5TH	V-5T	14.99
ICOM		
IC-Q7A	508	12.99
T2H	T-2A	17.99
T7H	P-5	14.99
T8A	510	12.99
T22/44A	P-5	14.99
T81A	510	12.99
IC-V8	VX-3T	14.99
W32A	32-5T	14.99
R3/R10	RC-3	17.99
KENWOOD		
D7A	DTX	17.99
TH-22ATH/42AT/28A	SS	17.99
TH-G71A	G-71	17.99
TH-79A	S-1(2.7w)	17.99
TH-79A	S-2(5.0w)	17.99
VC-H1	S-2	17.99
YAESU - VERTEX		
FT-23/33	23-33	17.99
FT-10/40/50RD	10R	14.99
FT-411MKII/12	2-411	17.99
VX-1R	1R	12.99
VX-5R	5R	14.99
VX-110/150	110-150	17.99
VR-120	5R	14.99
VR-500	508	12.99

ANALYZER POUCH

The original from The Pouch. Clear window over readouts. Back-pocket for accessories. Shoulder strap included. ANALY POUCH \$24.99



PackerPOUCH

For Yaesu FT-817. Apertures for mike and head-phone plugs on side. Hole big enough for PL259 coax connector and cord for aux. power on the rear. Uses shoulder strap on transceiver. \$24.99



POWERPORT

FT-817 Worldpouch




Designed specifically for the FT-817, the WorldPouch begs you to bring this extremely versatile radio and all of its accessories out into the field with ease. The rugged nylon fanny pack is designed for comfort and provides easy access to your radio through the zippered radio pouch. The fanny pack has two roomy accessory pockets, and there are multiple nylon loops and tie downs to secure your extra antennas, co-ax and any other necessities of the moment.

The world pouch is well padded, has a built-in antenna pocket and a pocket for a spare 2.3 mAh 12V battery (not included) for extended talk time in the field. One of the best features is that the radio pouch can also be removed from the fanny pack and will clip easily onto your belt for ultralight travel when desired.

HM-817 \$73.99

Radio Glove



We have designed these pouches specifically for your radios. Their sleek profiles, constructed of fine glove quality leather, offer maximum protection without adding bulk and size to your mini-handheld. We've thought of all the little details that you've been wishing for, from the sturdy leather covered belt clip, to a pocket to stash the VX-5's extra antenna. Find your radio model in the chart below to order the Radio Glove for your handheld.

All Radio Gloves \$19.99

Radio Model	Part#	Radio Model	Part#
ADI		Motorola	
AT-201/401HP	HI-61	FR-50/60	HI-6
PR-222/460/52	HI-6	TA-101	HI-5X
Alinco		Radio Shack	
DJ-C1/C4/C5T	HI-D1	21-1813	HI-6
DJ-S11T	HI-6	21-1815	HI-D1
DJ-S41T/S46	HI-6	21-1820/1821	HI-5X
DJ-V5T	HI-6	21-1826	HI-5X
DJ-X2T	HI-D1	21-1828/1829	HI-5X
AOR		HTX-200/400	HI-5X
AR-16B	HI-61	HTX-245	HI-6
Cherokee		Standard	
FFR-465	HI-5X	C-108A	HI-D1
FR-460	HI-D1	C-508A	HI-D1
Garmin		C-510A	HI-6
e-TREX/Summit	HI-6	Yaesu	
Icom		FT-11R	HI-5X
IC-4008A/M	HI-6	FT-50RD/41B	HI-6
IC-Q7/R2	HI-5X	FT-10	HI-61
IC-T81A	HI-6	VX-110	HI-61
IC-T8A	HI-6	VX-150	HI-61
Kenwood		VX-1R	HI-D1
UBZ-AL14BK	HI-6	VX-5R	HI-51
UBZ-LF14BK	HI-5X	VXA-100	HI-6
UBZ-LH14BK	HI-6		

WorldPackII Backpack - NEW & IMPROVED

Now fits all modern mobile radios. Transport your rig easily and safely while traveling. Small enough to qualify as carry-on luggage, or fits comfortably on your back. Clever radio elevator to adjust radio height. Constructed of laminated heavy-duty black nylon with 1/4" foam padding with more tie down points to secure your gear. No more fluorescent green lacings - we've updated the look with a sharp blue accent. Separate lower compartment for power supply or rechargeable battery with pass through holes for wiring. Comfortable body contoured mesh straps with webbing loops to attach handheld HT or GPS in sky view position. Two antenna pockets to secure multiple elements with tie downs and antenna sleeve to support them. Pocket in lid to secure mic and stores our free gift to you or a wind cover for your microphone. 17" h x 8" w x 3" d.



HMP-II \$67.99

NEW WorldPack Rechargeable Power Kit

Designed to fit perfectly within the WorldPack. 8AH rechargeable gel cell power supply with labeled wire harness, female cigarette lighter plug, DC outlet and charger. Choice of two charger rates. Won't overcharge. Sold as an accessory to the WorldPack. **HPP-8A** 2-stage, recharges overnight \$73.99 **HP-8AF** Fast 2-stage charger will recharge from a full discharged state in 2.5 hours \$129.99

UNI-SOLAR

Solar Cells

Flexible Roll-Up Solar Cells

Out of reach of conventional power sources? These solar cells provide your choice of 32W or 5.5W models of 12V DC operating and recharging power. Completely flexible, water-proof and extremely durable. Can be mounted on a flat, curved, or bendable surface.

PPSC-32 32W model will recharge the WorldPack Power Kit in a single afternoon. • 17" X 60" • Rolls up to 10" x 17" for storage \$299.99 **PPSC-5** 5.5W • Lightweight • 10" x 20" • Preferable for lower use applications \$99.99



P-212 2-Outlet Cigarette Plug Adapter Enables two 12V accessories to be used from 1 outlet \$4.99

P-212B Dual Cigarette Socket Enables two 12 volt accessories to be used from one outlet, comes with replaceable 15 amp fuse \$8.99

P-12R 2-Contact Cigarette Plug Solder type with twin contact ears, strain relief and grip end.. \$1.99



Power Pocket Provides portable power for emergencies, Hamfests, hiking, etc. The 12V @ 2 amp/hour sealed lead-acid rechargeable battery provides talk time, up to 6 times longer than standard packs. It recharges completely in 6 to 8 hours, with the supplied charger; Partial discharges can be

recharged to 100% without the usual ni-cad memory effect. Radio conveniently plugs into included female adapter socket. Contained in a compact carrying case with a belt loop and shoulder strap. 3.5" w x 1" d x 6.5" h, 30 oz..... **\$66.99**



RECHARGEABLE HIGH CAPACITY NIMH BATTERIES

- D-800** 1.2V, 8000 mAh "D"..... **\$14.99**
- C-380** 1.2V, 3800 mAh "C"..... **9.99**
- AA-155** 1.2V, 1550 mAh "AA"..... **Closeout 2.99**
- AA-160** 1.2V, 1600 mAh "AA"..... **3.99**
- AAA-T** 1.2V, 650 mAh "AAA"..... **2.99**
- 9V** 8.4V, 170 mAh (9V sized)..... **8.99**


MH-FNB-72 An ultra high capacity 1700mAh, 9.6V NiMH battery exclusively for the Yaesu FT-817. Includes a cable that enables recharging the pack in 3 hours using a MAHA MH-C777, MH-C777PLUS, or MH-C888 charger..... **\$59.99**

RECHARGERS

MH-C204F Smart Charger for 4 AA/AAA Batteries Rapid charge two or four AA/AAA NiCD/NiMH batteries. Rejuvenate and restore dead batteries. Can be used on a 12V power supply and in a car with the optional car kit..... **\$24.99**

MH-C888 Smart Universal Drop-In Charger and Conditioner Convenient rapid charger and conditioner for NiMH/ NiCD 2-way radio battery packs. Special FLEX negative pulse feature prevents crystallization of battery pack. Deep-conditioning battery care feature allows 3 consecutive charge and discharges. Bank up to 12 chargers on a single power source. Built-in switching power supply, for home, office and 12V portable use..... **\$59.99**


MH-C777 Smart Universal Charger and Conditioner Rapid charge and rejuvenate almost any NiCD/NiMH battery pack for a two-way radio, camcorder, cellular or notebook computer. Conditioning feature may rejuvenate dead battery packs. Car kit included. Supports 4.8 to 12V battery packs..... **\$49.99**



CARRYING CASES

18 HamGear™ Tactical Chest Harness (left) Perfect for rugged use, emergency radio operators and on-the-go hams! Use it for portable hamfest use, DXpeditions, field day, biking, hiking, etc. Made of durable heavy duty twill burlap, this interwoven fabric is water resistant and will cushion blows and scrapes. Adjustable shoulder straps. Harness is firmly held in place by stretchable inter-woven elastic belt with snap hook and adjustable sliders supported by nylon straps. A 5 x 7 inch cargo pocket holds another radio, maps, etc..... **\$29.99**

15 HamGear™ Belt Radio Holder (right) Durable twill burlap pocket with elastic cord and velcro closure easily stretches over any HT. Belt slides easily through 2 x 3 inch loop..... **\$14.99**



BATTERIES

92AA01 Super Ni-MH "AA" batteries – they have twice the power of standard Ni-Cads. Rated at 1300 mAh, these NiMH 1.2 volt batteries greatly extend operating time and do not exhibit the capacity reducing memory effect of Ni-Cads. Perfect for use with the MFJ-259B/269 SWR analyzer with its built-in battery charging circuit. The MFJ-631 or MFJ-632 charger (below) is recommended..... **\$2.99**

92AA10 Super Ni-MH 10-pack..... **\$24.99**




CHARGERS

PowerHaus™ Rapid and Trickle battery chargers Perfect for charging Ni-MH or Ni-Cd rechargeable batteries used in your MFJ-259B/269 SWR Analyzer or other equipment. It has a removable dust cover and an AC 12 Volt, 800 mA wall adapter is included. Reverse Polarity Protection and a bright red LED indicator that shows charging status. They Do NOT charge alkaline batteries.

631 Trickle Charger Charges 2 to 4 Ni-MH or Ni-Cd "AA" batteries in 14 hours..... **\$9.99**

632 Rapid Charger Quick charges 2 to 4 "AA" or "AAA" Ni-MH or Ni-Cd rechargeable cells in one hour or less..... **\$19.99**




641 RapidBattery™ Universal Chargers Charges NiCad or Ni-MH battery packs. Features both quick and trickle cycles.


Circuitry with LED indicators determines when the battery is charged, preventing overcharge. Universal interchangeable slots for fast, simple drop-in charging. MFJ-641-12 (Icom BP-131/BP-132), MFJ-641-Y3 (Yaesu FNB-31/33), MFJ-641-Y4 (Yaesu FNB-40/41/49/V47)..... **Closeout See Price Guide**

SPEAKERS

281 ClearTone™ Communications Speaker Features a 3" Mylar cone speaker mounted in a well-designed baffle. Improves speech intelligibility in the 600-4000Hz range while reducing undesirable noise, static & hum. 3.75" x 3" x 2.25" **\$12.99**




382 Deluxe ClearTone™ Amplified Speaker An excellent 1 Watt amplified speaker for QRPers, base station HT users or for operating with rigs requiring more volume. A quality 3 inch speaker provides loud, powerful audio. Volume adjusts from barely audible to high. All metal cabinet, rubber feet and vinyl clad cover. Uses 9V battery (not included) or 110V AC with the optional MFJ-1312B (\$14.99). Connecting cable is included. 3.5" h x 1.75" w x 4.5" d **\$39.99**



OTHER ACCESSORIES

701 RFI Free Choke Kit Eliminate common RFI problems by winding offending cables around an RFI suppressing toroid. Effective from 0.5-200MHz. Separates into halves for easy winding of all types of cable: computer ribbon, TV coax, power cord, telephone wire, audio-video cables. Halves mount in snap-together plastic frame. For severe RFI problems and larger cables, multiples can be stacked for more effect. (Pack of 4 toroids)..... **\$14.99**



624D Deluxe Hybrid Phone Patch Interfaces telephone line with your rig for running phone patches. Easy to use. Jumper selectable for all Kenwood, Icom, Yaesu and Alinco transceivers using an 8-pin microphone connector. Adapts to work with virtually any rig. Uses 12VDC, 9V battery or 110VAC with MFJ-1312B AC adapter (\$14.99). 8" x 2" h x 6" .. **\$119.99**



931 Artificial Ground Unit Eliminates problems caused by an inadequate ground system when using random length wire antennas. It resonates an additional length of wire to act as a tuned counterpoise. It results in easier tuning, improved efficiency, a better radiation pattern and reduced TVI/RFI. Covers 1.8 to 30MHz, RF ammeter tuning indicator. 7.5" w x 3.5" h x 7" d. Not for coax fed antennas **\$89.99**



315 Jaws Gripmatic™ Adjustable foam-padded jaws lock HT or cell phone in place and secure it for the bumpiest rides. Protects from damage. Quick release button lets you take the HT with you. Adjustable FlexNeck™ provides convenient positioning. Suction cups mount Gripmatic to window. Tabs give easy release..... **C/O \$14.99**

POWEREX

Empowering Your Digital Life


MH-C777PLUS

Universal Charger & Analyzer

- Analyzes and conditions battery packs.
- Supports 3.6V to 14.4V for Lithium Ion.
- Supports 1.2V to 14.4V for NiMH & NiCD.
- Use optional holder for AA, AAA, C, D battery cells.
- Digitally displays capacity.
- Digitally displays voltage.
- Digitally displays time.
- Light weight travel switching AC adapter (80V-240VAC).
- Car kit included.



The "floating contact pins" system enables you to move the contact pins from left to right and top to bottom to charge almost any shape of battery pack.



Sample LCD read out during discharging, showing current voltage, time, and discharging capacity.



Sample LCD read out during charging. Shows current voltage, time, and charging capacity



FEATURES

- Analyzes and conditions battery packs.
- Supports Lithium Ion, NIMH and NiCD battery chemistries.
- Digitally displays capacity, voltage and time during charging and discharging.
- Supports a wide voltage range of 1.2V to 14.4V (1 to 12 cells) for NiMH & NiCD, and 3.6V to 14.4V (1 to 4 cells) for Lithium Ion.
- Special external charging connector allows you to charge a wide variety of batteries, including AA, AAA, C, D cells using optional battery holders.
- Intelligent microprocessor driven Negative Delta V detection, Zero Delta V and temperature sensor.
- Includes a light weight travel AC adapter (110/220V) and car kit.

SPECIFICATIONS

Detection: Negative Delta V, Zero Delta V, and temperature sensor.

Chemistry Supported: Li-Ion, NiMH, NiCD

Voltage Supported: 1.2V to 14.4V (NiMH, NiCD), 3.6V to 14.4V (Li-Ion).

Rapid Charge Current: 800mAh +/- 50mAh for NiMH & NiCD and 400 mAh max for Lithium Ion.

Trickle Charge Current: 70mA

Discharge Current: 300mA

Safety Timer: 13 Hours

Adapter: 100-240VCD 50/60Hz Auto switch to 24VDC 0.83A

WWW.MAHAENERGY.COM

Maha Energy Corp. 545-C W.Lambert Rd. Brea, CA 92821
Tel: 714.990.4557 Fax: 714.990.1325 <http://www.mahaenergy.com>

BROUGHT TO YOU BY


MAHA®

GROTHE



SIRENS & HORNS

VS-2 Emergency Vehicle Siren Designed for the volunteer fireman, a quality-built wail-yelp alarm that delivers big sound performance (120dBa sound level at 4 ft.). Frequency range is 600 to 1200Hz. It is pre-wired with a 3-position switch (Yelp-Off-Wail). High efficiency waterproof horn speaker. Also includes 10 ft. cable, mounting bracket and hardware. 12VDC @ 1.5A, 2.7 lbs **\$89.99**



VS-2LS Siren-Light Combo A one-unit siren and yelp alarm, revolving halogen light and window mount. Fits all cars, slides on top of car window and plugs into cigarette lighter. The power plug contains an "on" LED and three position switch to select Yelp, Off or Wail modes. 12 VDC @ 5A. Specify AMBER, BLUE or RED light..... ea. **\$299.99**



VS-3 Vehicle P/A and Airhorn w/Rebroadcast A big, powerful airhorn sound with four different sounds (no siren) calls attention to your vehicle. Delivers 120dBa level at 4 ft. Locking down the microphone with the supplied rubber band, you can monitor sound from a mobile rig, scanner, etc. via the speaker outside. Includes horn speaker, microphone, electronic center, 10 ft. cable, mounting bracket and hardware. 12 VDC @ 1.5A **\$129.99**


VS-4 P/A Emergency Vehicle Siren Contains P/A, rebroadcast, wail, yelp, pulse and airhorn. P/A override features, plus volume control of all siren modes. Restricts output when operating in people places. Includes horn speaker, microphone, electronic center (3 x 3.5 x 2 in.), 10 ft. cable, mounting bracket and hardware. 12V DC @ 1.5A **\$139.99**

Emerson

RP-001 Mini Multi-Tool 12-function, stainless steel with unique rubberized handle. Folds to 2.5".

- Pliers with versatile serrated jaw
- Regular and Phillips screwdrivers
- Knife blade
- Scissors
- Nail file and pick
- Bottle opener scraper
- Wire stripper
- Lanyard attachment and key ring..... **\$6.99**

RP-103 Multi-Tool 12-function, stainless steel with unique rubberized handle. Folds to 4" **\$6.99**



SUPERIOR ACCESSORIES


18640 Universal Phone HT/GPS Holder (left) Keeps your phone, HT or GPS at your fingertips in your vehicle. Press the red button on side of cradle to open the rubber padded grips. Insert unit, squeeze grips and a ratcheting action adjusts to safely hold units 1.25 to 2.5" wide. Press the button again for quick release. 4.875" tall, attaches to optional mount or your mount with screws provided **\$14.99**

HOU CPM-310 (right) 6" pedestal mount **\$14.99**

ISO TIP

WAHL Clipper Corporation

7740 Cordless Soldering Iron Provides tip performance up to 50 watts and over 700°. Contains premium NiCad rechargeable battery for high-rate charging; a partially discharged unit will return to full capacity within 1 to 2 hours, with a complete recharge in 3 to 4.5 hours. Replaceable battery and worklight. Comes with recharging stand, fine and heavy tips..... **\$47.99**



7971 SolderPro 50 Usable as a soldering iron, torch, hot knife and heat tool using interchangeable tips (not included) • Heats up from 410°F to 750°F within 10 seconds • Runs up to 30 minutes • No electrical current • Easy refill, powered by standard cigarette lighter butane (not included) **\$19.99**



7974 SolderPro 70 Usable as a portable soldering iron, torch, hot knife and heat tool using interchangeable tips (not included) • Heats up from 410°F to 850°F within 10 seconds • Runs up to 120 minutes • No electrical current • Easy refill, powered by standard lighter butane (not included) . **\$27.99**

we have a

SECURE web site
at **www.aesham.com**



SOLDER EQUIPMENT


W-60P 60W Pencil-Type Soldering Iron (left) For most circuit work. Supplied with 3/16" 700°F screw-driver tip. 7.5" long, 2.5 oz., 6 ft. cord, 120V .. **\$64.99**

WP-25 25W Pencil-Type Soldering Iron For work on delicate electronic circuits. 750°F tip temperature. 7.875" long, 1.75 oz., 4 ft. cord, 120V AC.. **\$34.99**

WSTA3 Pyropen® Butane Soldering Iron (right w/case) Light-weight and completely portable. Operates for up to three hours on a charge of regular cigarette lighter butane (not included) container. Soldering temperature control is adjustable from 392° to 932°F, with a very fast heat-up time. It's ready to solder in just 30-seconds! Supplied with tips for soldering, hot air (1202°F), and brazing..... **\$99.99**

WST2 Pyropen® Jr. (middle) Portable mini butane powered soldering iron. Recharges in seconds from a regular cigarette lighter butane (not included) container. Soldering temperature is adjustable from 392° to 842°F. Also, hot blow feature (806°F) and torch feature (2372°F). Has handy pocket clip..... **\$89.99**

7200PK Multi-purpose Soldering Gun Compact, lightweight, 75 watts for bigger work. Handles connectors and almost any other heavier soldering job. The flat, self-supporting back acts as a convenient rest when not in use. With carrying case, extra tip and solder. 120VAC..... **\$29.99**



WTCPT Controlled Output Soldering Station (left) This pencil iron is safe for soldering ICs. Power unit with unitized on-off rocker switch with indicator light. Storage tray holds extra tip and cleaning sponge **\$119.99**

EC-1002-1 Compact Soldering Station (right) Soldering pencil stand connects to right or left side of unit. Variable temperature, indicator light, self feeding reservoir with cleaning sponge. Tray stores extra temperature sensing tips **\$199.99**

Rediscover Your History



The Land Star™ boasts more features than other costly detectors. Includes a BOUNTY D-Tech™ open-face search coil, advanced microprocessor electronics, 3-tone discrimination and Ground Trac® retune. Add a multi-function LCD & touchpad control, and you've got a detector equally at home relic hunting, coin shooting, or gold prospecting. Set the notch to reject items, or let Land Star "Auto Notch" to detect coins buried 12" deep. \$349.99



Newcomers to treasure hunting should not be shortchanged when it comes to features – or quality. That's why there's the Fast Tracker™. It offers 7" BOUNTY D-Tech™ search coil (adjustable angle), dual-tone audio discrimination, motion all-metals mode, auto ground balance, low-battery alert, built-in speaker, headphone jack, and lightweight S-rod comfort-grip handle with stand. \$99.99



The Bounty Hunter Quick Draw II™ metal detector packs powerful features, like an advanced Z-log Z-86 circuit, for superior discrimination and control. Also includes waterproof BOUNTY D-Tech™ search coil, 3 levels of iron discrimination, both target ID and depth readout, sensitivity control, full discrimination, auto and variable notch, and low battery indicator. Detects up to 10" deep – larger objects up to 5'. \$224.99



Treasures that have been missed by generations won't escape the penetrating power of Sharp Shooter II™. Comes with digital LCD readout, touchpad control, and interchangeable BOUNTY D-Tech™ search coil. Also features 3-tone audio discrimination, selectable auto/manual notch level, auto ground balance, battery indicator, S-rod comfort-grip handle with stand, headphone jack, and built-in speaker. \$279.99



The optimum combination of power, ease-of-use, affordability, and big finds – every time: the Bounty Hunter Tracker IV™. Built with a fully-submersible 8" BOUNTY D-Tech™ search coil, sensitivity meter, built-in speaker, headphone jack and battery indicator. Tracker IV features 3 different user-adjustable operating modes: Motion All-Metals Mode, Full Discrimination, and Tone Discrimination. \$129.99

James Garfield was shot on July 2, 1881 and lingered until September 19, 1881. The problem was a bullet lodged in his chest. If it had penetrated an organ it would mean certain death. If the bullet had missed, chances of



recovery were greater. Therefore, finding the exact location was critical. X-rays had not yet been invented, so the only way to determine the location was to probe manually.

Simon Newcomb had been experimenting with running electricity through wire coils and the effect of metal placed near them. He found metal near the coils emitted a hum. The problem? The hum was so faint it was difficult to hear.

Upon reading this account, Alexander Graham Bell telegraphed Newcomb and offered to assist.

On the evening of July 26, Bell, his assistant Tainter, and Newcomb made an attempt to locate the bullet using their apparatus. The results were inconclusive as there was a hum no matter where the wand was placed on the president.

The problem was the bed. The White House was one of the few places utilizing spring mattresses. Bell and Newcomb's invention was detecting metal, the springs. If they had moved Garfield, the detector would have found the bullet, likely saving the president.



MORE BOUNTY HUNTER DETECTORS

Land Ranger (left) Top-of-the-line professional metal detector offering high-end features for the serious detectorist. The Land Ranger is designed for every metal detecting application at a pro level. All functions are highly visible with no hidden programming. The touchpads keep all modes at quick and easy access while the LCD emits a constant reference source maximizing every possibility for finding treasure. • 8" waterproof, interchangeable search-coil • No-motion all-metal mode • 9 LCD readout system with numerical values to discriminate coins • SmartTrac® ground control **\$449.99**

Time Ranger (right) Recover more relics and valuables from the past then ever before. The Time Ranger's powerful circuitry and smooth operation combine to deliver absolute performance. The innovative Sniff-Mode can be used in specialized applications when rejection/acceptance of a particular object is desired. • Blanker system eliminates surface while searching deeper • Fully programmable touchpad selection • LCD readout system with numerical values • SmartTrac® ground control **\$549.99**




BOUNTY HUNTER ACCESSORIES



CARRY BAG Bounty Hunter® Padded Carrying Case Protects your metal detector from the elements, while in storage, and in transit. Made of rugged double-stitched nylon construction. Includes handy outside zip-pocket for extra batteries from small accessories **\$29.99**

10" COIL 10-inch Magnum Coil Adds extra depth for relic and cache hunting..... **\$59.99**

Palomar Engineers



VLF CONVERTERS

Receives and converts 10kHz to 500kHz (VLF) to tune on the 80M band. 2 models tune this low range on either a general coverage receiver or Ham band transceiver. Uses 9V battery. 2"h x 4.25"w x 5"d.

VLF-A Use with Ham Band transceiver **\$99.99**
VLF-S Use with General Coverage receiver **\$99.99**



Q-VIEW QSL CARD HOLDERS

Proudly display your favorite QSL cards in these 12" x 40" clear plastic hanging holders. Each holds 20 3.5" x 5.5" cards. Open at center to receive cards easily. Pack of three (displays 60 cards) **\$12.99**

Service Questions?

414-358-4087

Milwaukee, WI




434 Contest Voice Keyer™ New design, micro-processor controlled transformer-coupled - No RFI, hum or feedback. Automatically call CQ, send your call and do contest exchanges in your own voice!
 • Store frequently used phrases like "CQ. Contest this is AA5MT", "You're 59, QTH is Mississippi", etc. Record and play back five natural sounding messages totaling 75 seconds - EEPROM storage • Repeat messages continuously and vary the repeat delay from 3 to 500 seconds • Receive and play back off-the-air signals • Easy to use - plug in an 8 pin microphone cable and plug the MFJ 434 shielded cable into the microphone input • Internal jumpers allow customization to Kenwood, Icom, Yaesu, Alinco and others • Controls tailor audio level to match your voice • Built-in speaker and audio amplifier • Uses 9V battery, 9-15 VDC or 110 VAC with optional MFJ-1312B. 6.5" w x 2.5" h x 6.5" d..... **\$169.99**

73 Remote Control Head with cable..... \$29.99



616 Speech Intelligibility Enhancer™ Provides nearly a 20dB audio frequency boost or cut to four overlapping octave ranges centered at 300, 600, 1200 and 2400Hz. Improve the ability to hear and understand SSB, FM, AM, CW QSOs by adjusting the response level to match hearing response for best clarity, then equalizing perceived loudness to each ear. Built-in dual 2.5W audio amps, front panel jack, speaker on/off switch, 2 selectable transceiver inputs, bypass switch. Use with any rig or PA systems. 10" w x 2.5" h x 6" d, requires 12 VDC..... **\$159.99**



762 Step Attenuator Provides push-button selection of up to 81dB attenuation in 1dB steps
 • Excellent performance up to 170 MHz, usable to 500 MHz • 50Ω, 250 mW maximum input • BNC connectors with BNC-to-SO-239 adapters included
 • All metal cabinet, 6.5" w x 2.5" h x 1.5" d... **\$69.99**



1118 Deluxe Multi DC Outlet Connects to battery or power supply, providing power distribution to multiple devices. Two pair of heavy-duty 30 amp, 5-way binding posts for transceivers or amps. Fused individually and RF bypassed, rated 35A total. Also, 6 pair of binding posts for accessories, 15A total, master fuse. ON/OFF switch, power indicator, 0-25V DC voltmeter. Includes 6 ft. 8 ga. cable with terminals. 12.5" w x 2.75" h x 2.5" d..... **\$74.99**
1116 Similar to 1118, without 30A posts. Provides 8 RF bypassed 5-way binding posts..... **\$49.99**
1112 Similar to 1116 but with 5 posts, no voltmeter or ON/OFF switch..... **\$34.99**



DSP-599ZX Digital Signal Processor Superior performance in reducing QRM and QRN. Incorporates the newest high speed CPU that gives unparalleled features and is field upgradeable. The LCD display, push buttons, and "Visible Memory" let you see exact settings of the filter. Optical encoders for continuous tuning of filters.

NOISE REDUCTION Examines and measures signal and noise correlation, and dynamically filters out the undesired noise that is outside its correlation thresholds.

DATA and BANDPASS FILTERS Filters with steep skirts and linear phase response for CW and RTTY dig out extremely weak signals. Filter skirts are so steep that a signal literally falls off the edge of the passband as you tune through a signal. Bandwidths range from 10 Hz to 600 Hz, and center frequencies from 200 to 2150 Hz. Wider filters allow easy tuning and listening to multiple CW signals simultaneously. Data filters supported in this filter are RTTY, AMTOR, PacTOR, G-TOR™, HF Packet, SSTV, WeFAX, SITOR and CLOVER. RTTY mode has two methods of being used in addition to regular filtering. You have a complete data modem designed for RTTY. You can use the remodulator mode that detects and regenerates the mark and space to the modem.

TEST INSTRUMENT MODE Provides an audio sine wave generator, audio millivoltmeter and two-tone audio generator for maintenance/setup of audio circuits in radio equipment.

VHF/UHF WEAK SIGNAL AND AURORA Provides remarkable improvement in clarity for weak signal work in the presence of line noise and other interference. And those work a lot of aurora will be amazed at how the DSP-599zx improves the readability of normally distorted SSB signals... **\$399.99**

UM Unified Microsystems


ums@nconnect.com

CONTEST CARD

W9XT Contest Card for IBM™ & PC Compatible

A non-volatile 5" x 4.5" card that plugs into a single 8-bit PC slot and provides voice recording, playback and CW keying. Stores a total 60 seconds of voice audio divided into four 15 second messages. Samples at 8 kHz for high quality and natural sound. Does not use any disk space. For CW, the card frees up the PC port, and a relay allows operation with positive or negative keying. Works with all rigs and is compatible with most popular logging programs..... **\$149.99**

CCC-4 or **CCC-8** Contest Card Cable Semi-kit Wired and tested except for connectors to mic and transmitter. Includes 6 ft. shielded cable, CW keying line and record switch (4 or 8-pin)..... ea. **\$44.99**



FM REPEATERS

• 2-25W 100% duty cycle • 8 channels - PLL synthesizer • Optional programming kit • CTCSS enc/decode • Program-mable features: Frequency, CTCSS, Hi/Low power, Hang timer, Time-out timer • Wall mount or optional 19" rack mounting kit • DB-25 connector and 8-pin modular jack • Modular card style unit construction • Optional Comm Spec ID'er • 14.75" x 10.75" x 4.375", 25 lbs.



VXR-5000UCDC 440MHz, DC **\$1199.99**
VXR-5000U/TC 440MHz, AC ps ... **C/O \$1299.99**
VXR-5000VADC 2m, 12VDC **\$1199.99**
VXR-5000V/TA 2m, AC supply **C/O \$1299.99**

VECTRONICS

Electronic Kits Each kit features a professional quality epoxy glass PC board with solder mask & screen printed component legend, step-by-step manual and high quality components. • 40M rcvr • Crystal radio • 40M CW transmitter • AM radio transmitter • TV transmitter • Aircraft rcvr • 2M preamp • 220MHz preamp • CW keyer • Battery conditioner • FM broadcast SCA decoder • CW audio filter • CW filter/amp kit • SSB audio filter • Tunable SSB/CW audio filter. **See Price Guide**



TDF-370

Multi-Media Terminal with DSP Listen to amazingly clear audio, transmit and receive PSK31 and RTTY, apply potent filtering and hear "weak ones" others may miss. Digital modes without a PC!
 • Use powerful DSP

noise reduction and filtering, including Fast Fourier Transform. Auto-Notch function • Enhance audio reception of SSB and CW signals • Monitor SSB and CW signals in derived "stereo" • Decode and display PSK31 or RTTY, on the LCD • Enhance transmitted audio with 8 channels of microphone equalization • Digital Voice Recorder • Receive SSTV 56.7kHz (PC and software needed) • 2 selectable front panel inputs • Six outputs: phone, stereo headphones (included) internal or external speaker, mic, PTT and COM (RS-232C RTTY, PSK31, 9600 bps, SSTV-56.7kHz) • Requires 4 "AA" batteries alkaline, NiCad or NiMH or regulated external 9-15 VDC supply • 3.3" h x 4.3" w x 6.2" d, 12.3 oz **\$329.99**



We accept I.M.P.A.C.® Government Credit Cards

WEST MOUNTAIN RADIO



RIGblaster

The easiest way to properly connect a radio to a computer's sound card in order to operate using any present or future Ham Radio sound card software. Presently, ham radio sound card software, a RIGblaster, a radio and a computer is the easy and modern way to operate. A RIGblaster, plus a PC, take the place of old expensive adapters or TNC's.

PSK31 • MFSK16 • MT63 • Helischreiber
SSTV • RTTY • AMTOR • PACTOR • PACKET
APRS • CW • Contest Voice Keying • WSJT
High Speed FSK Meteor • CW High Speed
Meteor Scatter • FM Repeater Announcements
Simplex or Duplex Repeater Control

All RIGblasters come complete with everything needed to get on the air: CD, 4 cables and a 12V power supply. For a temporary or mobile setup, or operating phone using a microphone will never be of any interest, get the less expensive NOMIC model. If there is a need to operate the computer and also operate with a microphone, the 8-pin or RJ-45 modular jack model is available. To do all of the above, plus have the capability to operate direct keyed CW or FSK, opt for the PLUS model.


RC/M8/C RIGblaster 8 pin connector **\$109.99**
RB/PL/C RIGblaster PLUS 8 pin..... **139.99**
RB/RJ/C RIGblaster RJ-45 modular..... **109.99**
RB/NO/8C RIGblaster NOMIC 8-pin..... **59.99**
RB/NO/RJC RIGblaster NOMIC RJ-45 **59.99**

MFJ MFJ ENTERPRISES, INC.



461 Pocket-Size Morse Code Reader™ No cables to hook-up, no computer, no interface, no other equipment needed. Simply hold the unit near your receiver and it instantly displays CW text in English! Automatic Speed Tracking and instant 140 character replay on a 32-character LCD display. Smaller than a pack of cigarettes, only 2.25" h x 3.25" w x 1" d, and weighs 5.5 oz. If desired, a serial port lets you display CW text on a monitor using a computer and terminal program. When it's too noisy for the microphone pickup, or when you don't want to hear CW, you can connect directly to a receiver with an optional cable. Battery saver mode puts it to sleep during periods of inactivity. Uses 9 Volt battery (not included)..... **\$79.99**

MFJ-5162 Receiver Cable Connects MFJ-461 to a radio's external 3.5mm jack **\$4.99**



TERK


CLIP-ON TV ANTENNAS

TERK's amplified clip-on antennas attach in minutes to any 18" satellite dish and complement it by adding reception of all local VHF/UHF channels.

Both models cover channels 2-83 and FM broadcast. They contain an internal 10dB amplifier that minimizes signal loss so signals may be distributed to multiple television sets. Power is supplied by your DSS receiver, thru the cable. 10.25" h x 21.25" w x 3.5" d. Durable powder-coated element and weather-proof amp housing.

TV-41 For Single-LNB dishes. It has a diplexer that combines DSS and VHF/UHF signals onto a single coaxial cable. A second, separate diplexer splits satellite and local signals so users can switch between satellite channels and off-air local channels by pressing the antenna button on the DSS receiver's remote controller **\$49.99**

TV-42 For Dual-LNB dishes. It has two built-in diplexers that provide more than one TV set with DSS signals from the dish and VHF/UHF television signals from the antenna **\$59.99**



AMPLIFIED OUT/INDOOR TV ANTENNAS

TV-50 (top) Only 76" w x 2.5" h x 1.25" d, mounts almost anywhere inside or outdoors. Horizontally polarized single element VHF and UHF dipoles provide multi-directional TV/FM reception over the 54-806 MHz range. For weaker stations, a built-in ultra low-noise 10db amplifier can be switched in for improved reception. Powers from a supplied 12V adapter which terminates in a box containing an On/Off switch, connectors and a cable that goes to the TV. Includes 30', 20', 6' and (2) 3' cables, combiner/ diplexer, splitter/diplexer, coaxial barrel connector and rubber insulators. The diplexers let you run signals from both a satellite dish and the TV-50 to your TV using a single cable **\$79.99**

TV-55 (bottom) Uses a helical, coiled broadband single element engineered for clear, powerful reception of HDTV broadcasts. Receives both UHF & VHF frequencies from 54-806 MHz. Built-in ultra-low noise 10dB amplifier can be switched in or out for best reception. Mounts inside or outdoors, only 46" w x 3.5" h x 2.25" d. Includes a 12V adapter and mounting hardware **\$89.99**



TSP-6 Surge Protector Protects satellite, CATV/antenna, phone, fax, and modems from damage caused by surges and spikes while providing constant EMI/RFI noise filtering. • Resettable circuit breaker • Surge and ground protection LEDs • Auto shut off if protection is destroyed • 8 outlets with safety covers (3 wide spaced) • 6' power cord with slim-line plug, 6' TV/satellite and phone cables • Rated 125V @ 1 Amps, 1875W ... **\$39.99**

STEREO ANTENNAS

AF-9330 AM-FM Tower Antenna Built-in amp with gain control improves AM and FM reception. Works with tuners and receivers with 75Ω or 300Ω FM antenna inputs. The AM connection consists of a pair of wires with U-clips. Useful 30-40 miles from the broadcast transmitter **\$24.99**



AM-1000 External AM Antenna A passive, fully adjustable 530-1600kHz AM broadcast antenna that improves reception over built-in loops. It is used unattached, next to the radio. Position for best reception, then rotate the tuning dial located at the center of the antenna to match the AM frequency tuned in on the radio. For best performance, it may be connected directly to an external AM antenna input **\$49.99**



AF-9925 Powered Stereo Antenna AM-FM (pi) Gamma Loop® FM circuitry improves FM receiver performance by receiving FM frequencies only ... no noise! Receives more local and distant stations while eliminating

multipath interference and distortion. Outstanding AM reception too! **FM section:** Operating Band: 88 - 108MHz • Amplifier Gain Range: Adjustable, -20 to +42dB, 3dB N.F. • Pickup Pattern: Omnidirectional • Impedance: 75Ω adaptable to 300Ω input with matching transformer included **AM section:** Frequency Range: 500-1700kHz • Gain: +15 dB, 1.5dB N.F. • Output: Twin-lead independent circuitry • Impedance: 75Ω adaptable to 300Ω input with matching transformer included **\$49.99**



NETWORK SYSTEM

LF-20 The Leapfrog Wavemaster 20 System Transmits picture and sound from your main TV to anywhere in your home. Eliminates the need for expensive and difficult-to-install in-wall wiring. Operates on 2.4GHz for reliable reception up to 100 feet away. It features both standard RF connectors and coaxial (RCA) jacks, for connection to any type of TV set, new or old, as well as audio or audio/video components **\$89.99**



We accept I.M.P.A.C.® Government Credit Cards

INTERCONNECTS

Fully automatic interface between an FM base radio and phone line to initiate and receive phone calls in a mobile or on an HT without assistance. The CS-800 and CS-900 each contain powerful microprocessor controlled features such as: 90 memory speed dialer • Redial • Built-in programming keyboard and digital readout • Remote base mode • Regenerated tone or pulse dialout • CW ID • Toll restrict



CS-800 Full Duplex Interconnect Operates full or semi-duplex and also has a built-in repeater controller. Simply connects to transceiver mic and speaker jacks. FCC and DOC approved. 12-15 VDC. 7 7/8" w x 7 1/2" d x 2" h, 2 1/2 lbs..... **\$369.99**



CS-900 Control Station Simplex Interconnect For use with any simplex transceiver. Also use thru remotely located repeaters (from base) for added range. Digital voice delay standard. Connects to mic and speaker jacks of simplex transceiver. FCC and DOC approved. (Transceiver switching speed does not affect performance) 12-15VDC 7.9" w x 7.5" d x 2" h, 2 1/2 lbs..... **\$369.99**



SURGE SUPPRESSORS

SUPER-7 For spike suppression and noise filtering, 18,000 amp surge suppression, and RFI/EMI filtering. Seven outlets, 7 foot cord, three diagnostic LED indicators..... **\$19.99**


SUPER-7+TEL Same as above, but features fax/modem protection for RJ-11 modular jacks **\$29.99**

ISOBAR-8 ULTRA Premium Surge Protector Rugged all metal housing - won't break or burn • Isolated filter banks to eliminate interference between connected equipment • Massive 1,200 joule, 96,000 amp spike suppression • Diagnostic alarm system indicates wiring faults, protection circuitry and power line status • 8 outlets, extra long 12 foot cord..... **\$79.99**



EVO-6500 900MHz Wireless Portable Video Observation System with 5" Monitor Set includes one 900MHz camera/transmitter and one 5" black-and-white monitor/receiver. Closed circuit monitoring systems lets you keep an eye on your private property, baby's room, or business. It's fully wireless - transmitting audio and video signals up to 300 ft. (150 ft. thru walls, floors, ceilings). The battery or AC operated camera features: wide-angle lens, infrared LED's for operation in 0 lux environments, two selectable channels (allowing use of multiple cameras), A/B channel selector, built-in microphone, tripod and wall mount. Camera: 2" x 3.75" x 5.5" Monitor: 6" x 8.25" x 6.25"..... **\$169.99**

EVO-6550 Second camera **\$99.99**



EVS-5000 2.4GHz Wireless Audio/Video Sender Set includes one 2.4GHz transmitter and one 2.4GHz receiver • Four selectable PLL channels minimize interference and allow use of multiple systems in the same area • Transmits DSS. DVD, CATV, CCD, camcorder, and VCR stereo audio and video signals throughout your home • Up to 300 ft. range (150 ft. through walls, floors and ceilings) • Special antenna design prevents multi-path distortion • Super high S/N video output • Includes 110V AC adapters and RCA cables • 6.25" x 6.25" x 2.75"..... **\$79.99**

TV ALLOWANCE



MIN 100 Television Time Manager TV Allowance™ sets weekly allowable TV or video game time. Simply plug the TV into the locking compartment, lock the compartment and plug it in. You program the unit for the amount of time to be allowed for viewing each week using a master code.

Each child (up to 4 children) receives a code which is used to access the TV. As each child uses their own code to view a program, their particular account is debited for each minute of viewing. When the account is empty, the TV shuts off and will not turn on for that code until the following week when it automatically rolls over and gives the child the next allowance. Other features include: BLOCK ability that can be used to block out time periods. LOOK button to check time remaining. SAVE function to accumulate time from week to week. MASTER CODE for parent, babysitter or special viewing. TV Allowance does not interfere with VCR, cable or remote operation - and kids can't cheat!..... **\$79.99**



PROSTAR® 1000 VHF/UHF/FM Antennas Features die-cut impedance correlator that allows close spacing of antenna elements. Manufactured from high tensile aluminum for a strong, compact antenna that will better withstand strong winds and ice loading. Aluminum is protected with high-quality polymer finish.

PR-7010 Metropolitan (bottom) 22 active elements (9 VHF, 13 UHF) • 66.5" boom..... **\$39.99**

PR-7032 Far Suburban (middle) 33 active elements (13 VHF, 20 UHF) • 103.25" boom..... **\$64.99**

PR-7042 Fringe (top) 43 active elements (17 VHF, 26 UHF) • 149.75" boom..... **\$99.99**




SM-2200 Scanner Antenna Vertically polarized, omni-directional pattern. Pass band covers LO, HI and UHF public service bands, including Marine and Aircraft. Coated with a high quality polymer to prevent surface oxidation in any weather. Mounts below TV antenna or on separate mast. Includes 50' of 75Ω coaxial cable with F-connectors attached..... **\$45.99**



TV GUARDIAN Foul Language Filter A small computer that easily connects between your television and VCR. It continually monitors the closed-captioning embedded in the video signal and references each word against an internal directory of over 100 offensive words and phrases. If a word in the directory is detected, the audio is muted. It also removes the offensive word from the closed-captioning and replaces it with a profanity-free version. Three filter settings: Off, Tolerant Mode and Strict Mode. Three closed-caption options: Off, Display Text During Mute Only and Full-Closed Captioning. All settings and cable connections are capable of being secured under lock and key..... **\$89.99**

Used & Demo
Equipment lists

Updated regularly on the web.
Check them out and order **On-line**



CARL W9CLH



RICHARD K9RWE



GARY L. KA9YTB




SERVICIOS INTERNACIONALES

**Estamos cerca del Aeropuerto
Internacional de Orlando, Florida ee uu**

1-407-898-1166

orlando@aesham.com

www.aesham.com



JEFF N9EDQ



JIM WJ9P



MIKE N9LBQ
SALES MANAGER



PAUL W9KHO



SKIP KB9PBQ



TOM W9TJP

MILWAUKEE, WI 414-358-0333 1-800-558-0411



ALEX K8EUR



BEN AA8AH
STORE MANAGER



DAVE WB8BAG

ABREVIACIONES IMPORTANTES

AMP	Amplificador
ANT	Antena
AT	Acoplador automatico de antena
BATT	Bateria
BKT	Braket de montura
BPR	Guarda choque
CGR	Cargador
CIG	Conector cigarillo
CNTR	Contador
DB	Decibeles
DLX	Dujo
DPLX	Duplexador
EL	Elemento
FREQ	Frecuencia
GND	Tierra
GTR	Labio de ventana
HT	Radio de mano
HVY	Pesado
KYR	Llave
MA	Milliamperes
MAG	Magnetico
MAINT	Mantemiento
MIC	Microfono
MT	Montura
MTG	Montura
NMO	Montura Motorola
PROG	Programable
PS	Fuente de poder
PWR	Poder
RCVR	Receptor
REM	Remoto
SENS	Sensitividad
SPKR	Bocina
SPLX	Simplex
SYS	Sistema
TTP	Teclado de botones
VOL	Volumen
W/	Con
WPM	Palabras por minuto
XCVR	Transceptor

Para Contactar:

AES® • 621 Commonwealth Avenue, Orlando, Florida 32803, EUA Tel. 1-407-894-3238; Toll Free: 1-800-327-1917; Fax: 1-407-894-7553; Internacionales: 1-407-898-1166

Forma de pago: El pago que se prefiere es por transferencia de fondos. Nuestra dirección para la transferencia de fondos es: Nations Bank, Fashion Square Branch, Orlando, FL. Routing #063100277, para crédito a Amateur Electronic Supply - Acct. #2836088068.

Método de envío: El envío se hará de acuerdo con sus instrucciones. Si UD. no las indica AES hallará el método más adecuado.

Garantía: La fábrica garantiza sus equipos únicamente dentro de los Estados Unidos. Si su equipo necesitara reparación debe devolverlo a AES con una copia de la garantía y de la factura dentro del plazo autorizado por el fabricante. AES se reserva el derecho de reparar o substituir el equipo que no funcione como diseñado por razones que no resultaron por daño durante el envío. Al recibir el equipo que no funcione o por defectos debe notificarse a AES antes de los 10 días después de recibido. El equipo debe empacarse en la caja original usando los materiales de empaque originales. **El costo del envío, tanto de ida como de vuelta, es por cuenta del cliente.** Los precios y garantías pueden cambiarse sin previo aviso. Algunos productos no pueden ser exportados a ciertos países de acuerdo con las legislaciones locales.



PHILLIP KB8GA



ROD WN8R

CLEVELAND, OH 440-585-7388 1-800-321-3594



ART K7ZE



CHUCK K3CEC



JIM WD6FYX


LAS VEGAS, NV 702-647-3114 1-800-634-6227



LUKE KK7BW
STORE MANAGER



SQUEAK AD7K



TOM N7GBJ



EDDIE KD4RAZ
Hablo español



ERNIE K1HO



GRANT K4IQW
STORE MANAGER



LUIS WP4JSR
Hablo español




RODRIGO T12WD
Hablo español

ORLANDO, FL 407-894-3238 1-800-327-1917

Unlike some dealers, when you purchase a New radio from us our Service Department is able to provide you with outstanding technical support. Our technicians have decades of cumulative experience in the ham service field.



Miles, K9HMQ • Milwaukee



STEVE, N9SO • Milwaukee



GIL, K4ISK • Orlando



RAUL, WD2AEQ • Orlando

Call
414-358-4087
for SERVICE

Warranty Service

New radios purchased from AES within the manufacturers' warranty period will be repaired at no charge by AES or the manufacturer. Please refer to manufacturers' warranty information when unsure of warranty time periods.

Out-Of-Warranty, Late Model Equipment

Whether the item was purchased from us or not, we will attempt to service it, provided service parts are still available. Before shipping your out-of-warranty items, arrangements must be made by phoning the Milwaukee Service Department at 414-358-4087

Shipping Equipment for Service

Before sending your item, make sure you contact the nearest AES location and find out the time frame for repairs. If you are concerned about time limitations, this will help you determine

where to send the repair and how long your radio will be out.

Always include the following along with the item being shipped:

- a detailed note describing the problem(s)
- your address, day-time phone number, and email address
- a copy of the original invoice, if item is still under warranty
- the method of payment (see Policies page for options)

After packing your item securely in a box with ample packing materials (foam, styrofoam spacers, etc.), mark the shipping label "ATTN: Service." And, always insure your items when shipping.

Labor Rates

Out-Of-Warranty Service \$54 per hour

- \$72 minimum on HF/VHF Base Stations
- \$54 minimum on VHF Mobiles and Handheld Transceivers
- Rates do not include Parts and Return Shipping.

Shipping Information

FLAT RATE SHIPPING via UPS Ground Method in the Lower 48 States

AMOUNT OF ORDER

SHIPPING CHARGES

Up to \$100.00	\$4.99
\$100.01 to \$500.00	\$9.99
\$500.01 to \$1,499.99	\$14.99
\$1500.00 & UP	PREPAID

Flat Rate Does Not Apply To Drop Shipments


Flat Rate Advantage -- No Penalty for Number of Cartons or Weight!

EXCEPTIONS TO RATES ABOVE

Optional UPS methods (Red, Blue & Orange) and any USPS methods are charged at Regular Rates without any credit for UPS ground rates. COD's are not accepted for these other methods.

Shipments to APO/FPO go via Priority Mail. Puerto Rico, Alaska and Hawaii can be shipped to via Priority Mail or Blue Label. Orders exceeding UPS or USPS weight, size or value limits will be shipped via Truck or Air Freight collect. Shipping charges taxable in WI, FL & NV.

Please see **Policies Page** for complete information.



$$\frac{L \times W \times H}{194} = \text{Dimensional Weight}$$

Packing

When returning heavy, delicate, and expensive equipment, it must be carefully packed in order to avoid damage caused by normal transportation dynamics. In other words, if you put your FT-1000D, TS-940S or AL-1500 in a box with little or no packing beneath it, chances are it will sustain some damage. When contents of packages are damaged, claims will be paid only if the carton and packing meet standards set in the International Safe Transit Association Procedure 1 and 1-A. These standards simply state that cartons and packing should provide reasonable protection to their contents. Ideally, contents should be suspended in the center of the carton by the packing material, no less than three inches on all sides for heavy items. For items heavier than 20 pounds, three inches of foam or crumpled paper should be used instead of polystyrene edge protectors.

Include information

When you send your well-packed parcel to AES for repair, return or trade-in, be sure to include a letter inside the package. Do not rely on information written or taped on the outside of the carton. This information can be destroyed by moisture or abrasion. In the letter, put your call, name, address, phone and reason for return. You may also want to include your e-mail address and times you can be reached via telephone.

Dim Weight

When calculating the cost of air shipments, whether Fed-Ex, UPS or other carrier, remember that they use dimensional weight. Dim weights are used to insure adequate revenues per cubic foot of cargo plane space. The formula used to calculate dimensional weight is: $L \times W \times H$ divided by 194. This means a 12" x 13" x 16" box that weighs six pounds will be sent at the twelve pound rate when an air service is used.

NOTE: Tracking numbers for out-bound shipments are gladly given. Call our local number, 414-358-0333, and ask for tracking number service.

We Invite You to Visit the Nearest AES® Location



MILWAUKEE, WISCONSIN

5710 W. Good Hope Road • 414-358-0333 • 1-800-558-0411



CLEVELAND, OHIO

28940 Euclid Avenue
440-585-7388 • 1-800-321-3594




LAS VEGAS, NEVADA

4640 South Polaris Ave.
702-647-3114 • 1-800-634-6227

ALL STORE HOURS

Monday - Friday
9:00 A.M. - 5:30 P.M.
Saturday
9:00 A.M. - 3:00 P.M.



ORLANDO, FLORIDA

621 Commonwealth Avenue
407-894-3238 • 1-800-327-1917

COD ORDERS Minimum COD order is \$20.00, shipment via UPS Ground only (no air or parcel post). The flat-rate, plus a \$7.00 COD fee per package applies. Payment by money order or certified check, only.

DAMAGED ITEMS If you discover a damaged shipment, **THE CARRIER SHOULD BE NOTIFIED IMMEDIATELY.** The merchandise should not be returned to us until notified to do so by the carrier. All packaging materials must be retained including styrofoam peanuts, inner and outer cartons, labeling, etc. for inspection by the carrier or the claim may be denied. With shipments properly packaged (as all our shipments are), the ultimate responsibility for delivery in good condition rests with the carrier.

DEFECTIVE ITEMS Defective items should be returned to Amateur Electronic Supply or the manufacturer for warranty repair or replacement, at our discretion. After processing, we will return it via UPS Ground, prepaid at our expense. If you receive defective equipment, call our Customer Service Department at 414-358-4087 for instructions. Canadians please see "**Canadians Note:**" under TRADE-INS.

INTERNET ORDERS The customer may order products directly on our web site via our internet order form. If the customer does not have access to the web, but has an e-mail account, the customer may e-mail his/her order making sure the following information is included: full name, call sign (not required to order), phone number, billing address, shipping address, item(s) to be purchased (model number and manufacturer) and method of payment. If paying by credit card, we need the card number and expiration date.

PAYMENT Accepted forms of payment are electronic bank transfer, certified check, personal check, money order, credit card (VISA, MasterCard, Discover, American Express, IMPAC), or COD. The customer's choices of payment methods may depend on amount of purchase or destination of shipment.



We accept U.S. Government I.M.P.A.C.® Credit Cards

PRICING We will pass on decreases in pricing to our customers whenever possible. Due to foreign currency fluctuations, promotions, manufacturers' specials, etc.; prices may vary, so be sure to confirm prices when ordering. All prices and specifications are subject to change without notice. **AMATEUR ELECTRONIC SUPPLY®** is not responsible for typographical errors or omissions.

REFUNDS Amounts under \$5.00 are not refunded unless requested in writing to the Milwaukee headquarters within 12 months.

RETURNS In order to maintain the lowest possible prices, we do not offer a *free trial or evaluation period* on new equipment. If permitted, an **Authorized** return of merchandise for credit (it must be like new with all original packaging) will be subject to a **Minimum 15% Restocking Fee.** The item must be returned within **10 days** after receipt, prepaid, with a copy of the purchase invoice and a letter describing the reason for the return. No returns on antennas, towers,

cable, items drop-shipped from the manufacturer, audio or video tapes, kits, books, or computer software. Canadians please see "**Canadians Note:**" under TRADE-INS.

SHIPPING Shipping charges, which include adequate insurance, are based on the Order Total at the time of the initial shipment (COD fees not included). The order amount on which charges are determined is pre-coupon and pre-tax. Cancellations on partially shipped orders will not affect the shipping charges. All back-orders from partially shipped orders are shipped PREPAID at the expense of AES® via UPS Ground Service, only.

Shipping calculations on UPS Ground method to the contiguous 48 states have been simplified by utilizing flat-rate categories. Other UPS methods (Red, Blue & Orange) and any USPS methods are charged at regular rates without any credit for UPS ground rates. CODs are not accepted for these faster methods.

Shipments to APO/FPO are via Priority Mail. Orders exceeding UPS or USPS weight, size or value limits will be shipped via Truck or Air Freight collect. Shipping charges taxable in WI, FL & NV.

TRADE-INS Amateur Electronic Supply® accepts trade-ins on new equipment purchases, the worth of which is determined by the electrical and physical condition of the item. Estimates are given assuming the trade-in is in good electrical and physical condition. If it is not, a deduction will be made.

To facilitate a trade-in, the customer can choose one of the following: (A) Purchase the new item(s), send in the trade for evaluation, and have the trade-in amount refunded or credited. (B) Send in the trade and have the order held until the trade-in amount is determined.

When shipping trade-ins for evaluation, use a sturdy carton (double boxing is recommended) and plenty of packing material (see pg. 156). Ship PREPAID & FULLY INSURED. Do not use Bus or Parcel Post. Collect shipments will not be accepted.

AES® assumes no responsibility for damage in transit or for filing of damage claims. Canadians, inquire locally about taxes and/or customs charges before releasing your shipment.

Canadians Note: Returned equipment not originally manufactured in the U.S. will be subject to valuation and custom charges, plus broker's fees. Check customs before shipping anything to us, including new equipment for warranty repair. We will not accept any shipments from outside of the U.S. unless all fees are paid in advance.

BIDS & PURCHASE ORDERS AES® accepts written and signed Purchase Orders from well rated D&B companies, military, schools, colleges, universities and federal, state, county and city Government agencies.

We welcome the chance to bid on your requirements and search the Internet daily for requests from all Government agencies. We are registered with FACNET and accept Government I.M.P.A.C.® charge cards. Net terms available to Government agencies, schools, and companies highly rated in Dunn & Bradstreet.

For more information, please contact Paul Szczerbinski, W9KHO (pauls@aesham.com) at AES® Milwaukee. Toll Free: 1-800-558-0411, Local: 414-358-0333 or Fax: 414-358-3337

AMATEUR ELECTRONIC SUPPLY® LLC

5710 W. Good Hope Road Milwaukee, WI 53223 • 414-358-0333 • Fax 414-358-3337 • Service 414-358-4087

BRANCH STORES

STORE HOURS

28940 Euclid Ave
Cleveland, OH 44092
440-585-7388
1-800-321-3594
Fax 440-585-1024
cleveland@aesham.com

621 Commonwealth Ave
Orlando, FL 32803
407-894-3238
1-800-327-1917
Fax 407-894-7553
orlando@aesham.com

4640 South Polaris Ave
Las Vegas, NV 89103
702-647-3114
1-800-634-6227
Fax 702-647-3412
lasvegas@aesham.com

Monday-Friday
9am to 5:30pm
Saturday
9am to 3pm
Over 44 Years in
Amateur Radio

Web www.aesham.com

E-mail info@aesham.com

Toll Free 1-800-558-0411

ORDER TOLL FREE 1-800-558-0411 6am Pacific to 8:30pm Eastern, Monday - Friday
9am to 3pm Saturday

ALINCO, INC.

438 Amapola Avenue, #130
Torrance, CA 90501
310-618-8616 fax: 310-618-8758
alinco@alinco.com

ALPHA DELTA/OUTBACKER/KENT

P.O. Box 620
Manchester, KY 40962
606-598-2029 fax: 606-598-4413

AMERICAN RADIO RELAY LEAGUE

225 Main St.
Newington, CT 06111
860-594-0200 fax: 860-594-0303
hq@arrrl.org

AMERITRON

116 Willow Rd.
Starkville, MS 39759
662-323-8211 fax: 662-323-6551

AOR U.S.A.

20655 S. Western Ave. Ste. 112
Torrance, CA 90501
310-787-8615 fax: 310-787-8619

ASTRON CORPORATION

9 Autry
Irvine, CA 92618
949-458-7277 fax: 949-458-0826
www.astroncorp.com

BARKER & WILLIAMSON (B&W)

603 Cidco Road
Cocoa, FL 32926
321-639-1510 fax: 321-639-2545
www.bwantennas.com

BENCHER/ BUTTERNUT

831 N Central Ave.
Wood Dale, IL 60191
630-238-1183 fax: 630-238-1186
bencher@bencher.com

BUSHNELL

9200 Cody
Overland Park, KS 66214
913-752-3400 fax: 913-752-3550

CES WIRELESS TECHNOLOGIES CORP.

925-122 S Semoran Blvd.
Winter Park, FL 32792
407-679-9440 fax: 407-679-8110
sales@ceswireless.com

COMMUNICATIONS SPECIALISTS, INC.

426 W. Taft Ave.
Orange, CA 92865
714-998-3021 fax: 714-974-3420
www.com-spec.com

CONNECT SYSTEMS, INC.

2259 Portola Rd.
Ventura, CA 93003
805-642-7184 fax: 805-642-7271
sales@connectsystems.com

CUSHCRAFT CORPORATION

P.O. Box 4680
Manchester, NH 03108
603-627-7877 fax: 603-627-1764
techsup@cushcraft.com

DAVIS INSTRUMENTS

3465 Diablo Ave.
Hayward, CA 94545
510-732-9229 fax: 510-732-9188
sales@davisnet.com

DCI DIGITAL COMMUNICATIONS, INC.

29 Hummingbird Bay
White City, SK Canada
1-800-563-5351
fax: 306-781-2008
dci@dci.ca

DIAMOND ANTENNA/RF PARTS

435 S. Pacific St.
San Marcos, CA 92069
760-744-0900 fax: 744-1943
rpf@rfparts.com

GAP ANTENNA PRODUCTS, INC.

99 North Willow St.
Fellsmore, FL 32948
561-571-9922 fax: 561-571-9988
gap@gap-antenna.com

GARMIN INTERNATIONAL

1200 E. 151st. St.
Olathe, KS 66062
913-397-8200 fax: 800-801-4670

GLEN MARTIN ENGINEERING, INC.

13620 Old Hwy 40
Boonville, MO 65233
660-882-2734 fax: 660-882-7200
info@glenmartin.com

GRUNDIG

3520 Haven Ave. Unit L
Redwood City, CA 94063
650-361-1611 fax: 650-361-1724

HAL COMMUNICATIONS CORP.

P.O. Box 365
Urbana, IL 61801
217-367-7373 fax: 217-367-1701
halcomm@halcomm.com

HEIL SOUND LTD.

5800 N. Illinois
Fairview Heights, IL 62208
618-257-3000 fax: 618-257-3001
info@heilsound.com

HUSTLER

One Newtronics Place
Mineral Wells, TX 76067
940-325-1386 fax: 940-328-1409

HY-GAIN

300 Industrial Park Rd.
Starkville, MS 39759
662-323-5953 fax: 662-323-6551

INTERNATIONAL ANTENNA CORP.

PO Box 121430
Clermont, FL 34712
407-654-7111 fax: 888-268-4214

ICOM AMERICA, INC.

2380 116th Avenue N.E.
Bellevue, WA 98004
425-454-8155 fax: 425-454-1509
tech@icomamerica.com

KANTRONICS

1202 E. 23rd St.
Lawrence, KS 66046
785-842-7745 (tech) 785-842-4476
fax: 785-842-2031
service@kantronics.com

KENWOOD COMMUNICATIONS

P.O. Box 22745
Long Beach, CA 90801-5745
310-639-5300 fax: 310-537-8235
www.kenwood.net

KENWOOD SERVICE CENTER-WEST

13030 Alondra Blvd. #104
Cerritos, CA 90703-2257
562-483-8740 fax: 562-483-8749

KENWOOD SERVICE CENTER-EAST

829 Lynnhaven Parkway, #130
Virginia Beach, VA 23452
757-340-1702 fax: 757-340-6809

L.L. GRACE (Kansas City Tracker)

P.O. Box 1345
Voorhees, NJ 08043
856-751-1018 fax: 856-751-9705
www.llgrace.com

LARSEN ANTENNAS

See - Radiall/Larsen

M2 ANTENNAS, INC.

4402 N. Selland
Fresno, CA 93722
559-432-8873 fax: 559-432-3059

MAGELLAN SYSTEMS CORP.

960 Overland Ct.
San Dimas, CA 91773
909-394-5000
fax: Cust/Service 909-394-7050

MAHA COMMUNICATIONS, INC.

545C W. Lambert Road
Brea, CA 92821
1-800-376-9992
fax: 714-985-9221
sales@maha-comm.com

MFJ ENTERPRISES

300 Industrial Park Rd.
Starkville, MS 39759
662-323-5869 fax: 662-323-6551
www.mfjenterprises.com

MIRAGE COMMUNICATIONS

921 Hwy 25 S
Starkville, MS 39759
662-323-8287 fax: 662-323-6551

NCG CO. (COMET, DAIWA, MALDOL)

1275 N. Grove St.
Anaheim, CA 92806
714-630-4541 fax: 714-630-7024
micks@cometantenna.com

NORCOMM

NorFax™ automated 24-hour
fax retrieval system: 530-477-8403

OREGON SCIENTIFIC

19861 SW 95th Pl.
Tualatin, OR 97062-7526
503-639-8883 fax: 503-684-8883

PacComm PACKET RADIO SYSTEMS

4413 N. Hesperides St.
Tampa, FL 33614-7618
813-874-2980 fax: 813-872-8696
BBS: 813-874-3078

PALOMAR ENGINEERS

P.O. Box 462222
Escondido, CA 92046
760-747-3343 fax: 760-747-3346
www.Palomar-Engineers.com

PAR ELECTRONICS, INC.

P.O. Box 645
Glenville, NC 28736
828-743-1338 fax: 828-743-1219
par@parelectronics.com

PREMIER COMMUNICATIONS (ADI)

480 Apollo Ste. E
Brea, CA 92821
714-257-0300 fax: 714-257-0600
premier@adi-radio.com

RADIALL/LARSEN ANTENNA TECH.

3611 NE 112th Ave.
Vancouver, WA 98682
360-944-7551
fax: 1-800-525-6749
info@radialllarsen.com

R.L. DRAKE COMPANY

230 Industrial Dr.
Franklin, OH 45005
513-746-6990 fax: 513-743-4683
sales@rldrake.com

SGC, INC.

13737 S.E. 26 St.
Bellevue, WA 98005
800-259-7331 fax: 425-746-6384
www.sgcworld.com

SMILEY ANTENNA CO INC.

408 La Cresta Heights Rd.
El Cajon, CA 92021
619-579-8916 fax: 619-579-8598
bill@htantennas.com

SONY

1200 N. Arlington
Itasca, IL 60143
630-773-6000 fax: 630-773-7695

TE SYSTEMS

PO Box 25845
Los Angeles, CA 90025
310-478-0591 fax: 310-473-4038

TIMES MICROWAVE SYSTEMS

358 Hall Ave
Wallingford, CT 06492
203-949-8400 fax: 203-949-8423
www.timesmicrowave.com

UNIDEN

4700 Amon Carter Blvd
Fort Worth, TX 76155
817-858-3300 fax: 817-858-3333

UNIFIED MICROSYSTEMS

3310 Bonnie Lane
Slinger, WI 53086
414-644-9036 fax: 414-644-9036
ums@nconnect.com

UNIVERSAL MANUFACTURING

43900 Groesbeck Hwy.
Clinton Township, MI 48036
810-463-2560 fax: 810-463-2964

US TOWER CORPORATION

1220 Marcin St.
Visalia, CA 93291
559-733-2438 fax: 559-733-7194
sales@ustower.com
www.USTower.com

VECTRONICS

300 Industrial Park Rd.
Starkville, MS 39759
662-323-5800 fax: 662-323-3158

YAESU U.S.A.

17210 Edwards Road
Cerritos, CA 90703
562-404-2700
fax: 562-404-4828 (tech support)
yaesu@worldnet.att.net

LINKS TO VARIOUS MANUFACTURERS' SITES AT www.aesham.com • AES SERVICE 414-358-4087

Real Performance for the Real World!

Today's elite-class operators demand the best RF weaponry available. Yaesu's exciting new MARK-V FT-1000MP answers the call, with an expanded array of receiver filtering, 200 Watts of power output, and Class-A SSB operation capability for the cleanest signal on the band. Enhanced front-panel ergonomics on the front panel save you seconds in a pile-up or a contest "run," and Yaesu's HF design and manufacturing know-how ensures that no short-cuts have been taken in our effort to bring you the best HF transceiver money can buy. For more QSOs in your log, and more awards on your wall, there is only one choice: the MARK-V FT-1000MP from Yaesu!

I. Interlocked Digital Bandwidth Tracking System (IDBT)

II. Variable RF Front-End Filter (VRF)

III. 200 Watts of Transmitter Power Output

IV. Class-A SSB Operation

V. Multi-Function Shuttle Jog Tuning/Control Ring

Features

■ Frequency Coverage: (RX) 100 kHz-30 MHz; (TX) 160-10 m Amateur Bands ■ Dual In-band Receive w/Separate "S" Meters ■ Ten Pole Collins® Mechanical Filter Built-in ■ RX DSP Noise Reduction and CW Peaking Filter ■ High-speed Automatic Antenna Tuner ■ Two TX/RX Antenna Jacks plus RX-only Jack ■ TX Microphone Equalizer ■ RF Speech Processor ■ Direct Digital Synthesis ■ CW Spot and Two Key Jacks ■ Two Headphone Jacks (1/4" and 3.5 mm) ■ Low-Level Transverter RF Drive Jack ■ Separate FP-29 Power Supply (30 V/13.8 V DC Output)



HF 200 W All-Mode Transceiver

MARK-V FT-1000MP



For Elite-Class Amateur Radio Operators...

A NEW BREAKTHROUGH IN TRANSMITTED AUDIO QUALITY: THE YAESU MD-200A8X HIGH-FIDELITY DESKTOP MICROPHONE.

- New-Technology Polyethylene Terephthalate Film High-Fidelity Dynamic Microphone Element
- Vibration-Resistant Housing
- VSPC (Variable Side Pressure Control) Technique (Patent Pending)
- Ease of Operation through Ergonomic Design
- Provision for User-Supplied Additional Microphone Element



Ultra-High-Fidelity Desktop Microphone
MD-200A8X

APPLICABLE TRANSCEIVERS
MARK-V FT-1000MP, FT-1000MP, FT-1000/-1000D*, FT-990*, FT-920, FT-900, FT-847, FT-840*, FT-817

* The FT-1000/-1000D/-990/-840 do not support the illumination of the TX LED during transmission.

Expand Your DX Horizons With The FTV-1000 50 MHz Transverter!

- 50 MHz Transverter with 200 W PEP Power Output
- Class-A Bias Selection for Low TX IMD (PO: 50 W)
- High-Performance Receiver Front End
- Automatic, Effortless Operation with MARK-V FT-1000MP
- Upgrade to High Power with VL-1000 Linear Amplifier



Specifications

Frequency Range: 50-54 MHz
Antenna Impedance: 50 Ohms
Power Output: 200 Watts PEP
Spurious Emissions: At least 60 dB down
Power Source: DC 30 V and 13.8 V (supplied by FP-29 Power Supply of MARK-V)
Dimensions: 9.6" x 5.4" x 13" WHD (243.5 x 136.5 x 331 mm)

200 W 50 MHz Transverter

FTV-1000

For the latest Yaesu news, visit us on the Internet:
<http://www.vxstd.com>

Specifications subject to change without notice. Some accessories and/or options may be standard in certain areas. Frequency coverage may differ in some countries. Check with your local Yaesu Dealer for specific details.

YAESU
Choice of the World's top DX'ers™

Vertex Standard
US Headquarters
17210 Edwards Road,
Cerritos, CA 90703 (562)404-2700

AES®

AMATEUR ELECTRONIC SUPPLY


AMATEUR ELECTRONIC SUPPLY
5710 W. Good Hope Rd.
Milwaukee, WI 53223

PRSRT STD
U.S. POSTAGE
PAID
Permit #73
Milwaukee, WI

- Over 44 Years in Amateur Radio
- Knowledgeable Staff
- Complete Inventories
- Competitive Pricing
- Top Trades & Quality Used Gear
- Service Department

1-800-558-0411
www.aesham.com

N7WDX



The New IC-756PROII

This new HF/50 MHz all mode transceiver has the familiar look and feel of the '756PRO - but with the improvements and features that you requested most. Including selectable IF filter shape characteristics - sharp or soft shapes independently selectable for SSB and CW, improved 3rd IMD characteristics - making a dramatic improvement in receiver performance, one touch digital voice recorder playback - selectable even while displaying the bandscope, and much more. The 'PROII uses not only our latest digital technology, but also benefits from our superior experience in analog technology. To find out more about the 'PROII, see your authorized ICOM dealer today, visit www.icomamerica.com, or call our literature hotline at 425-450-6088.

IC-756PROII Features

- Improved Third Order Intercept Point
- Improved Sensitivity Without Preamp
- Selectable IF Filter Shape
- Improved Noise Reduction
- Adjustable Level Noise Blanker
- Improved Bandscope Noise Floor
- Improved Audio Fidelity
- Enhanced Backlighting - better for dark rooms
- Enhanced 5" TFT Color Display

Digital User Features

- Digital & Voice modes store filter settings independently
- Compression no longer allowed in Digital Modes
- 1/4 Tuning Steps in Digital Mode
- Improved low-level volume control

Contester Features

- Fast, adjustable RIT clear
- SSB/CW "synchronous tuning"
- External control of Digital Voice Recorder Playback & Memory Keyer, selectable even while displaying the bandscope

IC-756PROII. The best just got better.

HF/6M • 100W • All Mode • Enhanced Rx • Dual Watch • 32 Bit IF-DSP • Independently Selectable IF Filter Shapes For SSB & CW • Variable Level Noise Blanker • Auto & Manual Notch Filter • Twin Passband Tuning • Improved 5" TFT Color Display • CW Memory Keyer • VOX • Auto Antenna Tuner • SSB/CW Synchronous Tuning • External Control For Voice Memory & Memory Keyer • Adjustable RIT Clear • 1/4 Tuning Steps In Digital Mode



'PROII has the familiar look and feel of the '756PRO - but with the improvements and features that you requested most!

Find out more

www.icomamerica.com

ICOM®

This device has not been approved by the FCC. This device may not be sold or leased, or offered for sale or lease, until approval of the FCC has been obtained.
©2001 ICOM America, Inc. 2380 116th Ave NE, Bellevue, WA 98004, 425-454-8155. The ICOM logo is a registered trademark of ICOM, Inc. All specifications are subject to change without notice or obligation. PROIIAES801